### (19) World Intellectual Property Organization International Bureau



## (43) International Publication Date 27 February 2003 (27.02.2003)

### PCT

# (10) International Publication Number WO 03/016475 A2

(51)	International	Patent	Classification	<b>7</b> :
------	---------------	--------	----------------	------------

\_\_\_\_

- (21) International Application Number: PCT/US02/25765
- (22) International Filing Date: 14 August 2002 (14.08.2002)
- (25) Filing Language:

English

C12N

(26) Publication Language:

English

(30) Priority Data:

60/312,147 14 August 2001 (14.08.2001) US 60/346,382 1 November 2001 (01.11.2001) US 60/333,347 26 November 2001 (26.11.2001) US

- (71) Applicants (for all designated States except US): THE GENERAL HOSPITAL CORPORATION [US/US]; 55 Fruit Street, Boston, MA 02114-2696 (US). BAYER AG [DE/DE]; BHC-CAO-L & P-P & L, D-51368 Leverkusen (DE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): WOOLF, Clifford [GB/US]; 107 Franklin Street, Newton, MA 02458 (US). D'URSO, Donatella [DE/DE]; Linnicher Strasse 2, 40547 Duesseldorf (DE). BEFORT, Katia [FR/FR]; 4, place des Moulins, F-67000 Strasbourg (FR). COSTIGAN, Michael [US/US]; 11 Harold Street, Somerville, MA 02143 (US).

- (74) Agent: WILLIAMS, Kathleen, Madden; Palmer & Dodge LLP, 111 Huntington Avenue, Boston, MA 02199-7613 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- without international search report and to be republished upon receipt of that report
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(54) Title: NUCLEIC ACID AND AMINO ACID SEQUENCES INVOLVED IN PAIN

(57) Abstract: The present invention relates to nucleic acid sequences which are related to pain and which are differentially expressed during pain. The invention further relates to methods of identifying nucleic acid sequences which are differentially expressed during pain, microarrays comprising such differentially expressed sequences and methods of screening agents for the ability to regulate the expression of such differentially expressed sequences.

WO 03/016475 PCT/US02/25765

#### NUCLEIC ACID AND AMINO ACID SEQUENCES INVOLVED IN PAIN

#### **PRIORITY**

This application claims priority under 35 U.S.C. §119(e) to U.S Provisional Application Nos. 60/312,147, filed August 14, 2001; 60/346,382, filed November 1, 2001; and 60/333,347, filed November 26, 2001. The contents of each application are incorporated herin in their entirety.

#### SEQUENCE LISTING

The present application includes a Sequence Listing submitted herewith on four identical CD-ROM disks pursuant to 37 C.F.R. §1.53(e). The information on each CD-ROM is identical. Submitted are the following four CD-ROM disks: "Copy 1 – Sequence listing part" (disk 1), "Copy 2 – Sequence listing part" (disk 2), and "Copy 3 – Sequence listing part" (disk 3), and "CRF" (disk 4). The following information is identical for each CD-ROM submitted:Machine Format: IBM-PC; Operating System: MS-Windows; Files Contained: Formal\_sequence\_listing.txt; Size: 46,682,797 bytes; Date of Creation: August 13, 2002. The information on each CD-ROM is incorporated herein by reference in its entirety.

#### BACKGROUND OF THE INVENTION

Pain is a state-dependent sensory experience which can be represented by a constellation of distinct types of pain including chronic pain, neuropathic pain, inflammatory pain, and physiological pain. Current therapy is, however, either relatively ineffective or accompanies by substantial side effects (Sindrup and Jensen, 1999 *Pain* 83: 389). All of the primary forms of pain therapy have been discovered wither empirically through folk medicine, or serendipitously. These forms of treatment include opiates, non-steroidal anti-inflammatory drugs (NSAIDS), local anesthetics, anticonvulsants, and tricyclic antidepressants (TCAs).

Recently there has been a great deal of progress in understanding the mechanisms that produce pain (McCleskey and Gold, 1999, Annu. Rev. Physiol. 61: 835; Woolf and Salter, 2000, Science 288: 1765; Mogil et al., 2000, Annu. Rev. Neurosci. 23: 777). It is increasingly clear that multiple mechanisms operating at different sites, and with different temporal profiles, are involved. In consequence, there is a need in the art for a shift in pain management from

identify and treat the mechanisms present in a given patient (Woolf and Mannion, 1999, Lancet 353: 1959; Woolf and Decosterd, 1999, Pain 82: 1). Accordingly, there is a need in the art for techniques which enable the identification of the genes responsible for these mechanisms.

The present invention, in an effort to meet such a need, provides a plurality of genes which are differentially expressed in animals which have been subjected to pain. The present invention provides advantages over existing measurements of differential expression in that the invention provides lower thresholds of differential expression. The present invention thus encompasses a much larger number of genes which show differential expression, and therefore provides a much improved method for identifying a larger number of genes whose expression may be directly related to the mechanisms which underlie pain.

#### SUMMARY OF THE INVENTION

The present invention provides a composition comprising two or more isolated polynucleotides, wherein each of said two or more isolated polynucleotides is selected from the polynucleotides of Tables 1 or 2 or a sequence which hybridizes under high stringency conditions thereto, and wherein at least one of said two or more isolated polynucleotides is unique to Table 2, or a sequence which hybridizes under high stringency conditions thereto.

The invention also provides a composition comprising two or more isolated polynucleotides, wherein each of said two or more isolated polynucleotides is selected from the group consisting of: a polynucleotide comprising any of the polynucleotides specified in Table 1 or 2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; a polynucleotide encoding an amino acid sequence selected from the group consisting of: amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; and the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (a) to (b) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; a

polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (a) to (c) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; and a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (a) to (d) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier".

The invention further provides polypeptide sequences, indicated by Accession no. in Table 2, which are encoded by the polynucleotide sequences shown in Tables 2 which are differentially expressed by at least 1.2 fold across at least three replicate screens of neuronal tissue obtained from an animal subjected to pain relative to an animal not subjected to the same pain, with a P-value of less than 0.05.

The invention further provides human polypeptide sequences, indicated by Accession no. in Table 2, which are encoded by the human polynucleotide sequences shown in Tables 2 which are differentially expressed by at least 1.2 fold across at least three replicate screens of neuronal tissue obtained from an animal subjected to pain relative to an animal not subjected to the same pain, with a P-value of less than 0.05.

The invention further provides polypeptide sequences, indicated by Accession no. in Tables 2 or 3, which are encoded by the polynucleotide sequences shown in Tables 2 or 3 which are differentially expressed by at least 1.4 fold in an animal subjected to pain relative to an animal not subjected to the same pain.

The invention further provides human polypeptide sequences, indicated by Accession no. in Tables 2 or 3, which are encoded by the human polynucleotide sequences shown in Tables 2 or 3 which are differentially expressed by at least 1.4 fold in an animal subjected to pain relative to an animal not subjected to the same pain.

The invention further provides human polynucleotide sequences, indicated by Accession no. in Table 2 or 3 which are differentially expressed by greater than 1.4 fold in an animal subjected to pain relative to an animal not subjected to pain and polypeptide sequences encoded thereby. Preferably, the animal is a human.

The invention further provides human polynucleotide sequences, indicated by Accession no. in Table 2, which are differentially expressed by at least 1.2 fold across at least

three replicate screens of neuronal tissue obtained from an animal subjected to pain relative to an animal not subjected to the same pain, with a p-value of less than 0.05.

Table 1 of the present invention includes polynucleotide sequences which have been examined using the methods described herein, and have been previously individually described in the art as being regulated in animal models of pain. Not all of the polynucleotides shown in Table 1, however, are "differentially expressed" according to the present invention. The invention is based, in part, upon the discovery that certain polynucleotides shown in Table 1 are differentially expressed in nerve tissue. Those polynucleotides indicated as having a Fold change of +/- 1.4 or greater are differentially expressed.

Table 2 and 3 of the present invention include polynucleotide sequences which have not been previously described in the art as being regulated in animal pain models and which have been analyzed in at least three replicate screens of neuronal tissue from animals subjected to pain, and have attained a statistical significance of p<0.05. Table 2 and 3, however, also include one or more of the sequence indicated in Table 1. Accordingly, the phrase "unique to Table x" refers to a sequence which is indicated in Table x, and is not indicated in Table 1. Therefore, the invention also is based, in part, upon the discovery that polynucleotides (listed in Tables 2 and 3) are differentially expressed in nerve tissue obtained from an animal subjected to pain relative to an animal not subjected to the same pain. This discovery is demonstrated in nerve injury models of pain: e.g., spared nerve injury, axotomy, chronic constriction, and nerve ligation, and inflammation pain models. Each of tables 2 and 3 represents a polynucletoide sequence which is identified herien as being differentially expressed in an animal subjected to pain by at least 1.4 fold relative to the expression of the same sequence in an animal which has not beed subjected to the same pain. Table 2 represents sequences which have been analyzed in at least three replicate assays of differential expression and are differentially expressed by at least 1.4 fold in an animal subjected to pain relative to an animal not subjected to pain, and have a statistical significance of P<0.05. Thus, each of the polynucleotides shown in Tables 2 or 3 is differentially expressed in an animal subjected to pain according to the present invention.

Table 4 and 5 of the present invention include polynucleotide sequences which have not been previously described in the art as being regulated in an animal pain model, and which have been identified herein as being differentially expressed in an animal subjected to inflammatory pain by at least 1.4 fold. All of the sequences in Tables 4 and 5 are identified herein as being differentially expressed, and a number of the polynucleotides indicated in Tables 4 and 5 have also been included in Table 2, as having attained a statistical significance of p<0.05 in three replicate analyses of gene expression.

Accordingly, the present invention provides a composition comprising polynucleotides which are differentially expressed by at least +/- 1.2 fold in at least three replicate assays of nerve tissue obtained from a nerve injury or inflammation pain model, with a p-value of less than 0.05, wherein each of the polynucleotides is selected from the polynucleotides listed in Tables 1 or 2, and wherein at least one of the polynucleotides is selected from the polynucleotides listed in Table 2.

In one embodiment, each of the two or more isolated polynucleotides is differentially expressed by at least 1.4 fold in the nerve tissue of an animal subjected to pain relative to the animal not subjected to the pain, and alternatively, are differentially expressed by at least 1.4 fold across three replicate assays of expression in nerve tissue obtained from a nerve injury pain model with a p-value of less than 0.05.

In an alternate embodiment, each of the two or more isolated polynucleotides is differentially expressed by at least 2 fold in the neurons of an animal subjected to pain relative to the animal not subjected to the pain.

In one embodiment, the nerve tissue is the sensory neurons of the dorsal root ganglion, or dorsal horn of the spinal cord.

The invention also provides a plurality of vectors each comprising an isolated polynucleotide, wherein each of the isolated polynucleotides is selected from Table 1, 2, 3, 4, or 5, or a sequence which hybridizes under high stringency conditions thereto, and wherein at least one of the isolated polynucleotides is unique to Table 2, 3, 4, or 5, or a sequence which hybridizes under high stringency conditions thereto.

The invention further provides a plurality of viral vectors each comprising an isolated polynucleotide, wherein each of the isolated polynucleotides is selected from Table 1, 2, 3, 4, or 5, or a sequence which hybridizes under high stringency conditions thereto, and wherein at least one of the isolated polynucleotides is unique to Table 2, 3, 4, or 5 or a sequence which hybridizes under high stringency conditions thereto.

The invnetion further provides a plurality of vectors each comprising an isolated polynucleotide, wherein each of said two or more isolated polynucleotides is selected from the group consisting of: (a) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (b) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (i) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (ii) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (c) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (a) to (b) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (d) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (a) to (c) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (e) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (a) to (d) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier".

In one embodiment, the vectors described above are contained within a host cell.

The invention further provides a method for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing a nucleic acid sample corresponding to RNA obtained from the animal to at least three replicates of a nucleic acid sample comprising one or more nucleic acid molecules of known identity; measuring the hybridization of the nucleic acid sample to the one or more nucleic acid molecules of known identity for each of the replicates, wherein a 1.2 fold difference in the hybridization, and a p-value of less than 0.05 across the at least three replicates, of the nucleic acid sample to the one or more nucleic acid molecules of known identity relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence in the animal subjected to pain.

The present invention also provides a method for identifying a nucleonae sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing a nucleic acid sample corresponding to RNA obtained from the animal to a nucleic acid sample comprising one or more nucleic acid molecules of known identity; measuring the hybridization of the nucleic acid sample to the one or more nucleic acid molecules of known identity, wherein a 1.4 fold difference in the hybridization of the nucleic acid sample to the one or more nucleic acid molecules of known identity relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence in the animal subjected to pain.

The invention further provides a method for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing a nucleic acid sample corresponding to RNA obtained from the animal to at least three replicates of an array comprising a solid substrate and one or more nucleic acid molecules of known identity; wherein each nucleic acid member has a unique position and is stably associated with the solid substrate; and measuring the hybridization of the nucleic acid sample to the at least three replicates of the array, wherein a 1.2 fold difference in the hybridization, and a p-value of less than 0.05 across the at least three replicates, of the nucleic acid sample to the one or more nucleic acid molecules of known identity comprising the array relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence in the animal subjected to pain.

The invention still further provides a method for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing a nucleic acid sample corresponding to RNA obtained from an animal which has been subjected to pain to an array comprising a solid substrate and a plurality of nucleic acid members; wherein each nucleic acid member has a unique position and is stably associated with the solid substrate; and measuring the hybridization of the nucleic acid sample to the array, wherein a 1.4 fold difference in the hybridization of the nucleic acid sample to one or more nucleic acid members comprising the array relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence in the animal subjected to pain.

In one embodiment, any of the preceeding methods for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain may further comprise the step of verifying the differential expression of the nucleotide sequence by a molecular procedure selected from the group consisting of Northern analysis, *in situ* hybridization, and PCR.

The invention provides a method for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing a nucleic acid sample corresponding to RNA obtained from an animal which has been subjected to pain to an array comprising a solid substrate and a plurality of nucleic acid members; wherein each nucleic acid member has a unique position and is stably associated with the solid substrate; measuring the hybridization of the nucleic acid sample to the array, wherein a 1.4 fold difference in the hybridization of the nucleic acid sample to one or more nucleic acid members comprising the array relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence in the animal subjected to pain; and verifying the differential expression of the nucleotide sequence by a molecular procedure selected from the group consisting of Northern analysis, in situ hybridization, and PCR.

In one embodiment, a 1.4 fold change in the hybridization of the nucleic acid sample to one or more nucleic acid members comprising the array relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence following pain.

In a further embodiment, a 2 fold change in the hybridization of the nucleic acid sample to one or more nucleic acid members comprising the array relative to a nucleic acid sample obtained from an animal which has not been subjected to the pain is indicative of the differential expression of the nucleotide sequence following pain.

In one embodiment, the nucleic acid sample is labeled with a detectable label prior to the hybridization to the array.

In a further embodiment, the above methods for identifying a nucleic acid seuqence which is differentially regulated in an animal subjected to pain further comprises the step of isolating the nucleic acid sample from the animal.

In one embodiment, nucleic acid sample is cRNA.

The present invention also provides an array comprising: a plurality of polynucleotide members, wherein each of the polynucleotide members is selected from Table 1, 2, 3, 4, or 5 and wherein at least one of the isolated polynucleotides is unique to Table 2, 3, 4, or 5; and a solid substrate, wherein each polynucleotide member has a unique position on the array and is stably associated with the solid substrate. Such an array will be referred to herein as a "pain specific array".

The invention still further provides an array comprising: a plurality of polynucleotide members, wherein each of the polynucleotide members is selected from Table 1, 2, 3, 4, or 5, and wherein at least one of the isolated polynucleotides is unique to Table 2, 3, 4, or 5 and wherein the plurality of polynucleotide members are obtained from neuronal tissue obtained from at least two different species of animal; and a solid substrate, wherein each polynucleotide member obtained from each of the two different species has a unique position on the array and is stably associated with the solid substrate. Such an array will be referred to herein as a "pain specific array".

The invention also comprises an array comprising: (a) a plurality of polynucleotide members, wherein each of said plurality of polynucleotides is selected from the group consisting of: (i) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (ii) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (1) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (2) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (iii) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (i) to (ii) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (iv) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (i) to (iii) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the

column designated "identifier"; (v) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (i) to (iv) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; and (b) a solid substrate, wherein each polynucleotide member has a unique position on said array and is stably associated with said solid substrate.

In one embodiment, the plurality of polynucleotide members is differentially expressed by at least 1.2 fold across at least three replicate assays of expression in neuronal tissue of an animal subjected to pain with a p-value of less than 0.05 relative to an animal not subjected to the pain.

In one embodiment, the plurality of polynucleotide members is differentially expressed by at least 1.4 fold in the neurons of the animal subjected to pain relative to an animal not subjected to the pain.

In a further embodiment, the array comprises from 10 to 20,000 polynucleotide members.

In one embodiment, the array further comprises negative and positive control sequences and quality control sequences selected from the group consisting of cDNA sequences encoded by housekeeping genes, plant gene sequences, bacterial sequences, PCR products and vector sequences.

The invention further provides a method of identifying an agent that increases or decreases the expression of a polynucleotide sequence that is differentially expressed in neuronal tissue of a first animal which is subjected to pain comprising: administering the agent to the first animal; hybridizing nucleic acid isolated from one or more sensory neurons of the first and a second animal to a pain specific array; and measuring the hybridization of the nucleic acid isolated from the neuronal tissue of the first and second animal to the array; wherein an increase in hybridization of the nucleic acid from the first animal to one or more nucleic acid members of the array relative to hybridization of the nucleic acid from a second animal which is subjected to pain but to which is not administered the agent to one or more nucleic acid members of the array identifies the agent as increasing the expression of the polynucleotide sequence, and wherein a decrease in hybridization of the nucleic acid from the first animal to one or more nucleic acid members of the array relative to the hybridization of

the nucleic acid from second animal to one or more nucleic acid members of the array identifies the agent as decreasing the expression of the polynucleotide sequence.

In one embodiment, the preceeding method further comprises the step of verifying the increase or decrease in the hybridization by a molecular procedure selected from the group consisting of Northern analysis, *in situ* hybridization, and PCR.

In one embodiment, the nucleic acid sample isolated from the first and second animal is labeled with a detectable label prior to the hybridization to the array.

In a further embodiment, the nucleic acid sample isolated from the first animal is labeled with a different detectable label than the nucleic acid sample isolated from the second animal.

The invention also provides a method for identifying a compound which regulates the expression of a polynucleotide sequence which is differentially expressed in an animal subjected to pain, comprising: (a) providing a cell comprising and capable of expressing one or more of the polynucleotide selected from the group consisting of: (i) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (ii) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (1) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (2) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (iii) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (i) to (ii) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (iv) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (i) to (iii) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (v) a polynucleotide which represents a fragment, derivative or allelic variation

of a nucleic acid sequence specified in (i) to (iv) and encodes a polypeptude exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (b) contacting said cell with a candidate compound; and (c) measuring the expression of said one or more of the polynucleotide specified supra, wherein if the expression of said differentially expressed polynucleotide sequence is increased in an animal which is subjected to pain, then said candidate modulator will be considered to regulate the expression of said polynucleotide if the expression of said polynucleotide is decreased by at least 10% in the presence of said candidate modulator, and wherein if the expression of said differentially expressed polynucleotide sequence is decreased in an animal subjected to pain, then said candidate modulator will be considered to regulate the expression of said polynucleotide if the expression of said polynucleotide is increased by at least 10% in the presence of said candidate modulator.

The invention also provides a method for identifying a compound which regulates the expression of a polynucleotide sequence which is differentially expressed in an animal subjected to pain, comprising: providing a cell comprising and capable of expressing one or more of the polynucleotide sequences shown in Tables 1, 2, 3, 4, or 5; contacting the cell with a candidate compound; and measuring the expression of the one or more of the polynucleotide sequences shown in Tables 1, 2, 3, 4, or 5, wherein an increase or decrease in the expression of the one or more of the polynucleotide sequences shown in Table 1, 2, 3, 4, or 5 of at least 10% is indicative of regulation of the differentially expressed polynucleotide sequence.

The invention still further provides a method for identifying a compound which regulates the activity of one or more of the polypeptides shown in Table 1, 2, 3, 4, or 5, or the activity of a polypeptide encoded by a polynucleotide sequence indicated in Table 1, 2, 3, 4, or 5 comprising: providing a cell comprising the one or more polypeptides; contacting the cell with a candidate compound; and measuring the activity of the one or more polypeptides, wherein an increase or decrease of the activity of the one or more polypeptides of at least 10% relative to the activity of the one or more polypeptides in the cell, wherein the cell is not contacted with the candidate compound, identifies the candidate compound as a compound which regulates the activity of the one or more polypeptides.

In one embodiment, the candidate compound is selected from the group consisting of small molecule, protein, RNAi, and antisense.

In a further embodiment, the candidate compound is an antibody which binds to the polypeptide.

The invnetion also provides a method for producing a pharmaceutical formulation comprising: providing a cell comprising the one or more polypeptides; selecting a compound which regulates the activity of the one or more polypeptides; and mixing the compound with a carrier.

In one embodiment, the step of selecting comprises the steps of contacting the cell with a candidate compound; and measuring the activity of the one or more polypeptides, wherein an increase or decrease of the activity of the one or more polypeptides of at least 10% relative to the activity of the one or more polypeptides in the cell, wherein the cell is not contacted with the candidate compound, identifies the candidate compound as a compound which regulates the activity of the one or more polypeptides.

The invention also provides a method for producing a pharmaceutical formulation comprising: (a) providing a cell comprising said one or more polypeptides encoded by a polynucleotide selected from the group consisting of: (i) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (ii) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (1) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (2) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (iii) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (i) to (ii) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (iv) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (i) to (iii) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (v) a polynucleotide which represents a fragment, derivative or allelic variation

of a nucleic acid sequence specified in (i) to (iv) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (b) selecting a compound which regulates the activity of said one or more polypeptides; and (c) mixing said compound with a carrier.

In one embodiment, the step of selecting comprises the steps of contacting said cell with a candidate compound; and measuring the activity of said one or more polypeptides, wherein an increase or decrease of the activity of said one or more polypeptides of at least 10% relative to the activity of said one or more polypeptides in said cell, wherein the cell is not contacted with the candidate compound, identifies said candidate compound as a compound which regulates the activity of said one or more polypeptides

The invention also provides a method for identifying a compound which regulates the activity, in an animal, of one or more of the polypeptides shown in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more polynucleotide sequence indicated in Table 1, 2, 3, 4, or 5 comprising: administering a candidate compound to an animal comprising the one or more polypeptides; and measuring the activity of the one or more polypeptides wherein an increase or decrease of the activity of the polypeptide of at least 10% relative to the activity of the one or more polypeptides in an animal to which the candidate compound is not administered, identifies the candidate compound as a compound which regulates the activity of the one or more polypeptides.

Preferably, the candidate compound is selected from the group consisting of small molecule, protein, RNAi, and antisense.

In one embodiment, the candidate compound is an antibody which binds to the polypeptide.

The invnention still further provides a method for identifying a small molecule which regulates the activity of one or more of the polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more polynucleotides indicated in Table 1, 2, 3, 4, or 5 comprising: providing a cell comprising the one or more polypeptides; generating a small molecule library; providing a candidate small molecule, selected from the library; contacting the cell with the candidate small molecule; and measuring the activity of the one or more polypeptides, wherein an increase or decrease of the activity of the one or more polypeptides of at least 10% relative to the activity of the one or more polypeptides in the cell, wherein the

cell is not contacted with the candidate small molecule, identifies the candidate small molecule as a small molecule which regulates the activity of the one or more polypeptides.

Preferably, the small molecule library comprises components selected from the group consisting of heterocyclics, aromatics, alicyclics, aliphatics, steroids, antibiotics, enzyme inhibitors, ligands, hormones, alkaloids, opioids, terpenes, porphyrins, toxins, and catalysts, and combinations thereof.

The invention also relates to a method for identifying a small molecule which regulates the activity of one or more of the polypeptides indicated in Table 2, comprising: (a) providing a cell comprising said one or more polypeptides encoded by a polynucleotide selected from the group consisting of: (i) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (ii) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (1) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (2) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (iii) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (i) to (ii) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (iv) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (i) to (iii) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (v) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (i) to (iv) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (b) generating a small molecule library; (c) providing a candidate small molecule, selected from said library; (d) contacting said cell with said candidate small molecule; and (e) measuring the activity of said one or more polypeptides, wherein an

increase or decrease of the activity of said one or more polypepudes or at least 10% relative to the activity of said one or more polypeptides in said cell, wherein the cell is not contacted with the candidate small molecule, identifies said candidate small molecule as a small molecule which regulates the activity of said one or more polypeptides.

The invention further relates to a method for identifying a compound useful in the treatment of pain, comprising: providing a host cell comprising a vector comprising one or more of the polynucleotides identified in Table 1, 2, 3, 4, or 5; maintaining the host cell under conditions which permit the expression of the one or more polynucleotides; selecting a compound which regulates the activity of a polypeptide encoded by the one or more polynucleotides; administering the compound to an animal subjected to pain; and measuring the level of pain in the animal, wherein a decrease in the level of pain in the animal of at least 10%, identifies the compound as being useful for treating pain.

In one embodiment, the step of selecting includes the steps of contacting the cell with a candidate compound; and measuring the activity of the polypeptide encoded by the one or more polynucleotides, wherein an increase or decrease of the activity of the polypeptide of at least 10% relative to the activity of the polypeptide in the cell, wherein the cell is not contacted with the candidate compound, identifies the candidate compound as a compound which regulates the activity of the polypeptide.

The invention further provides a method for identifying a compound useful in the treatment of pain, comprising: (a) providing a host cell comprising a vector comprising one or more of the polynucleotides selected from the group consisting of: (i) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (ii) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (1) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (2) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (iii) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (i) to (ii)

and encodes a polypeptide exhibiting the biological function as specified for the respective — sequence in Table 2 in the column designated "identifier"; (iv) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (i) to (iii) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (v) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (i) to (iv) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (b) maintaining said host cell under conditions which permit the expression of said one or more polynucleotides; (c) selecting a compound which regulates the activity of a polypeptide encoded by said one or more polynucleotides; (d) administering said compound to an animal subjected to pain; and (e) measuring the level of pain in said animal, wherein a decrease in the level of pain in said animal of at least 10%, identifies said compound as being useful for treating pain.

In one embodiment, the step of selecting includes the steps of contacting said cell with a candidate compound; and measuring the activity of the polypeptide encoded by said one or more polynucleotides, wherein an increase or decrease of the activity of said polypeptide of at least 10% relative to the activity of said polypeptide in said cell, wherein the cell is not contacted with the candidate compound, identifies said candidate compound as a compound which regulates the activity of said polypeptide.

The invention also provides a method of treating pain in an animal comprising administering to the animal an antisense polynucleotide capable of inhibiting the expression of one or more of the polynucleotide sequences indicated in Table 1, 2, 3, 4, or 5.

The invention further provides a method of treating pain in an animal comprising administering to the animal a double stranded RNA molecule wherein one of the strands of the double stranded RNA molecule is identical to a portion of an mRNA transcript obtained from one or more of the polynucleotide sequences indicated in Table 1, 2, 3, 4, or 5.

The invention still further provides a method of treating pain in an animal in need thereof, comprising: administering to the animal a therapeutically effective amount of an agent which modulates the activity of one or more of the polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more of the polynucleotides indicated in Table 1, 2, 3, 4, or 5.

The invention also provides a method of treating pain in an artificial in freed thereof, comprising: administering a therapeutically effective amount of an antibody which binds to one or more of the polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more of the polynucleotides indicated in Table 1, 2, 3, 4, or 5.

The invention still further provides a method of treating pain in an animal in need thereof, comprising: administering a therapeutically effective amount of one or more of the polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more of the polynucleotides indicated in Table 1, 2, 3, 4, or 5.

The invention also provides a pharmaceutical formulation comprising one or more polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more of the polynucleotides indicated in Table 1, 2, 3, 4, or 5, and a carrier.

The invention also provides a pharmaceutical formulation comprising one or more antibodies which bind to one or more of the polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more of the polynucleotides indicated in Table 1, 2, 3, 4, or 5, and a carrier.

The invention further relates to the use of: (a) a polynucleotide selected from the group consisting of: (i) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (ii) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (1) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (2) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (iii) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (a) to (b) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (iv) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (a) to (c) due to the degeneration of the genetic code and encodes a polypeptide

exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (v) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (a) to (d) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (vi) a polypeptide encoded by any of the polynucleotides specified in (i) to (v); in the preparation of a medicament for the treatment of pain in an animal.

The present invention still further relates to the use of a compound which can modulate the activity of a polypeptide which is encoded by a polynucleotide selected from the group consisting of: (a) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (b) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (i) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (ii) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (c) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (a) to (b) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (d) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (a) to (c) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (e) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (a) to (d) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; in the preparation of a medicament for the treatment of pain in an animal.

The present invention provies a pharmaceutical formulation comprising one or more polypeptides encoded by a polynucleotide selected from the group consisting of: (a) a

polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (b) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (i) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (ii) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (c) a polynucleotide which hybridizes under high stringency conditions to a polynucleotide specified in (a) to (b) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (d) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (a) to (c) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (e) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (a) to (d) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; and a carrier.

The invention still further provides a pharmaceutical formulation comprising one or more antibodies which bind to one or more of the polypeptides encoded by a polynucleotide selected from the group consisting of: (a) a polynucleotide comprising any of the polynucleotides specified in Table 1-2 in the columns designated "rat gene" and "human gene", and wherein at least one of said two or more isolated polynucleotides is unique to Table 2 in the columns designated "rat gene" and "human gene"; (b) a polynucleotide encoding an amino acid sequence selected from the group consisting of: (i) amino acid sequences which are homologue to any of the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein" by at least the homology as specified for the respective sequence in Table 2 in the column designated "%homology" and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (ii) the amino acid specified in Table 2 in the columns designated "rat protein" and "human protein"; (c) a polynucleotide which hybridizes

under high stringency conditions to a polynucleotide specified in (a) to (b) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (d) a polynucleotide the nucleic acid sequence or which deviates from the nucleic acid sequences specified in (a) to (c) due to the degeneration of the genetic code and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; (e) a polynucleotide which represents a fragment, derivative or allelic variation of a nucleic acid sequence specified in (a) to (d) and encodes a polypeptide exhibiting the biological function as specified for the respective sequence in Table 2 in the column designated "identifier"; and a carrier.

According to the invention, a sequence differentially expressed under pain conditions must be differentially expressed in the neurons of an animal subjected to nerve injury, or inflammatory pain, thus differential expression in an animal subjected to nerve injury pain is determined, according to the invention, in one or all of the following nerve injury pain models. A sequence which is differentially expressed according to the invention is a sequence which is differentially expressed in (1) an axotomy pain model, (2) a spared nerve injury pain model, (3) chronic constriction pain model, (4) spinal segmental nerve lesion pain model, or (5) an inflammation pain model, or may be differentially expressed in all five pain models.

As used herein differential expression of a sequence in nerve tissue is determined in either a "nerve injury pain model" or a "inflammation pain model", or both. There are four alternate nerve injury pain models by which differential expression can be determined according to the invention: axotomy, spared nerve injury (SNI), spinal segmental nerve lesion, and chronic constriction.

As used herein, an "axotomy pain model" refers to a situation in which one or a plurality of peripheral nerve fibers is severed, either by traumatic injury or experimental or surgical manipulation. An "axotomy pain model" may further refer to an experimental model in which all of the axons of a given population of nerve cells are completely severed. For example, an "axotomy pain model" useful in the present invention may be a model in which all of the axons that comprise the sciatic nerve are surgically cut. All of the nerve cells in the dorsal root ganglion which gave rise to the axons of the sciatic nerve are thus said to be "axotomized".

As used herein, a "spared nerve injury pain model" refers to a situation in which one of the terminal branches of the sciatic nerve is spared from axotomy (Decosterd and Woolf, 2000 Pain 87: 149). The SNI procedure comprises an axotomy and ligation of the tibial and common peronial nerves leaving the sural nerve intact.

As used herein, a "spinal segmental nerve lesion" and "chronic constriction" refer to two types of "neuropathic pain models" useful in the present invention. Both models are well known to those of skill in the art (See, for example Kim and Chung, 1992 *Pain* 50: 355; and Bennett, 1993 *Muscle Nerve* 16: 1040 for a description of the "segmental nerve lesion" and "chronic constriction" respectively). A "segmental nerve lesion" and/or "chronic constriction" neuropathic pain model may be evaluated for the presence of "pain" using any of the behavioral, electrophysiological, and/or neurochemical criteria described below.

As used herein, an "inflammatory pain model" refers to a situation in which an animal is subjected to pain, as defined herein, by the induction of peripheral tissue inflammation (Stein et al., (1988) *Pharmacol Biochem Behav* 31: 445-451; Woolf et al., (1994) *Neurosci*. 62, 327-331). The inflammation can be produced by injection of an irritant such as complete Freunds adjuvant (CFA), carrageenan, turpentine, croton oil, and the like into the skin, subcutaneously, into a muscle, into a joint, or into a visceral organ. In addition, an "inflammatory pain model" can be produced by the administration of cytokines or inflammatory mediators such as lippopolysoccharide (LPS), or nerve growth factor (NGF) which can mimic the effects of inflammation. An "inflammatory pain model" can be evaluated for the presence of "pain" using behavioral, electrophysiological, and/or neurochemical criteria as described below.

A polynucleotide is thus differentially expressed herein if it is differentially expressed in any or all of the axotomy, SNI, chronic constriction, segmental nerve lesion and inflammatory pain models.

As used herein, "nerve tissue" refers to animal tissue comprising nerve cells, the neuropil, glia, neural inflammatory cells, and endothelial cells in contact with "nerve tissue". "Nerve cells" may be any type of nerve cell known to those of skill in the art including, but not limited to motor neurons, sensory neurons, enteric neurons, sympathetic neurons, parasympathetic neurons, association neurons, and central nervous system neurons. "Glial cells" useful in the present invention include, but are not limited to astrocytes, schwan cells,

and oligodendrocytes. "Neural inflammatory cells" useful in the present invention include, but are not limited to microglia. Preferably, "nerve tissue" as used herein refers to nerve cells obtained from the dorsal root ganglion, or dorsal horn of the spinal cord.

As used herein, "sensory neuron" refers to any sensory neuron in an animal. A "sensory neuron" can be a peripheral sensory neuron, central sensory neuron, or enteric sensory neuron. A "sensory neuron" includes all parts of a neuron including, but not limited to the cell body, axon, and dendrite(s). A "sensory neuron" refers to a neuron which receives and transmits information (encoded by a combination of action potentials, neurotransmitters and neuropeptides) relating to sensory input, including, but not limited to pain, heat, touch, cold, pressure, vibration, etc. Examples of "sensory neurons" include, but are not limited to dorsal root ganglion neurons, dorsal horn neurons of the spinal cord, autonomic neurons, trigeminal ganglion neurons, and the like.

As used herein, "animal" refers to a organism classified within the phylogenetic kingdom Animalia. As used herein, an "animal" also refers to a mammal. Animals, useful in the present invention, include, but are not limited to mammals, marsupials, mice, dogs, cats, cows, humans, deer, horses, sheep, livestock, and the like.

As used herein, "subjected" refers to a state of being in which an animal is experiencing pain, wherein whether or not the animal is experiencing pain is determined using the behavioral, electrophysiological, and/or neurochemical criteria described above. As used herein, "subjected" does not refer to the past experience of pain only, but can also include the present experience of pain.

As used herein, "polynucleotide" refers to a polymeric form of nucleotides of 2 up to 1,000 bases in length, or even more, either ribonucleotides or deoxyribonucleotides or a modified form of either type of nucleotide. The term includes single and double stranded forms of DNA. The term is synonymous with "oligonucleotide". Polynucleotides of the invention include those indicated by accession number in Tables 1, 2, 3, 4, or 5, or a portion thereof.

As used herein, "polypeptide" refers to any kind of polypeptide such as peptides, human proteins, fragments of human proteins, proteins or fragments of proteins from non-human sources, engineered versions proteins or fragments of proteins, enzymes, antigens, drugs, molecules involved in cell signalling, such as receptor molecules, antibodies, including

polypeptides of the immunoglobulin superfamily, such as antibody polypeptides or T-cell receptor polypeptides. Preferably, a "polypeptide" useful according to the invention is indicated by accession number in Tables 1, 2, 3, 4, or 5. Also included, are a fragment, domain, or epitope of one or more of the polypeptides indicated in Tables 2, 3, 4, or 5 provided that the fragment, domain, or epitope maintains the same function as the protein indicated in Table 2, 3, 4, or 5, wherein the function of the polypeptide is known to those of skill in the art. Also included, are a fragment, domain, or epitope of one or more of the polypeptides indicated in Tables 2 or 3 provided that the fragment, domain, or epitope maintains the same function as the protein indicated in Table 2 or 3, under the column heading "identifier", "description" or "protein type"

As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded nucleic acid loop into which additional nucleic acid segments can be ligated. Another type of vector is a "viral vector", wherein additional nucleic acid segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant nucleic acid techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adeno-associated viruses), which serve equivalent functions.

As used herein, the term "hybridizing" or "hybridization" refers to the hydrogen binding with a complementary nucleic acid, via an interaction between for example, a target nucleic acid sequence and a nucleic acid member in an array.

Typically, selective hybridization occurs when two nucleic acid sequences are substantially complementary (at least about 65% complementary over a stretch of at least 14

to 25 nucleotides, preferably at least about 75%, more prererably at least about 90% complementary). See Kanehisa, M., 1984, Nucleic Acids Res. 12: 203, incorporated herein by reference. As a result, it is expected that a certain degree of mismatch is tolerated. Such mismatch may be small, such as a mono-, di- or tri-nucleotide. Alternatively, a region of mismatch may encompass loops, which are defined as regions in which there exists a mismatch in an uninterrupted series of four or more nucleotides.

Numerous factors influence the efficiency and selectivity of hybridization of two nucleic acids, for example a nucleic acid member to a target nucleic acid sequence. These factors include nucleic acid member length, nucleotide sequence and/or composition, hybridization temperature, buffer composition and potential for steric hindrance in the region to which the nucleic acid member is required to hybridize.

A positive correlation exists between the nucleic acid member length and both the efficiency and accuracy with which a nucleic acid member will anneal to a target sequence. In particular, longer sequences have a higher melting temperature (T<sub>M</sub>) than do shorter ones, and are less likely to be repeated within a given target sequence, thereby minimizing promiscuous hybridization. Hybridization temperature varies inversely with nucleic acid member annealing efficiency, as does the concentration of organic solvents, e.g., formamide, that might be included in a hybridization mixture, while increases in salt concentration facilitate binding. Under stringent annealing conditions, longer nucleic acids, hybridize more efficiently than do shorter ones, which are sufficient under more permissive conditions. As herein used, the term "standard stringent conditions" means hybridization will occur only if there is at least 95% and preferably at least 97% identity between the sequences, wherein the region of identity comprises at least 10 nucleotides. In one embodiment, the sequences hybridize under stringent conditions following incubation of the sequences overnight at 42°C, followed by stringent washes (0.2X SSC at 65° C). As several factors affect the stringency of hybridization, the combination of parameters is more important than the absolute measure of a single factor.

As defined herein, an "array" refers a plurality of unique nucleic acids attached to one surface of a solid support at a density exceeding 20 different nucleic acids/cm<sup>2</sup> wherein each of the nucleic acids is attached to the surface of the solid support in a non-identical preselected region. In one embodiment, the nucleic acid attached to the surface of the solid support is DNA. In a preferred embodiment, the nucleic acid attached to the surface of the

solid support is cDNA. In another preferred embodiment, the nucleic acid attached to the surface of the solid support is cDNA synthesized by polymerase chain reaction (PCR). Preferably, a nucleic acid comprising an array, according to the invention, is at least 20 nucleotides in length. Preferably, a nucleic acid comprising an array is less than 6,000 nucleotides in length. More preferably, a nucleic acid comprising an array is less than 500 nucleotides in length. In one embodiment, the array comprises at least 500 different nucleic acids attached to one surface of the solid support. In another embodiment, the array comprises at least 10 different nucleic acids attached to one surface of the solid support. In yet another embodiment, the array comprises at least 10,000 different nucleic acids attached to one surface of the solid support. The term "nucleic acid", as used herein, is interchangeable with the term "polynucleotide".

As used herein, "plurality" refers to more than two. Plurality, according to the invention, can be 3 or more, 100 or more, or 1000 or more.

As used herein, "attaching" or "spotting" refers to a process of depositing a nucleic acid onto a solid substrate to form a nucleic acid array such that the nucleic acid is irreversibly bound to the solid substrate via covalent bonds, hydrogen bonds or ionic interactions.

As used herein, "stably associated" refers to a nucleic acid that is irreversibly bound to a solid substrate to form an array via covalent bonds, hydrogen bonds or ionic interactions such that the nucleic acid retains its unique preselected position relative to all other nucleic acids that are stably associated with an array, or to all other preselected regions on the solid substrate under conditions wherein an array is analyzed (i.e., hybridization and scanning).

As used herein, "solid substrate" or "solid support" refers to a material having a rigid or semi-rigid surface. The terms "substrate" and "support" are used interchangeable herein with the terms "solid substrate" and "solid support". The solid support may be biological, non-biological, organic, inorganic, or a combination of any of these, existing as particles, strands, precipitates, gels, sheets, tubing, spheres, containers, capillaries, pads, slices, films, plates, slides, etc. Often, the substrate is a silicon or glass surface, (poly)tetrafluoroethylene, (poly)vinylidendifluoride, polystyrene, polycarbonate, a charged membrane, such as nylon 66 or nitrocellulose, or combinations thereof. In a preferred embodiment, the solid support is glass. Preferably, at least one surface of the substrate will be substantially flat. Preferably,

the surface of the solid support will contain reactive groups, including, but not limited to, carboxyl, amino, hydroxyl, thiol, or the like. In one embodiment, the surface is optically transparent.

As used herein, "preselected region", "predefined region", or "unique position" refers to a localized area on a substrate which is, was, or is intended to be used for the deposit of a nucleic acid and is otherwise referred to herein in the alternative as a "selected region" or simply a "region." The preselected region may have any convenient shape, e.g., circular, rectangular, elliptical, wedge-shaped, etc. In some embodiments, a preselected region is smaller than about 1 cm<sup>2</sup>, more preferably less than 1 mm<sup>2</sup>, still more preferably less than 0.5 mm<sup>2</sup>, and in some embodiments about 0.125 to 0.5 mm<sup>2</sup>.

As used herein, "unique to Table X", where "X" is one or more of 2, 3, 4, or 5, refers to a polynucleotide or polypeptide sequence which is indicated in Table X, but is not indicated in Table 1.

As used herein, the term "level of expression" refers to the measurable expression level of a given nucleic acid. The level of expression of a nucleic acid is determined by methods well known in the art. The term "differentially expressed" or "differential expression" refers to an increase or decrease in the measurable expression level of a given nucleic acid. As used herein, "differentially expressed" or "differential expression" means the difference in the level of expression of a nucleic acid is at least 1.4-fold or more in two samples used for comparison, both of which are compared to the same normal standard sample. "Differentially expressed" or "differential expression" according to the invention also means a 1.4-fold, or more, up to and including 2-fold, 5-fold, 10-fold, 20-fold, 50-fold or more difference in the level of expression of a nucleic acid in two samples used for comparison. A nucleic acid is also said to be "differentially expressed" in two samples if one of the two samples contains no detectable expression of a given nucleic acid, provided that the detectably expressed nucleic acid is expressed at +/- at least 1.4 fold. Differential expression of a nucleic acid sequence is "inhibited" the difference in the level of expression of the nucleic acid in two or more samples used for comparison is altered such that it is no longer at least a 1.4 fold difference. Absolute quantification of the level of expression of a nucleic acid may be accomplished by including a known concentration(s) of one or more control nucleic acid species, generating a standard curve based on the amount of the control

nucleic acid and extrapolating the expression level of the "unknown" nucleic acid species from the hybridization intensities of the unknown with respect to the standard curve.

Alternatively, "differential expression", according to the invention, refers to a 1.2 fold increase or decrease in the level of expression of a nucleic acid in an animal subjected to pain compared to the level of expression in an animal not subjected to the same pain, combined with a statistical significance of p<0.05 in at least three replicate assays of gene expression. Calculation of a statistically significant 1.2 fold threshold in the increase or decrease in the difference of expression of a nucleic acid, when compared to a normal standard sample is based on a statistical analysis of triplicate array data points using, for example, a student's t-test. "Differential expression" of a polynucleotide sequence, as used herein, is established if the expression of a sequence measured in several types of animal pain model, such as nerve injury models or an inflammation model, is increased or decreased by at least 1.2 fold in at least one of the pain models, and if the differential expression is found to be significant across three replicate analyses of differential expression in an animal pain model.

Alternatively, a differentially expressed polynucleotide may be differentially expressed in several animal pain models.

The "level of expression" is measured by hybridization analysis using labeled target nucleic acids according to methods well known in the art (see, for example, Ausubel et al., Short Protocols in Molecular Biology, 3<sup>rd</sup> Ed. 1995, John Wiley and Sons, Inc.). The label on the target nucleic acid is a luminescent label, an enzymatic label, a radioactive label, a chemical label or a physical label. Preferably, the target nucleic acids are labeled with a fluorescent molecule. Preferred fluorescent labels include fluorescein, amino coumarin acetic acid, tetramethylrhodamine isothiocyanate (TRITC), Texas Red, Cy3 and Cy5.

As used herein, "differential expression" when measured using microarray hybridization as described herein, can be determined using one or more of three alternate measurements: (1) The hybridization intensity can be measured by comparing the level of hybridization of nucleic acid samples obtained from a naïve animal to the level of hybridization of nucleic acid samples from an animal subjected to any of the pain models described herein. This measurement is termed the "intensity ratio". (2) Alternatively, a method of measuring "differential expression" is to utilize the "Affymetrix ratio" which is obtained by analyzing the hybridization levels obtained from nucleic acid samples obtained from a naïve animal and those obtained from nucleic acid samples obtained from an animal

subjected to any of the pain models described herein, using the software provided with the Affymetrix Microarray software suite (Affymetrix, Santa Clara, CA). The Affymetrix ratio can be determined by following the protocols included with the Affymetrix brand software and microarray analysis equipment. Whether measured using the intensity ratio or the Affymetrix ratio, a nucleic acid molecule of the present invention is differentially expressed if it demonstrates at least a 1.4 fold change in expression levels in an animal subjected to the neuropathic or inflammation pain as described herein relative to an animal not subjected to the same pain. (3) Preferably, "differential expression" is measured in either a nerve injury model, or inflammation pain model, or both, at multiple time points after an animal has been subjected to pain. "Differential expression" is further measured in at least three replicate samples for each time point, and for multiple pain models (e.g. nerve injury models, an inflammation models), such that a statistical evaluation may be made of the significance of the differential expression. Accordingly, a polynucleotide sequence is "differentially expressed" if it is differentially expressed by at least 1.2 fold, with a p-value of less than 0.05 across at least three replicate expression assays. The fold differential expression, when paired with the statistical analysis of at least three replicate expression assays, can be measured using either of the "intensity ratio" or "affymetrix ratio" described above.

#### **DESCRIPTION OF THE DRAWINGS**

Figure 1 shows the data from a representative Northern analysis performed on target nucleic acid obtained from dorsal root ganglion neurons from a rat axotomy pain model.

Figure 2 shows the *in situ* hybridization of dorsal root ganglion tissue sections with labeled oligonucleotide probes specific for SNAP, c-jun, or TrkA.

Figure 3 shows the *in situ* hybridization of dorsal root ganglion tissue sections with labeled oligonucleotide probes specific for GTPcylco, IES-JE, CCHL2A, or VGF.

#### **DETAILED DESCRIPTION**

The present invention is based, in part, on the discovery that the polynucleotides listed in Tables 1, 2, 3, 4, or 5 are differentially expressed by at least +/- 1.4 fold in nerve injury and/or inflammation animal pain models. While the polynucleotides listed in Table 1 have

been previously suggested to be regulated in pain models, the present invention is distinguished over the prior art in that only polynucleotides which demonstrate at least a +/-1.4 fold change in expression in a neuropathic and/or inflammation animal pain model are considered to be differentially expressed according to the invention. The invention further provides the polynucleotides listed in Tables 2, 3, 4, or 5 which are differentially expressed by at least +/- 1.4 fold in a nerve injury or inflammation animal pain model, but which have not previously been suggested to be regulated in animal pain models (i.e., which are not indicate in Table 1). In addition, the invention provides the polynucleotides listed in Table 2 which have been identified herein as beind differentially expressed by at least +/- 1.2 fold in triplicate assays in multiple nerve injury and inflammation pain models, with a p-value of less than 0.05. The invention further provides methods for identifying nucleic acid sequences which are differentially regulated in animals that have been subjected to pain, wherein differential expression is defined as an increase or decrease of the expression of the nucleic acid sequence by at least 1.2 fold compared to the same sequence in an animal which has not been subjected to pain, in triplicate assays with a statistical significance of p<0.05. The invention further provides methods for identifying nucleic acid sequences which are differentially regulated in animals that have been subjected to pain, wherein differential expression is defined as an increase or decrease of the expression of the nucleic acid sequence by at least 1.4 fold compared to the same sequence in an animal which has not been subjected to pain. The invention further provides methods of constructing arrays comprising isolated nucleic acid sequences which are differentially regulated in pain, and methods of screening for potential therapeutic compounds which may alter the expression of these sequences using the arrays. The invention also relates to methods for screening for candidate compounds which are capable of regulating the expression of one or more of the polynucleotide sequences of Tables 1, 2, 3, 4, or 5, or which are capable of regulating the activity of one or more of the polypeptides indicated in Table 1, 2, 3, 4, or 5, or a polypeptide encoded by one or more of the polynucleotides indicated in Table 1, 2, 3, 4, or 5, or which are capable of modulating pain in an animal. As described above, animals which have been subjected to pain include animal models of pain, in which the animal has been artificially manipulated to mimic one or more types of pain, including physiological, inflammatory, or neuropathic pain. Animals subjected to pain also include animals which have experienced pain as the result of a traumatic injury, or animals which have experienced physiological, inflammatory, or neuropathic pain not induced in the setting of an animal model.

Pain

The present invention relates to polynucleotides which are differentially expressed in (a) an animal that is subjected to pain relative to (b) an animal not subjected to pain.

According to the invention, the pain to which the animals of (a) and (b) are subjected is the same pain, that is, if a polynucleotide is differentially expressed in an axotomy pain model then the differential expression is relative to the expression of the polynucleotide in an animal which is not an axotomy pain model.

As used herein, "pain" refers to a state-dependent sensory experience generated by the activation of peripheral sensory neurons, the nociceptors. As used herein, "pain" refers to several different types of pain, including physiological or protective pain, inflammatory pain that occurs after tissue damage, and neuropathic pain which occurs after damage to the nervous system. Physiological pain is initiated by sensory nociceptor fibers innervating the peripheral tissues and activated only by noxious stimuli, and is characterized by a high threshold to mechanical and thermal stimuli and rapid, transient responses to such stimuli. Inflammatory and neuropathic pain are characterized by displays of behavior indicating either spontaneous pain, measured by spontaneous flexion, vocalization, biting, or even self mutilation, or abnormal hypersensitivity to normally innocuous stimuli or to noxious stimuli, such as mechanical or thermal stimuli. Regardless of the type of pain, as used herein "pain" can be measured using behavioral criteria, such as thermal and mechanical sensitivity, weight bearing, visceral hypersensitivity, or spontaneous locomotor activity, electrophysiological criteria, such as in vivo or in vitro recordings from primary sensory neurons and central neurons to assess changes in receptive field properties, excitability or synaptic input, or neurochemical criteria, such as changes in the expression or distribution of neurotransmitters, neuropeptides and proteins in primary sensory and central neurons, activation of signal transduction cascades, expression of transcription factors, or phosphorylation of proteins.

Behavioral criteria used to measure "pain" include, but are not limited to mechanical allodynia and hyperalgesia, and temperature allodynia and hyperalgesia. Mechanical allodynia is generally measured using a series of ascending force von Frey monofilaments. The filaments are each assigned a force which must be applied longitudinally across the filament to produce a bend, or bow in the filament. Thus the applied force which causes an animal to withdraw a limb can be measured (Tal and Bennett, 1994 *Pain* 57: 375). An animal can be said to be experiencing "pain" if the animal demonstrates a withdrawal reflex

in response to a force that is reduced by at least 30% compared to the force that elicits a withdrawal reflex in an animal which is not in "pain". In one embodiment, an animal is said to be experiencing "pain" if the withdrawal reflex in response to a force that is reduced 40%, 50%, 60%, 70%, 80%, 90% and as much as 99% compared to the force required to elicit a similar reflex in a naïve animal.

Mechanical hypersensitivity can be measured by applying a sharp object, such as a pin, to the skin of an animal with a force sufficient to indent, but not penetrate the skin. The duration of withdrawal from the sharp stimulus may then be measured, wherein an increase in the duration of withdrawal is indicative of "pain" (Decostard et al., 1998 Pain 76: 159). For example, an animal can be said to be experiencing "pain" if the withdrawal duration following a sharp stimulus is increased by at least 2 fold compared with an animal that is not experiencing "pain". In one embodiment, an animal is said to be experiencing "pain" if the withdrawal duration is increased by 3, 4, 5, 6, 7, 8, 9, and up to 10 fold compared to an animal not experiencing "pain".

Temperature allodynia can be measured by placing a drop of acetone onto the skin surface of an animal using an instrument such as a blunt needle attached to a syringe without touching the skin with the needle. The rapid evaporation of the acetone cools the skin to which it is applied. The duration of the withdrawal response to the cold sensation can then be measured (Choi et al., 1994 Pain 59: 369). An animal can be said to be in "pain" if the withdrawal duration following acetone application is increased by at least 2 fold as compared to an animal that is not experiencing "pain". According to the invention an animal can be said to be in "pain" if the withdrawal duration following thermal stimulation is increased by 4, 6, 8, 10, 12, 14, 16, 18, and up to 20 fold compared to an animal not experiencing "pain".

Temperature hyperalgesia can be measured by exposing a portion of the skin surface of an animal, such as the plantar surface of the foot, to a beam of radiant heat through a transparent perspex surface (Hargreaves et al., 1988 *Pain* 32:77). The duration of withdrawal from the heat stimulus may be measured, wherein an increase in the duration of withdrawal is indicative of "pain". An animal can be said to be experiencing "pain" if the duration of the withdrawal from the heat stimulus increases by at least 2 fold compared with an animal that is not experiencing "pain". In addition, an animal can be said to be experiencing "pain" if the duration of the withdrawal from heat stimulus is increased by 3, 4, 5, 6, 7, 8, 9, and up to 10 fold compared with an animal that is not experiencing "pain".

In addition to the behavioral criteria described above, an animal can be deemed to be experiencing "pain" by measuring electrophysiological changes, in vitro or in vivo, in primary sensory, or central sensory neurons. Electrophysiological changes can include increased neuronal excitability, changes in receptive field input, or increased synaptic input. The technique of measuring cellular physiology is well known to those of skill in the art (see, for example, Hille, 1992 Ion channels of excitable membranes. Sinauer Associates, Inc., Sunderland, MA). An increase in neuronal excitability may be identified, for example, by measuring an increase in the number of action potentials per unit time in a given neuron. An animal is said to be experiencing "pain" if there is at least a 2 fold increase in the action potential firing rate compared with an animal that is not experiencing "pain." In addition, and animal can be said to be experiencing "pain" if the action potential firing rate is increased by, 3, 4, 5, 6, 7, 8, and up to 10 fold compared to an animal that is not experiencing "pain". An increase in synaptic input to a sensory neuron, either peripheral or central, may be identified, for example, by measuring the rate of end-plate excitatory potentials (EPSPs) recorded in from the neuron. An animal is said to be experiencing "pain" if there is at least a 2 fold, 3, 4, 5, 6, 7, 8, and up to 10 fold increase in the rate of EPSPs recorded from a given neuron compared to an animal that is not experiencing pain.

Alternatively, neurochemical criteria may be used to determine whether or not an animal is experiencing "pain". For example, an animal which has experienced "pain" will display changes in the expression or distribution of neurotransmitters, neuropeptides and protein in primary sensory and central neurons, activation of signal transduction cascades, expression of transcription factors, or phosphorylation of proteins. Gene and protein expression, and phosphorylation of proteins such as transcription factors may be measured using a number of techniques known to those of skill in the art including but not limited to PCR, Southern analysis, Northern analysis, Western analysis, immunohistochemistry, and the like. Examples of signal transduction pathway constituents which may be activated in an animal which is experiencing pain include, but are not limited to ERK, p38, and CREB. Examples of genes which may exhibit enhanced expression include immediate early genes such as c-fos, protein kinases such as PKC and PKA. Examples of other proteins which may be phosphorylated in an animal experiencing pain include receptors and ion channels such as the NMDA or AMPA receptors. Regardless of whether the measure is of transcription, translation or phosphorylation an animal can be said to be experiencing "pain" if one measures at least a 2 fold increase or decrease in any of these parameters compared to an

animal not experiencing pain. An animal can be further said to be experiencing "pain" if there is a 3, 4, 5, 6, 7, 8, and up to 10 fold increase in the measurement of any of the above parameters compared to an animal not experiencing "pain".

As used herein, "pain" refers to any of the behavioral, electrophysiological, or neurochemical criteria described above. In addition, "pain" can be assessed using combinations of these criteria.

As used herein, "pain" can refer to "pain" experienced by an animal as a result of accidental trauma (e.g., falling trauma, burn trauma, toxic trauma, etc.), congenital deformity or malformation, infection (e.g., inflammatory pain), or other conditions which are not within the control of the animal experiencing the "pain". Alternatively, "pain" may be inflicted onto an animal by subjecting the animal to one or more "pain models".

The present invention comprises polynucleotide sequences that are differentially expressed in nerve injury pain models, including axotomy, SNI, chronic constriction, and segmental nerve lesion, as well as inflammation pain models. It is also within the scope of the present invention that the polynucleotides described herein as being differentially expressed in nerve injury, or neuropathic pain models may be also differentially expressed in other pain models known to those of skill in the art.

As used herein, a "pain model" refers to any manipulation of an animal during which the animal experiences "pain", as defined above. "Pain models" can be classified as those that test the sensitivity of normal animals to intense or noxious stimuli. These tests include responses to thermal, mechanical, or chemical stimuli. Thermal stimuli is usually hot (42 to 55°C) and includes radiant heat to the tail (the tail flick test) radiant heat to the plantar surface of the hindpaw (the Hargreaves test, *supra*), the hotplate test, and immersion of the hindpaw or tail in hot water. Alternatively, thermal stimuli can be cold stimulus (30° to -10° C), such as immersion in cold water, acetone evaporation or cold plate tests which may be used to test cold pain responsiveness using the thresholds discussed above. The end points are latency to response and the duration of the response as well as vocalization and licking the paw, as described above. Mechanical Stimuli typically involves measurements of the threshold for eliciting a withdrawal reflex of the hindpaw to graded strength monofilament von Frey hairs wherein one can measure the force of the filament required to elicit a reflex. Alternatively, mechanical stimuli can be a sustained pressure stimulus to a paw (e.g., the Ugo Basila

analgesiometer). The duration of response to a standard pin prick can also be measured. Threshold values for identifying a stimulus that causes "pain" to the animal are described above. Chemical Stimuli typically involves the application or injection of a chemical irritant to the skin, muscle joints or internal organs like the bladder or peritoneum. Irritants can include capsaicin, mustard oil, bradykinin, ATP, formalin, or acetic acid. The outcome measures include vocalization, licking the paw, writhing or spontaneous flexion.

Alternatively, a "pain model" can be a test that measures changes in the excitability of the peripheral or central components of the pain neural pathway pain sensitization, termed "peripheral sensitization" and "central sensitization". "Peripheral Sensitization" involves changes in the threshold and responsiveness of high threshold nociceptors which can be induced by: repeated heat stimuli, or application or injection of sensitizing chemicals (e.g. prostaglandins, bradykinin, histamine, serotonin, capsaicin, mustard oil). The outcome measures are thermal and mechanical sensitivity in the area of application/stimulation using the techniques described above in behaving animals or electrophysiological measurements of single sensory fiber receptive field properties either in vivo or using isolated skin nerve preparations. "Central sensitization" involves changes in the excitability of neurons in the central nervous system induced by activity in peripheral pain fibers. "Central sensitization" can be induced by noxious stimuli (e.g., heat) chemical irritants (e.g., injection/application of capsaicin/mustard oil or formalin or electrical activation of sensory fibers). The outcome measures are: behavioral, electrophysiological, and neurochemical.

Alternatively, a "pain model" can refer to those tests that measure the effect of peripheral inflammation on pain sensitivity. The inflammation can be produced by injection of an irritant such as complete Freunds adjuvant, carrageenan, turpentine, croton oil etc into the skin, subcutaneously, into a muscle into a joint or into a visceral organ. Production of a controlled UV light burn and ischaemia can also be used. Administration of cytokines or inflammatory mediators such as lipopolysaccharide (LPS), or nerve growth factor (NGF) can mimic the effects of inflammation. The outcome of these models may also be measured as behavioral, electrophysiological, and/or neurochemical changes.

Further, a "pain model" includes those tests that mimic peripheral neuropathic pain using lesions of the peripheral nervous system. Examples of such lesions include, but are not limited to complete transection of a peripheral nerve (axotomy; Watson, 1973, J. Physiol. 231:41), liagation of a spinal segmental nerve (Kim and Chung, 1992, *Pain*, 50:355-63),

partial nerve injury (Seltzer, 1979, Pain, 29: 1061), Spared Nerve Injury model (Decosterd and Woolf, 2000, Pain 87:149), chronic constriction injury (Bennett, 1993 Muscle Nerve 16: 1040), toxic neuropathies, such as diabetes (streptozocin model), pyridoxine neuropathy, taxol, vincristine and other antineoplastic agent-induced neuropathies, ischaemia to a nerve, peripheral neuritis models (e.g., CFA applied perineurally), models of postherpetic neuralgia using HSV infection. Such neuropathic pain models are also referred to herin as a "nerve injury pain model". The outcome of these neuropathic or nerve injury "pain models" can be measured using behavioral, electrophysiological, and/or neurochemical criteria as described above.

In addition, a "pain model" refers to those tests that mimic central neuropathic pain using lesions of the central nervous system. For example, central neuropathic pain may be modeled by mechanical compressive, ischemic, infective, or chemical injury to the spinal cord of an animal. The outcome of such a model is measured using the behavioral, electrophysiological, and/or neurochemical criteria described above.

## Identification of Nucleic Acid Sequences Differentially Expressed in Pain

In one embodiment, the present invention provides isolated nucleic acid sequences which are differentially regulated in an animal which has been subjected to neuropathic pain relative to an animal not subjected to neuropathic pain, and a method for identifying such sequences. The present invention provides a method for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing a nucleic acid sample corresponding to RNA obtained from the animal to a nucleic acid sample comprising one or more nucleic acid molecules of known identity; and measuring the hybridization of the nucleic acid sample to the one or more nucleic acid molecules of known identity, wherein a 1.4 fold difference in the hybridization of the nucleic acid sample to the one or more nucleic acid molecules of known identity relative to a nucleic acid sample obtained from an animal which has not been subjected to the same pain is indicative of the differential expression of the nucleotide sequence in an animal subjected to pain. Alternatively, the invention provides a method for identifying a nucleotide sequence which is differentially regulated in an animal subjected to pain, comprising: hybridizing at least three replicates of a nucleic acid sample corresponding to RNA obtained from the animal to at least three replicates of a nucleic acid sample comprising one or more nucleic acid molecules of known identity and measuring the hybridization of the nucleic acid sample to the one or more

nucleic acid molecules of known identity for each of said replicates. A 1.2 fold difference in the hybridization, and a p-value of less than 0.05 across the replicates, of the nucleic acid sample to the one or more nucleic acid molecules of known identity relative to a nucleic acid sample obtained from an animal which has not been subjected to pain is indicative of the differential expression of the nucleotide sequence in the animal subjected to pain

Generally, the present invention provides a method for identifying nucleic acid sequences which are differentially regulated in an animal which has been subjected to pain comprising isolating messenger RNA from an animal, generating cRNA from the mRNA sample, hybridizing the cRNA to a microarray comprising a plurality of nucleic acid molecules stably associated with discrete locations on the array, and identifying patterns of hybridization of the cRNA to the array. According to the present invention, a nucleic acid molecule which hybridizes to a given location on the array is said to be differentially regulated if the hybridization signal is at least 1.4 fold higher or lower than the hybridization signal at the same location on an identical array hybridized with a nucleic acid sample obtained from an animal that has not been subjected to pain. Alternatively, at least three independent replicate RNA samples are generated and hybridized to at least three replicate arrays, such that statistical significance may be confered to the fold change in expression of a sequence in an animal subjected to pain relative to an animal not subjected to pain, wherien a 1.2 fold change in expression and a p-value of less than 0.05 is indicative of differential expression.

## Nucleic Acid Samples

Nucleic acid samples to be examined for differentially regulated sequences may be obtained from animals using techniques that are well described in the art. In a preferred embodiment of the invention, the animal from which the nucleic acid is obtained is a pain model. In one embodiment, an animal pain model is an experimental model which tests the sensitivity of normal animals to intense or noxious stimuli. These tests include responses to thermal, mechanical, or chemical stimuli. Thermal stimuli is usually hot (42 to 55°C) and includes radiant heat to the tail (the tail flick test) radiant heat to the plantar surface of the hindpaw (the Hargreaves test, *supra*), the hotplate test, and immersion of the hindpaw or tail in hot water. Alternatively, thermal stimuli can be cold stimulus (30° to -10° C), such as immersion in cold water, acetone evaporation or cold plate tests which may be used to test cold pain responsiveness using the thresholds discussed above. The end points are latency to

response and the duration of the response as well as vocalization and licking the paw, as described above. Mechanical stimuli typically involves measurements of the threshold for eliciting a withdrawal reflex of the hindpaw to graded strength monofilament von Frey hairs wherein one can measure the force of the filament required to elicit a reflex. Alternatively, mechanical stimuli can be a sustained pressure stimulus to a paw (e.g., the Ugo Basila analgesiometer). The duration of response to a standard pin prick can also be measured. Threshold values for identifying a stimulus that causes "pain" to the animal are described above. Chemical Stimuli typically involves the application or injection of a chemical irritant to the skin, muscle joints or internal organs like the bladder or peritoneum. Irritants can include capsaicin, mustard oil, bradykinin, ATP, formalin, or acetic acid. The outcome measures include vocalization, licking the paw, writhing or spontaneous flexion. In an alternate embodiment, the animal pain model is designed to measure changes in the excitability of the peripheral or central components of the pain neural pathway pain sensitization, termed peripheral sensitization and central sensitization. Peripheral Sensitization involves changes in the threshold and responsiveness of high threshold nociceptors which can be induced by: repeated heat stimuli, or application or injection of sensitizing chemicals (e.g. prostaglandins, bradykinin, histamine, serotonin, capsaicin, mustard oil). The outcome measures are thermal and mechanical sensitivity in the area of application/stimulation using the techniques described above in behaving animals or electrophysiological measurements of single sensory fiber receptive field properties either in vivo or using isolated skin nerve preparations. Central sensitization involves changes in the excitability of neurons in the central nervous system induced by activity in peripheral pain fibers. Central sensitization can be induced by noxious stimuli (e.g., heat) chemical irritants (e.g., injection/application of capsaicin/mustard oil or formalin or electrical activation of sensory fibers). The outcome measures are: behavioral, electrophysiological, and neurochemical. In a further embodiment, the animal pain model is an experimental model that measures the effect of peripheral inflammation on pain sensitivity. The inflammation can be produced by injection of an irritant such as complete Freunds adjuvant, carrageenan, turpentine, croton oil etc into the skin, subcutaneously, into a muscle into a joint or into a visceral organ using doses and administration techniques that are well known in the art. Production of a controlled UV light burn and ischaemia can also be used. Administration of cytokines or inflammatory mediators such as lipopolysaccharide (LPS), or nerve growth factor (NGF) can mimic the effects of inflammation. The outcome of these models may also be measured as behavioral, electrophysiological, and/or neurochemical changes.

In a preferred embodiment, the animal pain model us a model unar minute pempuerar neuropathic pain using lesions of the peripheral nervous system (i.e., a nerve injury model). Examples of such lesions include, but are not limited to complete transection of a peripheral nerve (axotomy; Watson, 1973, J. Physiol. 231:41), liagation of a spinal segmental nerve (Kim and Chung, 1992, Pain, 50:355-63), partial nerve injury (Seltzer, 1979, Pain, 29: 1061), Spared Nerve Injury model (Decosterd and Woolf, 2000, Pain 87:149), chronic constriction injury (Bennett, 1993 Muscle Nerve 16: 1040), toxic neuropathies, such as diabetes (streptozocin model), pyridoxine neuropathy, taxol, vincristine and other antineoplastic agent-induced neuropathies, ischaemia to a nerve, peripheral neuritis models (e.g., CFA applied perineurally), models of postherpetic neuralgia using HSV infection. The outcome of these neuropathic pain models can be measured using behavioral, electrophysiological, and/or neurochemical criteria as described above. Alternatively, the neuropathic animal pain model may be one which mimics central neuropathic pain using lesions of the central nervous system. For example, central neuropathic pain may be modeled by mechanical compressive, ischemic, infective, or chemical injury to the spinal cord of an animal. The outcome of such a model is measured using the behavioral, electrophysiological, and/or neurochemical criteria described above.

In a further preferred embodiment, the animal pain model is a model which mimics inflammation using injectable irritants and/or inflammatory mediators. Examples of such models include animals which are injected with, for example complete Freunds adjuvant (CFA), carrageenan, turpentine, croton oil, cytokines, lippopolysoccharide (LPS), or nerve growth factor (NGF) (Stein et al., 1988 *Pharmacol Biochem Behav* 31:445; Woolf et al., 1994, *Neuroscience*, 62: 327). The outcome of inflammation pain model can be measured using behavioral, electrophysiological, and/or neurochemical criteria as described above.

Alternatively, nucleic acid samples may be obtained from animals which are not pain models, but which have been subjected to pain as a result of traumatic injury, infection, genetic, or congenital birth defects, and the like. In addition, nucleic acid samples may be obtained from an animal which is not a pain model, and which has not been subjected to pain as a result of a traumatic injury, or infection. Such an animal is termed a "naïve" animal, and the expression of nucleic acid sequences in the naïve animal can be compared to the expression of the same nucleic acid molecules in animals subjected to pain to determine differential expression.

Nucleic acid samples, useful in the present invention for determining differential expression of nucleic acid sequences in an animal subjected to pain may be obtained from any cell of the animal. In a preferred embodiment, the nucleic acid is obtained from one or more sensory neurons of the animal. In a further preferred embodiment the nucleic acid is obtained from the primary sensory neurons of the dorsal root ganglion or dorsal horn of the spinal cord. However, nucleic acid may be obtained from other neurons including, but not limited to cranial nerve nuclei, peripheral and/or central autonomic neurons, enteric neurons, thalamic neurons, and neurons of sensory regions of the cortex such as primary sensory cortex.

Sensory neurons may be obtained from an animal using techniques that are well established in the art. For example, in embodiments where nucleic acid samples are to be obtained from rat dorsal root ganglion (DRG) neurons, rats (whether naïve or pain models) are rapidly killed by decapitation and the DRG is dissected, removed and quickly snap-frozen on a bed of crushed dry ice, or in liquid nitrogen. RNA is then extracted from the tissues, also using techniques that are well known in the art (see, for example, Ausubel supra). For example, the tissue is prepared by homogenization in a glass teflon homogenizer in 1 ml denaturing solution (4M guanidinium thiosulfate, 25 mM sodium citrate, pH 7.0, 0.1M 2-ME, 0.5% (w/v) N-laurylsarkosine) per 100mg tissue. Following transfer of the homogenate to a 5-ml polypropylene tube, 0.1 ml of 2 M sodium acetate, pH 4, 1 ml water-saturated phenol, and 0.2 ml of 49:1 chloroform/isoamyl alcohol are added sequentially. The sample is mixed after the addition of each component, and incubated for 15 min at 0-4°C after all components have been added. The sample is separated by centrifugation for 20 min at 10,000 x g, 4°C, precipitated by the addition of 1 ml of 100% isopropanol, incubated for 30 minutes at -20°C and pelleted by centrifugation for 10 minutes at 10,000 x g, 4°C. The resulting RNA pellet is dissolved in 0.3 ml denaturing solution, transferred to a microfuge tube, precipitated by the addition of 0.3 ml of 100% isopropanol for 30 minutes at -20°C, and centrifuged for 10 minutes at 10,000 x g at 4°C. The RNA pellet is washed in 70% ethanol, dried, and resuspended in 100-200µl DEPC-treated water or DEPC-treated 0.5% SDS (Chomczynski and Sacchi, 1987, Anal. Biochem., 162: 156).

Alternatively, total RNA may be extracted from tissues useful in the present invention using Trizol reagent (Invitrogen, Carlsbad, CA), following the manufacturers instructions.

Purity and integrity of RNA is assessed by absorbance af 260/280 mm and separation of RNA samples on a 1% agarose gel followed by inspection under ultraviolet light.

Following total RNA isolation from tissues or cell of an animal useful in the present invention, the RNA is converted to cRNA for use in array hybridization. The preparation of cRNA is well-known and well-documented in the prior art.

In an alternate embodiment, the total RNA is converted to cDNA for use in array hybridization. cDNA may be prepared according to the following method. Total cellular RNA is isolated (as described) and passed through a column of oligo(dT)-cellulose to isolate polyA RNA. The bound polyA mRNAs are eluted from the column with a low ionic strength buffer. To produce cDNA molecules, short deoxythymidine oligonucleotides (12-20 nucleotides) are hybridized to the polyA tails to be used as primers for reverse transcriptase, an enzyme that uses RNA as a template for DNA synthesis. Alternatively, mRNA species are primed from many positions by using short oligonucleotide fragments comprising numerous sequences complementary to the mRNA of interest as primers for cDNA synthesis. The resultant RNA-DNA hybrid is converted to a double stranded DNA molecule by a variety of enzymatic steps well-known in the art (Watson et al., 1992, Recombinant DNA, 2nd edition, Scientific American Books, New York).

#### Microarray analysis

In one embodiment, the present invention provides a method for the identification of differentially expresses nucleic acid sequences in pain in which cDNA obtained from sensory neurons of animals subjected to pain is hybridized to a polynucleotide microarray of known genes or ESTs and the hybridization levels of the cDNA to the polynucleotide microarray are measured.

Microarrays, useful in the identification of differentially expressed nucleic acid sequences, may be any microarray known in the art which comprises known sequences. A polynucleotide microarray refers to a plurality of unique nucleic acids attached to one surface of a solid support at a density exceeding 20 different nucleic acids/cm<sup>2</sup> wherein each of the nucleic acids is attached to the surface of the solid support in a non-identical preselected region. In one embodiment, the nucleic acid attached to the surface of the solid support is DNA. In a preferred embodiment, the nucleic acid attached to the surface of the solid support is cDNA. In another preferred embodiment, the nucleic acid attached to the surface of the

solid support is cDNA synthesized by polymerase chain reaction (PCK). Treierany, a nucleic acid comprising an array, according to the invention, is at least 20 nucleotides in length. Preferably, a nucleic acid comprising an array is less than 6,000 nucleotides in length. More preferably, a nucleic acid comprising an array is less than 500 nucleotides in length. In one embodiment, the array comprises at least 500 different nucleic acids attached to one surface of the solid support. In another embodiment, the array comprises at least 10 different nucleic acids attached to one surface of the solid support. In yet another embodiment, the array comprises at least 10,000 different nucleic acids attached to one surface of the solid support.

In a preferred embodiment, the microarray comprises known nucleic acid molecules stably associated with discrete predefined regions, and which are obtained from an animal of the same species as the animal which had been subjected to pain and from which the nucleic acid sample to be tested is obtained. In a preferred embodiment, the microarray is a commercially available microarray which may be obtained from a commercial source such as Affymetrix (Santa Clara, CA). For example, in one embodiment nucleic acid samples are obtained from a rat pain model and are hybridized to a polynucleotide microarray comprising known rat gene sequences and ESTs. In a further preferred embodiment, the microarray is an Affymetrix Gene Chip® array including, but not limited to the human U95 array, the murine U74 array, and the rat U34 array.

In one embodiment three independent replicate nucleic acid samples are prepared from three separate pain model animals (for tissues with a low abundance of nerve cells, such as the DRG, samples from several animals may be pooled to generate a single replicate) are hybridized to at least three replicate polynucleotide arrays, such that a statistical analysis may be performed on the resulting hybridization levels.

### Sample preparation

Prior to hybridization of nucleic acid to the polynucleotide microarray, the nucleic acid samples must be prepared to facilitate subsequent detection of hybridization. The nucleic acid samples obtained from animals that have been subjected to pain (and from naïve animals for the determination of differential expression) are referred to as "probes" for the microarray and are capable of binding to a polynucleotide or nucleic acid member of

complementary sequence through one or more types of chemical bonds; usually unrough complementary base pairing, usually through hydrogen bond formation.

As used herein, a polynucleotide derived from an mRNA transcript refers to a polynucleotide for which synthesis of the mRNA transcript or a subsequence thereof has ultimately served as a template. Thus, a cDNA reverse transcribed from an mRNA, an RNA transcribed from that cDNA, a DNA amplified from the cDNA, an RNA transcribed from the amplified DNA, etc., are all derived from the mRNA transcript and detection of such derived products is indicative of the presence and/or abundance of the original transcript in a sample. Thus, suitable target nucleic acid samples include, but are not limited to, mRNA transcripts of a gene or genes, cDNA reverse transcribed from the mRNA, cRNA transcribed from the cDNA, DNA amplified from a gene or genes, RNA transcribed from amplified DNA, and the like. The polynucleotide probes used herein are preferably derived from sensory neurons of an animal that has been subjected to pain.

In the simplest embodiment, such a polynucleotide probe comprises total mRNA or a nucleic acid sample corresponding to mRNA (e.g., cDNA) isolated from sensory neurons, ganglia, nuclei, or brain tissue. In another embodiment, the total mRNA is isolated from a given sample using, for example, an acid guanidinium-phenol-chloroform extraction method and polyA+ mRNA is isolated by oligo dT column chromatography or by using (dT)n magnetic beads (see, e.g., Sambrook et al., Molecular Cloning: A Laboratory Manual (2nd ed.), Vols. 1-3, Cold Spring Harbor Laboratory, (1989), or Current Protocols in Molecular Biology, F. Ausubel et al., ed. Greene Publishing and Wiley-Interscience, New York (1987). In a preferred embodiment, total RNA is extracted using TRIzol reagent (GIBCO/BRL). Purity and integrity of RNA is assessed by absorbance at 260/280nm and agarose gel electrophoresis followed by inspection under ultraviolet light.

In some embodiments, it is desirable to amplify the probe nucleic acid sample prior to hybridization, for example, when total RNA is obtained from a small population of neurons. One of skill in the art will appreciate that whatever amplification method is used, if a quantitative result is desired, care must be taken to use a method that maintains or controls for the relative frequencies of the amplified polynucleotides. Methods of "quantitative" amplification are well known to those of skill in the art. For example, quantitative PCR involves simultaneously co-amplifying a known quantity of a control sequence using the same primers. This provides an internal standard that may be used to calibrate the PCR

reaction. The high density array may then include probes specific to the internal standard for quantification of the amplified polynucleotide. Detailed protocols for quantitative PCR are provided in PCR Protocols, A Guide to Methods and Applications, Innis et al., Academic Press, Inc. N.Y., (1990).

Other suitable amplification methods include, but are not limited to polymerase chain reaction (PCR) (Innis, et al., PCR Protocols. A guide to Methods and Application. Academic Press, Inc. San Diego, (1990)), ligase chain reaction (LCR) (see Wu and Wallace, Genomics, 4: 560 (1989), Landegren, et al., Science, 241: 1077 (1988) and Barringer, et al., Gene, 89: 117 (1990), transcription amplification (Kwoh, et al., Proc. Natl. Acad. Sci. USA, 86: 1173 (1989)), and self-sustained sequence replication (Guatelli, et al., Proc. Nat. Acad. Sci. USA, 87: 1874 (1990)).

In a particularly preferred embodiment, the probe nucleic acid sample mRNA is reverse transcribed with a reverse transcriptase and a primer consisting of oligo dT and a sequence encoding the phage T7 promoter to provide single stranded DNA template. The second DNA strand is polymerized using a DNA polymerase. After synthesis of double-stranded *cDNA*, T7 RNA polymerase is added and RNA is transcribed from the *cDNA* template. Successive rounds of transcription from each single *cDNA* template results in amplified RNA. Methods of in vitro polymerization are well known to those of skill in the art (see, e.g., Sambrook, supra.) and this particular method is described in detail by Van Gelder, et al., Proc. Natl. Acad. Sci. USA, 87: 1663-1667 (1990) who demonstrate that in vitro amplification according to this method preserves the relative frequencies of the various RNA transcripts. Moreover, Eberwine et al. Proc. Natl. Acad. Sci. USA, 89: 3010-3014 provide a protocol that uses two rounds of amplification via in vitro transcription to achieve greater than 10<sup>6</sup> fold amplification of the original starting material thereby permitting expression monitoring even where biological samples are limited.

In order to measure the hybridization of a probe nucleic acid to a polynucleotide array to determine differential expression, the probe nucleic acid is preferable labeled with a detectable label. Any analytically detectable marker that is attached to or incorporated into a molecule may be used in the invention. An analytically detectable marker refers to any molecule, moiety or atom which is analytically detected and quantified.

Detectable labels suitable for use in the present invention include any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Useful labels in the present invention include biotin for staining with labeled streptavidin conjugate, magnetic beads (e.g., DynabeadsTM), fluorescent dyes (e.g., fluorescein, texas red, rhodamine, green fluorescent protein, and the like), radiolabels (e.g., <sup>3</sup>H, <sup>125</sup>I, 35S, <sup>14</sup>C, or <sup>32</sup>P), enzymes (e.g., horse radish peroxidase, alkaline phosphatase and others commonly used in an ELISA), and colorimetric labels such as colloidal gold or colored glass or plastic (e.g., polystyrene, polypropylene, latex, etc.) beads. Patents teaching the use of such labels include U.S. Pat. Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241.

Means of detecting such labels are well known to those of skill in the art. Thus, for example, radiolabels may be detected using photographic film or scintillation counters, fluorescent markers may be detected using a photodetector to detect emitted light. Enzymatic labels are typically detected by providing the enzyme with a substrate and detecting the reaction product produced by the action of the enzyme on the substrate, and colorimetric labels are detected by simply visualizing the colored label.

The labels may be incorporated by any of a number of means well known to those of skill in the art. However, in a preferred embodiment, the label is simultaneously incorporated into the probe during the amplification step in the preparation of the probe polynucleotides. Thus, for example, polymerase chain reaction (PCR) with labeled primers or labeled nucleotides will provide a labeled amplification product. In a preferred embodiment, transcription amplification, as described above, using a labeled nucleotide (e.g. fluorescein-labeled UTP and/or CTP) incorporates a label into the transcribed polynucleotides.

Alternatively, a label may be added directly to the original polynucleotide sample (e.g., mRNA, polyA mRNA, cDNA, etc.) or to the amplification product after the amplification is completed. Means of attaching labels to polynucleotides are well known to those of skill in the art and include, for example nick translation or end-labeling (e.g. with a labeled RNA) and subsequent attachment (ligation) of a polynucleotide linker joining the sample polynucleotide to a label (e.g., a fluorophore).

In a preferred embodiment, the fluorescent modifications are by cyanine dyes e.g. Cy-3/Cy-5 dUTP, Cy-3/Cy-5 dCTP (Amersham Pharmacia) or alexa dyes (Khan, J., Simon, R.,

Bittner, M., Chen, Y., Leighton, S. B., Pohida, T., Smith, P. D., Jrang, Y., Gooden, C. C., Trent, J. M. & Meltzer, P. S. (1998) Cancer Res. 58, 50095013.).

In a preferred embodiment, a probe nucleic acid obtained from an animal that has been subjected to pain and a nucleic acid sample obtained from an animal not subjected to pain are co-hybridized to the polynucleotide array. In this embodiment, the two probe samples used for comparison are labeled with different fluorescent dyes which produce distinguishable detection signals, for example, probes made from an animal pain model are labeled with Cy5 and probes made from a naïve animal are labeled with Cy3. The differently labeled target samples are hybridized to the same microarray simultaneously. In a preferred embodiment, the labeled targets are purified using methods known in the art, e.g., ethanol purification or column purification.

In a preferred embodiment, the probes will include one or more control molecules which hybridize to control sequences on the microarray to normalize signals generated from the microarray. Labeled normalization targets are polynucleotide sequences that are perfectly complementary to control oligonucleotides that are spotted onto the microarray. The signals obtained from the normalization controls after hybridization provide a control for variations in hybridization conditions, label intensity, "reading" efficiency and other factors that may cause the signal of a perfect hybridization to vary between arrays. In a preferred embodiment, signals (e.g., fluorescence intensity) read from all other probes in the array are divided by the signal (e.g., fluorescence intensity) from the control probes thereby normalizing the measurements.

Preferred normalization probes are selected to reflect the average length of the other probes present in the sample, however, they are selected to cover a range of lengths. The normalization control(s) can also be selected to reflect the (average) base composition of the other probes in the array, however in a preferred embodiment, only one or a few normalization probes are used and they are selected such that they hybridize well (i.e. no secondary structure) and do not match any other probe molecules.

# Hybridization to polynucleotide arrays

To determine the differential expression of a nucleic acid sequence in an animal subjected to pain, labeled probe nucleic acids are hybridized to a polynucleotide array comprising polynucleotides of known sequence or identity. Polynucleotide hybridization

involves providing a denatured probe and target polynucleotide under conditions where the probe nucleic acid member and its complementary target can form stable hybrid duplexes through complementary base pairing. The polynucleotides that do not form hybrid duplexes are then washed away leaving the hybridized polynucleotides to be detected, typically through detection of an attached detectable label. It is generally recognized that polynucleotides are denatured by increasing the temperature or decreasing the salt concentration of the buffer containing the polynucleotides. Under low stringency conditions (e.g., low temperature and/or high salt) hybrid duplexes (e.g., DNA:DNA, RNA:RNA, or RNA:DNA) will form even where the annealed sequences are not perfectly complementary. Thus specificity of hybridization is reduced at lower stringency. Conversely, at higher stringency (e.g., higher temperature or lower salt) successful hybridization requires fewer mismatches.

The invention provides for hybridization conditions comprising the Dig (digoxygenin) hybridization mix (Boehringer); or formamide-based hybridization solutions, for example as described in Ausubel et al., supra and Sambrook et al. supra.

Alternatively, as described above, a preferred embodiment of the present invention comprises hybridizing probe nucleic acid molecules to an Affymetrix Gene Chip®. In this embodiment, hybridization of the probe nucleic acid molecules to the polynucleotide array is carried out according to the manufacturers instructions.

Methods of optimizing hybridization conditions are well known to those of skill in the art (see, e.g., Laboratory Techniques in Biochemistry and Molecular Biology, Vol. 24: Hybridization With Polynucleotide Probes, P. Tijssen, ed. Elsevier, N.Y., (1993)).

Following hybridization, non-hybridized labeled or unlabeled polynucleotide is removed from the support surface, conveniently by washing, thereby generating a pattern of hybridized probe polynucleotide on the substrate surface. A variety of wash solutions are known to those of skill in the art and may be used. The resultant hybridization patterns of labeled, hybridized oligonucleotides and/or polynucleotides may be visualized or detected in a variety of ways, with the particular manner of detection being chosen based on the particular label of the test polynucleotide, where representative detection means include scintillation counting, autoradiography, fluorescence measurement, calorimetric measurement, light emission measurement and the like. In the preferred embodiment, in

which the probe nucleic acid is hybridized to an Affymetrix Gehe Chip®, the hybridization pattern of the probe nucleic acid molecules is detected and measured according to the Affymetrix protocol, and using Affymetrix instrumentation.

Following hybridization and any washing step(s) and/or subsequent treatments, as described above, the resultant hybridization pattern is detected. In detecting or visualizing the hybridization pattern, the intensity or signal value of the label will be not only be detected but quantified, by which is meant that the signal from each spot of the hybridization will be measured and compared to a unit value corresponding to the signal emitted by a known number of end labeled target polynucleotides to obtain a count or absolute value of the copy number of each end-labeled target that is hybridized to a particular spot on the array in the hybridization pattern.

#### Expression analysis

Methods for analyzing the data collected from hybridization to arrays are well known in the art. For example, where detection of hybridization involves a fluorescent label, data analysis can include the steps of determining fluorescent intensity as a function of substrate position from the data collected, removing outliers, i.e., data deviating from a predetermined statistical distribution, and calculating the relative binding affinity of the test polynucleotides from the remaining data. The resulting data is displayed as an image with the intensity in each region varying according to the binding affinity between associated oligonucleotides and/or polynucleotides and the test polynucleotides.

According to the present invention, there are three sets of measurements which may be used to determine differential expression of a polynucleotide obtained from an animal subjected to pain relative to an animal not subjected to pain. In one embodiment, differential expression may be determined by measuring the intensity ratio, as defined above, wherein a +/- 1.4 fold change or greater in the intensity ratio is indicative of differential expression. In a preferred embodiment, differential expression may be determined by measuring the Affymetrix ratio using the software suite and manufacturers protocols, available from Affymetrix (Santa Clara, CA), wherein a change in expression of +/- 1.4 fold or greater is indicative of differential expression.

In another preferred embodiment, differential expression of sequences can be established if they are differentially expressed by at least 1.2 fold, with a p-value of less than

0.05, in a statistical analysis of triplicate array data points using an appropriate statistical analysis, such as the student's t-test.

For example, Table 2 represents a composite of all those genes which were originally identified as differentially regulated by at least 1.4 fold in either SNI or axotomy pain models. Differential expression was subsequently evaluated in at least three replicate arrays using at least three replicate nucleic acid samples obtained from the animal nerve injury and inflammation pain models. From the replicate screening method, polynucletoide sequences can be identified as differentially expressed which have a lower fold change (i.e., lower than 1.4 fold) in expression in an animal subjected to pain, provided that a statistical analysis of the replicate data yields a p-value of less than 0.05. Tables 6 and 7 below show an example of an experimental replicate scheme which may be used to obtain the data shown in Table 2. The animal pain model is indicated in the column labeled "animal model", and the elapsed time following the generation of the pain model (i.e., time post surgery) is indicated. Experiments can be performed on samples obtained from both dorsal horn (Table 6) and DRG (Table 7) tissues.

Table 6. Affimetrix mi	стоаттау ез	periments					
Animal Model		Time Po	oints		# hybridizati on exp	Total # hybr	••
CCI DH	3d	7d	21d	40d	4x3		12
Chung DH	3d	7d	21d	40d	4x3		12
SNI DH	3d	7d	21d	40d	4x3		12
Sham CCI=SNI DH	3d	7d	21d	none	3x3		9
Sham Chung DH	3d	7d	21d	none	3x3		9
Naïve DH					1x3		3
						Total	
							57
CFA injec. DH	12h	24h	5d		3x3	-	9
						Total	67

DH = dorsal horn of the spinal cord

CCI = chronic constriction of the sciatic nerve

Chung = ligation of the spinal nerves L5 anf L6 (lombar region) distal to the correspondent dorsal rocanglions

SNI = spare nerve injury model (ligation and axotomy of the tibial and perconal nerves)

CFA = injection in the paw of complete Freund's adijuvant (inflammatory pain

Table 7. Affimetrix microar	тау ехре	riments	<del></del>		
Animal Model		Time Po	oints		# hybridization exp
CCI DRG L4	3d	7d	21d	40d	4x3
Chung DRG L4	3d	7d	21d	40d	4x3
SNI DRG L4	3d	7d	21d	40d	4x3
CCI DRG L5	3d	7d	21d	40d	4x3
Chung DRG L5	3d	7d	21d	40d	4x3
SNI DRG L5	3d	7d	21d	40d	4x3
Sham CCI=SNI L4+L5	3 <b>d</b>	7d	21d	none	3x3
Sham Chung L4+L5	3d	7d	21d	none	3x3
Naïve L4					1x3
Naïve L5					1x3
CFA injec. DRG (L4+L5 pool)	12h	24h	5d		3x3

Total 105

DRG = dorsal root ganglion

CCI = chronic constriction of the sciatic nerve

Chung = ligation of the spinal nerves L5 anf L6 (lombar region) distal to the correspondent dorsal root ganglions

SNI = spare nerve injury model (ligation and axotomy of the tibial and pereonal nerves)

CFA = injection in the paw of complete Freund's adijuvant (inflammatory pain model)

The nerve injury pain models represented are the Spinal segmental nerve injury (Chung), Chronic Constriction Injury (CCI) and Spared Nerve Injury (SNI) models at time points 3, 7, 21 and 40 days. The inflammatory model represented is intraplantar Complete Freund's Adjuvant (CFA) injection into the hind paw at 0.5, 1 and 5 days post injection. The tissue are lumbar DRGs and dorsal horn (i.e two tissues four models, 4 time points (3 for CFA) = 30 different pain comparisons each in triplicate each compared against the appropriate control.

The following is an example of a detection protocol that may be used for the simultaneous analysis of two nucleic acid samples to be compared, wherein one sample is

obtained from primary sensory neurons of an animal pain model and the other is obtained from primary sensory neurons of a naïve animal, and wherein each sample is labeled with a different fluorescent dye, such as Cy3 and Cy5. This type of protocol would produce an intensity ratio.

Each element of the microarray is scanned for the first fluorescent color. The intensity of the fluorescence at each array element is proportional to the expression level of that nucleic acid sequence in the sample.

The scanning operation is repeated for the second fluorescent label. The ratio of the two fluorescent intensities provides a highly accurate and quantitative measurement of the relative gene expression level in the two primary sensory neuron samples.

In a preferred embodiment, fluorescence intensities of the immobilized target nucleic acid sequences can be determined from images taken with a custom confocal microscope equipped with laser excitation sources and interference filters appropriate for the Cy3 and Cy5 fluorophores. Separate scans were taken for each fluorophore at a resolution of 225 μm² per pixel and 65,536 gray levels. Image segmentation to identify areas of hybridization, normalization of the intensities between the two fluorophore images, and calculation of the normalized mean fluorescent values at each target are as described (Khan, J., Simon, R., Bittner, M., Chen, Y., Leighton, S. B., Pohida, T., Smith, P. D., Jiang, Y., Gooden, G. C., Trent, J. M. & Meltzer, P. S. (1998) *Cancer Res.* 58, 50095013. Chen, Y., Dougherty, E. R. & Bittner, M. L. (1997) *Biomed. Optics* 2, 364374). Normalization between the images is used to adjust for the different efficiencies in labeling and detection with the two different fluorophores. This is achieved by equilibrating to a value of (1) the signal intensity ratio of a set of internal control genes spotted on the array.

Following detection or visualization, the hybridization pattern is used to determine quantitative information about the genetic profile of the labeled probe polynucleotide sample that was contacted with the array to generate the hybridization pattern, as well as the physiological source from which the labeled probe polynucleotide sample was derived. By genetic profile is meant information regarding the types of polynucleotides present in the sample, e.g. in terms of the types of genes to which they are complementary, as well as the copy number of each particular polynucleotide in the sample. From this data, one can also derive information about the physiological source from which the target polynucleotide

sample was derived, such as the types of genes expressed in the tissue of cerl which is the physiological source, as well as the levels of expression of each gene, particularly in quantitative terms.

In a particularly preferred embodiment, where it is desired to quantify the transcription level (and thereby expression) of one or more polynucleotide sequences in a sample, the probe nucleic acid sample is one in which the concentration of the mRNA transcript(s) of the gene or genes, or the concentration of the polynucleotides derived from the mRNA transcript(s), is proportional to the transcription level (and therefore expression level) of that gene. Similarly, it is preferred that the hybridization signal intensity be proportional to the amount of hybridized polynucleotide. While it is preferred that the proportionality be relatively strict (e.g., a doubling in transcription rate results in a doubling in mRNA transcript in the sample polynucleotide pool and a doubling in hybridization signal), one of skill will appreciate that the proportionality is more relaxed and even nonlinear. Thus, for example, an assay where a 5 fold difference in concentration of the probe mRNA results in a 3 to 6 fold difference in hybridization intensity is sufficient for most purposes. Where more precise quantification is required appropriate controls are run to correct for variations introduced in sample preparation and hybridization as described herein. In addition, serial dilutions of "standard" probe mRNAs are used to prepare calibration curves according to methods well known to those of skill in the art. Of course, where simple detection of the presence or absence of a transcript is desired, no elaborate control or calibration is required.

For example, if a microarray nucleic acid member is not labeled after hybridization, this indicates that the gene comprising that nucleic acid member is not expressed in either sample. If a nucleic acid member is labeled with a single color, it indicates that a labeled gene was expressed only in one sample. The labeling of a nucleic acid member comprising an array with both colors indicates that the gene was expressed in both samples. Even genes expressed once per cell are detected (1 part in 100,000 sensitivity). A 1.4-fold or greater difference in expression intensity in the two samples being compared is indicative of differential expression.

Verification of differential expression

The above methods result in the identification, using polynucleotide arrays comprising polynucleotides of known sequences, of nucleic acid molecules that are differentially expressed in an animal subjected to pain. Following the initial identification of such sequences using the microarrays, however, the differential expression is validated using techniques that are well known in the art.

In one embodiment, following identification of a 1.4 fold or greater difference in hybridization intensity in the sample obtained from an animal subjected to pain relative to a naïve animal, reverse transcription PCR (RT-PCR) is performed using primers specific for the hybridizing sequence. For example, given that the identity and sequence of each nucleic acid comprising the polynucleotide array is known, if probe nucleic acid hybridizes at a given position on the array, one of skill in the art can design primers based on the sequence of the nucleic acid known to be at that position, which can then be used to amplify the known sequence from the original nucleic acid sample obtained from the animal. The technique of designing primers for PCR amplification is well known in the art. Oligonucleotide primers and probes are 5 to 100 nucleotides in length, ideally from 17 to 40 nucleotides, although primers and probes of different length are of use. Primers for amplification are preferably about 17-25 nucleotides. Primers useful according to the invention are also designed to have a particular melting temperature (Tm) by the method of melting temperature estimation. Commercial programs, including Oligo™ (MBI, Cascade, CO), Primer Design and programs available on the internet, including Primer3 and Oligo Calculator can be used to calculate a Tm of a nucleic acid sequence useful according to the invention. Preferably, the Tm of an amplification primer useful according to the invention, as calculated for example by Oligo Calculator, is preferably between about 45 and 65° C and more preferably between about 50 and 60° C. Preferably, the Tm of a probe useful according to the invention is 7° C higher than the Tm of the corresponding amplification primers. It is preferred that, following generation of cDNA by RT-PCR, the cDNA fragment is cloned into an appropriate sequencing vector, such as a PCRII vector (TA cloning kit; Invitrogen). The identity of each cloned fragment is then confirmed by sequencing in both directions. It is expected that the sequence obtained from sequencing would be the same as the known sequence originally spotted on the polynucleotide array.

In one embodiment, following sequence confirmation of the identity of the differentially expressed polynucleotide, the differential expression of the polynucleotide in

sensory neurons of an animal subjected to pain relative to a naïve animal is confirmed by Northern analysis. Sequence confirmed cDNAs are used to produce 32P-labeled cDNA probes using techniques well known in the art (see, for example, Ausubel, supra), or commercially available kits (Prime-It Kit, Stratagene, La Jolla, CA). Northern analysis of total RNA obtained from naïve animals and animals subjected to pain is then performed using classically described techniques. For example, total RNA samples are denatured with formaldehyde / formamide and run for two hours in a 1% agarose, MOPS-acetate-EDTA gel. RNA is then transferred to nitrocellulose membrane by upward capillary action and fixed by UV cross-linkage. Membranes are pre-hybridized for at least 90 minutes and hybridized overnight at 42° C. Post hybridization washes are performed as known in the art (Ausubel, supra). The membrane is then exposed to x-ray film overnight with an intensifying screen at -80° C. Labeled membranes are then visualized after exposure to film. The signal produced on the x-ray film by the radiolabeled cDNA probes can then be quantified using any technique known in the art, such as scanning the film and quantifying the relative pixel intensity using a computer program such as NIH Image (National Institutes of Health, Bethesda, MD), wherein at least a 2 fold, preferably a 1.4 fold increase or decrease in the hybridization intensity of the radiolabeled probe obtained from the animal subjected to pain relative to the naïve animal validates the differential expression observed using the polynucleotide microarray.

In an alternate embodiment, the differential expression of polynucleotide sequences, first identified using the polynucleotide microarrays is verified using the Taqman™ (Perkin-Elmer, Foster City, CA) techniques, which is performed with a transcript-specific antisense probe. This probe is specific for the PCR product (e.g. a nucleic acid sequence identified using the microarray as being differentially regulated) and is prepared with a quencher and fluorescent reporter probe complexed to the 5' end of the oligonucleotide. Different fluorescent markers can be attached to different reporters, allowing for measurement of two products in one reaction. When Taq DNA polymerase is activated, it cleaves off the fluorescent reporters by its 5'-to-3' nucleolytic activity. The reporters, now free of the quenchers, fluoresce. The color change is proportional to the amount of each specific product and is measured by fluorometer; therefore, the amount of each color can be measured and the RT-PCR product can be quantified. The PCR reactions can be performed in 96 well plates so that samples derived from many individuals can be processed and measured simultaneously. The Taqman™ system has the additional advantage of not requiring gel electrophoresis and

allows for quantification when used with a standard curve. Quantitative analysis of the mRNA levels for a given gene present in the originally obtained sample from an animal subjected to pain permits a determination of the differential expression of the particular mRNA relative to that obtained from a naïve animal. A fold increase or decrease in expression of a nucleic acid sequence from an animal subjected to pain of at least 2 relative to a naïve animal is indicative of differential expression, and is sufficient to validate the differential expression first identified using the polynucleotide microarray.

In a still further embodiment, the differential expression of a polynucleotide identified using microarray analysis is verified by *in situ* hybridization. Given that the sequence of each of the nucleic acid molecules on the microarray used to identify differential expression is known, labeled cDNA or antisense RNA probes can be generated using techniques which are known in the art (Ausubel et al., *supra*). The probes are then hybridized to fixed (e.g., fixed in 4% paraformaldehyde) thin (5-50 µm) tissue sections of, for example, the dorsal root ganglion. Briefly, prior to hybridization, the tissue sections are incubated in acetic anhydride, dehydrated in graded ethanols, and de-lipidated in chloroform. Tissue sections are then hybridized with one or more labeled probes for 24 hours at 45° C. Hybridized probe may be subsequently detected using techniques which are compatible with the label incorporated in the probe. The level of hybridization may be quantitated using any technique known to those of skill in the art. For example, the hybridization signal may be photographed, and the photograph scanned into a computer and the hybridization signal quantitated using software such as NIH Image (NIH, Bethesda, MD). The measured level of hybridization may then be correlated with the differential expression level measured using the microarray analysis.

In a further embodiment, differential expression of sequences, identified based on the 1.4 fold the shold criteria, described above, can be verified as being differentially expressed if they are differentially expressed by at least 1.2 fold, with a p-value of less than 0.05, in a statistical analysis of triplicate array data points using an appropriate statistical analysis, such as a student's t-test.

## Differentially Expressed Polynucleotides

The present invention provides polynucleotides and genes which are differentially expressed in an animal which has been subjected to pain relative to an animal not subjected to pain, wherein the differential expression is determined using the methods described above.

Using the above methods a number of polynucleotides have been identified which are differentially expressed in an animal subjected to pain. These polynucleotides and their respective human homologs, as well as the polypeptide molecules encoded thereby are shown in Tables 1, 2, 3, 4, or 5.

Table 1 shows a group of differentially expressed polynucleotides and genes, several of which demonstrate an at least 1.4 fold change in expression in an animal subjected to pain in both axotomy and SNI pain models relative to naïve animals; indicated by the Fold Change of Axotomy/Naïve or SNI/Naïve. Those polynucleotides that are not differentially expressed by at least +/- 1.4 fold are not considered to be differentially expressed according to the invention. The polynucleotides of Table 1 have been previously suggested to be involved in the mechanisms of pain and neuronal injury. The present invention, however, distinguishes these polynucleotides by providing a threshold of differential expression which is less than that previously accepted for such analysis.

Table 2 shows polynucletotides of the present invention which have been established as being differentially expressed by at least 1.4 fold in an axotomy, SNI, or inflammation animal pain model, and which have been further analyzed by triplicate analysis as shown in Tables 6 and 7. The polynucleotide sequences shown in Table 2 have been established herein as being differentially expressed by at least 1.2 fold, with a level of statistical significance of p<0.05 as determined by a student's t-test over at least three replicate assays (the replicate assay schemes are shown in Tables 6 and 7), in several animal pain models measured at several post operative time points. The nerve injury pain models represented are the Spinal segmental nerve injury (Chung), Chronic Constriction Injury (CCI) and Spared Nerve Injury (SNI) models at time points 3, 7, 21 and 40 days. The inflammatory model represented is intraplantar Complete Freund's Adjuvant (CFA) injection in to the hind paw at 0.5, 1, and 5 days post injection. The tissue are lumbar DRGs and dorsal horn (i.e two tissues four models, 4 time points (3 for CFA) = 30 different pain comparisons each in triplicate each compared against the appropriate control.

Table 3 shows polynucleotide sequences of the present invention which have been established as being differentially expressed by at least 1.4 fold, but which have not attained a statistical significance of p<0.05 according to the triplicate analysis scheme shown in Tables 6 and 7. The polynucleotide sequence shown in Table 3, however, are considered to be

"differentially expressed" according to the present invention, dispute the nact that the triplicate analysis has not established a significance of p<0.05.

Table 4 shows polynucleotides of the present invention which are upregulated by at least 1.4 fold in a rat inflammation pain model as indicated by either or both of the Intensity Ratio Naïve/SNI or Affymetrix Ratio data column, and which have not been previously suggested to be involved in the cellular response to pain.

Table 5 shows polynucleotides of the present invention which are downregulated by at least 1.4 fold in a rat inflammation pain model as indicated by either or both of the Intensity Ratio Naïve/SNI or Affymetrix Ratio data column, and which have not been previously suggested to be involved in the cellular response to pain. The data in tables 4 and 5 represents an average of the Intensity Ratios and Affymetrix Ratios obtained from inflammation pain models at 3 hours, 6 hours, 12 hours, 24 hours, 48 hours and 5 days following induction of inflammation.

As indicated in the tables, the column labeled "% homology" indicates the percent identity between the human and rat (or mouse if the rat sequence is not available) sequences. In some cases, the polynucleotide sequence indicated in Table 2, 3, 4, or 5 is an EST sequence. Accordingly, the column labeled "former identifier" indicates the accession number of the gene sequence having the closest homology, as determined by a BLAST search, to the EST sequence. The column labeled "identifier" in conjunction with the columns labeled "description" and "protein type" indicate the function of the proteins encoded by the polynucletoides of Tables 1, 2, 3, 4, or 5 and specifically indicated in Tables 2, 3, 4, or 5. The column labeled "subcellular localization" indicates the known location of the protein encoded by the polynucleotide sequences noted in the Table in specific compartments in the cell. Accordingly, those proteins which are indicated in the Table as being secreted may be useful, as described below, as protein drugs for modulating the activity of one or more proteins indicated in the table, or for treating pain as described herein. Similarly, proteins which are indicated as being integral membrane proteins may be cell surface receptors, and may be screened against candidate compounds to identify compounds which regulate their activity as described below. The columns labeled "rat gene SEQ ID No.", "rat protein SEQ ID No.", "human gene SEQ ID No.", and "human protein SEQ ID No." in Tables 2-3 indicates the SEQ ID No. corresponding to the sequence identified by the corresponding accession number.

In addition to the polynucleotides indicated in Tables 1, 2, 3, 4; of 5, the scope of the invention further includes variations, and/or mutations in the polynucleotide sequences, including SNPs and other conservative variants that do not alter the functionality of the encoded polypeptide, including sequences having at least 30% homology with the polynucleotide sequences shown in Tables 1, 2, 3, 4, or 5, but encoding a protein having the equivalent function to the protein encoded by the polynucleotide sequences shown in Tables 1, 2, 3, 4, or 5. The present invention further encompasses the human homologs to the polynucleotide sequences indicated in Tables 1, 2, 3, 4, or 5, and the polypeptide sequences encoded thereby. The invention still further encompasses the polypeptide sequences encoded by the polynucleotide sequences shown in Tables 1, 2, 3, 4, or 5. The Accession no. for the polypeptide sequence is shown in Tables 2, 3, 4, or 5 (the protein accession number is not indicated for Table 1, as all of these genes are known in the art). The present invention also encompasses a variant, domain, epitope, or fragment of the polypeptide molecules indicated in Tables 1, 2, 3, 4, or 5, provided that the variant, domain, epitope, or fragment has an equivalent function to that of the polypeptide indicated in Tables 1, 2, 3, 4, or 5 (i.e., the function for the proteins indicated in Tables)

_																							_						_						_	
Injury	Fold change		*			*		‡			•				•.	▶-	•	•	‡	<b>▶</b> :	*	•	>	▶		•	<b>‡</b> :	<b>&gt;</b>			‡	‡	<b>→</b> :	*	*	<b>‡</b>
Spared Nerve Injury	SNI Intensity	#	£	#	#	£	#	£	#	*	+	<b>4</b> ‡ 4	*	‡	+	‡	+	‡	‡	‡	‡	+	‡	‡	#	#	‡	#	#	*	‡	‡	‡	‡	#	£
Spa	Ni Intensity	*	#	#	#	+	#	#	#	*	+	# 4	*	‡	+	‡	‡	*	+	‡	ŧ	+	‡	‡	#	#	#	£	#	*	#	‡	‡	‡	#	*
_													_									_							_		_				_	
Known	Regulation	4020	æ,	£	£	<del>)</del> ઉક્ષ	<del>  (%)</del>	†(6.3)	(e1.67)	(54.67)		ଞ୍ଚୁ <u>ଞ୍</u> ଚ	•	S S S S S	<u>§</u>	(B)	(25)	(mg)	્ર	ଚୁ	(04.0)	(01.85,0)	(19,61)	(e)	(S)	(05,40)	(a) (a) (b)	9	<b>§</b>	(eD+	(BZ'61)-	4(19,32)	ଞ୍_	(148.47)	<b>§</b>	<b>€</b> ,
_																																				
	Fold					•	•	‡		•	<b>←</b>			•	<b>*</b>	•	•		<b>‡</b>	<b>&gt;</b>	•		1	<b>&gt;</b>		•	‡		•	>	‡	‡	<b>→</b> :	*		•
Axotomy	Axotomy Intensity	*	*	#	*	£	#	£	*	*	£	#:	*	‡	#	‡	Ĵ	#	‡	‡	‡	Đ	€	‡	#	*	‡	#	*	#	‡	‡	‡	‡	*	*
Ţ	Nalve Intensity	#	*	*	*	‡	#	#	*	*	+	#:	#	‡	£	‡	‡	*	‡	‡	‡	+	‡	ŧ	#	#±	#	#	#	£	+	‡	‡	‡	#	£
																																				一,
	Rat Gene	M62372	X57659	M74054	D16840	AJ132230	X80187	M99418	U30280	U94322	Z11504	S77863	000475	L08491	L08497	X90651	AF029310	U25850	U97142	U97143	M85214	D10938	M11596	M11597	X01032	M22427	J03624	M98820	M26745	E03082	M15880	X80290	M25890	X58308	E02468	X52820
	Table 1. Descriptions	α2-adrenergic receptor	α2-C4 adrenergic receptor	Anglotensin II receptor type 1 (AT1)	Angiotensin II receptor type 2 (AT2)	Bradykinin B1 receptor	Bradykinin B2 receptor	Cholecystokin-B receptor	Galanin receptor type 1	Galanin receptor type 2	NPY receptor type 1 (NPY-Y1)	μ opioid receptor (MOR)	8 opioid receptor (DOR)	GABA-A receptor a2 subunit		P2X3 receptor	Vanilloid receptor 1	p75 (low affinity nerve growth factor receptor)	GFRa1(RET ligand 1)	GFRa2 (RET ligand 2)	TrkA (trk precursor)	П	Factors/Neuropeptides 8-type calcitonin gene-related peptide	α-type calcitonin gene-related peptide	Cholecystokinin precursor	Basic fibroblast growth factor	Galanin	Interleukin 1-8	Interleukin 6	Nerve growth factor	Neuropeptide Y	Pituitary adenylate cyclase activating peptide(PACAP)	Somatostatin	Substance P (6-preprotachykinIn)	Tumor necrosis factor	Islet Amyloid Polypeptide(IAPP)
	Category	GPCR Receptors					•							Ligand-gated lon	channel Receptors		-	Tyrosine Kinase	Receptors		•	Cytokines/Growth	Factors/Neuropeptide		-							_				

				Axotomy		Known	_ _	Spare	Spared Nerve Injury	ıjury
Č		,	Nalve	Axotomy	Fold			Ž	SNI	Fold
Category	Table 1. Descriptions	Rat Gene	Intensity	Intensity	change	Regulation		Intensity	Intensity	change
	Pancreatitis-associated protein (Reg-2)	M98049	#	(‡	##	(ac)		#	‡	‡
lon channels		Y00766	‡	‡	‡	4(19,57,17)	_ _	Œ		•
	Voltage-dependent potassium channel protein	X12589	‡	ŧ	:•	ફ્	_	<u>`</u> ‡	‡	4
	Voltage-gated sodium channel (SNS)	X92184	‡	‡	<u> </u>	(CZ,69,71)↓		‡	‡	•
	Calclum channel a-2 subunit (CCHL2A)	M86621	‡	‡	<b>‡</b>	<u>ş</u>		‡	‡	<b>‡</b>
	Voltage-gated Na channel α subunit (NaN)	AF059030	‡	‡	<b>-</b>	((C(1))		ŧ	‡	*
Celi cytoskeleton	Cytoplasmic β-actin	V01217	‡	‡		(07'51)\ <del>\</del>	_ Г	ŧ	Ī	
	GAP-43	L21192	‡	‡	<b>+</b>	±(19,11)		‡	‡	4
	Glial fibrillary acidic protein	AF028784	£	‡	_ <b>‡</b>	<del>1</del> (60)		*	‡	<b>‡</b>
		X13804	‡	‡	<b>-</b>	(87'65'61)		‡	‡	*
	Neuroffiament protein middle (NF-M)	Z12152	‡	ŧ	•	1(19,59,48)		ŧ	‡	<b>→</b>
	Light molecular-weight neurofilament (NF-L)	AF031880	‡	‡	•	↑(19,59,48)		‡	ŧ	<b>→</b>
	Peripherin	AF031878	‡	‡	1	(6,82,€1) <del>↑</del>		‡	ŧ	
	a-tubulin	V01227	‡	‡	,	(E)		‡	ŧ	
	Tubulin	AB015946	‡	‡	•	A(19,31,A3)		‡	+	<b>→</b>
	Muscle LIM protein	X81193	#	£	‡	( <del>8)</del>		*	+	\$
Transcription factors	Leucine zipper protein (ATF3)	M63282	‡	ŧ	‡	(52)	I	+	‡	1
	o-jun	X17163	*	#		AC7,14,35)		#	‡	1
	Jun-D	D26307	<b>#</b>	#		ACT,14,33)		+	+	: •
Cell surface/	Epididymal glycoprotein (AEG)	M31173	#	£	1	4(40)	Г	#	*	
Extracellular matrix	H36-a-7 integrin a-chain	X85036	‡	ŧ	<u> </u>	<del>1</del> (38)		‡	ŧ	4
		X06564	£	£		£		#	‡	<b>‡</b>
	Neural cell adhesion molecule L1	X59149	ŧ	‡	ı	S S S		‡	‡	: •
	uiildunen	AF016296	Ĵ.	‡	,	<u> </u>		‡	+	
	พเทุมเกา	072660	#	ŧ	•	المن		‡	+	!
	Neuronal nitric oxide synthase	U67309	₩	*		(artich		#	#	
Cell death / Survival	Вах-а	U59184	‡	‡	<u> </u>	NC (192326)	e	ļ.	‡	<b>&gt;</b>
	Bcl-2	L14680	€	‡	•	(i.g.)		+	+	. •
	Bci-xiong	U34963	+	‡	•	<u>શ</u> ્રે		ŧ	+	•
	Manganese-containing superoxide dismutase(MnSoD)	Y00497	‡	‡	•	<b>(19,50)</b>	_	<u>`</u> +	‡	4
	Heat shock protein 27	M86389	ŧ	‡	<b>+</b>	( <u>1</u>		‡	ŧ	<b>‡</b>
	Copper-zinc containing superoxide dismutase	M21060	‡	‡	•	NC (18,54)		‡	ŧ	
Metabolism	Cutaneous fatty acid-binding protein	S69874	‡	###	•	4(13)		‡	‡	

KEY () = present only on 1 chip
NC = no change #= below detection

		-
Injury	Fold	change
Nerve	NS	Intensity
Spared	ž	Intensity

Known	Regulation

Fold	change
Ахотошу	Intensity
laive	ensity

Category	Table 1. Descriptions		Rat Gene
	= =<1.4 fold	+= 100 - 1000	
	→ = 1.4 < < 2 fold	++ = 1000 - 5000	
	+ =2<<5 fold	+++ = 5000 - 10.000	
	<b>★★</b> = > 5 fold	++++ = >10.000	
		* *	

		1,50	Γ	14,100	г	1000	100		l	Γ		Γ	
gene	SEQ ID NO:	Protein	Kat Human protein Genes SEQ ID NO:		SEQ ID	Protein	NO:	homolo gy	identifier	Identifier		Subcellular	Protein Type
A09811	-	CAA00 863	8	XM_00263 6	m	XP_002 636	4	8	BRL-3A binding protein		A09811cds R.norvegicus mRNA for BRL-3A binding protein		
AA1082 77	ហ	NP_038 587	G	AB003334	~	092598	· co	8	Mus musculus N heat shock 9 protein, 105 KDa (Hsp105)	MM_01355	Mus musculus NM_01355 AA108277 EST0020 rat lambda ZAPII library heat shock 9 (C.P.Hamel) Rattus norvegicus cDNA done protein, 105 pCO100 5 similar to Heat shock protein (hsp-KDa (Hsp105) E7), mRNA sequence [Rattus norvegicus]		
AA1082 77	<b>co</b>	NP_038 587	6	AB003334	-	Q92598	5	8	Mus musculus N heat shock 9 protein, 105 KDa (Hsp105)	MM_01355	Mus musculus NM_01355 AA108277 EST0020 rat lambda ZAPII library heat shock 9 (C.P. Hamel) Rattus norvegicus cDNA clone protein, 105 pCO100 5 similar to Heat shock protein (hsp-kDa (Hsp105) E7I), mRNA sequence [Rattus norvegicus]		
AA6845 37	<u>&amp;</u>	NP_079 592	4	AF047181	ř.	043674	<b>6</b>	14.	Mus musculus N NADH 6 dehydrogenas e (ubiquinone) 1 beta subcomplex 5 (Ndufb5), mRNA	NM_02531	Mus musculus NM_02531 AA684537 EST104685 Rat PC-12 cells, NADH 6 unfreated Rattus sp. cDNA clone RPCAA05 5 end similar to NADH-ubiquinone e (ubiquinone) 1 beta subcomplex 5 (Ndufb5), mRNA mRNA		

AA686031 EST109008 Rat PC-12 cells, NGF treated (9 days) Rattus sp. cDNA clone RPNA-184 5 end similar to NADH-ubiquinone oxidoreductase 75 kDa subunit, mRNA sequence [Rattus sp.]	AA686579 EST110738 Rat PC-12 cells, NGF treated (9 days) Rattus sp. cDNA done RPNBL48 5 end similar to Ubiquitin-like protein NEDD-8, mRNA sequence [Rattus sp.]	AA686579 EST110738 Rat PC-12 cells, NGF treated (9 days) Rattus sp. cDNA clone RPNBL48 5 end similar to Ubiquitin-like protein NEDD-8, mRNA sequence [Rattus sp.]
	AF033353	AF033353
NADH dehydrogenas e (ubiquinone) Fe-S protain 1 (75kD) (Listed is rat EST and mouse hypothetical protein)	Mus musculus AF033353 ubiquitin- homology domain protein (Ubi1)	Mus musculus AF033353 ubiquitin- homology domain protein (Ubi1)
20	, ,	
P28331	XP_028 030	XP_028 030
6		
0900_NN_0050	XM_02803	XM_02803 0
<b>6</b>	8	42
AAH06 680	AAC39 959	AAC39 959
	22	23
AA6860 17 AAH06 31 660	AA6865 79	AA6865 79

INTEGRAL "Sarcoplasmic/a MEMBRANE Indoplasmic reticulum SARCOPLAS aciclum ATPasa SMIC AND 2 (EC ENDOPLAS 3.6.3.8) (Calcium MIC (SERCA2) (SR Ca(2+)-ATPasa Ca(2+)-ATPasa Ca(2+)-ATPasa Sase sarcoplasmic reticulum type, slow twitch skeletal muscleisofo"		Ras-related protein Rab-3B.
INTEGRAL MEMBRANE PROTEIN SARCOPLA SMIC AND ENDOPLAS MIC RETICULUM		
AA799276 EST188773 Rattus norvegicus   INTEGRAL   "Sarcoplasralic /gb=AA799276 /gj=2862231 /ug=Rn.2305   PROTEIN   reticulum Aflen=608   SARCOPLA   calcium ATI   SARCOPLA   2 (EC   ENDOPLAS   3.6.3.8)(Calcium Charles)   RETICULUM (SERCA2) (Calcium Charles)   Sarcoplasm   Calcium Charles)   Calcium Charles   Calcium C	AA799336 EST188833 Rattus norvegicus cDNA, 5 end /clone=RHEAA38 /clons_end=5 /gb=AA799336 /gi=2862291 /ug=Rn.1318 /len=599	Rab3B protein NM_03109
J04023	AA799336	NM_03109 1
91.03 Ca+2-ATPase J04023	Homo sapiens AA799336 NADH dehydrogenas de (ubiquinone) 1, alpha/beta subcomplex 1 (Listed is rat EST and mouse prutative	Rab3B protein
91.03	60.00 00	98
88	35	
P16615	014561	XP_001 501
<b>15</b>	æ	
M23114	NM_0050	XM_00150
8	8	\$
P11507	BAB268 40	Q63941
52		8
AA7892 76	AA7883	AA7893 89

Plateiet- activating factor acetylhydrolase IB sub-uil(EC 3.1.1.47) (PAF acetylhydrolase 45 kDa subunit) (PAF-AH 45 kDasubunit) (PAF-AH 45 (PAF-AH alpha) (PAFAH alpha) (PAFAH alpha) (CAFAH alpha)	·	60S ribosomal protein L41 (HG12).	
Cytoplasmic . Plateiet-activating activating acetyhyo is alpha subunit(E 3.1.1.47) acetyhyo 45 kDa s (PAF-AH (PAF-AH (PAF-AH (PAF-AH (Laseno 1 1)).			
AF016049   AA801441 EST190938 Raitus norvegicus cDNA, 5 end /clone=RSPAA71 /clone_end=5 /gb=AA801441 /gl=2864386 /ug=Rn.5827 /len=520	AA933181 ESTPIM-2MF Rat Brain, Stratagene (cat.#936501) Rattus norvegicus cDNA clone pUC18/P1M-2MF 5 , mRNA sequence [Rattus norvegicus]	AA944073 EST199572 Rattus norvegicus cDNA, 5 end /clons=REMAA79 /clons_end=5 /gb=AA944073 /gj=3103989 /ug=Rn.2833 /len=480	AB000098 Rattus norvegicus mRNA for MIPP65, complete cds /cds=(18,1394) /gb=AB000098 /gl=2780407 /ug=Rn.6452 /len=1468
	AB052293	X82550	
95.62 platelet- activating factor acetylhydrolas e beta subunit	Mus musculus AB052293 sglgsf mRNA for spermatogeni c immunoglobuli n superfamily protein	R.norvegicus mRNA for ribosomal protein L41	MIPP65
85.62		89.52	88
8	4	£	
P43034	NP_055 148	P28751	No Human Protein Found.
25	4	4	84
113385	NM_0143	BC014383	BF690363
98		43	74
P43035	BAB608, 86	P28751	BAA243 51
35	gg S	42	8
41 41	AA8331 81	AA9440	AB0000 98

AB0039 91 AB0039 91 AB0039 91	AB0035 15	AB0021 11	AB0009 29	AB0002 16	AB0000 98	AB0000 98	AB0000 98
74 76 78	76	8	82	8	55	52	46
BAA201 51 BAA201 51 BAA201	008765	088177	BAA244 87	BAA199 69	BAA243 51	BAA243 51	BAA243 51
75 78	7	67	63	59	56	53	50
XM_04565 5 XM_04565 5 XM_04565	NM_0072 85	U91521	M90366	AA281565	BF690363	BF690363	BF690363
	73	98	2	8	67	54	<u> </u>
XP_045 855 XP_045 855 XP_045	008765	000623	Q05996	CAB452 39	XP_009 784	No Human Protein Found.	XP_009 784
	3	69	8	<b>3</b>			
100 100	100	87.27	84.38	95.02	8	œ	85
SNAP-25A SNAP-25A SNAP-25A	GEF-2	peroxisome assembly factor-3 (PAF- 3)	Zona pellucida 2 glycoprotein	ссаз	MIPP65	MIPP65	MIPP65
AB003991 rat mRNA for SNAP-25A, complete cds AB003991 rat mRNA for SNAP-25A, complete cds AB003991 rat mRNA for SNAP-25A, aB003991 rat mRNA for SNAP-25A, complete cds	AB003515 Rat mRNA for GEF-2, complete cds /cds=(105,459) /gb=AB003515 /gi=2104569 /ug=Rn.3714 /len=963	AB002111 Rattus norvegicus mRNA for peroxisome assembly factor-3 (PAF-3), complete cds	AB000929 Rattus norvegicus mRNA for zona pellucida 2 glycoprotein, complete cds /cds=(18,2106) /gb=AB000929 /gi=2804567 /ug=Rn.10891 /len=2138	AB000216 Rat mRNA for CCA3, complete cds /cds=(413,3442) /gb=AB000216 /gl=2104557 /ug=Rn.11149 /len=4514	AB000098 Rattus norvegicus mRNA for MIPP65, complete cds /cds=(18,1394) /gb=AB000098 /gi=2780407 /ug=Rn.6452 /fen=1468	AB000098 Rattus norvegicus mRNA for MIPP65, complete cds /cds=(18,1394) /gb=AB000098 /gl=2780407 /ug=Rn.6452 /len=1468	AB000098 Rattus norvegicus mRNA for MIPP65, complete cds /cds=(18,1394) /gb=AB000098 /gl=2780407 /ug=Rn.6452 /len=1468
		Integral membrane protein. Peroxisomal.					
	Ganglioside expression factor 2 (GEF-2) (General protein transportfactor p16) (GATE-16).	Peroxisome assembly protein 12 (Peroxin-12) (Peroxisome assemblyfactor- 3) (PAF-3).					

AB007690 Rattus norvegicus mRNA for Vest- 2(delta 11), complete cds	VesF2(delta	91.3 1	130	XP_064 356	129	BC012109	128	BAA324 79	127	AB0076 90
AB006881mRNA Rattus norvegicus mRNA for PMF16	PMF16	ט		No Human Protein Found.		No human homolog found.		No Ret Protein Found.	126	AB0068 81
AB006802 Rattus rattus mRNA for protocadherin 6, partial cds	Protocadherin 6, partial cds	75 6 TD	125	NP_061 737	124	NM_0189	123	BAA220 78	122	AB0068 02
AB004277 Rat mRNA for protocadherin 5 partial cds	Protocadherin 5	72 5 P	121	NP_061 752	120	NM_0189	119	BAA203	118	AB0042
AB004277 Rat mRN partial cds	Protocadherin 5	72 5 P	117	NP_061 752	116	NM_0189	115	BAA203 60	114	AB0042 77
AB004276 Rat mRNA for protocadherin 4, complete cds	protocadherin 4	8	113	NP_061 743	112	NM_0189 20	==	BAA203 59	110	AB0042 76
AB004096 Rat DNA for lanosterol 14- demethylase /cds=(126,1637) /gb=AB004086 /gi=2190005 /ug=Rn.6150 /len=3083	Lanosterol 14- demethylase	89 88	109	Q16850	108	U23942	107	BAA203 54	106	AB0040 96
AA963449 AB004096 Rat DNA for lanosterol 14- demethylase /cds=(126,1637) /gb=AB004096 /gi=2180005 /ug=Rn.6150 /len=3083	Lanosterol 14- AA9 demethylase	89	105	Q16850	<b>1</b>	U23942	Ŕ	BAA203 54	102	AB0040 96
AB004096 Rat DNA for lanosterol 14- demethylase /cds=(126,1637) /gb=AB004096 /gj=2190005 /ug=Rn.6150 /len=3083	Lanosterol 14- demethylase	88	2	Q16850	<b>1</b> 8	U23942	99	BAA203 54	98	AB0040 98
	Lanosterol 14- AA963449 demethylase	88	97	Q16850	8	U23942	95	BAA203 54	2	AB0040 96
AB003992 Rat mRNA for SNAP-25B complete cds	SNAP-25B	100 S	8	P13795	92	NM_0030 81	91	BAA201 52	8	AB0039 92
AB003992 Rat mRNA for SNAP-25B, complete cds	SNAP-25B	100 S		P13795	88	NM_0030 81	87	BAA201 52	86	AB0039 92
AB003991 rat mRNA for SNAP-25A, complete cds	SNAP-25A	100 S		XP_045		XM_04565 5	. 8	BAA201 51	2	AB0039 91
AB003991 rat mRNA for SNAP-25A, complete cds	SNAP-25A	100		XP_045 655		XM_04565 5	8	BAA201 51	82	AB0039 91
AB003991 rat mRNA complete cds	SNAP-25A	100 S		XP_045 655		XM_04565	82	BAA201	8	AB0039 91

AB0099	AB0096 163 36
167	
035052	070173
168	164
U65887	AJ0000008
169	<del>1</del> 65
Q92803	075747
170	66
86.	85.9
CDP- diacylglycerol synthase	Phosphoinositi de 3-kinase
	- 5 5 B L
AB009999 Rattus norvegicus mRNA for CDP- integral diacylglycerol synthase, complete cds membra protein. CYTOP MIC ASPEC THE ENDOP MIC RETICL	AB009636 Rattus norvegicus mRNA for phosphoinositide 3-kinase, complete cds /cds=(110,4627) /gb=AB009636 /gi=3059226 /ug=Rn.14870 /len=5956
LAS LAS	Membrane- associated .
polypeptide(EC 2.7.1.137) (Phosphoinositi de 3-Kinase-C2-gamma) (Ptdins-3-kinaseC2 gamma) (Ptdins-3-kinaseC2 gamma) (Pt3K-C2gamma).  Integral Phosphatidate membrane cytidylyttransfer protein . CYTOPLAS 2.7.7.41) (CDP-MIC diglycerides en 1) (CDP-diglyceride pyrophosphoryla se 1) (CDP-diacyliglycerol south ase 1) (CDP-diacyliglycerol synthase 1) (CDS 1) (CDS 1) (CDS 1) (CDS 1) (CTP:phosphati datecytidylytiran sferase 1)	Phosphatidylino sitol 3-kinase C2 domain-containing gamma

99 99	AB0099 99
176	171
035052	035052
. ·	172
U85887	U65887
177	173
Q92903	Q92903
178	174
86.11	86.1
CDP- diacy(glycerol synthase	CDP- diacylglycerol synthase
AB009999 Rattus norvegicus mRNA for CDP-Integral diacy/glycerol synthase, complete cds protein. CYTOP MIC ASPEC THE ENDOP MIC RETICL	AB009999 Rattus norvegicus mRNA for CDP-Integral diacyfglycerol synthase, complete cds protein. CYTOP MIC ASPECTHE ENDOP MIC PRETICLIA
TAS LAS	TAS LAS
Integral phosphatidate cytidylyltransfer cytidylyltransfer ase 1 (EC CYTOPLAS 2.7.7.41) (CDP-MIC diglyceridesynth ASPECT OF ENDOPLAS pyrophosphoryla se 1) (CDP-MIC diacylglycerol synthase 1) (CDS 1) (CDS 1) (CTP:phosphati datecytidylyltran sferase 1)	Integral membrane cytidylyltransfer cytidylyltransfer cytidylyltransfer ass 1 (EC CYTOPLAS 2.7.7.41) (CDP-diglycende etase 1) (CDP-diglycende endoplas e 1) (CDP-diacylglycerol symhase 1) (CDS 1) (CTP:phosphatidatecytidylyltran sferase 1)

rapie 4.	99 99	AB0101 54	AB0104 67
•	179	183	187
	035052	BAA363 62	088563
	180	184	88
	U65887	AF387637	AK000791
	81	185	189
,	Q92903	P27448	015438
	<b>182</b>	186	180
	86.11	. <u>a</u>	92.66
•	CDP- diacylglycerol synthase	Rattus norvegicus sbk mRNA for serine/threoni ne protein kinase with SH3 ligand, expressed in hippocampus, complete cds	Rattus norvegicus mRNA for multidrug resistance- associated protein (MRP)- ilke protein-2 (MLP-2), complete cds
•			
_	AB009999 Rattus norvegicus mRNA for CDP- integral diacy/glycerol synthase, complete cds protein. CYTOP  MIC ASPECTHE ENDOP MIC RETICU	AB010154 Rattus norvegicus PKN mRNA for serin/threonine protein kinase expressed in hippocampus, partial cds	AB010467 Rattus norvegicus mRNA for multidrug resistance-associated protein (MRP)-like protein-2 (MLP-2), complete cds
-	ILUM		Integral membrane protein.
•	Integral Integral Phosphatidate cytiolylytransfer protein as 1 (EC CYTOPLAS 2.7.7.41) (CDP-MIC ASPECT OF class 1) (CDS 1) (CTP:phosphatidetecytiolylytran sferase 1)		Canalicular multispecific organic anion transporter 2 (Muttidrugrasist ance-associated protein 3) (MRP-like protein-2) (MILP-2).

AB0102  191   P98500  192   AF011449  193   P69916   194   90.28   UCP2   UCP2 Complete of Seature norwejicus mRNA for membrane protein.   Images   Images
191 P56500 192 AF011449 193 P55919 194 90.28 UCP2 UCP2 UCP2 UCP3 Rattus noneglous mRVA for membrane under the property of the
192 AF011449 193 P65916 194 90.26 UCP2 UCP2 UCP2 UPP2 UPP2 Complete of sc/dar-(34,1273) problem in this prediction.  185 AB010981 197 BAA248 198 86 MIFR AB01050 Ratius nonvegicus mRNA for membrane.  200 AB010981 201 BAA248 202 86 Ratius nonvegicus mRNA for MIFR, complete ods AB01050 Ratius nonvegicus mRNA for MIFR, complete ods MIFR,
AB011449   183   P65916   194   90.28   UCP2   UC
183   P56916   184   80.26   UCP2   AB010743 Raftus norvegicus mRNA for membrane growin, filen=1578   MIFR   MIFR AB010743 (pl=3062842 / Mg=Rn.1333   Mitochondrial membrane growin, filen=1578   MIFR AB010860 Raftus norvegicus mRNA for membrane norvegicus mRNA for membrane mRNA for morvegicus mRNA for MIFR, complete cds   AB010860 Raftus norvegicus mRNA for MIFR, complete cds   MIFR AB010860 Raftus norvegicus mRNA for membrane.   AB010860 Raftus norvegicus mRNA for MIFR, complete cds   AB010860 Raftus norvegicus mRNA for membrane.   AB011858 Raftus norvegicus mRNA for RBCK2, complete cds   AB011858 Raftus norvegicus mRNA for MEGF2, complete cds   AB011858 Raftus norvegicus mRNA for MF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raftus norvegicus mRNA for NF1-X1, X1, partial cds / AB012234 Raf
P55916
HS4 S0.26 UCP2  AB010743 Rattus norvegicus mRNA for membrane (pp-AB010743 righ=3062842 /ug=Rn.13333 mortein.)  AB010860 Rattus norvegicus mRNA for MIFR, complete ods  AB011369 Rattus norvegicus mRNA for MIFR, complete ods  AB011369 Rattus norvegicus mRNA for MIFR, complete ods  AB011528 Rattus norvegicus mRNA for MEGF2, complete ods  AB011528 Rattus norvegicus mRNA for MEGF2, complete ods  AB011579 Rattus norvegicus mRNA for MEGF2, complete ods  AB012234 Rattus norvegicus mRNA for MEGF2, complete ods  AB012234 Rattus norvegicus mRNA for NF1-X1, partial ods /cds=(0,539) /gb=AB012234 /gi=2882735 /ug=Rn.8847 /len=601  X1, partial ods /ug=Rn.8847 /len=601
B0.26 UCP2  AB010743 Rattus norvegicus mRNA for membrane júp-AB010743 /gi-3062842 /ug-Rn.13333 priobln.  AB010860 Rattus norvegicus mRNA for membrane.  AB010860 Rattus norvegicus mRNA for MIFR, complete cds  AB010960 Rattus norvegicus mRNA for MIFR, complete cds  AB010960 Rattus norvegicus mRNA for MIFR, complete cds  AB010960 Rattus norvegicus mRNA for MIFR, complete cds  AB011528 Rattus norvegicus mRNA for RBCK2 complete cds  MEGF2  AB011528 Rattus norvegicus mRNA for MEGF2, complete cds
AB010743 Rattus norvegicus mRNA for membrane luCP2, complete ods /ds=(344,1273) //gb=AB010743 /gl=3062842 /ug=Rn.13333 //len=1575 AB010860 Rattus norvegicus mRNA for MIFR, complete ods AB010860 Rattus norvegicus mRNA for MIFR, complete ods AB011369 Rattus norvegicus mRNA for RBCR2, complete ods AB011369 Rattus norvegicus mRNA for RBCR2, complete ods AB011528 Rattus norvegicus mRNA for MEGF2, complete ods AB011528 Rattus norvegicus mRNA for NF1- X1, partial ods /cds=(0,535) /gb=AB012234 /gj=2882735 /ug=Rn.9647 /len=601 X1, partial ods /cds=(0,535) /gb=AB012234 /gj=2882735 /ug=Rn.9647 /len=601
AB010743 Rattus norvegicus mRNA for membrane luCP2, complete ods /ds=(344,1273) //gb=AB010743 /gl=3062842 /ug=Rn.13333 //len=1575 AB010860 Rattus norvegicus mRNA for MIFR, complete ods AB010860 Rattus norvegicus mRNA for MIFR, complete ods AB011369 Rattus norvegicus mRNA for RBCR2, complete ods AB011369 Rattus norvegicus mRNA for RBCR2, complete ods AB011528 Rattus norvegicus mRNA for MEGF2, complete ods AB011528 Rattus norvegicus mRNA for NF1- X1, partial ods /cds=(0,535) /gb=AB012234 /gj=2882735 /ug=Rn.9647 /len=601 X1, partial ods /cds=(0,535) /gb=AB012234 /gj=2882735 /ug=Rn.9647 /len=601
UCP2, complete cds /cds=(344,1273) //gb=AB010743 /g =3062842 /ug=Rn.13333 //lan=1575  AB010860 Rattus norvegicus mRNA for MiFR, complete cds AB010960 Rattus norvegicus mRNA for MIFR, complete cds AB011369 Rattus norvegicus mRNA for RBCK2, complete cds AB011369 Rattus norvegicus mRNA for RBCK2, complete cds AB011528 Rattus norvegicus mRNA for MEGF2, complete cds AB011528 Rattus norvegicus mRNA for NEGF2, complete cds AB011679 Rattus norvegicus mRNA for NEGF2, partial cds /cds=(0,535) /gb=AB012234 /gi=2882735 /ug=Rn.9847 /len=601  AB012234 Rattus norvegicus mRNA for NF1- X1, partial cds /cds=(0,535) /gb=AB012234 /gi=2982735 /ug=Rn.9847 /len=601
Integral membrane protein. Mitochondrial inner membrane. F1-
Integral membrane protein. Mitochondrial inner membrane.

**7***L* 

АВ0137 32	AB0131 227 112 AB0134 231 54
236	231
070199	BAA336 80 P24049
236	232
AJ007702	NM_0209 80 X63777
237	233
060701	O43315 P18621
238	230 234
89.76	99
UDP-glucose dehydrogeans e	Aquaporin R.norvegicus ASI mRNA for mammallan equivalent of bacterial large ribosomal subunit protein
AB013732 Rattus norvegicus mRNA for UDP- glucose dehydrogeanse, complete cds /cds=(110,1591) /gb=AB013732 /gl=3133256 /ug=Rn.3967 /len=2318	AB013112 Rattus rattus mRNA for aquaporin, complete cds AB013454 Rattus norvegicus mRNA for NaPi- 2 beta, complete cds
UDP-glucose 6-dehydrogenase (EC 1.1.1.22) (UDP-Glic dehydrogenase) (UDP-GicDH) (UDP-GICDH).	60S ribosomal protein L17 (L23) (Amino acid starvation-inducedprotein) (ASI).
	0137 235 O70199 236 AJ007702 237 O60701 238 89.76 UDP-glucose dehydrogeans glucose dehydrogeans /cds=(110,1591) /gb=AB013732 /gl=3133256 /ug=Rn.3967 /len=2318

 $\mathfrak{L}$ 

61	(AR0161   257   C970U
	257
	258
	258   AJ225028
	259
	260
	97
aminobutyric acid (GABA) B receptor, 1	Gamma-
	AB016161cds Rattus norvegicus mRNA for
MEMBRANE aminobutyric acid type B MOREOVER receptor, COEXPRES subunit 1 gracursor GABA-B-R1 (GABA-AND GABA-B-R1) (GABA-B-R1) (	INTEGRAL
MEMBRANE aminobityric proofers. acid type B MOREOVER receptor, COEXPRES subunit 1 SION OF GABA-B-R1 (GABA-B-R1) B-R2 (GABA-B-R1) B-R2 (GB1)."  TO BE A PREREQUIS TE FOR MATURATIO N AND TRANSPOR T OF GABA-B-R1 TO FABA-B-R1 TO THE PLASMA MEMBRANE.	Gamma-

AB0168 00	AB0168 00	AB0168 00	AB0168 00	Table 2. AB0161 61
271	269	267	265	261
BAA343 06	BAA343 06	BAA343 06	BAA343 06	261  Q9Z0U   4
272	270	268	266	262
XM_00606 7	XM_00606	XM_00606 7	XM_00606 7	AJ225028
				263
XP_006 067	XP_006 087	XF_006 067	XP_006 067	QBUBS5
				264
82	82	83	8	97
7- dehydrocholes terol reductase	7- dehydrocholes terol reductase	7- dehydrocholes terol reductase	7- dehydrocholes terol reductase	Gamma- aminobutyric acid (GABA) B receptor, 1
AB016800 Rattus norvegicus mRNA for 7-denydrocholasterol reductase, complete cds	AB016800 Rattus norvegicus mRNA for 7-dehydrocholastarol reductase, complete cds	AB016800 Rattus norvegicus mRNA for 7-dehydrocholesterol reductase, complete cds	AB016800 Rattus norvegicus mRNA for 7- dehydrocholesterol reductase, complete cds	AB016161UTR#1 Rattus norvegicus mRNA for GABAB receptor 1d, complete cds
-				GRAL BRANE TEIN. EOVER XPRES 1 OF A-B-R1 GABA- CABA- OR UPATIO UPATIO USPOR GABA- TO
				"Gamma- aminobutyric acid type B receptor, subunit 1 precursor (GABA- Breceptor 1) (GABA-BR-B-R1) (Gb1)."

<u> </u>	AB0177	AB0176 55	AB0175 44	AB0175 44	AB0175 44	AB0176 44	AB0171 273
	297	293	289	285	281	277	273
	088828	P10980	BAA368 35	BAA368 35	BAA368 35	BAA368 35	BAA351 87
	298	294	290	286	282	278	274
74	NM_0219	NM_0007	AF045186	AF045186	AF045186	AF045186	AB017167
	299	295	291	287	283	279	275
	P41584	NP_000 730	075381	075381	075381	075381	BAA351 84
	300	286	292	288	284	280	276
	90.98	89.21	89.79	89.79	89.79	89.79	98
polymerase II	RNA	Muscarinic receptor m2	peroxisomal membrane anchor protein	peroxisomal membrane anchor protein	peroxisomal membrane anchor protein	peroxisomal membrane anchor protein	Rattus norvegicus mRNA for Silt- 1 protein, partial cds
polymerase II, complete cos	s mRNA for RNA	AB017655 Rattus norvegicus mRNA for muscarinic receptor m2, complete cds pr	AB017544 Rattus norvegicus Pex14 mRNA for peroxisomal membrane anchor protein, complete cds	AB017544 Rattus norvegicus Pex14 mRNA for peroxisomal membrane anchor protein, complete cds	AB017544 Rattus norvegicus Pex14 mRNA for peroxisomal membrane anchor protein, complete cds	AB017544 Rattus norvegicus Pex14 mRNA for peroxisomal membrane anchor protein, complete cds	AB017170 Rattus norvegicus mRNA for Siit-1 protein, partial cds
	luclear.	Integral membrane protein.					
RNA Polymerase II 14.4 kDa polypeptide (EC 2.7.7.6)(RPB6) (RPB14.4).	DNA-directed	Muscarinic acetylcholine receptor M2.					

12 A	12 AB	12 E
AB0179	AB0179 12	AB0179 301
309	305	901
070436	070436	070436
310	306	302
U68018	U68018	U68018
311	307	303
Q15796	Q15796	Q15796
312	. 308	304
91.46	91.46	91.46 Smad2 protein
Smad	Smad	Smad
Smad2 protein	Smad2 protein	2 protei
AB01 Smad	AB01 Smad	AB01 Smad
AB017912 Rattus norvegicus mRNA for Smad2 protein, compiete cds	AB017912 Rattus norvegicus mRNA for Smad2 protein, complete cds	AB017912 Rattus norvegicus mRNA for Smad2 protein, complete cds
in, com	in, com	in, com
piete c	orvegic plate c	orvegic
ds mR	ds mRi	ds m.R.
NA for	NA for	NA for
SCSSCSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	#D844489#49#	S C C S Z Z S S S S S S S S S S S S S S
IN THE CYTOPLAS M IN THE ABSENCE OF LIGAND; MIGRATION TO THE NUCLEUS WHEN COMPLEXE D WITH SMAD4.	IN THE CYTOPLAS M IN THE ABSENCE OF LIGAND; MIGRATION TO THE NUCLEUS WHEN COMPLEXE D WITH SMAD4.	IN THE CYTOPLAS M IN THE ABSENCE OF LIGAND; MIGRATION TO THE NUCLEUS WHEN COMPLEXE C WITH SMAD4.
Mothers aga decapentapi homolog 2 (SMAD 2) (Mothers againstDPP homolog 2) (Mad-related protein 2).	Mothers agained decapentap homolog 2 (SMAD 2) (Mothers againstDPP homolog 2) (Mad-related protein 2).	Mothers aguindecapentaphomolog 2 (SMAD 2) (Mothers againstDPPhomolog 2) (Mad-related protein 2).
Mothers against decapentaplegic homolog 2 (SMAD 2) (Mothers againstDPP homolog 2) (Mad-related protein 2).	Mothers against decapentaplegic homolog 2 (SMAD 2) (Mothers againstDPP homolog 2) (Mad-related protein 2).	Mothers against decapentaplegic homolog 2 (SMAD 2) (Mothers againstDPP homolog 2) (Mad-related protein 2).
nst gic	nst	gic

AB0205		AB0193 93	Table 2.  AB0179  313  12
321		317	313
BAA347		Q9R1J4	070436
322		318	314
AY008274		U85257	U68018
323		318	315
No Human Protein Found.		Q99972	Q15786
324		320	316
96.34		82.95	91.46
PMF31		myocilin	Smad2 protein
AB020504 Rattus norvegicus mRNA for PMF31, complete cds		AB019393 Rattus norvegicus mRNA for myocilin, complete cds	AB017912 Rattus norvegicus mRNA for Smad2 protein, complete cds
	THE CONNECTIN G CILIUM OF PHOTOREC EPTOR CELLS, AND IN THE ROUGH ENDOPLAS MIC RETICULUM . ALSO SECRETED	PREFERENT pre PREFERENT pre MALLY IN THE CILLARY ROOTLET AND BASAL BODY OF	IN THE MO CYTOPLAS dec M IN THE ABSENCE (SN MIGRATION aga TO THE NUCLEUS (MACHEN COMPLEXE DWITH SWAD4
		Myocilin precursor (Trabecular meshwork-induced glucocorticoidre sponse protein).	Mothers against decapentaplegic homolog 2 (SMAD 2) (Mothers againstDPP homolog 2) (Mad-related protein 2).

AF0001	АВ0220 14	AB0205 04	AB0205 04	AB0205 04
341	337	333	329	325
P97846	Q9Z2X3	BAA347 15	BAA347 15	BAA347 15
342	338	334	330	326
U87223	AB009619	AY008274	AY008274	AY008274
343	ឌូ	335 5	ឌ	327
P78357	075832	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
34	8	336	332	328
88.14	92.68	96.34	96.34	96.34 PMF31
Contactin associated protein 1	Gankyrin homologue, complete cds	PMF31	PMF31	PMF31
AF000114 Rattus norvegicus paranodin mRNA, complets cds /cds=(141,4286) /gb=AF000114 /gi=2228764 /ug=Rn.10703 /len=5350	AB022014 Rattus norvegicus mRNA for gankyrin homologue, complete cds	AB020504 Rattus norvegicus mRNA for PMF31, complete cds	AB020504 Rattus norvegicus mRNA for PMF31, complete cds	AB020504 Rettus norvegicus mRNA for PMF31, complete cds
Type I membrane protein .	·			
Contactin associated protein 1 precursor (Caspr) (Caspr1) (Neurexin 4)(Neurexin IV) (p190) (Paranodin).	26S proteasome non-ATPase regulatory subunit 10 (26S proteasomeregu latory subunit p28) (Gankyrin).			

AF0008 99	AF0008 99	AF0008 99	AF0004 23	AF0003 68	AF0003 68	AF0001 14
365	363	361	357	353	349	345
AAC82 319	AAC82 319	AAC82 319	008835	AAB504 03	AAB504 03	P97846
366	364	362	358	354	350	346
XM_03752 9	XM_03752 9	XM_03752 9	D38522	X82835	X82835	U87223
			359	355	351	347
XP_037 529	XP_037 529	XP_037 529	Q9ВТ88	S54771	S54771	P78357
			360	356	352	348
			93.38	87.67	87.67	88.14
mRNA, alternatively spliced form	p58/p45 mRNA, alternatively spliced form	p58/p45 mRNA, alternatively spliced form	synaptotagmin XI	Rattus norvegicus voltage-gated sodium channel mRNA (PN1)	Rattus norvegicus voltage-gated sodium channel mRNA (PN1)	Contactin associated protein 1
AF000899 RNP58S02 Rattus norvegicus p58/p45 mRNA, alternatively spilced form, clone H6, 3 end	AF000899 RNP58S02 Rattus norvegicus p58/p45 mRNA, alternatively spliced form, cione H6, 3 end	AF000899 RNP58S02 Rattus norvegicus p58/p45 mRNA, alternatively spliced form, cione H6, 3 end	AF000423 Rattus norvegicus synaptotagmin III XI mRNA, complete cds /cds=(242,1534) N /gb=AF000423 /gi=2130631 /ug=Rn.9805 F /len=2426	AF000368 Rattus norvegicus voltage-gated sodium channel mRNA, complete cds /cds=(0,5954) /gb=AF000368 /gi=2501837 /ug=Rn.10831 /isn=9316	AF000368 Rattus norvegicus voltage-gated sodium channel mRNA, complete cds /cds=(0,5954) /gb=AF000368 /gi=2501837 /ug=Rn.10831 /len=9316	AF000114 Rattus norvegicus paranodin mRNA, complete cds /cds=(141,4286) /gb=AF000114 /gi=2228764 /ug=Rn.10703 /len=5350
			INTEGRAL MEMBRANE PROTEIN. SYNAPTIC VESICLES.			Type I membrane protein .
			Synaptotagmin XI (SytXI).			Contactin associated protein 1 precursor (Caspr) (Caspr1) (Neurexin 4)(Neurexin IV) (Paranodin).

AF0014 373 035819 374 U44875 375 Q88812	AF0009 369 P41138 370 X66924 371 Q1	AF0008 367 AAC82 368 XM_03752 99 319 9
O35819 374 U44875 375	P41138 370 X66924 371	AAC82 368 319
374 U44975 375	370 X66924 371	368
U44975 375	X66924 371	
375	371	XM_03752 9
Q99612	Q	
	02535	XP_037 529
376	372	
71	88.38	
zinc finger protein	Inhibitor of DNA binding 3, dominant negative helix- loop-helix protein	p58/p45 mRNA, alternatively spliced form
s zinc finger	attus norvegicus Id3a mRNA,	AF000899 RNP58S02 Rattus norvegicus p58/p45 mRNA, alternatively spiliced form, clone H6, 3 end
Nuclear .	Nuclear.	
Core promote element-bindl protein (Krup) like factor 6)(Transcripti	DNA-binding protein inhibito ID-3.	
	376 71 zinc finger AF001417 Rattus norvegicus zinc finger Nuclear . protein protein mRNA, complete cds	372 88.38 Inhibitor of DNA binding Complete cds 3, dominant negative helix-loop-helix protein  376 71 zinc finger protein AF001417 Rattus norvegicus zinc finger protein mRNA, complete cds

AF0038 35	AF0040 17	AF0040 17	AF0042 18	AF0048 11	AF0066 64
397	401	405	409	413	417
035760	AAC40 034	AAC40 034	AAD01 198	P31977	035767
398	402	406	410	414	418
70 0184	AF053753	AF053753	U75283	M69066	U34962
399	403	407	4	415	419
NP_004	AAG477 73	AAG477 73	NP_005 857	P26038	P52952
400	4	408	412	416	420
90.83	99.97	99.97	89.59	91.07	87
Isopentenyl- diphosphate detta Isomerase	Solute carrier family 4, sodium bicarbonate cotransporter, member 4	Solute carrier family 4, sodium bicarbonate cotransporter, member 4	Rattus norvegicus brain sigma receptor	Moesin	Rattus norvegicus tinman homolog (rNKx-2.5) mRNA, complete cds
AF003835 Rattus norvegicus isopentenyi diphosphate-dimethylaliyi diphosphate isomerase mRNA, complete cds /cds=(385,1088) /gb=AF003835 /gl=2253700 /ug=Rn.10780 /len=1182	AF004017 Rattus norvegicus electrogenic Na+ bicarbonats cotransporter (NBC) mRNA, complete cds /cds=(23,3130) /gb=AF004017 /gi=2897074 /ug=Rn.11114 /len=3449	AF004017 Rattus norvegicus electrogenic Na+ bicarbonate cotransporter (NBC) mRNA, complete cds /cds=(23,3130) /gb=AF004017 /gi=2897074 /ug=Rn.11114 /len=3449	AF004218 Rattus norvegicus brain sigma receptor mRNA, complete cds	AF004811 Rattus norvegicus moesin mRNA, complete cds /cds=(98,1831) /gb=AF004811 /gl=2218138 /ug=Rn.10773 /len=2099	AF006664 Rattus norvegicus tinman homolog (nNKx-2.5) mRNA, complete cds /cds=(93,1049) /gb=AF006664 /gi=2246649 /ug=Rn.6179 /len=1342
Peroxisomal.					Nuclear .
Isopentenyl- diphosphate delta-Isomerase 1 (EC 5.3.3.2) (IPP Isomerase1) (Isopentanyl pyrophosphate Isomerase 1) (IPPI1).					Homeobox protein NKX-2.5 (Cardiac- specific homeobox) (Homeoboxprot ein CSX).

AF0078 90	AF0078 36	AF0077 58	AF0077 58	AF0075 83	AF0075 54	AF0066 64
#	440	436	432	428	425	421
AAC23 442	AAB667 03	P37377	P37377	035167	g22534 44	035767
445	#	437	433	429.		422
NM_0003	AB002338	L36674	L36674	NM_0805 39	X52228	U34962
446	. 42	438	\$	430	426	423
P00938	BAA207 98	P37840	P37840	Q9NP24	Q16615	P52952
447	43	439	<b>\$35</b>	431	427	424
49	95.92	94.49	94.49	80.29	87.68	87
Rattus norvegicus resection- induced TPI (rs11) mRNA	Rim 1b protein	synuciein 1	synuclein 1	Collagen-like tail subunit (single strand of homotrimer) of asymmetric acetylcholines terase	Mucin1	Rattus norvegicus thrman homolog (rNKx-2.5) mRNA, complete cds
AF007890 Rattus norvegicus resection- Induced TPI (rs11) mRNA, complete cds	AF007836 Rattus norvegicus rab3 effector (RIM) mRNA, alternatively spilced, complete cds /cds=(414,5075) /gb=AF007836 /gi=2317777 /ug=Rn.10799 /len=5655	AF007758 Rattus norvegicus synuclein 1 mRNA, complete cds /cds=(27,449) /gb=AF007758 /gl=2218253 /ug=Rn.1827 /len=1006	AF007758 Rattus norvegicus synuclein 1 mRNA, complete cds /cds=(27,449) /gb=AF007758 /gl=2218253 /ug=Rn.1827 /len=1006	AF007583 Rattus norvegicus acetylcholinesterase-associated collagen (COLQ) mRNA, complete cds /cds=(45,1421) /gb=AF007583 /gi=2564193 /ug=Rn.10841 /len=2731	AF007554 Rattus norvegicus mucin 1 (Muc1) mRNA, partial cds /cds=(0,224) /gb=AF007554 /gi=2253443 /ug=Rn.10779 /len=447	AF00664 Rattus norvegicus tinman Nuc homolog (rNKx-2.5) mRNA, complete cds /cds=(93,1049) /gb=AF00664 /gi=2246649 /ug=Rn.6179 /len=1342
						Nuclear .
	,	Alpha-synuclein.	Alpha-synuclein.	Acetylcholineste rase collagenic tail peptide procursor (AChE Qsubunit) (Acetylcholinest erase-associated collagen).	ı	Homeobox protein NKX-2.5 (Cardiac- specific homeobox) (Homeoboxprot ein CSX).

AF0085 54	AF0085 54	AF0084 39	AF0084 39
 460	458	452	448
035777	035777	054902	AF0084 448 O54802
461	457	453	449
AK027632	AK027632	AB004857	АВ004857
462	458	454	450
AAB183 74	AAB183 74	P49281	P49281
463	459	455	451
91.29	91.29	89.74	89.74
Rattus norvegicus implantation- associated protein (IAG2) mRNA, partial cds	Rattus norvegicus implantation- associated protein (IAG2) mRNA, partial cds	natural resistance- associated macrophage protein 2	89.74 natural resistance-associated macrophage protein 2
AF 889 7ug	AF assa /ug	AF resi /cd	AF resi /Qd /ug
AF008554 Rettus norvegicus implantation- associated protein (IAG2) mRNA, partial cds in /cds=(0,926) /gb=AF008554 /gi=2258450 /ug=Rn.10782 /len=1087	AF008554 Rattus norvegicus implantation- associated protein (IAG2) mRNA, partial cds (n/cds=(0,926) /gb=AF008554 /gi=2258450 p/ug=Rn.10782 /len=1087	AF008439 Rattus norvegicus naturai li resistance-associated macrophage protein 2 n (Nramp2) mRNA, complete cds /cds=(104,1789) /gb=AF008439 /gi=2327056 /ug=Rn.11418 /len=4331	AF008439 Rattus norvegicus naturai li resistance-essociated macrophage protein 2 n (Nramp2) mRNA, complete cds (cds=(104,1789) /gb=AF008439 /gi=2327066 /ug=Rn.11418 /ien=4331
Integral membrane protein .	Integral membrane protein .	Integral membrane protein .	Integral membrane protein .
Implantation- associated protein.	Implantation- associated protein.	Natural resistance-associated macrophage protein 2 (NRAMP 2) (Metalion transporter DCT1).	Natural resistance-associated macrophage protein 2 (NRAMP 2) (Metallon transporter DCT1).
•			

### AF0033 446 C035779 485 NM_0307 466 C05C0.19 467 or enhancer-of-pall and history-nelled protein f (SHAPP-1) apill and history-nelled protein f (SHAPP-1) protein f
465 NM_0307 466 C98049 467 67 enhancer-of- gpilt and hairy- related protein 1 1 (SI-QARP-1) spilt and hairy-related protein 2 spilt and hairy-related prot
465 NM_0307 466 Q800J9 467 87 enhancer-of- 82 enhancer-of- 82 enhancer-of- 85 enhancer-of- 85 enhancer-of- 85 enhancer-of- 85 enhancer-of- 1
466 NM_0307 466 Q800J9 467 67 enhancer-of- e2 enhancer-of- e2 enhancer-of- e2 enhancer-of- e3 pilt and hairy-epiated protein 1 (\$P\$4ARP-1) related protein 1 related protein 2
466 G9C0J9 457 67 enhancer-of- spilt and hally- related protein 1 (SHARP-1) related protein 1 (SHARP-1) 1 (SHARP-2) 1 (SHARP-1) 1 (SHARP-1
466 G9C0J9 457 67 enhancer-of- spilt and hally- related protein 1 (SHARP-1) related protein 1 (SHARP-1) 1 (SHARP-2) 1 (SHARP-1) 1 (SHARP-1
467 67 enhancer-of- spilt and hairy- spilt and hairy- spilt and hairy- related protein 1 (SHARP-1) nelated protein 1 (SHARP-1) nelated protein 1 (SHARP-1) nelated protein 1 (SHARP-1) norvegicus enhancer-of- har-2101  AF009329 /gj=2267566 /ug=Rn.10784 //An=2101  AF009330 Rattus norvegicus enhancer-of- norvegicus enhancer-of- spilt and hairy-related protein 2 (SHARP-2) mRNA, complete cds /cds=(319,1554) //gb=AF009330 /gj=2267588 /ug=Rn.10785 //gb=AF009330 /gj=2267588 /ug=Rn.10787 //gb=AF009603 //gj=2283467 /ug=Rn.10787 /len=1103 //gj=2283467 /ug=Rn.10787 /len=1103 //gj=2283467 /ug=Rn.10787 /len=1103 //gj=2748068 //gj=Rn.10877 /len=2436 //gj=2748068 //gj=Rn.10877 /len=2436 //gj=2748068 //gj=Rn.10877 /len=2436
enhancer-of- spilt and haliy-related protein 1 (SHARP-1) related protein 1 (SHARP-1) Rattus Refus norvegicus enhancer-of- spilt and haliy-related protein 2 (SHARP-2) enhancer-of- spilt and haliy-related protein 2 (SHARP-2) related protein 2 (SHARP-2) mRNA, complete cds /cds=(319,1554) /gb=AF009330 /gl=2267588 /lg=Rn.10785 /len=2388 2 (SHARP-2) mRNA PAF009603 Rattus norvegicus SH3p4 mRNA, mRNA, partial partial cds /cds=(0,746) /gb=AF009603 cds /gl=2293467 /lg=Rn.10787 /len=1103 /gl=2293467 /lg=Rn.10787 /len=1103 /gl=2293467 /lg=Rn.10787 /len=1103 /gl=2745068 /gl=2745068 /gl=2745068 /gl=Rn.10877 /len=2436 /gl=2745068 /gl=2745068 /gl=2745068 /gl=2745068 /gl=2745068 /gl=2745068 /gl=2745068 /gl=2745068 /gl=2745068
enhancer-of- spilt and hairy- spilt and hairy-related protein 1 (SHARP-1) related protein 1 (SHARP-1) mRNA, complete cds /cds=(237,998) 1 //gb=AF009329 /gl=2267586 /ug=Rn.10784 //sn=3101  AF008330 Rattus norvegicus enhancer-of- norvegicus enhancer-of- spilt and hairy-related protein 2 (SHARP-2) enhancer-of- spilt and hairy-related protein 2 (SHARP-2) enhancer-of- spilt and hairy-related protein 2 (SHARP-2) spilt and hairy-related protein 2 (SHARP-2) enhancer-of- mRNA, complete cds /cds=(319,1554) //gb=AF009330 /gj=2267588 /ug=Rn.10785 //en=2388 //en=2388 //en=2388 //en=2388 //en=2388 AF009603 Rattus norvegicus SH3p4 mRNA, partial cds /cds=(0,746) /gb=AF009603 cds //gl=2293467 /ug=Rn.10787 /len=1103 //gl=2293467 /ug=Rn.10787 /len=1103 //gl=2293467 /ug=Rn.10787 /len=1103 //gl=2748069 //gl=Rn.10877 /len=2436 //gl=Rn.10877 /len=2436
AF009329 Rattus norvegicus enhancer-of- split and hairy-related protein 1 (SHARP-1) mRNA, complete cds cds=(237,988) /gb=AF009329 /gj=2267586 /ug=Rn.10784 /len=3101  AF009330 Rattus norvegicus enhancer-of- split and hairy-related protein 2 (SHARP-2) mRNA, complete cds cds=(318,1543) /gb=AF009330 /gj=2267588 /ug=Rn.10785 /len=2388  AF009603 Rattus norvegicus SH3p4 mRNA, partial cds /cds=(0,746) /gb=AF009603 /gj=2293467 /ug=Rn.10787 /len=1103 /gj=2293467 /ug=Rn.10787 /len=1103  AF013144 Rattus norvegicus MAP-kinase phosphatase (cpg21) mRNA, complete cds /cds=(174,1328) /gb=AF013144 /gj=2746069 /ug=Rn.10877 /len=2436
Nuclear .
Nuclear .
Class B basic helix-loop-helix protein 3 (bHLHB3) (Enhancer-of-spiltand halry-related protein 1) (SHARP-1). Class B basic helix-loop-helix protein 2 (bHLHB2) (Enhancer-of-spiltand halry-related protein 2) (SHARP-2). SH3-containing GRB2-like protein 2 (SH3 domain protein 2 (SH3 domain protein 2A) (Erdaphilin1) (SH3p4) (Fragment). Dual specificity protein phosphatase 5 (EC 3.1.3.48) (EC 3.1.3.16)(MAP-kinase phosphatase 5 (EC 3.1.3.16)(MAP-kinase phosphatase 5 (ECG21).

AF0145	AF0140	AF0131 480
488	484	
054842	035244	O54838
489	488	48.
NM_0123 85	D14662	NM_0044 19
490	486	482
O60356	P30041	Q16690
491	487	<b>&amp;</b>
63	89.11	87.8
p8 mRNA	acidic calcium- independent phospholipase A2 (alPLA2)	Rattus norvegicus MAP-kinase phosphatase (cpg21) mRNA, complete cds
AF014503 Rattus norvegicus p8 mRNA, complete cds /cds=(54,296) /gb=AF014503 /gl=2735928 /ug=Rn.11182 /len=592	AF014009 Rattus norvegicus acidic calclum- independent phospholipase A2 (alPLA2) mRNA, complete cds /cds=(20,694) /gb=AF014009 /gl=2317734 /ug=Rn.42 /len=656	AF013144 Rattus norvegicus MAP-kinase phosphatase (cpg21) mRNA, complete cds /cds=(174,1328) /gb=AF013144 /gi=2746069 /ug=Rn.10877 /len=2436
Nuclear .	"CYTOPLAS Antioxidant MIC, protein 2 (1-C LYSOSOMA peroxiredoxir L AND ALSO (1-Cys PRX) FOUND IN (Acidiccalciu Independent SECRETOR phospholipas Y A2) (EC 3.1. (aiPLA2) (No ES." glutathione peroxidase) (1.11.1.7) (NSGPx) (Th SECRETOR SPECIFICAN	Nuclear .
Protein p8 (Candidate of metastasis 1).	Antioxidant protein 2 (1-Cys peroxiredoxin) (1-Cys PRX) (Acidicacicium- independent phospholipase A2) (EC 3.1.1) (aiPLA2) (Non- selenium glutathione peroxidase) (EC 1.11.1.7) (NSGPX) (Thiol- specifican	Dual specificity protein phosphatase 5 (EC 3.1.3.48) (EC 3.1.3.16)(MAP-kinase phosphatase CPG21).

APO153 482 OS4688 483 U81375 494 C98808 485 67.65 Solute carrier following the control of the co
0546968         493         U81375         494         C989008         495         87.65         Soluhe carrier family 28 family 2
483 UB1375 494 Go99808 485 87.85 Solute cerrier immigration from the immigration of family 28 (independent immigration in the immigration of the immigration in the i
U81375   484   Case00   485   87.65   Solute carrier   AF015304 Rattus nonvegicus equilibrative   Integral entropy 29   Integral transporter mRVA, complete ods   Integral transporter   Number 1   Mg=Rn.5914 / Interfeukin-1788   AF015305 Rattus nonvegicus equilibrative   Integral protein.   Mg=Rn.5914 / Interfeukin-1788   AF015305 Rattus nonvegicus equilibrative   Integral nitrobenzythiolinosine-insensitive nucleoside   Integral nitrobenzythiolinosine-insensitive nucleoside   Integral nitrobenzythiolinosine-insensitive nucleoside   Mg=Rn.7203 / Interfeukin-15   AF015716 Rattus nonvegicus equilibrative   Integral nitrobenzythiolinosine-insensitive nucleoside   Integral
494 Q39908 495 87.65 Solute carrier family 28 (nucleoside family 28 (nucleoside family 28 transporter mRNA, complete cds family 28 transporter), member 1 (22 498 Q14542 499 87 Equilibrative nicrotery), independent of transporter mRNA, complete cds protein, independent family 29 (nucleoside family 29 (nucleo
APO15304 Rattus norvegicus equilibrative family 29 (nucleoside family 29 fransporters), member 1 (nucleoside family 29 fransporters), member 1 (nucleoside fransporter mRNA, complete code frosin. (nucleoside fransporter mRNA, complete code frosin-incoline-
495 87.65 Solute carrier Introberzythiolnosine-sensitive nucleoside transporter mRNA, complete cds fransporters), member 1 (Interteukin-15)  489 67 Equilibrative Interesporter mRNA, complete cds protein. Incoherzythiol interesporter mRNA, complete cds protein. Incoherzythiol interesporter mRNA, complete cds protein. Incoherzythiol interesporter mRNA, complete cds protein. Incoherzythiologine-hasenative nucleoside transporter mRNA, complete cds protein. Incoherzythiologine-hasenative nucleoside transporter mRNA, complete cds protein. Interteukin-15 (IL-15) mRNA, complete cds protein. Interteukin-15 (IL-15) mRNA, complete cds protein. Interteukin-15 Secreted. Interteukin-15 Secreted.
87.65 Solute carrier family 29 (nucleoside family 20 (nucleoside f
Solute carrier family 28   Integral nitrobenzythloinosine-sensitive nucleoside transporters),   ///////////////////////////////////
AF015304 Rattus norvegicus equilibrative integral mitrobenzytthiolinosine-sensitive nucleoside transporter mRNA, complete cds //cds=(4,1377) /gb=AF015304 /gl=2656136 //g=Rn.5814 //len=1768 //g=Rn.5814 //len=1768 //g=Rn.5814 //len=1768 //g=Rn.5814 //len=1768 //g=Rn.5814 //len=1768 //g=Rn.5814 //g=Rn.7203 //g=Rn.7203 //g=1678 //g=2656138 //g=2656138 //g=2656138 //g=Rn.7203 //g=1678 //g=2656138 //g=265
Integral membrane protein.  Integral integral membrane protein.  38  Secreted.
Integral membrane protein.  Integral integral membrane protein.  38  Secreted.
ane ane
"Equilibrative nucleoside transporter 1 (Equilibrativenitr obenzylmercapt opunine ribosidesensitive nucleoside transporter) (Equilibrative nucleoside transporter) (Nucleosidetransporter) (Nucleosidetransporter 2 (Equilibrative nucleoside transporter) (Nucleoside tr

AF0163 87 AF0163 87	AF0162 52	AF016 47
516 512	508	504
AAD01 591 AAD01 591	035274	AF0160 504 035263 47
513 517	509	505
NM_0069 17 NM_0069	BC016162	D63391
518 518	510	506
P48443	NP_115 984	Q15102
515 519	511	507
97 97	8	90.12
retinoid X receptor gamma (RXRgamma) retinoid X receptor gamma (RXRgamma)	Spinophilin	platelet- activating factor acetylhydrolas e alpha 1 subunit
AF016387 Rattus norvegicus retinoid X receptor gamma (RXRgamma) mRNA, partial cds  AF016387 Rattus norvegicus retinoid X receptor gamma (RXRgamma) mRNA, partial cds	AF016252 Rattus norvegicus Spinophilin mRNA, complete cds /cds=(513,2865) /gb=AF016252 /gi=2462850 /ug=Rn.6764 /len=4505	AF016047 Rattus norvegicus platelet- activating factor acetylhydrolase alpha 1 subunit (PAF-AH alpha 1) gene, complete cds /cds=(0,698) /gb=AF016047 /gi=2501856 /ug=Rn.17971 //len=699
	ENRICHED AT SYNAPSE AND CADHERIN- BASED CELL- CELL ADHESION SITES.	Cytoplasmic . Platelet- activating acetylhy IB garmr subunit(I 3.1.1.47) acetylhy 29 kDa s (PAFAH kDasubu (PAFAH gamma s (PAFAH subunit) (Platelet- activating
	Neurabin-II (Neural tissue- specific F-actin binding protein II)(Protein phosphatase 1 regulatory subunit 9B) (Spinophilln) (p130)(PP1bp13 4).	Platelet- activating factor acetylhydrolase IB gamma subunit(EC 3.1.1.47) (PAF acetylhydrolase 29 kDa subunit) (PAF-AH 29 kDasubunit) (PAF-AH gamma subunit) (PAFAH gamma subunit)

18	AF0202 12	AF0202 10	AF0202 10	AF0196 28	AF0190 43	AF0182 61	AF0174 37	AF0174 37
	5 42 5 2	540	538	535	531	528	524	520
980	AAB712 37	AAB712 35	AAB712 35	Q83563	Q08877	AAC33 823	AAB702 73	AAB702 73
ã	543	<u>54</u>	539	536	<b>5</b> 22	529	525	521
7	NIM_0120 62	XM_05017 5	XM_05017	AK056519	AF000430	NM_0133	NM_0017	NM_0017
9 8	5 44			537	533	530	526	522
087 087	NP_036 192	XP_050	XP_050	XP_016 813	JC5696	XP_034 403	Q08722	Q08722
9 &	545				534		527	523
, 8	72	83	83	86.54	100	89.54	62	8
Rattus norregicus progression elsvated gene 3 protein mRNA, complete cds	DLP1 splice variant 2 (DLP1)	DLP1 splice	DLP1 spilce	Sulfonylurea receptor 2B mRNA	Rattus norvegicus dynamin-like protein DLP1 lsoform DLP1- 37 mRNA, complete cds	EH domain binding protein Epsin	Integrin- associated protein	Integrin- associated protein
AF0Z0818 Rattus norvegicus progression elevated gene 3 protein mRNA, complete cds	AF020212 Rattus norvegicus DLP1 splice variant 2 (DLP1) mRNA, partial cds	AF020210 Rattus norvegicus DLP1 splice variant 4 (DLP1) mRNA, partial cds	splice	AF018628 Rattus norvegicus sulfonylurea integral receptor 2B mRNA, complete cds protein	AF019043 Rattus norvegicus dynamin-like protein (DLP1) mRNA, complete cds /cds=(737,3004) /gb=AF019043 /gi=2425051 /ug=Rn.10830 /len=3845	AF018261 Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds	AF017437 Rettus norvegicus integrin- associated protein form 4 (IAP) mRNA, complete cds /cds=(10,966) /gb=AF017437 /gl=2394317 /ug=Rn.10723 /len=1183	AF017437 Rattus norvegicus integrin- associated protein form 4 (IAP) mRNA, complete cds /cds=(10,966) /gb=AF017437 /gl=2394317 /ug=Rn.10723 /len=1183
				Sulfonylurea receptor 2.				

AF0228 19	AF0227 42	AF0219 23	AF0207 12	Table 2.  AF0206   18
566	562	558	554	550
AAD09 336	AAB809 23	054701	AAD11 858	AAC24 980
<b>567</b>	563	559	555	551
U33632	X05495	AF177987	NM_0041 37	XM_00909
5 5 8	564	560	556	552
000180	P07204	Q9UI40	Q16558	XP_009 097
569	56	561	557	553
90.19	68	90.38	8	2
Rattus norvegicus putative potassium channel TWIK mRNA	Thrombomodu lin precursor gene, promoter region and partial cds	Potassium- dependent sodium- calclum exchanger	Maxi potassium channel beta subunit	Rattus norvegicus progression elevated gene 3 protein mRNA, complete cds
AF022819 Rattus norvegicus putative potassium channei TWIK mRNA, complete cds	AF022742cds Rattus norvegicus thrombomodulin precursor gene, promoter region and partial cds	AF021923 Rattus norvegicus potassium- dependent sodium-calcium exchanger (NCKX2) mRNA, complete cds /cds=(148,2160) /gb=AF021923 /gi=2662460 /ug=Rn.10859 /len=8942	AF020712 Rattus norvegicus Maxi potassium channel beta subunit mRNA, complete cds /cds=(313,888) /gb=AF020712 /gl=2444423 /ug=Rn.10820 /len=1267	AF020618 Rattus norvegicus progression elevated gene 3 protein mRNA, complete cds
,		integral membrane protein.		
		Sodium/potassi um/calcium exchanger 2 precursor (Na(+)/K(+)/Ca( '2+)-exchange protein 2) (Retinal cone Na-Ca+K exchanger).		

						Stathmin 4 (Stathmin-like protein B3) (RB3).	Sodium- dependent multivitamin transporter (Na(+)- dependentmultiv itamin transporter).
_							Integral membrane protein.
	AF023667 Rattus norvegicus endo-alpha-D- mannosidase (Enman) mRNA, complete cds /cds=(88,1443) /gb=AF023657 /gl=2642186 /ug=Rn.10865 /len=2552	AF025308 Rattus norvegicus MHC class lb antigen (RT1.Cl) gene, complete cds /cds=(0,1133) /gb=AF025308 /gl=2570820 /ug=Rn.11244 /len=1134	AF026504 Rattus norvegicus SPA-1 like protein p1294 mRNA, complete cds /cds=(733,6201) /gb=AF026504 /gi=2555182 /ug=Rn.10835 /len=6400	AF026505 Fattus norvegicus SH3-containing protein p4015 mRNA, complete cds /cds=(680,4270) /gb=AF026505 /gi=2555184 /ug=Rn.10836 /len=6331	AF026505 Rattus norvegicus SH3-containing protein p4015 mRNA, complete cds /cds=(680,4270) /gb=AF026505 /gi=2555184 /ug=Rn.10836 /len=6331	AF026529 Rattus norvegicus stathmin-like- protein spilca variant RB3 mRNA, complete cds /cds=(120,650) /gb=AF026529 /g⊨2585992 /ug=Rn.8658 /isn=1305	AF026554 Rattus norvegicus sodium- dependent multi-vitamin transporter (SMVT) mRNA, complete cds /cds=(412,2316) /gb≈AF026554 /gi≕3015616 /ug=Rn.11105 /len≈3075
			AI237676	AA891194			
	endo-alpha-D- mannosidase (Enman)	MHC class Ib antigen (RT1.Cl)	SPA-1 like protein p1294	SH3- containing protein p4015	Rattus norvegicus SH3- containing protein p4015	Stathmin-like- protein RB3	Rattus norvegicus sodium- dependent multi-vitamin transporter (SMVT) mRNA, complete cds
	88 .		2	98.19	98.19	95.19	90.48
•	573		578	583	287	591	593
•	NP_078	No Human Protein Found.	AAC831 79	NP_066 547	NP_066 547	Q9H169	Q8Y289
	572		578	582	586	280	486
	NIM_0246 41	No human homolog found.	AC004974	AF396457	AF396457	AJ303455	AL096737
	1/2	575	222	581	58 5	689	583
-	570 AAB869 25	AAB822 85	AAB815 26	AAB815 27	AAB815 27	035414	070247
•	220	574	576	580	584	588	283
	AF0236 57	AF0253 08	AF0265 04	AF0265 05	AF0265 05	AF0265 29	AF0285 54

Integral Sodium- membrane dependent protein. transporter (Na(+)- dependentmultiv itamin transporter).	"1- phosphatdylino sitoH-4,5- bisphosphate phosphodiester ase beta 4(EC 3.1.4.11) (PLC- beta-4) (Phospholipase C-beta-4)."			
AF026554 Rattus norvegicus sodiumdependent multi-vitamin transporter (SMVT) mRNA, complete cds /cds=(412,2316) /gb=AF026554 /gl=3015616 /ug=Rn.11105 /len=3075	AF027571 Rattus norvegicus phospholipase C-beta 4 Isoform (PLC-b4) mRNA, partial cds	AF029240 Rattus norvegicus MHC class lb RT1.S3 (RT1.S3) gene, complete cds Icds=(0,1091) /gb=AF029240 /gl=3150053 /ug=Rn.14674 /len=2653	AF029240 Rattus norvegicus MHC class ib RT1.S3 (RT1.S3) gene, complete cds l/cds=(0,1091) /gb=AF029240 /gl=3150053 /ug=Rn.14674 /len=2653	AF030050 Rattus norvegicus repilcation factor C mRNA, partial cds
Rattus norvegicus sodium- dependent duult-vitamin transporter (SMVT) mRNA,	Phospholipase C , beta4	Rattus norvegicus MHC class lb RT1.S3 (RT1.S3) mRNA, partial cds	Rattus norvegicus MHC class lb RT1.S3 (RT1.S3) mRNA, partial	Replication factor C mRNA, partial
90.48 Rattus norveg sodium dependent multi-virtus (SMVT mRNA, comple	91.97	26	8	69
669	809	809	609	613
Q9Y289	Q15147	P29401	P29401	AAA161 21
88	602	909	809	612
AL096737	141349	M20022	M20022	L23320
265	601	· · · · · · · · · · · · · · · · · · ·		119
596   070247	090W0	g31500 54	g31500 54	AAD01 890
989	009	604	607	610
AF0265 54	AF0275 71	AF0292 40	AF0292 40	AF0300 50

AF030087UTR#1 Rattus norvegicus activity and neurotransmitter-induced early gene 2 (ania-2) mRNA, 3 UTR	AF030087UTR#1 Rattus norvegicus activity and neurotransmitter-induced early gene 2 (ania-2) mRNA, 3 UTR	AF030087UTR#1 Rattus norvegicus activity and neurotransmittei-induced early gene 2 (ania-2) mRNA, 3 UTR	AF030087UTR#1 Rattus norvegicus activity and neurotransmitter-induced early gene 2 (anla-2) mRNA, 3 UTR	AF030089UTR#1 Rattus norvegicus activity and neurotransmitter-induced early gene 4 (ania-4) mRNA, 3 UTR	AF030091UTR#1 Rattus norvegicus activity and neurotransmitter-induced early gene 6 (ania-6) mRNA, 3 UTR	AF030091UTR#1 Rattus norvegicus activity and neurotransmittar-induced early gene 6 (ania-6) mRNA, 3 UTR
AF030087UTR#1 Ratti and neurotransmitter-in (ania-2) mRNA, 3 UTR	AF030087UTR#1 Ratti and neurotransmitter-in (ania-2) mRNA, 3 UTR	AF030087UTR#1 Ratt and neurotransmitter-in (ania-2) mRNA, 3 UTR	AF030087UTR#1 Ratt and neurotransmitter-in (ania-2) mRNA, 3 UTR	AF030089UTR#1 Ratt and neurotransmitter-in (ania-4) mRNA, 3 UTR	AF030091UTR#1 Ratt and neurotransmitter-in (anla-6) mRNA, 3 UTR	AF030091UTR#1 Ratt and neurotransmitter-in (anla-6) mRNA, 3 UTR
Rat activity and neurotransmitt er-induced early gene 2 (ania-2)	Rat activity and neurotransmitt er-Induced early gene 2 (ania-2)	Rat activity and neurotransmitt er-Induced early gene 2 (ania-2)	Rat activity and neurotransmitt er-induced early gene 2 (anla-2)	activity and neurotransmitt er-induced early gene protein 4	Rattus norvegicus cyclin ania-5a mRNA, complete cds	Rattus norvegicus cyclin ania-6a mRNA,
				88	93.42	93.42
				621	625	629
No Human Protsin Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	015075	NP_064 703	NP_084 703
			_	620	624	628
No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	BI598343	AY034790	AY034790
				619	623	627
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	AAD43 824	AAD45 558	AAD45 558
419	615	910	617	618	622	626
AF0300 87	AF0300 87	AF0300 87	AF0300 87	AF0300 89	AF0300 91	AF0300 91

		ě	e E	
		Fractalkine precursor (CX3CL1) (Neurotactin) (CX3C membrane- anchoredchemo kine) (Small inducible cytokine D1).	Fractalkine precursor (CX3CL1) (Neurotactin) (CX3C membrane-anchoredchemo kine) (Small inducible cytokine D1).	Syntaxin 7.
		TYPE I MEMBRANE PROTEIN. ALSO EXISTS AS A SECRETED PROTEIN.	TYPE I MEMBRANE PROTEIN. ALSO EXISTS AS A SECRETED PROTEIN.	TYPE IV MEMBRANE PROTEIN. EARLY ENDOSOME MEMBRANE S.
AF030091UTR#1 Rattus norvegicus activity and neurotransmitter-Induced early gene 6 (ania-6) mRNA, 3 UTR	AF030091UTR#1 Rattus novegicus activity and neurotransmitter-Induced early gene 6 (ania-6) mRNA, 3 UTR	AF030358 Rattus norvegicus chemokine CX3C mRNA, complete cds	AF030358 Rattus norvegicus chemokine CX3C mRNA, complete cds	AF031430 Rattus norvegicus syntaxin 7 mRNA, complete cds
Rattus norvegicus cyclin ania-6a mRNA, complete cds	Rattus norvegicus cyclin ania-6a mRNA, complete cds	Rattus norvegicus chemokine CX3C mRNA, complete cds	Rattus novegicus chemokine CX3C mRNA, complete cds	Syntaxin 7
93.42 Rattus norveg cyclin i mRNA, comple	93.42	86.01	86.01	87.11
633	637	1149	645	649
NP_064 703	NP_064 703	P78423	P76423	015400
632	939	840	44	848
631 AY034790	AY034790	U84487	U84487	BC011975
. 63	. 88	639	643	647
630 AAD45 558	AAD45 658	055145	055145	070257
630	4.63	638	842	646
AF0300 91	AF0300 91	AF0303 58	AF0303 58	AF0314 30

	<del></del>				
				CYTOPLAS GAIP C- MIC AND terminus MEMBRANE- interacting ASSOCIATE protein GIPC D. (RGS-GAIP interactingprotein) (GLUT1 C- terminal binding protein) (GLUT1CBP).	GAIP C- terminus Interacting protein GIPC (RGS-GAIP Interactingprotein) (GLUT1 C- terminal binding protein) (GLUT1CBP).
				CYTOPLAS GAIP C-MIC AND terminus MEMBRANE-Interacting ASSOCIATE protein GIF D . (RGS-GAII interacting n) (GLUT1 terminal bit protein)	CYTOPLAS GAIP C- MIC AND terminus MEMBRANE-interacting ASSOCIATE protein GIPC (RGS-GAIP interactingpr n) (GLUT1 C protein) protein) (GLUT1CBP)
	AF031528 AF031528 Rattus norvegicus green-sensitive opsin mRNA, partial cds	AF031642 Rattus norvagicus kidney urea transporter (UT4) mRNA, complete cds	AF031657mRNA Rattus norvegicus zinc- finger protein 94 (Zfp94) gene, partial cds	AF032120 Rattus novegicus GLUT1 transporter C-terminal binding protein mRNA, complete cds	AF032120 Rattus novegicus GLUT1 transporter C-terminal binding protein mRNA, complete cds
	AF031528			\$ AF089817	
•	Rattus norvegicus green- sensitive opsin mRNA, pertial cds	Urea transporter (UT4) mRNA	Zinc-finger protein 94 (Zfp94) gene, partial cds	Regulator of G. AF089817 protein signaling 19	Regulator of G protein signaling 19
	68	2	98	87.98	87.98
	653	657	661	665	699
	NP_064 445	Q15849	Q02386	014808	014908
	652	929	099	499	899
	NM_0200 61	NIM_0071 63	NM_0034 25	AF028824	AF028824
	651	655	659	8633	299
	AAC64 920	AAD01 938	AAC53 578	092254	092254
•	650	654	658	662	998
	AF0542 650 AAC64 46 920	AF0316 42	AF0316 57	AF0321	AF0321 20

(GAIP C- terminus interacting protein GIPC (RGS-GAIP interactingprotei n) (GLUT1 C- terminal binding protein)					
CYTOPLAS MIC AND MEMBRANE- ASSOCIATE D.					
AF032120 Rattus norvegicus GLUT1 transporter C-terminal binding protein mRNA, complete cds	AF032666 Rattus norvegicus rsec5 mRNA, complete cas /cds=(199,2973)/gb=AF032666/gj=2827157 /ug=Rn.2869 /len=4285	AF032666 Rettus norvegicus rsec5 mRNA, complete cds /cds=(199,2973) /gb=AF032686 /gi=2827157 /ug=Rn.2869 /len=4285	AF032666 Rattus norvegicus rsec5 mRNA, complets cds /cds=(189,2973) /gb=AF032656 /gi=2827157 /ug=Rn.2869 /len=4285	AF032666 Rattus norvegicus rsec5 mRNA, complete cds /cds=(199,2973) /gb=AF032666 /gi=2827157 /ug=Rn.2869 /lsn=4285	AF032668 Rattus norvegicus rsec15 mRNA, complete cds /cds=(340,2808) /gb=AF032668 /gi=2827161 /ug=Rn.1188 /len=3059
87.98 Regulator of G protein signaling 19	Rattus norvegicus rsec5 mRNA, complete cds	Rattus norvegicus rsec5 mRNA, complete cds	Rattus norvegicus rsec5 mRNA, complete cds	Rattus norvegicus rsec5 mRNA, complete cds	rsec15
87.98	87.98	87.98	87.98	87.98	90.6
673	677	189	685	689	683
014908	CAB541 45	CAB541 45	CAB541 45	CAB541	CAB707
672	929	089	489	88	692
AF028824	AJ420556	AJ420556	A.J420556	AJ420556	AK002113
1.79	675	679	683	687	691
670   Q92254	AAC01 578	AAC01 578	AAC01 578	AAC01 578	AAC01 580
670	674	678	682	988	069
AF0321 20	AF0326 66	AF0326 68	AF0326 66	AF0326 66	AF0326 68

		Syntaxin 8.																				
		"INTEGRAL MEMBRANE	PROTEIN.	PREFERENT	MLLY	ASSOCIATE	D WITH THE	EARLY	ENDOSOME	<u>۔</u>	LESSER	EXTENDS,	ALSO	PRESENT IN	LATE	ENDOSOME	뫋	PLASMA	MEMBRANE	AND	COATED	PIS."
	AF033027 Rattus norvegicus prenylated SNARE protein Ykt6p (Ykt6) mRNA, complete cds /cds=(0,596) /gb=AF033027 /gl=2642347 /ug=Rn.11358 /len=597	AF033109 Rattus norvegicus syntaxin 8 mRNA, complete cds									•		•									
	90.32 Synaptobrevin- like 1	syntaxin 8																				
	90.32	88																				
	269	701	<u>-</u>																			
	P51809	P35998		-	-																	
	969	92																				
	695 U95735	AF036715								•												
		689												<u>-</u>								
	JC7258	09220 7																				
_	694	889																				
Table 2.	AF0330 694 JC7258 27	AF0331																				

. <u></u>			
AF034218 Rattus norvegicus hyaluronidase (Hyal2) mRNA, complete cds	AF034218 Rattus norvegicus hyaluronidase (Hyal2) mRNA, complete cds	AF034582 Rattus norvegicus vesicle associated protein (VAP1) mRNA, complete cds	AF034582 Rattus norvegicus vesicle associated protein (VAP1) mRNA, complete cds
Hyaluronidase	Hyafuronidase	Vesicle associated protein (VAP1)	Vesicle associated protein (VAP1)
82.99	82.99	48	79
602	713	717	724
NP_149	NP_149	BAA749 28	BAA749 28
708	712	716	720
BC000692	BC000692	AB020712	AB020712
707	71	715	719
AAD01 -	AAD01 980	AAD01 990	AAD01
706	710	714	718
AF0342	AF0342	AF0345 82	AF0345 82
	BC000692 708 NP_149 709 82.99 Hyaluronidase 348	706         AAD01         707         BC000692         708         NP_149         709         82.99         Hyaluronidase         (Hyal2) mRNA, complete cds           710         AAD01         711         BC000692         712         NP_149         713         82.99         Hyaluronidase         AF034218 Rattus norvegicus hyaluronidase           980         348         713         82.99         Hyaluronidase         (Hyal2) mRNA, complete cds	706         AAD01         707         BC000692         708         NP_149         709         82.99         Hyaluronidase         AF034218 Rattus norvegicus hyaluronidase           710         AAD01         711         BC000692         712         NP_149         713         82.99         Hyaluronidase         AF034218 Rattus norvegicus hyaluronidase           714         AAD01         715         BAA749         717         79         Vesicle         AF034582 Rattus norvegicus vesicle           890         717         78         Vesicle         AF034582 Rattus norvegicus vesicle           980         717         79         Vesicle         AF034582 Rattus norvegicus vesicle           980         AF034582 Rattus norvegicus vesicle         AF034582 Rattus norvegicus vesicle           714         AP01         AF034582 Rattus norvegicus vesicle           715         AF034582 Rattus norvegicus vesicle           716         AF034582 Rattus norvegicus vesicle           717         AF034582 Rattus norvegicus vesicle

			Tripartite motif protein 3 (RING finger protein 22).		
AF034899 Rattus norvegicus olfactory receptor-like protein (SCR D-9) gene, complete cds /cds=(0,965) /gb=AF034899 /gj=3153224 /ug=Rn.14522 /len=1086	AF034899 Rattus norvegicus olfactory receptor-like protein (SCR D-9) gene, complete cds /cds=(0,965) /gb=AF034899 /gi=3153224 /ug=Rn.14522 /len=1086	AF034900mRNA Rattus norvegicus olfactory receptor-like protein (SCR D-7) gene, complete cds	AF036255 Rattus norvegicus RING finger protein mRNA, complete cds /cds=(220,2454) /gb=AF036255 /gj=3170008 /ug=Rn.14524 /len=2890	AF036335 Rattus norvegicus NonO/p54nrb homolog mRNA, partial cds /cds≃(0,506) /gb≂AF036335 /g⊯2674208 /ug≔Rn.1926 /len=1020	AF036335 Rattus norvegicus NonO/p54nrb homolog mRNA, partial cds /cds=(0,506) /gb=AF036335 /gi=2674208 /ug=Rn.1926 /len=1020
Rattus norvegicus olfactory receptor-like protein (SCR D-9) gene, complete cds	Rattus norvegicus olfactory receptor-like protein (SCR D-9) gene, complete cds	Olfactory receptor-like protein (SCR D-7)	RING finger protein	Rattus norvegicus NonO/p54nrb homolog mRNA, partial	Rattus norvegicus NonO/p54nrb homolog mRNA, partial
4	4	29	92.2	96	86
725	729	733	757	740	743
Q15062	Q15062	NP_039 229	075382	P23246	P23246
724	728	732	736		
L35475	L35475	NM_0139	AF220021	XM_05194	XM_05194 4
723	727	<u>18</u>	735	739	742
722 JC5836	JC5836	AAC17 224	070277	AAD05 362	AAD05 362
	728	38	\$	738	741
AF0348 89	AF0348 99	AF0349 00	AF0362 55	AF0363 35	AF0363 35

P23246 P23246 P23246 O00767	762 766	XM_05194 4 XM_05194 4 AF097514 768 AF097514 766	748 XM_05194 751 XM_05194 754 XM_05194 757 AF097514 768 765 AF097514 766	AAD05 748 XM_05194 362 4 AAD05 751 XM_05194 362 4 AAB888 757 AF097514 768 65 66 86 86 86 86 86 86 86 86 86	748 XM_05194 4 751 XM_05194 754 XM_05194 757 AF097514 768 765 AF097514 766
0000767	022	AF087514 770	769 AF097514 770	AAB888 769 AF097514 770	769 AF097514 770
		XM_05194 4 AF097514 AF097514	751 XM_05194 4 754 XM_05194 757 AF097514 765 AF097514	AAD05 751 XM_05194 4AD05 764 XM_05194 362 4 AAB888 757 AF097514 65 BAA924 765 AF097514 66	750 AAD05 751 XM_05194 753 AAD05 754 XM_05194 756 AAB888 757 AF097514 65 65 768 AAB888 769 AF097514 66

-					ج . د	<del>-</del>		
			Carbonic anhydrase III (EC 4.2.1.1) (Carbonate dehydratase III) (CA-III).		Synaptogyrin 2 (Cellugyrin).			
_			Cytoplasmic.		Integral membrane protein.		-	
	AF036761 Raftus norvegicus stearoyl-CoA desaturase 2 mRNA, partial cds	AF036761 Raftus norvegicus stearoyl-CoA desaturase 2 mRNA, partial cds	AF037072 Rattus norvegicus carbonic anhydrase III (CA3) mRNA, complete cds /cds≂(33,815) /gb=AF037072 /gi=2708635 /ug=Rn.22519 /len=1053	AF037272 Rattus norvegicus WAP fourdisulfide core domain protein (ps20) mRNA, complete cds /cds=(61,689) /gb=AF037272 /gi=2835295 /ug=Rn.3193 /len=1053	AF039085 Rattus norvegicus cellugyrin mRNA, complete cds /cds=(153,857) /gb=AF039085 /gi=2773063 /ug=Rn.8682 /len=1108	AF039583 Rattus norvegicus decay accelerating factor GPLform precursor (DAF) mRNA, complete cds	AF039583 Rattus novegicus decay accelerating factor GPI-form precursor (DAF) mRNA, complete cds	AF039584 Rattus norvegicus decay accelerating factor soluble-form precursor (DAF) mRNA, complete cds
		AB032243						
	stearoyl-CoA desaturase 2	Scd2 stearcyt AB032243 CoA desaturase 2	Carbonic anhydrase III	84.08 WAP four- disuffde core domain protein (ps20)	Synaptogyrin 2	Decay- accelarating factor	Decay- accelarating factor	Decay accelerating factor soluble- form precursor (DAF) mRNA, complete cds
_	85	8	92.92	84.08	87	45	54	44
•	715	778	783	787	791	785	199	
•	000767	000767	AAH048 97	XP_007 832	043760	P08174	P08174	XP_062 060
•	477	778	782	786	790	794	798	
•	AF097514	AF097514	BM71311	AF169631	AJ002308	NM_0005	NM_0005 74	XM_05206 0
	<u> </u>	#	781	785	789	793	797	801
•	772 AABB88 65	36 36	P14141	AAC40 055	054980	AAC77 438	AAC77 438	AAC77 439
• •	432	776	780	487	788	792	796	800
	AF0367 61	AF0367 61	AF0370 72	AF0372 72	AF0390 85	AF0395 83	AF0395 83	AF0395 84

AF0402 61	802	802 P53809	803	AK058120	804	Q9UKL6	805	87.8	Phosphatidylc holine transfer protein (Pctp)	AF040261 Rattus norvegicus phosphatidyicholine transfer protein (Pctp) mRNA, partial cds	Cytoplasmic.	Cytoplasmic Phosphatidylcho line transfer protein (PC-TP).
AF0411 08	908	AAB970 75	807	AL050050	808	BAA865 86	608	92.12	Tulp 1	AF041106 Rattus norvegicus tulip 1 mRNA, complete cds /cds=(1052,3295) /gb=4F041106 /gl=2792493 /ug=Rn.10887		
AF0411 07	810	P49816	118	AL050050	812	T08722		92.12	Tulp 1	//sn44258 AF041107 Rattus norvegicus tulip 2 mRNA, complete cds /cds=(266,2869) /gb=AF041107 /gl=2792495 /ug=Rn.10887 /len=3344		
AF0411 07	813	P49816	814	AL050050	815	T08722		92.12	Tulip 1	AF041107 Rattus norvegicus tulip 2 mRNA, complete cds /cds=(266,2866) /gb=AF041107 /gl=2792495 /ug=Rn.10887 /len=3344		
AF0411 07	818	P49816	817	AL050050	818	Т08722		92.12	Tulp 1	AF041107 Rattus norvegicus tulip 2 mRNA, complete cds /cds=(268,2866) /gb=AF041107 /gi=2792495 /ug=Rn.10887 /len=3344		
AF0411 07	819	P49816	820	AL050050	821	T08722		92.12	Tulip 1	AF041107 Rattus norvegicus tulip 2 mRNA, complete cds /cds=(266,2866) /gb=AF041107 /gb=2792495 /ug=Rn.10887 /len=3344		
AF0413 73	822	AAB970 78	823	NM_0071 66	824	NP_009 097	825	87	Clathrin assembly protein short form (CALM)	AF041373 Rattus norvegicus ciathrin assembly protein short form (CALM) mRNA, complete cds /cds=(25,1818) /gb=AF041373 /gi=2792499 /ug=Rn.10888 /len=1921		
AF0454 84	826	P38918	827	NM_0120 67	828	095154	828	78	aflatoxin B1 aldehyde reductase; AFAR	AF045464 Rattus norvegicus aflatoxin B1 aldehyde reductase (AFAR) mRNA, complete cds	Cytoplasmic. Aflatoxin B1 aldehyde reductase (I 1) (AFB	Aflatoxin B1 aldehyde reductase (EC 1) (AFB1-AR).
AF0455 64	000	830 Q9Z2L9	83.	AB033006	832	овигьо	833	90.17	90.17 Development-related protein	AF045564 Rattus norvegicus development- related protein mRNA, complete cds		NDRG4 protein (Brain development- related molecule 1).

NDRG4 protein (Brain development- related molecule 1).				Voltage- dependent anion-selective channel protein 1 (VDAC-1) (vVDAC1)(Outer mitochondrial membrane protein porin 1).
				OUTER Voltage- MEMBRANE dependent OF anion-salar MITOCHON channel pri DRIA AND 1 (VDAC-1)( MEMBRANE mitochondi membrane protein por
AF045564 Rattus norvegicus development- related protein mRNA, complete cds	AF047707 Rattus norvegicus UDP- glucose:ceramide glycosyltransferase mRNA, complete cds	AF047707 Rattus norvegicus UDP. glucces:ceramide glycosyltransferase mRNA, complete cds	AF048687 Rattus norvegicus UDP- Gal:glucosylcaramide beta-1,4- galactosyltransferase mRNA, complete cds	AF048828 Rattus norvegicus voltage dependent anion channel (RVDAC1) mRNA, complete cds
90.17 Development- related protein	UDP- glucose:ceram Ide glycosyltransf erase	UDP- glucose:ceram Ide glycosytransf erase	UDP- Gal:glucosylos ramide beta- 1,4- galactosyltran sferase; beta- 1,4- galactosyltran sferase	Voltage- dependent anion channel 1
90.17	90.11	90.11	66	21.75
837	<b>2</b> 8	845	849	863
QBULPO	Q16739	Q16739	QBUBX8	з
836	840	844	848	852
AB033006	D50840	D50840	AF069054	BI493778
835	839	843	847	158
834   Q9Z2L9	AAD02 464	AAD02 464	AAC24 515	08221.0
	838	842	846	820
AF0455 84	AF0477 07	AF0477 07	AF0486 87	AF0488 28

							•					
AF0488	854	854 Q9Z2L0	892	BI493778	858	3 3 4 1	857	24.12 25.13	94.12 Voltage- dependent anion channel 1	AF048828 Rattus norvegicus voltage dependent anion channei (RVDAC1) mRNA, complete cds	OUTER Voltage- MEMBRANE dependent OF anion-selecth MITOCHON channel prote DRUA AND 1 (VDAC-1) PLASMA (VDAC-1)(OF MEMBRANE mitochondrial membrane protein portin	Voltage- dependent anion-selective channel protein 1 (VDAC-1)(Outer mitochondrial membrane protein porin 1).
AF0488 28	858	Q9ZZL0	859	BI493778	98	З	198	94.12	Voltage- dependent anion channel 1	AF048828 Rattus norvegicus voltage dependent anion channel (RVDAC1) mRNA, complete cds	OUTER MEMBRANE OF MITOCHON DRIA AND PLASMA MEMBRANE	Voltage- dependent anion-selective channel protein 1 (VDAC-1) (vVDAC1)(Outer mitochondrial membrane protein porin 1).
AF0488 28	862	овzzго	983	BI493778	884	з 3	986	94.12	Voltage- dependent anion channel 1	AF04828 Rattus norvegicus voltage dependent anion channel (RVDAC1) mRNA, complete cds	OUTER Voltage- MEMBRANE dependent OF anion-seled MITOCHON channel pn DRIA AND 1 (VDAC-1)( MEMBRANE mitochondi membrane protein por	Voltage- dependent anion-selective channel protein 1 (VDAC-1) (vVDAC1)(Outer mitochondrial membrane protein porin 1).

Voltage- dependent anion-selective channel-protein (VDAC-1) (VDAC-1) mitochondrial membrane protein porin 1).	Voltage- dependent anion-selective channel protein 1 (VDAC-1) (tVDAC1)(Outer mitochondrial membrane protein porin 1).		Chondromodulin I precursor (ChM-I) [Contains: Chondrosurfact antprotein (CH-SP)].
OUTER MEMBRANE OF MITOCHON DRIA AND PLASMA MEMBRANE	OUTER MEMBRANE OF MITOCHON DRIA AND PLASMA MEMBRANE		Cytoplasmic and secreted. Accumulated in the Intertentional matrix of cartilage.
AF048828 Rattus norvegicus voltage dependent anion channel (RVDAC1) mRNA, complete cds	AF048828 Rattus norvegicus voltage dependent anion channel (RVDAC1) mRNA, complete cds	AF049344 Rattus norvegicus UDP-GallNAc:polypsptide N-scotylgalactosaminyttransferase T5 mRNA, complete cds	AF051425 Rattus norvegicus chondromodulin-1 (Chm-1) mRNA, complete cds /cds=(126,1130) /gb=AF051425 /gi=2962535 /ug=Rn.9900 /len=1405
94.12 Voltage-dependent anion channel 1	Voitage- dependent anion channei 1	N- acetylgalactos aminyltransfer ase T5 mRNA	Chondromodui In-1 (Chm-1)
51.	27.72	87.65	85.25
89	873	877	188
ммнир 3	3	AAF153 13	075829
88	872	876	088
B1493778	BI493778	A.1245538	AB005999
798	178	875	879
866 Q922L0	Q9Z2L.0	AAC69 708	070367
	870	874	878
AF0488	AF0488 28	AF0493	AF0514 25

			Zinc finger protein 94 (Zfp- 94) (Zinc finger protein Y1) (RLZF-Y).			Heme oxygenase 3 (EC 1.14.99.3) (HO-3).
			Nuclear .	_		Microsomat.
AF051561 Rattus norvegicus Na-K-Ci cotransporter (Nkcc1) mRNA, complete cds	AF051561 Rattus norvegicus Na-K-Cl cotransporter (Nkcc1) mRNA, complete cds	AF051895 Rattus norvegicus lipocortin V mRNA, partial cds	AF052042 Rattus norvegicus zinc finger protein Y1 (RLZF-Y) mRNA, complete cds	AF054618 Rattus norvegicus cortactin Isoform C mRNA, complete cds /cds=(0.1415) /gb=AF054618 /gl=2996043 /ug=Rn.4094 /len=1416	AF055292mRNA Rattus norvegicus signal transducer and activator of transcription 6 (stat6) gene, partial cds	AF058787 Raftus norvegicus heme oxygenase-3 (HO-3) mRNA, complete cds /cds=(1061,1933) /gb=AF058787 /gi=3063688 /ug=Rn.14538 /len=2225
91.41 Solute carrier family 12, member 2	Solute carrier family 12, member 2	Lpocortin V	Rattus norvegicus zinc finger protein Y1 (RLZF-Y) mRNA, complete cds	cortactin isoform C	Signal transducer and activator of transcription 6 (stat6)	Rattus novvegicus heme oxygenase-3 (HO-3) mRNA, complete cds
91.41	91.41	92	89.47	06	06	93.04
885	889	893	897	106		208
NP_000	NP_000 329	P08758	S40 540	AAH087 99	XP_043 113	P30519
884	888	892	888	006		906
883 BE933612	BE933612	NIM_0011 54	NM_0140	AK023333	XM_04311 3	D21243
	887	891	898	898	803	802
882 AAC27 557	AAC27 557	AAC06 290	3 3	AAC08 424	AAC12 759	070453
882	886	890	88	898	805	904
AF0515 61	AF0515 81	AF0518 95	AF0520 42	AF0546 18	AF0552 92	AF0587 87

	Mitochondrial Mitochondrial inner inner import inner membrane translocase subunit TIM9 B(Fracture callus protein 1) (FxC1).	Short transient receptor potential channel 1 (TrpC1) (TRP-1 protein)(Trp1).	Laucine-rich repeat-containing G protein-coupled receptor 4 precursor.
	Mitochondrial inner membrane .	Integral membrane protein.	Integral membrane protein.
AF059030 Rattus norvegicus voltage-gated Na channel alpha subunit NaN mRNA, complete cds	AF061242 Rattus norvagicus fracture callus 1 (FxC1) mRNA, complete cds	AF061266 Rattus novegicus trp1 beta variant mRNA, complete cds	AF061443 Rattus norvegicus G protein- coupled receptor LGR4 (LGR4) mRNA, complete cds
yated, alpha ide		a ANNA A	I-GR4
92.31 Sodium channel, voltage-gated, type XI, alpha polypeptide (SNS2)	96.34 Fracture callus 1	Trp1 beta variant mRNA	G protein- coupled receptor LGR4
92.31	98.34	89.57	83
116	915	919	923
NP_000 326	Q9Y5J6	P48995	XP_006 549
910	416	918	922
909 AF150882	AI005112	Z73903	XM_00654 8
	913	917	921
908 AAC40 189	1	а <del>з</del> ахо 1	Q9Z2H 4
806	912	916	920
AF0590 30	AF0812 42	AF0612 66	AF0614 43

<u>в с в</u>	<del></del>			
Cytoplasmic. "Calpain 3 large subunit (EC 3.4.22.17) (Calpain L3) (Calpain p94, large (Catalytic) subunit) catalum-activated neutral protease 3 large"	Calcineurin-binding protein Cabin 1 (Calcineurin Inhibitor) (CAIN).	Calcineurin- binding protein Cabin 1 (Calcineurin Inhibitor)		
Cytoplasmic.	Cytoplasmic.	Cytopiasmic.		
AF061726 Rattus norvegicus muscle type calpain p94 mRNA, complete cds /cds=(66,2357) /gb=AF061726 /gi=3126956 /ug=Rn.9726 /len=2371	AF061947 Rattus norvegicus cein mRNA, complete cds	AF061947 Rattus norvegicus cain mRNA, complete cds	AF062594 Rattus norvegicus nucleosome assembly protein mRNA, complete cds	AF062594 Rattus norvegicus nucleosome assembly protein mRNA, complete cds
·				
93.52 Calpain Rt88	Cain mRNA	Cain mRNA	Nucleosome assembly protein 1-like 1	Nucleosome assembly protein 1-like 1
93.52	90.11	90.11	96.08	96.08
927	931	935		
P20807	Q9Y6J0	asyeJo	S40510	S40510
978	930	934	938	22
BC003169	AB002328	AB002328	AI678881	Al678881
925	828	933	937	940
924 P16259	088480	088480	200810 9A	200810 9A
	928	932	936	626
AF0617 26	AF0619 47	AF0619 47	AF0625 94	AF0625 94

•					"[Pyruvate dehydrogenase [Lipoamide]]- phosphatase 1, mitochondrialpr ecursor (EC 3.1.3.43) (PDP 1) (Pyruvate dehydrogenase dehydrogenase advice subunit 1) (PDPC 1)."
					Mitochondrial "[Pyruvate matrix. [Lipoamide phosphata phosphata mitochond ecursor (E) 3.1.3.43) (1) (Pyruvate phosphata phosphata alytic subute phosph
	AF062594 Rattus norvegicus nucleosome assembly protein mRNA, complete cds	AF062594 Rattus norvegicus nucleosome assembly protein mRNA, complete cds	AF062594 Rattus norvegicus nucleosome assembly protein mRNA, complete cds	AF062594 Rattus norvegicus nucleosome assembly protein mRNA, complete cds	AF062740 Rattus norvegicus pyruvate dehydrogenase phosphatase isoenzyme 1 mRNA, complete cds
,	96.08 Nucleosome assembly protein 1-like 1	Nucleosome assembly protein 1-like 1	Nucleosome assembly protein 1-like 1	Nucleosome assembly protein 1-like 1	93.18 pynvate dehydrogenas e phosphatase isoenzyme 1
	86.08	96.08	96.08	80.08	87.5
			•		957
	840510	S40510	S40510	S40510	NP_060 914
	44	947	950	953	926
	943 AI678881	AI678881	Al678881	Al678881	A1024308
		946	849	852	956
	942   200810 9A	200810 9A	200810 9A	200810 9A	088483
	942	945	948	951	428
ומחום ל	AF0625 94	AF0625 94	AF0625 94	AF0625 84	AF0627 40

"[Pyruvate dehydrogenase [Lipoamide]]-phosphatase 1, mitochondrialpr ecursor (EC 3-1.3-43) (PDP 1) (Pyruvate dehydrogenase phosphatase,cat alytic subunit 1) (PDPC 1)."	"[Pyruvate dehydrogenase [Lpoamide]]- phosphatase 2, mitochondrialpr ecursor (EC 3.1.3.43) (PDP 2) (Pyruvate dehydrogenaso phosphatase,cat alytic subunit 2) (PDPC 2)."		
Mitochondrial "IPyruvate matrix. dehydroge [Lipoamide phosphata mitochond ecursor (E( 3.1.3.43) (f) (f) (f) (f) (f) (f) (f) (f) (f) (f	Mitochondriai "[Pyruvate matrix. [Lipoamide phosphata mitochond ecursor (EC 3.1.3.43) (f 2) (Pyruvat dehydroger phosphata alytic subun (PDPC 2)."		`
AF062740 Rattus norvegicus pyruvate dehydrogenase phosphatase isoenzyme 1 mRNA, complete cds	AF062741 Rattus norvegicus pyruvate dehydrogenase phosphatase isoenzyme 2 mRNA, complete cds	AF063102 Raftus norvegicus calcium- independent alpha-latrotoxin receptor homolog 2 (CIRL-2) mRNA, complete cds	AF063102 Rattus norvegicus calcium- independent alpha-lafrotoxin receptor homolog 2 (CIRL-2) mRNA, complete cds
93.18 pyruvate dehydrogenas e phosphatase isoenzyme 1	Rattus norvegicus pyruvate dehydrogenas e phosphatase isoenzyme 2 mRNA, complete cds	Apha- latrotoxin receptor, calcium-	Alpha- latrotoxin receptor, calclum- independent
93.18	<b>28</b> .	99.28	89.28
196	88	898	873
NP_060 914	QSP2J9	BAA345 06	BAA345 06
096	496	898	972
A1024308	AB037769	AW23819 1	AW23819 1
696 6	893	2867	971
088483	088484	T14324	T14324
828	862	998	970
AF0627 40	AF0627 41	AF0831 02	AF0631 02

I MOJE Z.

						Vasopressin V1b receptor (V1bR) (AVPR V1b) (Vasopressin V3 receptor)(AVPR V3) (Antidiuretic hormone receptor 1b).	
			,		,	Integral membrane protein.	
•	AF063102 Rattus norvegicus calclum- independent alpha-tatrotoxin receptor homolog 2 (CIRL-2) mRNA, complete cds	AF063102 Rattus norvegicus calcium- independent alpha-fatrotoxin receptor homolog 2 (CIRL-2) mRNA, complete cds	AF063103 Rattus norvegicus calclum- independent alpha-latrotoxin receptor homolog 3 (CIRL-3) mRNA, complete cds	AF063103 Rattus norvegicus caldum- independent alpha-latrotoxin receptor homolog 3 (CIRL-3) mRNA, complete cds	AF063447 Rattus norvegicus nuclear RNA helicase mRNA, complete cds /cds=(99,1382) /gb=AF063447 /gl=3132828 /ug=Rn.14550 /len=1511	AF084541 Rattus norvegicus vasopressin V1b receptor variant mRNA, complete cds /cds=(18,389) /gb=AF064541 /gi=3142691 /ug=Rn.10096 /len=623	AF064868 Rattus norvegicus brain-enriched guanylate kinase-associated protein 1 mRNA, complete cds
•	Alpha- latrotoxin receptor, calcium- independent	Alpha- latrotoxin receptor, calclum- independent	calclum- Independent alpha- Istrotoxin receptor	calclum- Independent alpha- latrotoxin receptor	nuclear RNA helicase	Vasopreasin V1b raceptor variant	Brain-enriched guanylate kinase- associated protein 1
	99.28 Alpha- latrotos recepti catclur indepe	99.28 All latter recent controls income inco	92.98 Ca in the second	92.98 ca inc	58 F 84	86.98	90.09 - <u>en en en</u> en
	<u> </u>		382	686	983	<b>7</b>	
	BAA345 06	BAA345 06	91_034	AAC778 16	AAH010	P47901	NP_085 887
	976 0	086	984 AX 00	988	992 0	98	1000
	AW23819	AW23819	AF307080	AF307080	BC001009	L37112	AL390162
	975	979	883	286	991	988	666 -
	T14324	T14324	AAC77 818	AAC77 816	AAC16 391	P48974	AAC63
	974	978	286	986	066	788	866
I aoie 4.	AF0631 02	AF0831 02	AF0631 03	AF0631 03	AF0634 47	AF0845	AF0648 68

Vitamin K- dependent gamma- carboxylase (EC 6.4) (Gamma- glutamylcarboxy	Vitamin K-dependent gamma-carboxylase (EC 6.4) (Gamma-glutamylcarboxy lase).	Vitamin K-dependent gamma-carboxylase (EC 6.4) (Gamma-glutamylcarboxylase).	Vitamin K- dependent gamma- carboxylase (EC 6.4) (Gamma- glutamytcarboxy	Vitamin K-dependent gamma-carbox/lase (EC 6.4) (Gamma-giutamy/carbox/lase).
AF065387 Rattus norvegicus vitamin Kdependent gamma-glutamyi carboxylase mRNA, complete cds	AF065387 Rattus norvegicus vitamin Kdependent gamma-glutamyl carboxylase mRNA, complete cds	AF055387 Rattus norvegicus vitamin Kdependent gamma-glutamyl carboxylase mRNA, complete cds	AF065387 Rattus norvegicus vitamin Kdependent gamma-glutamyl carboxylase mRNA, complete cds	AF065387 Rattus norvegicus vitamin Kdependent gamma-glutamyl carboxylase mRNA, complete cds
Gamma- glutamyi carboxylase	Gamma- glutamyi carboxylase	Gamma- glutamyl carboxylase	Gamma- glutamyi carboxylase	Gamma- glutamyi carboxylase
88.42 Gamma-glutamyl carboxyls	88.42 62.23 19.12 19.12	88.42 99.11 69.11 69.11	88.42 29.42 29.42 20.42 20.43	88.42 22.99th 88.82
3	1009	1013	1017	1021
P38435	P38435	P38435	P38435	P38435
4001 P	1008 	1012	1016	1020 F
M81592	M81592	M81592	M81592	M81592
1003 M81592	1007	1011	1015	1018
AF0653 1002   088496 87	088496	1010 088496	1014 088496	088496
1002	1006			1018
AF0653 87	AF0653 87	AF0653 87	AF0653 87	AF0653 87

Vitamin K- dependent gamma- carboxylase (EC 6.4) (Gamma- glutamylcarboxy			Paimitoyl- protein thioesterase 2 precursor (EC 3.1.2.22) (Palmitoyl- protein hydrolase 2) (PPT-2).	Beta-defensin 1 precursor (BD- 1) (RBD-1).	
			Lysosomal .	Secreted.	
AF065387 Rattus norvegicus vitamin K-dependent gamma-giutamyi carboxylase mRNA, complete cds	AF065438 Rattus norvegicus mama mRNA, complete cds /cds=(155,1879) /gb=AF065438 /gi=3152927 /ug=Rn.3251 /len=2151	AF065438 Rattus norvegicus mama mRNA, compiete œs /œs≃(155,1879) /gb=AF065438 /gj=3152927 /ug=Rn.3251 /len=2151	AF067790 Rattus norvegicus truncated palmitoy-protein thioesterase (PPT-2) mRNA, complete cds /cds=(113,589) /gb=AF067790 /gi≈3201901 /ug=Rn.8895 /len=1024	AF068860 Rattus norvegicus beta defensin-1 Secreted . mRNA, complete cds	AF069525 Rattus norvegicus 190 kDa ankyrlı isoform mRNA, complete cds /cds=(84,5372) /gb⇒AF069525 /gi≒3202045 /ug=Rn.236 /len=6184
	C07012	C07012			
Gamma- glutamyl carboxylase	Rattus norvegicus meme mRNA, complete cds	Rattus norvegicus mama mRNA, complete cds	Truncated palmitoyl- protein thioesterase (PPT-2)	Beta defensin- 1	Rattus norvegicus 190 KDa ankyrin isoform imRNA, complete cds
88.42	89	8	8	92	 93.55
1025	1029	,	1037	1041	1045
P38435	NP_005 558	NP_005 558	asumr 5	Q09753	A55575
1024	1028	1032	1036	1040	440
1023 M81592	NM_0055 67	NM_0055 67	NM_0051 55	NM_0052 18	AL136710
	1027	1031	1036	1039	1043
088496	AAC17 177	1030 AAC17	1034 070489	1038   O89117	P97570
1022	1026	1030	1034	1038	1042
AF0853 1022 088498 87	AF0654 38	AF0654 38	AF0677	AF0688 60	AF0695 25

			Platelet glycoprotein IV (GPIV) (GPIIIB) (CD36 antigen) (PAS IV) (PAS- 4 protein) (Fatty acid transport protein) (Fatty acid translocase)(Adi procyte membrane
			Integral membrane protein.
AF069775 Rattus norvegicus L1-like celi adhension molecule (CALL) mRNA, partial cds	AF071225 Rattus norvegicus cyclophilin B mRNA, complete cds	AF071495 Fattus norvegicus type II pneumocyte CD36-related class B scavenger receptor (SRB1R) mRNA, complete cds	AF072411 Rattus norvegicus fatty acid translocase/CD36 mRNA, complete cds
		_	
Rattus norvegicus L1- like cell adhension molecule (CALL) mRNA	Cyclophilin B	pneumocyte CD36-related class B scavenger neceptor (SRB1R)	fatty acid translocase/C D36 mRNA
08	81	2	84.48
1049	1053	1057	1081
AAB609 37	P23284	NP_006 496	P16671
1048	1052	1056	1060
246		••	φ
AF002	NM_0009 42	NM_0055	BC008406
1047 AF002	1051 NM_0009	1055 NM_0055	1059
580   1047   AF002	1051	1055	1059
AF0697 1046 AAC21 1047 AF002246 75	25 1051	1055	<del></del>

Plateiet glycoprotein IV (GPIV) (GPIIIB) (CD36 antigen) (PAS. IV) (PAS- 4 protein) (Fatty acid transport protein) (Fatty acid translocase)(Adi pocyte membrane protein).	Zinc finger protein 37 (Zfp- 37).	Zinc finger protein 37 (Zfp- 37).			
Integral membrane protein.	Nuclear .	Nuclear .			
AF072411 Rattus norvegicus fatty acid translocase/CD36 mRNA, complete cds	AF072439 Rattus norvegicus zlno-finger protein-37 mRNA, complete cds	AF072439 Rattus norvegicus zinc-finger protein-37 mRNA, complete cds	AF074609mRNA Rattus norvegicus MHC class I antigen (RT1.EC3) gene, complete cds	AF076183 Rattus norvegicus cytosolic sorting protein PACS-1a (PACS-1) mRNA, complete cds	AF076183 Rattus norvegicus cytosolic sorting protein PACS-1a (PACS-1) mRNA, complete cds
fatty acid translocase/C D36 mRNA	Rattus norvegicus zinc-finger protein-37 mRNA, complete cds	Rattus norvegicus zinc-finger protein-37 mRNA, complete cds	MHC class I antigen (RT1.EC3)	Cytosolic sorting protein PACS-1a	Cytosolic sorting protein PACS-1a
84.46	86.79	86.79		90.23	90.23
1065	1069	1073			
P16671	авубаз	авубаз	No Human Protein Found.	XP_008 499	XP_006 499
490	1068	1072		1078	1081
BC008408	AK000351	AK000351	No human homolog found.	AL137271	AL137271
1063	1067	1071	1075	1077	1080
AF0724 1062 Q07869	088553	088553	AAC33 332	AAC31 815	AAC31 815
1062	1066	1070	1074	1076	1079
AF0724	AF0724 39	AF0724 39	AF0746 09	AF0761 83	AF0761 83

AF077354 Rattus norvegicus ischemia responsive 94 kDa protein (irp94) mRNA, complete cds	AF077354 Rattus norvegicus ischemia responsive 84 kDa protein (irp94) mRNA, complete cds	AF077354 Rattus norvegicus ischemia responsive 94 kDa protein (irp94) mRNA, complete cds	AF077354 Rattus norvegicus ischemia responsive 94 kDa protein (irp94) mRNA, complete cds
Ratfus norvegicus ischemia responsive 94 KDa protein (irp94) mRNA, complete cds	Rattus novegicus Ischemia responsive 94 KDa protein (irp94) mRNA,	Rattus norvegicus ischemia responsive 94 kDa protein (irp94) mRNA,	Rattus norvegicus ischemia responsive 94 kDa protein (irp94) mRNA, complete cds
93.17 Rattus norvegi ischem respon KDa pn (inp84) comple	93.17	93.17	93.17
1085	1089	1093	1097
P34932	P34932	P34932	P34932
1084	1088	1092	1096
1083 BC002526	BC002528	BC002526	BC002528
	1087	1091	1095
Q63617	1086 Q63617	Q63617.	1094 Q63617
1082		090	
AF0773 1082 Q83817 54	AF0773 54 ·	AF0773 54	AF0773 54

	_			
AF078779 Rattus norvegicus putative four repeat ion channel mRNA, complete cds	AF078779 Rattus norvegicus putative four repeat ion channel mRNA, complete cds	AF078779 Rattus norvegicus putative four repeat ion channel mRNA, complete cds	AF078779 Rattus norvegicus putative four repeat ion channel mRNA, complete cds	AF078779 Rattus norvegicus putative four repeat ion channel mRNA, complete cds
Rattus norvegicus putative four repsat ion channel mRNA,	Rattus norvegicus putative four repeat ion channel mRNA,	Rattus norvegicus putative four repeat ion channel mRNA,	Rattus norvegicus putative four nepeat ion channel mRNA,	Rattus norvegicus putative four repeat ion channel mRNA,
94.17 Rattus norveg putativ repeat channe mRNA	94.17	94.17	94.17	94.17
101	1105	1108	113	1117
1100 CAC406 1101 96 1101	CAC406 86	CAC406 86	CAC408 86	CAC406 98
100	401-	1108	11 12	1116
AW29500 7	AW28500 7	AW28500 7	AW29500 7	AW28500 7
1099	1103	1107	<del>1</del>	1115
AF0787 1098 AAC68 79 885	AAC68 885	1108 AAC68 885	1110 AAC68 885	1114 AAC68 885
1098		1106	1110	4114
9	AF0787 79	AF0787 78	AF0787 79	AF0787 79

AF078779 Rattus norvegicus putative four repeat ion channel mRNA, complete cds	AF079873 Rattus norvegicus splicing factor 1 homolog mRNA, partial cds AF080468 Rattus norvegicus putative glycogen storage disease type 1b protein mRNA, complete cds	AF080468 Rattus norvegicus putative glycogen storage disease type 1b protein mRNA, complete cds	AF080468 Rattus norvegicus putative glycogen storage disease type 1b protein mRNA, complete cds
Rattus norvegicus putative four repsat ion channel mRNA,	spilcing factor 1 Rattus norvegicus putative glycogen storage disease type disease type mRNA, complete cds	Rattus norvegicus putative giycogen storage disease type dib protein mRNA,	Rattus norvegicus putative glycogen storage disease type 1b protein // glucose-6-
94.17 Rattus norveg putativ repeat channe	100 spi	82 Rangular	83 Pur graph story 10 10 10 10 10 10 10 10 10 10 10 10 10 1
1121	1127	1131	1135
1120 CAC406 96	XP_045 638 043826	043826	043826
1120	1128	1130	<u>*</u>
AW29500 7	XXV_04563 8 NIV_0014 67	NM_0014 67	NM_0014 67
149	1125	1129	1133
AAC68 885	1122 AAC29 484 1124 AAC79 839	AAC79 839	1132 AAC79 839
118	1124	1128	1132
AF0787 1118 AAC68 79 885	AF0798 73 AF0804 68	AF0804 68	AF0804 68

AF080468 Rattus norvegicus putative glycogen storage disease type 1b protein mRNA, complete cds	AF080468 Rattus norvegicus putative glycogen storage disease type 1b protein mRNA, complete cds	AF080468 Rattus norvegicus putative glycogen storage disease type 1b protein mRNA, complete cds	AF081144 Rattus norvegicus CL1AA mRNA, complete cds AF081144 Rattus norvegicus CL1AA mRNA, complete cds
Rattus noveglcus putative glycogen storage disease type 1b protein mRNA, complete cds	Rattus novvegicus putative glycogen storage disease type 1b protein mRNA, complete cds	Rattus norvegicus putative glycogen storage disease type 1b protein // glucose-6- phosphatase	CL1AA MRNA
8	<b>.</b>	8	8 4
1139	1143	1147	1151
043826	043826	043826	CAC197 96 No Human Protein Found.
1138	1142	1146	1150
NM_0014 1138   043826   67	NM_0014 67	NM_0014 67	AL157903 No human homolog found.
1137	141	1145	1153
839 839	1140 AAC79 839	AAC79 839	1148 AAC62 650 1152 AAC62 650
1136	1140	4	
AF0804 1136 AAC79 68 839	AF0804 68	AF0804	AF0811 44 AF0811 44

		# P E B		a ⊤a = £
		"ATP-sensitive inward rectifier potassium channel 1 (Potassium channel, inwardi y rectifying, subfamily J, member 1) (ATP-regulated potassiumchannel ROM-K) (KAB1) (KIT.1)."	Kinesin-like protein KIF3C.	"Spectrin alpha chain, brain (Spectrin, non- erythroid alpha chain)(Alpha-II spectrin) (Fodrin alpha chain)."
		membrane protein.		
	AF081196 Rattus norvegicus calcium and DAG-regulated guanine nucleotide exchange factor II mRNA, complete cds	AF081365 Rattus norvegicus ATP-regulated K+ channel ROMK1.1 Isoform mRNA, complete cds	AF083330 Rattus norvegicus kinesin-like protein KIF3C (KIF3C) mRNA, complete cds	AF084186 Rattus norvegicus sipha-fodrin (A2A) mRNA, complete cds
	calcium and DAG- regulated guanine nucleotide exchange factor II	Potassium Inwardiy- redifying channel, subfamily J	kinesin-like protein KIF3C	Noerythrold alpha-spectrin 2
	91.51	88.17	82	98
	1157	1161		1167
	AAC796 99	P48048	XP_039 750	Q13813
	1156	1160		997
	AF131853	20 20 20	XM_03975 0	AL110273
	1155	1159	1163	1185
	AAC79 700	1168 P35560	055165	1164 P16086
_	451		1162	
Table 2.	AF0811 1154 AAC79 96 700	AF0813 65	AF0833 30	AF0841 86
			•	

		<u>, 0,8 g</u>	. O. B. d		<u> </u>	<del></del>	
		ARF GTPase- activating protein GIT1 (G protein-coupled recaptor kinase- interactor 1).	ARF GTPase- activating protein GT1 (G protein-coupled receptor Ninase- interactor 1).				
	AF084205 Rattus norvegicus serine/threonine protein kinase TAO1 mRNA, complete cds	AF085693 Rattus norvegicus G protein- coupled receptor kinase-associated ADP ribosylation factor GTPasse-activating protein (GIT1) mRNA, complete cds	AF085693 Rattus norvegicus G protein- coupled receptor kinase-associated ADP ribosylation factor GTPase-activating protein (GIT1) mRNA, complete cds	AF086624 Rattus norvegicus serine threonine kinase (pim-3) mRNA, complete cds	AF086758 Rattus norvegicus Na-K-2Cl cotransporter (Nkcc1) mRNA, partial cds	AF087431 Rattus rattus glycoprotein processing glucosidase i mRNA, complete cds	AF087431 Rattus rattus glycoprotein processing glucosidase I mRNA, complete cds
						,	
	Rattus norvegicus serine/threoni ne protein kinase TAO1	G protein- coupled receptor kinase- associated ADP ribosylation factor GTPase activating protein	G protein- coupled receptor Kinase- associated ADP ribosylation factor GTPase activating protein	serine threonine kinase	Na-K-2CI cotransporter (Nkcc1)	giycoprotein processing giucosidase I	glycoprotein processing glucosidase i
	93.48 Rattus norveg serine/ ne prot kinase	94.93	94.93	96.05	8	78	78
	1171	1175	1179	1183	1187	1191	1195
	XP_030 845	NP_054	NP_054 749	AAA600 89	P55011	XP_035 229	XP_035 229
	1170	1174	1178	1182	1186	1190	<del>1</del> 2
	1169 AB037782	BG984848	BG984848	AL526992	NM_0010 46	XM_03522 9	XM_03522 9
	1169	1173	1177	1181	1185	1189	1193
		1172 Q92272	1176 Q9Z272	AAC68	1184 AAD09 008	4AC36 177	4AC36 477
	1168			1180 AAC68 900	48 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1188 AAC36 477	1182
abie 4.	AF0842 1168 AAC71	AF0856	AF0856 93	AF0866 24	AF0867 58	AF0874	AF0874 1192 AAC36

_							
				Voltage-gated potassium channel protein KQT-like 3.			
•				Integral membrane protein.			
	AF087697 Rattus norvegicus dig 3 mRNA, partial cds	AF087944mRNA Rattus norvegicus monocyte differentiation antigen CD14 gene, promoter region and partial cds	AF090134 Rattus norvegicus lin-7-Ba mRNA, complete cds	AF091247 Rattus norvegicus potassium channei (KCNQ3) mRNA, complete cds	AF091561 Rattus norvegicus isolate AIV-LY1 olfactory receptor mRNA, partial cds	AF091563 Rattus norvegicus isolate QIL-LD1 olfactory receptor mRNA, partial cds	AF091563 Rattus norvegicus isolate QIL-LD1 olfactory receptor mRNA, partial cds
	dlg 3	Rattus norvegicus monocyte differentiation antigen CD14 gene promoter region and	Rattus norvegicus lin- 7-Ba mRNA, complete cds	Rattus norvegicus potassium channel (KCNQ3)	hP3 olfactory receptor	Rattus norvegicus isolate QIL- LD1 olfactory receptor	Isolate QIL- LD1 offactory receptor mRNA
•	87.34   dlg 3		92.13	92.96	æ	64	64
•	1199	1203	1207	1211	1215	1219	1223
•	Q13368	CAA288 89	NP_004	043525	AAG452 06	AAG452 05	AAG452 05
•	1198	1202	1206	1210	1214	1218	22
•	1197   U37707	X06882	AF087693	NM_0045	AF321237	AF321237	AF321237
	1197	1201	1205	1209	1213	1217	1221
•	AAC78 485	372 372	1204 AAC78 073	088944	1212 AAC64 584	1216 AAC64 586	1220 AAC64 586
•	1186	1200	1204	1208	1212	1218	1220
anne 4.	AF0876 1196 AAC78 97 485	AF0879 1200 AAC35 44 372	AF0901 34	AF0912 47	AF0915 61	AF0915 63	AF0915 63

HGL-	HGL- sartiai	eds -A-	nRNA,	nRNA,
AF091569 Rattus norvegicus isolate HGL-SP3 olfactory receptor mRNA, partial cds	AF091570 Rattus norvegicus isolate HGL- SP2 olfactory receptor pseudogene, partial sequence	AF091578 Rattus norvegicus isolate EVA- TN1 olfactory receptor mRNA, partial cds	AF091834 Rattus norvegicus N- ethylmaleimide sensitive factor NSF mRNA, partial cds	AF091834 Rattus norvegicus N- ethylmaleimide sensitive factor NSF mRNA, partial cds
tus norvegi sceptor mF	tus norvegi eceptor pse	tus norvegi aceptor mF	tus norveg sensitive f	tus norveg sensitive f
991569 Rat olfactory n	AF091570 Rat SP2 olfactory n sequence	091578 Rat olfactory n	AF091834 Rattus norvegicus N- ethytmaleimide sensitive factor N partial cds	AF091834 Rattus norvegicus N- ethylmaleimide sensitive factor N partial cds
SP3	SP2 SP2	A TV	AF6 ethy part	AFF ethy part
		` =	70	
Rattus norvegicus isolate HGL- SP3 olfactory receptor	Rattus norvegicus isolate HGL- SP2 offactory receptor pseudogene, partial	Rattus norvegicus isolate EVA- TN1 olfactory receptor mRNA, partial	N- ethylmalelmid e sensitive factor NSF	N- ethylmalelmid e sensitive
2	8	47	8	6
1227	1231	1235	1239	1243
AAF373 09	P30953	NP_006 628	P46459	P46459
1226	1230	1234	1238	1242
1225 AF087916 1226 AAF373 1227 09	AF087916	1233 NM_0066 37	NIM_0061 78	NM_0061 78
1225	1229	1233	1237	1241
AAC64 591	1228 CAA68 842	AAC64 598	1236 AAC61 585	1240 AAC61 595
1224	1228	1232	1236	1240
AF0915 1224 AAC64 69	AF0915 70	AF0915	AF0918 34	AF0918 34

N
9
٥
<u>_</u>

"Cytoplasmic C-jun-amino- Accumulates Interacting in cell protein 1 (JNK- surface interacting protein 1 (JNK- Interacting interacting protein 1 (JNK- Under certain (JNK MAP) Stress conditions, protein 1) (Islet- translocates protein 1) (Islet- translocates brain-1)(IB-1) to the (Mitogen- perinuclear activated protein region of kinase 8- neurons . In interacting insulin- protein 1 protein 1 protein 1 eells, de"	"A kinase anchor protein 1, mitochondriai precursor (Protein kinase Aanchoring Aprotein 1) (PRKA1) (A-Khase anchor protein 121 KDa) (Dual specificity A-Kinase anchoring protein 1) (Dual specificity A-Kinase anchoring protein 1) (D-AKAP-1)("	
"Cytoplasmic C-jun-amina ki Accumulates Interacting in cell protein 1 (Januaria) in cell protein 1 (Januaria) interacting projections. In 1 (Januaria) (	Mitochondrial "A kinase outer anchor promembrane. 1, mitochor procursor (Protein kinase and protein 12 (AKAP12')	
AF092450 Rattus norvegicus JIP-1 related protein (JRP) mRNA, complete cds	AF092523 Rattus norvegicus A-kinase anchor protein 84 mRNA, complete cds	AF093268 Rattus norvegicus homer-1c mRNA, complete cds
Rattus norvegicus JIP-1b mRNA, complete cds	A-kinase anchor protein 84 mRNA	
Rettu	A-kinase anchor pr 84 mRNA	Home
90.85 Rattus norvegi JIP-1b comple	4	94.46 Homer-1c
1247	1251	1255
Q9UQF2	Q92667	NP_004 263
1246	1250	1254
AF007134	BC000728	1253 Y17829
1245	1249	1253
1244 Q9R237	088884	1252 AAC71
424	1248	1252
AF0924 50	AF0925	AF0932 68

							Eukaryotic translation initiation factor 2 alpha kinase 3 precursor(EC 2.7.1) (PRKR-like endoplasmic reflictium kinase) (PancreaticelF2-alpha kinase).
		<del></del>			-		Type I Eukaryotic membrane translation protein. Initiation factor Endoplasmic alpha kinase 3 precursor(EC 2.7.1) (PRKR IIke endoplasmic reticulum kinase) (PancreaticeIF alpha kinase).
AF095576 Rattus norvegicus APS protein mRNA, complete cds	AF095741 Rattus norvegicus MG87 mRNA, complete cds	AF095741 Rattus norvegicus MG87 mRNA, complete cds	AF095927 Rattus norvegicus protein phosphatase 2C mRNA, complete cds	AF095927 Rattus norvegicus protein phosphatase 2C mRNA, complete cds	AF095927 Rattus norvegicus protein phosphatase 2C mRNA, complete cds	AF095927 Rattus norvegicus protein phosphatase 2C mRNA, complete cds	AF096835 Rattus norvegicus pancreatic Typ eukaryotic initiation factor 2 alpha-subunit mei kinase (PEK) mRNA, complete cds profere Enc Enc
85.26 APS protein AF	MG87 AF	MG87 AF	Protein AF phosphatase pho	Protein AF phosphatase pho	Protein AF phosphatase pho 2C	Protein AF phosphatase pho	Rattus AF norvegicus eui pancreatic kin eukaryotic initiation factor 2 alpha- subunit kinase (PEK) mRNA
85.26 A	84.37 N	84.37 N	90.09	90.09 P P	90.09	90.09	92.98 6.09 7.09 7.09 7.09 7.09 7.09 7.09 7.09 7
1259	1263	1267	1271	1275	1279	1283	1287
BAA225 14	XP_054 663	XP_054 663	NP_110 395	NP_110 395	NP_110 395	NP_110 395	O9NZJ5
1258	1262	1266	1270	1274	1278	1282	1288
1257 AB000520	AK000612	AK000612	AK055417	AK055417	AK055417	AK055417	AF110146
1257	1261	1265	1269	1273	1271	1281	1285
AF0955 1256 AAC64 76	1260 AAC64 190	1264 AAC64 190	1268 AAC97 497	AAC97 497	1276 AAC97 497	1280 AAC97 497	1284 Q8Z1Z1
	Ö	8	89	1272	276	280	<b>28</b>
AF0955 1256 76	AF0957 126	AF0957 12 41	AF0959 12 27	AF0959 1:	AF0959 1	AF0959 1	35 35

Eukaryotic translation function fullitation factor 2 alpha kinase 3 precursor(EC 2.7.1) (PRKR-like endoplasmic reticulum kinase) (PancreaticelF2-alpha kinase).	Neural-cadherin precursor (N- cadherin) (Cadherin-2).	Neural-cadherin precursor (N- cadherin) (Cadherin-2).	Neural-cadherin precursor (N- cadherin) (Cadherin-2).	Neural-cadherin precursor (N- cadherin) (Cadherin-2).
Type I membrane protein. Endoplasmic reticulum.	Type I membrane protein .	Type I membrane protein .	Type ( membrane protein .	Type I membrane protein .
AF096835 Raftus norvegicus pancreatic eukaryotic initiation factor 2 alpha-subunit kinase (PEK) mRNA, complete cds	AF097593 Rattus norvegicus testicular N- cadherin mRNA, complete cds	AF097593 Rattus norvegicus testicular N- cadherin mRNA, complete cds	AF097593 Rattus norvegicus testicular N-cadherin mRNA, complete cds	AF097593 Rattus norvegicus testicular N- cadherin mRNA, complete cds
Rattus norvegicus pancreatic eukaryotic mittation factor a nipha- subunit kinase (PEK) mRNA	Cadherin 2, type 1, N- cadherin (neuronal)	Cadherin 2, type 1, N-cadherin (neuronal)	Cadherin 2, type 1, N- cadherin (neuronal)	Cadherin 2, type 1, N- cadherin (neuronal)
92.98 Rattus norvegi pancres eukary initiatio 2 alpha subunit (PEK) i	94.07	94.07	94.07	94.07
1291	1285	1288	1303	1307
Q9NZJ5	P19022	P19022	P19022	P19022
1290	1294	1298	1302	1306
AF0968 1288 Q9Z1Z1 1289 AF110146	NM_0017 92	NM_0017 92	NM_0017 92	NM_0017 92
1289	1293	1297	1301	1305
092121	1282 Q821Y	1296 Q9Z1Y 3	1300 Q9Z1Y 3	1304 Q9Z1Y
1288	1282	1296	1300	1304
35 35 35	AF0975.	AF0975 83	AF0975 93	AF0975 93

Ubiquitin- conjugating enzyme E2 G1 (EC 6.3.2.19) (Ubiquitin- proteinilgase G1) (Ubiquitin carrier protein G1) (ESTTK) (UBC7).	Ublquttin- conjugating enzyme E2 G1 (EC 6.3.2.19) (Ublquttin- proteinligase G1) (Ublquitin carrier protein G1) (E217K) (UBC7).	Ublquitin- conjugating enzyme E2 G1 (EC 6.3.2.19) (Ublquitin- proteinligase G1) (Ublquitin carrier protein G1) (E217K) (UBC7).	Ubiquitin- conjugating enzyme E2 G1 (EC 6.3.2.19) (Ubiquitin- proteinligase G1) (Ubiquitin carrier protein G1) (E217K) (UBC7).
AF099093 Rattus norvegicus ubiquitin- conjugating enzyme UBC7 mRNA, complete cds	AF099093 Rattus norvegicus ubiquitin- conjugating enzyme UBC7 mRNA, complete cds	AF099093 Rattus norvegicus ublquitir- conjugating enzyme UBC7 mRNA, complete cds	AF099093 Rattus norvegicus ublquitir- conjugating enzyme UBC7 mRNA, complete
26 P. 10 P.	Sonji Gds	A AFI	A A A A A A A A A A A A A A A A A A A
95.71 Ubiquitin- conjugating enzyme UBC7	Ubquitin- conjugating enzyme UBC7	Ubiquitin- conjugating enzyme UBC7	Ubiquitin- conjugating enzyme UBC7
95.71	95.71	95.71	95.71
1311	1315	1319	1323
1310 Q99462	Q89462	Q99462	Q89462
1310	1314	1318	1322
1309 NIM_0033 42	42 42	NM_0033	NM_0033
1309	1313	1317	1321
AF0990 1308 Q99462	Q99462	Q99462	Q89462
1308	1312	1316	1320
AF0990	AF0990 83	AF0890	AF0990

			"Gamma- aminobutyric acid type B receptor, subunit 2 precursor (GABA-B-R2) (GABA-B-R2) (GABA-B-R2)		Transcription factor SOX-10.
•			MEMBRANE B PROTEIN. B MOREOVER I COEXPRES SION OF B GABA-BR1 (ABA-BR2 (ABA-BR2 (ABA-BR2 (ABA-BR1 (ABA-BR2 (ABA-BR2 (ABA-BR2 (ABA-B-R2 (A		Nuclear.
•	AF102552 Rattus norvegicus 270 kDa ankyrin G isoform mRNA, partial cds	AF106563 Rattus norvegicus P-glycoprotein- like ATP-binding cassette transporter mRNA, complete cds	AF109405 Rattus norvegicus GABA-B receptor 2 mRNA, complete cds	AJ000556cds RNJAK1 Rattus norvegicus mRNA for Janus protein tyrosine kinase 1, JAK1	AJ001029 Rattus norvegicus mRNA for Sox10 protein /cds=(582,1982) /gb=AJ001029 /gi=2695880 /ug=Rn.10883 /len=3030
	·				
	Rattus norvegicus 270 kDa ankyrin G isoform mRNA, partial cds	Rattus norvegicus mRNA for ABC transporter	GABA-B R2	Janus protein tyrosine kinase 1	Sox10 protein
	88	89.06	89 80	88	91.28
	1327	1331	1336	,	1341
	P05092	Q9NP58	075899	XP_001 387	P56693
	1326	1330	288		1340
	1325 NM_0211 30	AF070598	AB015334	XM_00138	BC007595
	1326	1329	1383	1337	1339
	AAC78 143	AAC83 836	1332 088871	CAA04 187	055170
	1324	1328	1332	1336	1338
I able 4.	AF1025 1324 AAC78 52 143	AF1065 63	AF1094	AJ0005 56	AJ0010 29

_								
-							Transmembrane protein Tmp21 precursor (21 kDa Transmembrane trafficking protein) (Fragment).	
_								
	AJ001290cds RNSMIT Rattus norvegicus mRNA for sodium myo-inositol transporter (SMIT)	AJ001320 Rattus norvegicus mRNA for multi PDZ domain protein /cds=(183,6347) /gb=AJ001320 /gi=2959978 /ug=Rn.6684 /len=7497	AJ001320 Rattus norvegicus mRNA for muiti PDZ domain protein /cds=(183,6347) /gb=AJ001320 /gi=2959978 /ug=Rn.6684 /len=7497	AJ001713 RNMYR7 Rattus norvegicus mRNA for myosin-RhoGAP protein Myr 7	AJ001929 RNAJ1929 Rattus norvegicus mRNA for of CBP-50 protein	AJ004858 RNAJ4858 Rattus norvegicus mRNA for Sry-related HMG-box protein Sox11	AJ004912 RNJ004912 Rattus norvegicus TYPE I mRNA for integral membrane protein Tmp21-1 MEMBRANE (p23) GOU CISTERNAE	AJ005046 RNAJ5046 Rattus norvegicus mRNA for muscle fructose-1,6- bisphosphatase
								-
:	Sodium myo- inositoi transporter (SMIT)	Multiple PDZ domain protein	Multiple PDZ domain protein	Rattus norvegicus mRosin- RhoGAP protein Myr 7	CBP-50	SRY-box containing gene 11	Integral membrane protein Tmp21 I (p23)	Rattus norvegicus mRNA for muscle fructose-1,6- blsphosphatas
	89	91.64	91.64	92.46	91.5	88	80.23	8
•		1347	1351	1365	1359	1363	1367	1371
•	XP_009 743	NP_003 820	NP_003 820	NP_008 832	043852	S34118	P49755	000757
•		1346	1350	1354	1358	1362	1366	1370
•	1343 XM_00974 3	AK058011	AK058011	AK001923	AF257659	X73039	X97442	NM_0038 37
•	1343	1345	1349	1353	1357	1361	1365	1369
		CAA04 681	CAA04 881	T31099	1356 CAA05	S19597	1384 Q63584	CAA06 313
	1342	1344 CAA04 681	1348 CAA04 681	1352		1360		1368
l '	AJ0012 1342 CAA04 80 650	AJ0013 20	AJ0013 20	AJ0017 13	A_10019	AJ0048 58	AJ0049	AJ0050

					1	-	-		_			_
	AJ0051 1372 CAA06 13 377	1373	1373 D80000	1374 NP 297	NP_006 297	1375	92.03	92.03 SMC-protein	<u> </u>	AJ005113 KNAJ5113 Kattus notvegicus mRNA for SMC-protein Molecular characterization of a rat heterochromatin associated SMC-protein		
	1376 CAA06 377	1377	D80000	1378	NP_006 297	1378	92.03	SMC-protein	<u> </u>	AJ005113 RNAJ5113 Rattus norvegicus mRNA for SMC-protein Molecular characterization of a rat heterochromatin associated SMC-protein		
_	1380 CAA06 509	1381	BC008760	1382	P20908	1383	96	Collagen Aalpha 1 type V	A859757 /	AA859757 AJ005394 RNJ005394 Rattus norvegicus mRNA for collagen alpha 1 type V		
1384	CAA06 509	1385	BC008760	1386	P20908	1387	8	Collagen afpha 1 type V	<u> </u>	AJ005394 RNJ005394 Rattus norvegicus mRNA for collagen alpha 1 type V		
00	1388 089046	1389	BC006449	1390	Q9BR76	1391	88.76	coronin-like protein		AJ006064 RNO6064 Rattus norvegicus mRNA for coronin-like protein		Coronin 1B (Coronin 2).
1392	088046	1383	BC006449	1394	Q9BR76	1395	88.76	coronin-like protein	<u> </u>	AJ006064 RNO6084 Rattus nowegicus mRNA for coronin-like protein		Coronin 1B (Coronin 2).
ထ္ထ	1396 CAA07 199	1397	AK022653	1398	NP_002 638	1389	88.58	phosphatidylin ositol 3-kinase	<u> </u>	AJ006710 RNO6710 Raftus norvegicus mRNA for phosphatidylinositol 3-kinase		
8	1400 Q62910	1401	AF009039	1402	043426	1403	89.07	Synaptojanin 1		AJ006855 RNAJ6855 Rattus norvegicus M/MRNA for synaptojanin TT-TT-TT-SSC SC	LOCALIZED MAINLY IN THE SOLUBLE FRACTION .	"Synaptojanin 1 (EC 3.1.3.56) (Synaptic Inositol-1,4,5-trisphosphate 5-phosphatase 1)."
¥	1404 CAA07	1405	AB022341	1406	NP_001	1407	87.68	DAP-like klnase		AJ006971 RNO6971 Rattus norvegicus mRNA for DAP-like kinase		
1408	CAA07	1409	AB022341	1410	NP_001 339_001	1411	87.68	DAP-like kinase	<u> </u>	AJ006971 RNO6971 Rattus norvegicus mRNA for DAP-like kinase		
1412	CAA07 417	1413	Al816111	1414	NP_003 470	1415	93.2	protein tyrosine phosphatase		AJ007016 RNO7016 Rattus norvegicus mRNA for protein tyrosine phosphatase		
1416	CAA07 434	1417	XM_04230 9		XP_042 309		9	CAP1 gene	<u> </u>	AJ007291 RNO7291 Rattus norvegicus CAP1 gene		
∞	AJ0072 1418 CAA07 91 434	1419	1419 XM_04230 9		XP_042 309		6	CAP1 gene		AJ007291 RNO7291 Rattus norvegicus CAP1 gene		

							ADAM 17 precursor (EC 3.4.24) (A distribution and metalloproteinas edomain 17) (TNF-aipha converting erzyme) (TNF- aipha convertasse).
							rane Tane
AJ007627 RNO7627 Rattus norvegicus mRNA for ELK channel 2	AJ007632 RNO7632 Rattus norvegicus mRNA for ELK channel 3, partial	AJ007632 RNO7632 Rattus norvegicus mRNA for ELK channel 3, partial	AJ009698 RNÖ9698 Rattus norvegicus mRNA for emblgin protein	AJ009698 RNO9698 Rattus norvegicus mRNA for embigin protein	AJ011607 RNO011607 Ratus norvegicus mRNA for DNA polymerase alpha subunit III (primase), partial	AJ011607 RNO011607 Rattus norvegicus mRNA for DNA polymerase alpha subunit III (primase), partial	AJ012603cds RNO012603 Rattus norvegicus Type I mRNA for TNF-eipha converting enzyme memb (TACE) protein
	<del></del>						
89.17 ELK channel 2	ELK channel 3 (Potasslum channel)	ELK channel 3 (Potassium channel)	Embigin protein	Embigin protein	DNA polymerase alpha subunit III (primase)	DNA polymerase alpha subunit III (primase)	TNF-alpha converting enzyme (TACE)
89.17	5	9	22	2	68	68	88.87
1423			1431	1435	1439	£ <del>4</del>	1447
XP_035 483	XP_008 403	XP_008 403	P21995	P21995	P49643	P49643	P78536
1422			1430	1434	1438	1442	1446
AJ0076 1420 CAA07 1421 AB033108 27	1425 XM_00840 3	XM_00840	BC014858	BC014858	1437 NM_0009	1441 NM_0009 47	U69612
1421		1427	1429	1433	1437	1441	1445
CAA07	CAA07 591	CAA07 591	CAA08 796	CAA08 786	CAA09 722	CAA09 722	1444 Q921K 9
1420	1424	1426	1428	1432	1436	1440	1444
AJ0076 27	AJ0076 1424 CAA07 32 591	AJ0076 32	AJ0098 98	AJ0096 1432 CAA08 98 796	AJ0116 1436 CAA09 07	AJ0116 1440 CAA09 07 722	AJ0128 03

•	ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloproteinas edomain 17) (TNF-alpha converting enzyme) (TNF- alpha	ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloproteinas edomain 17) (TNF-alpha converting enzyme) (TNF-	ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloproteinas edomain 17) (TNF-aipha converting enzyme) (TNF- aipha
	Type I membrane protein.	Type I membrane protein.	Type I membrane protein.
	AJ012603cds RNO012603 Rattus norvegicus Type I memb for TNF-aipha converting enzyme memb (TACE) proteit	AJ012603cds RNO012603 Rattus norvegicus Type i memb mRNA for TNF-sipha converting enzyme memb (TACE) proteir	AJ012603cds RNO012603 Rattus norvegicus Type I memb for TNF-alpha converting enzyme memb (TACE)
	AJ0126 mRNA 1 (TACE)	AJ0126 mRNA 1 (TACE)	AJ0126 TACE)
	88.87 TNF-alpha converting enzyme (TACE)	TNF-alpha converting enzyme (TACE)	TNF-alpha converting enzyme (TACE)
	88.87 F 9	88.87	88.87
	1451	1456	1459
	P78536	P78536	P78536
	1450	1454	1458
	U69612	U69612	U69612
	1449	1453	1457
	9 9 8	1452 Q9Z1K 9	1456 Q9Z1K 9
	1448	1452	1456
	AJ0126 1448 Q921K 1449 U69612 03 9	AJ0126	AJ0126

ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloproteinas edomain 17) (TNF-alpha converting enzyme) (TNF-alpha converting enzyme) (TNF-alpha converting enzyme)	ADAM 17 precursor (EC 3.4.2.4) (A disintegrin and metalloproteinas edomain 17) (TNF-eipha converting enzyme) (TNF- aipha	ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloprotainas edomain 17) (TNF-alpha converting enzyme) (TNF- alpha
Type I membrane protein.	Type i membrane protein.	Type I membrane protein.
AJ012603UTR#1 RNO012603 Rattus norvegicus mRNA for TNF-alpha converting enzyme (TACE)	AJ012603UTR#1 RNO012603 Rattus norvegicus mRNA for TNF-aipha converting enzyme (TACE)	AJ012603UTR#1 RNO012603 Rattus norvegicus mRNA for TNF-alpha converting enzyme (TACE)
TNF-alpha converting enzyme (TACE)	TNF-elpha converting enzyme (TACE)	TNF-alpha converting enzyme (TACE)
	88.87	88.87
1463	1467	1471
P78536	P78536	P78536
1462	1466	1470
1461   U69612	U69612	U69612
1461	1465	1469
9921K	1464 Q921K 9	Q9Z1K 9
1460	1464	1468
Table 2. AJ0126   1460   Q821K   9	AJ0126 03	AJ0126 1468 Q9Z1K 03 9

ADAM 17 precursor (EC 3.4.24) (A delantagrin and metalloproteinas edomain 17) (TNF-aipha converting enzyme) (TNF-aipha converting enzyme) (TNF-aipha converting enzyme) (TNF-aipha	ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloprotelnas edomain 17) (TNF-alpha converting enzyme) (TNF- alpha	ADAM 17 precursor (EC 3.4.24) (A disintegrin and metalloproteinas edomain 17) (TNF-aipha converting anzyme) (TNF- aipha
Type I membrane protein.	Type I membrane protein.	Type I membrane protein.
AJ012603UTR#1 RNO012603 Rattus norvegicus mRNA for TNF-aipha converting enzyme (TACE)	AJ012603UTR#1 RNO012603 Rettus novegicus mRNA for TNF-aipha converting enzyme (TACE)	AJ012603UTR#1 RNO012603 Rattus novegicus mRN4 for TNF-alpha converting enzyme (TACE)
88.87 TNF-alpha converting enzyme (TACE)	TNF-siphs converting enzyme (TACE)	88.87. TNF-alpha converting enzyme (TACE)
88.87	88.87	88.87
1475	1479	1483
P78536	P78536	P78536
1474	1478	1482
Table 2. AJ0126   1472   Q921K   1473   U69612   03	U69612	U69812
1473	1477	1481
Q9Z1K 9	1476 Q921K 9	1480 Q921K 9
1472	1478	1480
Table 2.	AJ0126 03	AJ0126

ADAM 17 precursor (EC 3.4.24) (A disintisgrin and metalloproteinas edomain 17) (TNF-alpha converting enzyme) (TNF- alpha	ADAM 17 precursor (EC. 3.4.24) (A disintegrin and metalloproteinas adomain 17) (TNF-aipha converting enzyme) (TNF- aipha	B1 bradykinin recaptor (BK-1 recaptor) (B1R) (Kinin B1 receptor)(KB1).	B1 bradykinin receptor (BK-1 receptor) (B1R) (Kinin B1 receptor)(KB1).
Type I membrane protein.	Type I membrane protein.	Integral membrane protein.	Integral membrane protein.
AJ012603UTR#1 RNO012603 Rattus novegicus mRNA for TNF-aipha converting erzyme (TACE)	A_1012603UTR#1 RNO012603 Rattus norvegicus mRNA for TNF-alpha converting enzyme (TACE)	AJ132230 RNO132230 Rattus norvegicus mRNA for B1 bradykinin receptor	AJ132230 RNO132230 Rattus norvegicus mRNA for B1 bradykinin receptor
88.87 TNF-elpha converting enzyme (TACE)	TNF-alpha converting enzyme (TACE)	B1 bradykinin receptor	B1 bradykinin receptor
78.88	88.87	86.38	81.38
1487	1481	1495	1499
P78536	P78536	P46663	P46663
1486	1490	1494	1498
1485   U69612	U69612	AJ238044	AJ238044
1485	1489	1483	1497
AJ0126 1484 Q921K 03 9	1488 Q9Z1K 9	P97583	P97583
1484	1488	1492	1496
AJ0128 03	AJ0128 03	AJ 1322 30	AJ1322 30

AJ223355 RNAJ3355 Rattus norvegicus mRNA for mttochondriai dicarboxylate carrier	AJ223355 RNAJ3355 Rattus norvegicus mRNA for mitochondrial dicarboxylate carrier	AJ224120 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) /cds=(138,878) /gb=AJ224120 /gi=3150212 /ug=Rn.14519 /len=1194	AJ224879 Rattus norvegicus mRNA for collagen alpha 1 type II, partial CDS /cds=(0,148) /gb=AJ224879 /gi=3164120 /ug=Rn.10124 /len=580	C06598 C06598 Rat pancreatic islet cDNA Rattus norvegicus cDNA similar to rapamycinbinding protein FKBp-13, mRNA sequence [Rattus norvegicus]	D00092 RATMTAA Rattus norvegicus mRNA for 70 kd mitochondrial autoantigen, partial ods	D00189 Rattus norvegicus mRNA for Na+,K+ ATPase alpha-subunt, complete cds /cds=(140,3181) /gb=D00189 /gi=220825 /ug=Rn.10312 /len=3557
			L48440 .			
Rattus norvegicus mRNA for mitochondrial dicarboxylate carrier (see 688)	Rattus norvegicus mRNA for mitochondrial dicarboxylate carrier (see	Peroxisomal membrane protein Pmp28p	Collagen alpha 1 type II, partial CDS	Rat pancreatic islet cDNA Rattus norvegicus cDNA similar to rapamycin-binding protein FKBp-13, mRNA sequence	70 kd mitochondrial autoantigen	Na+,K+- ATPase alpha- subunit
86.37	86.37	82.5	8	90.95	76	66
1503	1507	1511		1516	1520	1523
авивхз	овивкз	NP_003 838	XP_050 153	P26885	XP_041 355	S00801
1502	1506	1510		1515	1519	
BC015797	BC015797	AK001415	XM_05015 3	M75099	XM_04135 5	АТР1А3
1501	1505	1509	1513		1518	1522
1500   211623   2A	211623 2A	CAA11 838	AAA797 80	No Rat Protein Found.	BAA209 56	BAA001 29
1500	1504	1508	1512	416	1517	1521
AJ2233 55	AJ2233 55	AJ2241 20	AJ2248 79	C06598	D00092	D00189

			Mitochondrial "2,4-dienoyl- CoA reductase, mitochondrial precursor (EC 1.3.1.34) (2,4- dienoyl-CoA reductase [NADPH]) (4- enoyl-CoA reductase [NADPH])."	Mitochondrial "2,4-dienoyl- order reductase, mitochondrial precursor (EC 1.3.1.34) (2,4- dienoyl-CoA reductase [NADPH]) (4- enoyl-CoA reductase [NADPH])."
			Mitochondrial	Mitochondrial .
D00189 Rattus norvegicus mRNA for Na+,K+, ATPase alpha-subunit, complete cds /cds=(140,3181) /gb=D00189 /gi=220825 /ug=Rn.10312 /len=3557	D00512 RATACAL Rattus sp. mRNA for mitochondrial acetoacetyl-CoA thiolase precursor, complete cds	D00512 RATACAL Rattus sp. mRNA for mitochondrial acetoacetyl-CoA thiolase precursor, complete cds	D00569 Rat mRNA for 2,4-dienoyl-CoA reductase (EC 1.3.1.34) /cds=(18,1025) /gb=D00569 /gi=220731 /ug=Rn.2854 /len=1118	D00569 Rat mRNA for 2,4-dlenoyl-CoA reductase (EC 1.3.1.34) /cds=(18,1025) /gb=D00569 /gl=220731 /ug=Rn.2854 /len=1118
Na+,K+- ATPase alpha- subunit	mitochondrial acetoacetyl- CoA thiolase	mitochondrial acetoacetyl- CoA thiolase	Rattus norvegicus mRNA for 2,4- dienoyl-CoA reductase precursor, complete cds	Rattus norvegicus mRNA for 2,4- delenoy-CoA reductase precursor, complete cds
66	92	92	2	<b>≅</b>
1526	1530	1534	1538	1542
S00801	P24752	P24752	0.16698	Q16698
_	1529	1533	1537	154
1525 ATP1A3	NM_0000 19	NM_0000 19	126050	126050
1525	1528	1532	1536	1540
D00189 1524 BAA001	BAA004 01	1531 -BAA004 01	1535 Q64591	1539 Q84591
1524	1527	1631	1535	
D00189	D00512	D00512	000569	D00569

Mitochondrial  2,4-diencyl- CoA reductase, mitochondrial precursor (EC 1.3.1.34) (2,4- diencyl-CoA reductase [NADPH]) (4- encyl-CoA reductase reductase				
Mito				
D00569 Rat mRNA for 2,4-dienoyl-CoA reductase (EC 1.3.1.34) /cds=(18,1025) /gb=D00569 /gi=220731 /ug=Rn.2854 /len=1118	D00636cds RATB5RM Rattus sp. mRNA for NADH-cytochrome b5 reductase, complete cds	D00536Poly_Atte#1 RATB5RM Rattus sp. mRNA for NADH-cytochrome b5 reductase, complete cds	D00888 RATMAOA Rat monoamine oxidase A gene, complete cds D00729 Rat mRNA for defta3, defta2-encyl- CoA isomerase /cds=(77,973) /gb=D00729 /gi=220733 /ug=Rn.24989 /len=1080	D00729 Rat mRNA for delta3, delta2-enoyl- CoA isomerase /cds=(77,973) /gb=D00729 /gi=220733 /ug=Rn.24969 /isn=1060
Rattus norvegicus mRNA for 2,4- dienoyl-CoA reductase precursor, complete cds	NADH- cytochrome b5 reductase	NADH- cytochrome b5 reductase	monoamine oxidase A Delta3, delta2-enoyl-CoA Isomerase; SEVERAL EXONS; ONLY 1 & 2 LISTED ON THIS SHEET	Delta3, delta2- enoyl-CoA isomerase; SEVERAL EXONS; ONLY 1 & 2 USTED ON THIS SHEET
2	8	83	83.33	83.33
1546	1550	1554	1558	1586
Q16698	P00387	P00387	P21397	P42126
1545	1549	1553	1567	1565
756050	NM_0003 98	NM_0003 98	NM_0002 40 Z25820	725820
1544	1548	1552	1556 1560	1564
Q64591	BAA005	BAA005 30	BAA005 92 BAA006 29	BAA006 29
543	1547	1551	1559	1563
D00569 1543 Q64591 1544	D00838	D00636	D00688 D00729	D00729

•			Syntaxin 1A (Synaptotagmin associated 35 kDa protein) (P35A)(Neuron- specific antigen HPC-1).			Mitochondrial Dihydrolipoamid e acetyltransferas e component of pyruvate dehydrogenase complex (EC 2.3.1.12) (ED C-E2) (70 kDa mitochondrial autoantigenof primary billary cirrhosis) (PBC) (Fragment).
•			- our			Mitochondrial matrix.
	D00913 RATICAM Rattus sp. mRNA for intercellular adhesion molecule-1, complete cds	D00913 RATICAM Rattus sp. mRNA for intercellular adhesion molecule-1, complete cds	D10392 Rat mRNA for HPC-1 antigen, C-   Membr terminal /cds=(0,897) /gb=D10392 /gi=220776 bound. /ug=Rn.9943 /len=2130	D10587 RATLGP85 Rattus sp. mRNA for 85kDa sialoglycoprotein (LGP85), complete cds	D10587 RATLGP85 Rattus sp. mRNA for 85kDa sialoglycoprotein (LGP65), complete cds	D10655 RATPDCE2 Rat mRNA for dihydrollpoamide acetyltransferase
	- a	IB	Cus 3' end	coprot P85)	coprot P85)	Dihydrolipoam de do
•		intercellul adhesion molecule-				
	99	<u></u>	92.7	85	8	<u> </u>
	1570	1574	1578	1582	1586	1590
	P05362	P05362	Q16623	Q14108	Q14108	P10515
	1569	1573	1577	1581	1585	
	1568 NM_0002 01	NM_0002 01	BC003011	D12676	D12676	Y00978
	1568	1572	1576	1580	1584	1588
	D00913 1567 BAA007	BAA007 59	P32851	BAA014 44	BAA014 44	P08461
.:	1567	1571	1575	1579	1583	1587
lable 4.	D00913	D00913	D10392	D10587	D10587	D10655

Mitochondrial Dihydrolipoamid e acatyltransferas e component of pyruvate dehydrogenase complex (EC 2.3.1.12) (E2) (PDC-E2) (70 kDa mitochondrial autoantigenof primary biliary cirrhosis) (PBC) (Fragment).	Visinin-like protein 1 (VILIP-1) (Neural visinin-like protein 1) (NVL-1) (21 kDa CABP) (Neurocalcin alpha) (Hippocalcin-like protein3)			
Mitochondria matrix.				
D10655 RATPDCE2 Rat mRNA for dihydrolipoamide acetyftransferase	D10566 Rat mRNA for neural visinin-like protein (NVP), complete cds /cds=(239,814) /gb=D10866 /gi=220827 /ug=Rn.10582 /len=1051	D10706 RATODCB Rat mRNA for omithins decarboxylase antizyme, complete cds	D10706 RATODCB Rat mRNA for omithine decarboxylase antizyme, complete cds	D10706cds#2 RATODCB Rat mRNA for omithine decarboxylase antizyme, complete cds
Dihydrolipoam ide acetyltransfera se	91.73 Neural visinin- like protein 1	Ornithine decarboxylase	Omithine decarboxylase	antizyme Omithine decarboxylase antizyme
62	57.73	2	\$	2
1594	1588	1602	1606	1610
P10515	P28677	NP_004 143	NP_004 143	NP_004 143
1593	1597	1601	1605	1609
1592   Y00978	AF039555	NM_0041 52	NM_0041 52	NM_0041 52
1592	1596	1600	1604	1608
P08461	P28677	BAA015	BAA015 49	1607 BAA015 49
1597	1595	1599	1603	1607
D10855 1591 P08461	D10666 1595 P28677	D10708	D10706	D10706

					"Beta-1,4- mannosy- glycoprotein beta-1,4-N- acatylglucosami nyl-transferase (EC 2.4.1.144) (N-glycosy- oligosaccharide- glycoproteinN- glycoproteinN- glycoproteinN- acatylglucosami nyltransferase III) (N- acatylglucosami
					Type II membrane protein. Golgi.
D10706cds#2 RATODCB Rat mRNA for ormithine decarboxylase antizyme, complete cds	D10706cds#3 RATODCB Rat mRNA for omithine decarboxylase antizyme, complete cds	D10706cds#3 RATODCB Rat mRNA for omithine decarboxylase antizyme, complete cds	D10729 RATPSRC1 Rat mRNA for proteasome subunit RC1	D10770 RATCDPK Rat mRNA for beta isoform of catalytic subunit of cAMP-dependent protein kinase, complete cds	D10852 Rat mRNA for N- acetylglucosamlnytransferase III, complete cds /cds=(57,1667) /gb=D10852 /gj=220821 /ug=Rn.9803 /len=2684
Omithine decarboxylase antizyme	Omithine decarboxylase antizyme	Omithine decarboxylase antizyme	some It RC1	Rat mRNA for beta isoform of catalytic subunit of cAMP-dependent protein kinase	Mannoside acetyl glucosaminyl transferase 3 transferase 3
Omithine decarboxy antizyme	Omithine decarboxy antizyme	Omithine decarbox antizyme	proteasome subunit RC1	Rat mRNA beta isoform of catalytic subunit of cAMP-dependent protein kins	Mannoside acetyl glucosamin transferase
<b>%</b>	2	2	83	96	94.12
1614	1618	1622		1628	1632
NP_004	NP_004 143	NP_004 143	XP_016 879	P22694	Q08327
1613	1617	1621		1627	<u>18</u>
1612 NM_0041 52	NM_0041 52	NM_0041 52	1624 XM_01687 9	1626 NM_0027 31	148488
1612	1616	1620	1624	1626	1630
BAA015 49	BAA015 49	BAA015 49	3AA015	34A016	Q02527
1611	1615	1619	1623	1625	1629
D10706 1611 BAA015	D10706 1615 BAA015	D10706 1619 BAA015	D10729	D10770 1625 BAA016	D10852

Basic fibrobiast growth factor receptor 1 precursor (EC 2.7.1.112)(FGF R-1) (bFGF-R)		Neuron specific calclum-binding protein hippocalcin (PZ3K) (Calclum binding protein BDR-2).	Transcription factor BTEB1 (Besic transcription element bindingprotein 1) (BTE-binding protein 1) (CC box binding protein 1).
Type I membrane protein.			Nuclear.
D12498 RATFGFR1 Rat mRNA for FGF receptor-1, complete cds	D12524 RATCKITPO Rat mRNA for c-kit receptor tyrosine kinase	D12573 Rat mRNA for neuron specific calctum-binding protein hippocalcin, complete cds /cds=(174,755) /gb=D12573 /gj≕391860 /ug=Rn.11019 /isn=1561	D12769 RATBTEB Rattus norvegicus mRNA Nuclear. for BTE binding protein
FGF receptor-	o-kit receptor tyrosine kinase.	Hippocalcin	Raftus norvegicus mRNA for MED binding protein, complete cds
<u> </u>	<u>호호호</u>	90.78 Hij	2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	1638	1642	1646
XP_016 079	P10721	P32076	Q13886
<u></u>	1637	1641	1645
1634 XM_01607 9	NM_0002 22	1640 NM_0021	NM_0012 06
1634	1636	1640	
Table 2.	1635 BAA020 94	1639 P32076	1643 Q01713
1633	1635	1639	1643
<b>Table 2.</b>  D12498	D12524	D12573	D12769

			_
Transcription factor BTEB1 (Basic transcription element bindingprotein 1) (BTE-binding protein 1) (GC box binding protein 1).	"ATPase inhibitor, mitochondriai precursor."	"ATPase Inhibitor, mitochondrial precursor." "ATPase inhibitor, mitochondrial precursor."	"ATPase Inhibitor, mitochondrial precursor."
Nuclear.	Mitochondrial "ATPase inhibitor, mitochon precursor	Mitochondrial "ATPase inhibitor, mitochon precursor Mitochondrial "ATPase inhibitor, mitochon precursor	Mitochondrial "ATPasse inhibitor, mitochon precursor
D12769 RATBTEB Rattus norvegicus mRNA Nuclear. for BTE binding protein	D12927 RATSIIT1 Rattus sp. mRNA for transcription elongation factor S-II, complete cds D13122 RATATPI Rattus norvegicus mRNA for ATPase inhibitor protein, complete cds	D13122 RATATPI Rattus norvegicus mRNA for ATPase inhibitor protein, complete cds D13122 RATATPI Rattus norvegicus mRNA for ATPase inhibitor protein, complete cds	D13122 RATATPI Rattus norvegicus mRNA for ATPase inhibitor protein, complete cds
	AA891873	AA891873	
Rattus norvegicus mRNA for BTE binding protein, complete cds	transcription elongation factor S-II Rattus norvegicus mRNA for ATPase inhibitor protein, complete cds	ATPase inhibitor (rat mitochondrial IF1 protein) Rattus norvegicus mRNA for ATPase inhibitor protein, compiete cds	ATPase inhibitor (rat mitochondrial IF1 protein)
20	85 47	4 4	4
1650	1654	1662	1670
Q13886	NP_003 186 Q9UIIZ	QBUIIZ	Q9UII2
1649	1653	1665	1669
1648 NM_0012 06	NM_0031 95 NM_0163 11	NM_0163 11 NM_0163	NM_0163
	1652	1660	1668
D12769 1647 Q01713	BAA023 10 Q03344	1659 Q03344 1663 Q03344	1667 Q03344
1647	1651	1663	1667
D12769	D12927 D13122	D13122	D13122

. eide

	_			
	Visinin-like protein 3 (VILIP-3) (Neural visinin-like protein 3)(NVL-3) (Hippocaldn-like protein 1).	"ATP synthase oligomycin sensitivity conferral protein, mitochondrialpr ecursor (EC 3.6.3.14) (OSCP)."	"ATP synthase oligomycin sensitivity conferral protein, mitochondrialpr ecursor (EC 3.6.3.14) (OSCP)."	Mitochondrial "Mitochondrial matrix. processing peptidase beta subunit, mitochondraipr ecursor (EC 3.4.24.64) (Beta-MPP) (P-52)."
		Mitochondrial	Mitochondrial matrix.	Mitochondrial matrix.
	D13126 Rat mRNA for neural visinin-like Ca2+-binding protein type 3 (NVP-3), complete cds /cds=(291,872) /gb=D13126 /gj=286243 /ug=Rn.9661 /len=1015	D13127 RATOSCP Rattus norvegicus mRNA Mitochondrial "ATP synthase for oligomycin sensitivity conferring protein, matrix. oligomycin sensitivity complete cds sensitivity conferral protein, mitochondrialprecursor (EC 3.8.3.14) (OSCP)."	D13127 RATOSCP Rattus norvegicus mRNA Mitochondrial "ATP synthase for oligomycin sensitivity conferring protein, matrix. sensitivity complete cds complete cds conferral protein, mitochondrialprecursor (EC 3.6.3.14) (OSCP)."	D13907 Rat mRNA for mitochondrial processing protease P52, partial sequence /cds=(0,1463) /gb=D13907 /gi=397698 /ug=Rn.841 /len=1570
	90.54 Neural visinin- like Ca2+- binding protein type 3 (NVP- 3)	Rattus norvegicus morvegicus miRNA for oligemycin sensitivity confaming protein, complete cds	Rattus norvegicus mRNA for oligomycin sensitivity conferring protein, complete cds	Mitochondrial processing peptidase beta
	25.00 N	82.78 3.0 m 3.0 m	92.78 8.00 E S S S S S S S S S S S S S S S S S S	88 8
		1678	1682	68
	P37235 1674	CAA582 19	CAA582	076439
	1673	1677	168	1685
	1672 NM_0021 49	AW44949	AW44949 3	AF054182
	1672	1676	1680	1684
	P35333	Q06647	Q06647	Q03346
	1671	1675	1679	1683
l able 2	D13126 1671 P35333	D13127	D13127	D13807

	Mitochondrial "Mitochondrial matrix.  processing peptidase beta subunit, mitochondrialpr ecursor (EC 3.4.24.64) (Beta-MPP) (P-52)."	Mitochondrial "Mitochondrial matrix. processing peptidase beta subunit, mitochondrialpr ecursor (EC 3.4.24.64) (Beta-MPP) (P-52)."	Mitochondrial "Mitochondrial processing peptidase beta subunit, mitochondrialpr ecursor (EC 3.4.24.64) (Beta-MPP) (P-52)."	"Solute carrier family 2, facilitated glucose transporter, member 3(Glucose transporter type 3, brain)."	Metabotropic glutamate receptor 6 precursor (mGluR6).
-	Mitochondria matrix.	Mitochondrial matrix.	Mitochondrial matrix.	Integral membrane protein.	Integral membrane protein.
	D13907 Rat mRNA for mitochondrial processing protease P52, partial sequence /cds=(0,1463) /gb=D13907 /gi=397698 /ug=Rn.841 /len=1570	D13907 Rat mRNA for mitochondrial processing protease P52, partial sequence //cds=(0.1463)/gb=D13907 /gi=397698 //ug=Rn.841 /len=1570	D13907 Rat mRNA for mitochondrial processing protease P52, partial sequence //cds=(0.1463)/gb=D13907 /gl=397698 //ug=Rn.841 /len=1570	D13962 RATGLUT3 Rat mRNA for neuron glucose transporter	D13963 RATMGLUR6 Rat mRNA for metabotropic glutamate receptor subtype, complete cds
	Mitochondrial processing peptidase beta	Mitochondrial processing peptidase beta	Mitochondrial processing peptidase beta	Solute carrier family 2 A3 (neuron glucose transporter)	Metabotropic glutamate receptor subtype
٠	88	ထ	80	83	89.29
•	1690	1694	1698	1702	1706
	075439	075439	075439	P11169	NP_000 834
•	1689	1693	1697	1701	1705
,	1688 AF054182	AF054182	AF054182	M20681	NM_0008 43
	1688	1692	1686	1700	1704
		003346	Q03346	1699 Q07647	1703 P35349
	1687	1691	1695	1699	1703
I ane 7	D13907 1687 Q03346	D13907	D13907	D13962	D13963

		•									
•		"Chloride conductance regulatory protein ICin ((Cin)) (Chloridechanne I, nucleotide sensitive 1A)."	"Chloride conductance regulatory protein ICin ((Cin)) (Chloridechanne I, nucleotide sensitive 1A)."		-						
		Cytoplasmic, "Chloride conductar regulatory protein IC (I(Cin)) (Chlorided I, nucleott sensitive	Cytoplasmic. "Chloride conductar regulatory protein IC ((CIn)) (Chlorided I, nucleott sensitive								
		D13985 RATRCL Rat mRNA for chloride channel RCL1, complete cds	D13985 RATRCL Rat mRNA for chloride channel RCL1, complete cds	D14014 RATCYCLD1 Rat mRNA for cyclin D1, complete cds	D14014 RATCYCLD1 Rat mRNA for cyclin D1, complete cds	D14014 RATCYCLD1 Rat mRNA for cyclin D1, complete cds	D14014 RATCYCLD1 Rat mRNA for cyclin D1, complete cds	D14015 RATCYCLE Rat mRNA for cyclin E, complete cds	D14015 RATCYCLE Rat mRNA for cyclin E, complete cds	D14418 Rattus norvegicus PP2A ARs mRNA for A regulatory subunit of protein phosphatase 2A, partial cds	
	nccin	3071	30F1							לים על	ese
	argininosuccin ate lyase	Chloride channel RCL1	Chloride channel RCL1	Cyclin D1	Cyclin D1	Cyclin D1	Cyclin D1	Cydin E	Cyclin E	A regulatory subunit of protein	phosphatase 2A
	8	77.74	94.77	82	82	82	82	76	9/	66	
	1710	4171	1718	1722	1726	1730	1734	1738	1742	1748	
•	P04424 1710	NP_001	NP_001	P24385	P24385	P24385	P24385	P24864	P24864	AAA355 31	
	1709	1713	1717	1721	1725	1729	1733	1737	1741	1745	
	D13978 1707 BAA030 1708 BC008195	1712 AA832121	AA832121	1720 X59798	X59798	X59798	X59798	M73812	M73812	1744 M31786	
	1708	1712	1716		1724	1728	1732	1736	1740		
	BAA030 88	D13985 1711 Q04753	1716 Q04763	D14014 1719 BAA031	1723 BAA031 15	1727 BAA031 15	1731 BAA031 15	1735 BAA031 16	1739 BAA031 16	D14418 1743 BAA219	
	1707	171		1718		1727	1731	1735	1739	1743	
adle 4.	D13978	D13985	D13885	D14014	D14014	D14014	D14014	D14015	D14015	D14418	

				Calcineurin B subunit isoform 1 (Protein phosphatase 2B regulatorysubun it 1) (Protein phosphatase 3 regulatory subunit B alpha isoform1).
•	D14419 Rattus norvegicus PP2A BRa mRNA for B regulatory subunit of protein phosphatase 2A, partial cds	D14421 RATPP2ABRB Rat PP2A BRb mRNA for b isotype of B regulatory subunit of protein phosphatase 2A, partial sequence	D14421 RATPP2ABRB Rat PP2A BRb mRNA for b isotype of B regulatory subunit of protein phosphatase 2A, partial sequence	D14568 RATRSCDPP Rat mRNA for calcineurin B
•			<b>,</b> .	
•	Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha	b isotype of B regulatory subunit of protein phosphatase 2A	b isotype of B regulatory subunit of protein phosphatase 2A	Protein phospatase 3, regulatory subunit B, alpha isoform (calcheurin B, type I)
	88	901	100	8
	1750	1754	1758	1762
•	200007	NP_004 567	NP_004 567	P06705
	1749	1753	1757	1761
	D14419 1747 AAA419 1748 NM_0027 10 10 10 17	NM_0045 76	NM_0045 76	M30773
	1748	1752	1756	1760
	AAA419	1751 BAA033	1755 BAA033	P06705
	1747	1751	1755	1769
lable z	D14419	D14421	D14421	D14568

	Dual specificity mitogen-activated protein kinase kinase kinase kinase kinase kinase ti (MAP kinase ti) (MAPKK 1) (ERK activator kinase ti) (MAPKERK kinase ti) (MEK1).	"Myosin regulatory light chain 2-B, smooth muscle isoform (MyosinRLC- B)."		Gila-activating factor precursor (GAF) (Fibroblast growth factor- 9)(FGF-9) (HBGF-9).
				Secreted.
	D14591 RATMEK1 Rat mRNA for MAP kinase kinase, complete cds	D14688 RATMRLC Rattus norvegicus mRNA for myosin regulatory light chain, complete cds	D14819 RATCBPP23B Rat mRNA for calcium-binding protein P23k beta, partial cds	D14839 Rat mRNA for FGF-9, complete cds /cds=(177,803) /gb=D14839 /g⊨391852 /ug=Rn.25174 /len=1084
•				
	93.33 Mitogen activated protein knase knase 2	myosin regulatory light chain	Rat mRNA for calclumblinding protein P23k beta, partial cds	Fibroblast growth factor 9
	85.33	2	. 26	88
•	1766	<del>-</del>	1772	1776
•	Q02750	XP_041 677	NP_067 341	P31371
•	1765		1771	1776
•	1764 BI549938	XM_04167	NM_0162 57	NM_0020 10
		1768	1770	1774
•	D14591 1763 Q01986	P18666	BAA035 57	P36364
•	1763	1767	1769	1773
	D14591	D14688	D14819	D14839

<b>Table 2</b> D16302 D16308	1781	D16302   1777   Q09325   D16308   1781   BAA038	1778	D16302     1777     Q09325     1778     NM_0024       D16308     1781     BAA038     1782     NM_0017	, , , , , , , , , , , , , , , , , , , ,	P26572	1780	28	N- acetylglucosa minyltransfera se I cyclin D2	<u> </u>	D16302 Rat mRNA for N- acetyglucosamlryftransferase I, complete cds membrane fuds=(157,1500) /gb=D16302 /gl=455397 fug=Rn.2712 /len=2546 D16308 RATCLND2 Rat mRNA for cyclin D2,		"Alpha-1,3- mannosyl- glycoprotein beta-1,2-N- acetylglucosami nyitransferase (EC 2.4.1.101) (N-glycosyl- oligosaccharide- glycoprotein N- acetylglucosami nyitransferase I) (GICNAC-I)."	
		15	į	62			į			8 6	complete cds			
D16309	1785	1785 BAA038 16	1786	NM_0017 60		P30281	1788		Cyain D3	ğά	D16309 RATCLND3 Rat mRNA for cyclin D3, complete cds			
D16309	1789	1789 BAA038 16	1790	NM_0017 60		P30281	1792	8	Cyclin D3	άğ	D16309 RATCLND3 Rat mRNA for cyclin D3, complete cds			
D16309	1783	D16309 1783 BAA038	1794	NM_0017 60	1795	P30281	1786	8	Cyclin D3	<u>g</u> <u>a</u>	D16309 RATCLND3 Rat mRNA for cyclin D3, complete cds			
D16309	1797	D16309 1797 BAA038	1798	NM_0017 60	1799	P30281	1800	8	Cyclin D3	<u>8</u>	D16309 RATCLND3 Rat mRNA for cyclin D3, complete cds	• ,		
D16817	1801	D16817 1801 P35400	1802	X94552	1803	Q14831	1804	94.34	Metabotropic glutamate receptor mGluR7	2 5	D16817 RATMGRM Rat mRNA for II metabotropic glutamate receptor mGluR7 II	Integral membrane protein.	Metabotropic glutamate receptor 7 precursor (mGluR7).	

	- 6 5 5	פֿיַ		
	3-aipha- hydroxysteroid dehydrogenase (EC 1.1.1.50) (3- aipha- HSD)(Hydroxypr ostagiandin dehydrogenase)	Cytoplasmic. Cystathionine gamma-yase (EC 4.4.1.1) (Gamma-cystathionase)(Probasin-related antigen) (PRB-RA).		Cytoplasmic 14-3-3 protein tau (14-3-3 protein theta).
	Cytopiasmic.	Cytoplasmic.		Cytoplasmic.
	D17310 RATS3AD Rat mRNA for steroid 3- Cytoplasmic. 3-alpha-alpha-dehydrogenase, complete cds hydroxys dehydrog (EC 1.1.1 alpha-hydrogenase) hydroxys (EC 1.1.1 alpha-hydrogenase) hydroxys (EC 1.1.1 alpha-hydrogenase) hydroxys (EC 1.1.1 alpha-hydrogenase) hydrogenase hyd	D17370 RATCGL Rat mRNA for cystathlonine gamma-lyase, complete cds	D17521 RATCLC3 Rat mRNA for protein Kinase C-regulated chloride channel, complete cds	D17614 Rat mRNA for 14-3-3 protein theta- subtype, complete cds /cds=(85,822) /gb=D17614 /gl=402508 /ug=Rn.2502 /len=2099
	94.39 Steroid 3- alpha- dehydrogenas e	84.51 CTL target antigen	Protein kinase C-regulated chloride channel	14-3-3 protein theta-subtype
	8.5. 6.	15.54	8	66
	1808	1812	1816	1820
	BAA995 42	P32929	NP_001 820	P27348
	1807	1811	1815	1819
	1806 NM_0143	S52028	NM_0018 29	NM_0068 26
	808	1810	1814	1818
	D17310 1805 P23457	D17370 1809 P18757	1813 BAA044 71	D17614 1817 P35216
	1805	1809	1813	1817
Table 2.	D17310	D17370	D17521	D17614

CYTOPLAS Heterogeneous MIC AND nuclear NUCLEOPLA; ribonucleoprotei NUCLEOPLA n K (hnRNP K) (DC-controlle) (CSBP) (Transformation upragulated nuclear protein)(TUNP).	CYTOPLAS Heterogeneous MIC AND nuclear ibonucleoprotei NUCLEOPLA n K (hnRNP K) CDC. Stretchbinding protein) (CSBP) (Transformation upregulated nuclear protein)(TUNP).	CYTOPLAS Heterogeneous MIC AND nuclear rhonucleoprotel NUCLEOPLA in K (hnRNP K) (DC-stretchbinding protein) (CSBP) (Transformation upregulated nuclear protein)(TUNP).
CYTOPLAS MIC AND NUCLEAR; NUCLEOPLA SM.	CYTOPLAS MIC AND NUCLEAR; NUCLEOPLA SM.	CYTOPLAS MIC AND NUCLEAR; NUCLEOPLA SM.
D17711cds RATCSBP Rat mRNA for dCstretch binding protein (CSBP), complete cds	D17711cds RATCSBP Rat mRNA for dC-stretch binding protein (CSBP), complete cds	D17711cds RATCSBP Rat mRNA for dCstretch binding protein (CSBP), complete cds
		AA799582
Rattus norvegicus mRNA for dC- stretch binding protein (CSBP), complets cds	Rattus norvegicus mRNA for dC- stretch binding protain (CSBP), complete cds	dC-stretch binding protein (CSBP)
96.75	98.75	96.75
1824	1828	1832
P54296	P54296	P54296
1823	1827	1831
1822 BF930538	BF930538	BF930538
	1826	1830
D17711 1821 Q07244	1825 Q07244	Q07244
1821		1829
117710	117711	01771

Phosphatidylino sitol transfer protein bata isoform (Ptdins transferprotein beta) (Pt-ITP-bata).	Retinoblastoma- associated protein (PP105) (RB) (Fragment).	Retinoblastoma- associated protein (PP105) (RB) (Fragment).
Cytopiasmic	Nuclear.	Nuclear.
D21132 Rat mRNA for phosphatidylinositol transfer protein (beta isoform), complete cds /cds=(24,839) /gb=D21132 /gi=516831 /ug=Rn.2399 /len=2680	D21869 RATPFKM04 Rat mRNA for PKF-M (phosphofructokinase-M), partial cds D25233cds RATRP Rat mRNA for retinoblastoma protein, partial sequence	D25233cds RATRP Rat mRNA for retinoblastoma protein, partial sequence
AA998446	NM_03171	· 
phosphatidylin osttol transfer protein	PKF-M (phosphofruct okinase-M) Rattus norvegicus mRNA for retinoblastom a protein,	sequence retinoblastom a 1
ω σ	89. 36 34	89.34
1840	1848	1852
P48739	P08237	P06400
1839	1843	1851
NM_0123	BC007798	L41870
1838	1842	1850
P53812	NP_113 903 P33568	1849 P33568
1837		1849
D21132	D2(869 D26233	D25233
	1837 P53812 1838 NM_0123 1839 P48739 1840 98 phosphatidylin AA998446 D21132 Rat mRNA for phosphatidylinositol Cytoplasmic. 99	1837 P53812 1838 NM_0123 1839 P48739 1840 98 phosphetidylin AA998446 D21132 Rat mRNA for phosphetidylinositol complete cds protein (para beform), complete cds cds=(24,839) /gb=D21132 /gi=518831

<del>-</del>	<del></del>	<del></del>		· .		··
Retinoblastoma- associated protein (PP105) (RB) (Fragment).	Retinoblastoma- associated protein (PP105) (RB) (Fragment).	Retinoblastoma- associated protein (PP105) (RB) (Fragment).	Retinoblastoma- associated protein (PP105) (RB) (Fragment).			
Nuclear.	Nuclear.	Nuclear.	Nuclear.	-		
D25233UTR#1 RATRP Rat mRNA for retinoblastoma protein, partial sequence	D25333UTR#1 RATRP Rat mRNA for retinoblastoma protein, partial sequence	D25233UTR#1 RATRP Rat mRNA for refinoblastoma protein, partial sequence	D25233UTR#1 RATRP Rat mRNA for retinoblastoma protein, partial sequence	D25543 RATGCP60 Rat mRNA for novel golgi-associated protein GCP360, complete cds	D25543 RATGCP60 Rat mRNA for novel golgLessociated protein GCP360, complete cds	phosphoribosy/A4891871 D26073 RATPSAP Rat mRNA for phosphoribosylpyrophosphate synthetase-e synthetase-associated protein (39KDa) associated protein (39KDa) kDa)
						AA891871
89.34 Rattus norvegicus mRNA for retirioblastom a protein, partial sequence	retinoblastom a 1	Rattus norvegicus mRNA for retinoblastom a protein, partial	retinoblastom a 1	Novel golgi- associated protein GCP360	Novel golgi- associated protein GCP360	phosphoribosy lpyrophosphat e synthetase- associated protein (39 KDa)
89.34	89.34	89.34	89.34	28	29	8
1856	1860	1864	1868	1872	1876	
P06400	P06400	P06400	P06400	CAA530 52	CAA530 52	XP_008 138
1855	1859	1863	1867	1871	1875	
1854 [241870	L41870	L41870	L41870	X75304	X75304	8 8
	1858	1862	1866	1870	1874	1878
1853 P33568	P33568	1861 P33568	P33568	BAA050 26	BAA050 26	BAA050 68
	1857	1861	1865	1869	1873	1877
D25233	D25233	D25233	D26233	D25543	D25543	D26073

D26073 RATPSAP Rat mRNA for phosphoribosylpyrophosphate synthetase-associated protein (39kDa)	D28154cds RATRB109 Rat mRNA for RB109 (brain specific protein), complete cds	D26154cds RATRB109 Rat mRNA for RB109 (brain specific protein), complete cds	D26154UTR#1 RATRB109 Rat mRNA for RB109 (brain specific protein), complete cds	D26154UTR#1 RATRB109 Rat mRNA for RB109 (brain specific protein), complete cds	D26154UTR#1 RATRB109 Rat mRNA for RB109 (brain specific protein), complete cds	D28154UTR#1 RATRB109 Rat mRNA for RB109 (brain specific protein), complete cds	D26178 Rat heart mRNA serine/threonine protein kinase, complete cds /cds=(295,2185) /gb=D26178 /gp=1127035 /ug=Rn.3750 /len=2350
AA891871							
phosphoribosy ipyrophosphat e synthetase- associated protein (39 kDa)	RB109 (brain specific protein)	RB109 (brain specific protein)	RB109 (brain specific protein)	RB109 (brain specific protein)	RB109 (brain specific protein)	RB109 (brain specific protein)	serine/threoni ne protein kinase
85	82	82	82	82	82	82	62
						-	1896
XP_008	XP_032 627	XP_032 627	XP_032 627	XP_032 627	XP_032 627	XP_032 627	NP_055 735
							1895
8 8	XM_03262 7	XM_03262 7	XM_03262 7	XM_03262 7	XM_03262 7	XM_03262 7	NM_0149 20
1880	1882	1884	1886	1888	1890	1892	1894
BAA050 68	BAA051 41	BAA051 41	BAA051 41	BAA051 41	BAA051 41	BAA051 41	1893 BAA051 66
1879	1881	1883	1885	1887	1889	1891	1893
D26073	D26154	D26154	D26154	D26154	D26154	D26154	D26178
	phosphoribosy AA891871 ipyrophosphat e synthetase- associated protein (39 kDa)	1882 XM_03262 XM_0326	1882 XM_03262 XM_0326	1882 XM_03262 XP_032 RB 1982 phosphoribosy AA891871  1884 XM_03262 XP_032 RB 109 (brain protein)  1886 XM_03262 XP_032 RB 109 (brain protein)	1882 XM_03262 XP_032 RB 1970phoribosy AA891871  1884 XM_03262 XP_032 RB 109 (brain protein)  1886 XM_03262 XP_032 RB 109 (brain protein)  1888 XM_03262 XP_032 RB 109 (brain protein)	1880 XM_00813 XP_008 92 phosphoribosy AA891871  1862 XM_03262 XP_032 82 RB109 (brain 529 protein)  1884 XM_03262 XP_032 82 RB109 (brain 527 protein)  1886 XM_03262 XP_032 82 RB109 (brain 527 protein)  1888 XM_03262 XP_032 82 RB109 (brain 527 protein)  1888 XM_03262 XP_032 82 RB109 (brain 527 protein)  1890 XM_03262 XP_032 82 RB109 (brain 527 protein)	1880 XM_00813 XP_008 92 phosphoribosy AA891871  1882 XM_03262 XP_032 82 RB109 (brain 529 protein)  1884 XM_03262 XP_032 82 RB109 (brain 527 protein)  1886 XM_03262 XP_032 82 RB109 (brain 527 protein)  1888 XM_03262 XP_032 82 RB109 (brain 527 protein)  1890 XM_03262 XP_032 82 RB109 (brain 527 protein)  1890 XM_03262 XP_032 82 RB109 (brain 527 protein)  1891 XM_03262 XP_032 82 RB109 (brain 527 protein)  1892 XM_03262 XP_032 82 RB109 (brain 527 protein)

Cytoplasmic.   Protein kinase C   Ilke 1 (EC 2.7.1) (Protein-kinase C-related kinase 1) (Protein kinase C-like PKN) (Serine-threonine protein kinase protein kinase N)(Protease-activated kinase 1) (PAK-1).		Synaptotagmin III (Sytili).	DNA-binding protein A (Cold shock domain protein A) (Muscle Y- boxprotein YB2) (Y-box binding protein-A) (RYB- A).	Endothelin- converting enzyme 1 (EC 3.4.24.71) (ECE- 1).
Oytoplasmic.		Integral membrane protein. Synaptic vesicies.	Nuclear.	Type II membrane protein.
D26180 Rat mRNA for novel protein kinase PKN, complete cds /cds=(125,2865) /gb=D26180 /gj=485401 /ug=Rn.10071 /len=3035	D26500 RATDLP9A Rat mRNA for dynein- like protein 9A, partial cds	D28512 RATSIII Rat mRNA for Synaptotagmin III, complete cds	D28557 Rat mRNA for RYB-a, complete cds /cds=(50,925) /gb=D28557 /gl=505132 /ug=Rn.3306 /len=1500	D29683 Rat mRNA for endothelin-converting enzyme, complete cds /cds=(96,2360) /gb=D29683 /gi=529084 /ug=Rn.7000 /len=4469
				AA956930
kinase PKN	Dynein-like protein 9A, partial cds	Synaptotagmi n III	RYB-a	endothelin- converting enzyme
82	80	87.74	86.92	89.92
1900	1904	1908	1912	1916
XP_031 273	QBNYC9	Q9BQG 1	P20618	P42892
1899	1903	1907	1911	1915
1898 XM_03127	NM_0013 72	AL136594	BE122757	235307
1898	1902	1908	1910	1914
Q63433	BAA055 08	1905 P40748	Q62764	1913 P42893
1897	1901	1905	1909	1913
D26180 1897 Q63433	D26500	D28512	D28557	D29683

CRK-associated substrate (P130CAS) (Breast cancer anti-estrogenresista noe 1 protein).	CRK-associated substrate (P130CAS) (Breast cancer anti-estrogenresista nce 1 protein).
FOCAL CRK-asses ADHESIONS substrate AND STRESS (Breast or FIBERS. anti- UNPHOSPH estrogent ORYLATED nos 1 pro FORM LOCALIZES IN THE CYTOPILAS M AND CAN MOVE TO THE MEMBRANE UPON TYROSINE PHOSPHOR	FOCAL CRK-asse ADHESIONS substrate AND (P130CA/ STRESS (Breast or FIBERS. UNPHOSPH estrogent ORYLATED noe 1 pro FORM LOCALIZES IN THE CYTOPLAS M AND CAN MOVE TO THE MEMBRANE UPON TYROSINE PHOSPHOR YLATION.
D29766cds#1 RATP130CAS Rattus norvegicus mRNA for Crk-associated substrate, p130, complete cds	D29766Poly_ASite#1 RATP130CAS Rattus norvegicus mRNA for Crk-associated substrate, p130, complete cds
	· · · · · · · · · · · · · · · · · · ·
V-crk- associated tyrosine kinase substrate	V-crk- associated tyrosine kinase substrate
2	2
1920	1924
P56945	P56945
910	1923
1918 AJ242987	AJ242987
8	1922
Q63767	Q63767
1917	1921
D29766 1917 Q63767	D29766

Heat-shock 20 kDa like-protein P20.	"RAC-beta serine/threonine protein kinase (EC 2.7.1-) (RAC-PK-beta)(Protein kinase Akt-2) (Protein kinase B, beta)."	"Acyl-CoA dehydrogenase, very-long-chain specific, mitochondrialpr ecursor (EC 1.3.98) (VLCAD)."						· · · · · · · · · · · · · · · · · · ·
Heat- KDa II P20.	"RAC-beta serine/thre protein kin (EC 2.7.1. (RAC-PK- beta)(Protein kinase Akt (Protein ki B, beta) (F	"Acyl-Co dehydrog very-long specific, mitochor ecursor ( 1.3.98) (VLCAD)						
		Mitochondrial "Acyl-CoA linner dehydroge membrane. very-long-capecific, mitochond ecursor (Ei 1.3.99)."						
D29960 Rat mRNA for alphaB crystallin- related protein, complete cds /cds=(5,493) /gb=D29960 /gl=1753175 /ug=Rn.3201 /len=1310	D30041 Rat mRNA for RAC protein kinase beta, complete cds /cds=(281,1726) /gb=D30041 /gi=485404 /ug=Rn.4293 /len=1984	D30647 Rat mRNA for very-long-chain Acyl- CoA dehydrogenase, complete cds /cds=(21,1988) /gb=D30647 /gl=533356 /ug=Rn.10279 /len=2102	D30649mRNA RATPDIB Rat mRNA for phosphodiesterase I, complete cds	D30649mRNA RATPDIB Rat mRNA for phosphodiesterase I, complete cds	D30734 RATGAP1M Rat mRNA for Ras GTPase-activating protein, complete cds	D30739 RAT1433PA Rat 14-3-3 protein mRNA for mitochondrial import stimulation factor (MSF) L subunit, complete cds	D30804 RATPSRC6I Rat mRNA for proteasome subunit RC6-1, complete cds	D30804 RATPSRC6I Rat mRNA for proteasome subunit RC6-1, complete cds
Al103838								_
aiphaB crystallin- related protein	RAC protein kinase beta	Acyl-Coa dehydrogenas e, Very long chalin	Phosphodiest erase I	Phosphodiest erase l	Ras GTPase- activating protein	mitochondrial import stimulation factor (MSF) L subunit	Proteasome subunit RC6-1	Proteasome subunit RC6-1
8	92.46	93.4	86.75	86.75	8	66	92	92
1928	1832	938	1940	1944	1948	1952	1956	1980
P02511	P31751	014641	AAC518	AAC518	Q15283	P29312	014818	014818
1927	1831	1935	1939	1943	1947	1951	1955	1959
NM_0018 85	AK054771	AF006012	AF005632	AF005632	D78155	NM_0034 06	NM_0027 92	NM_0027 92
1926	1830	1934	1938	1942	1946	1950	1954	1958
P97541	P47197	1933 P45953	BAA063	1941 BAA063	1945 BAA063 98	1949 BAA064 01	BAA064 63	1957 BAA064 63
1925	1929	1933	1937	<u>\$</u>	1945	1949	1953	1857
D29960 1925 P97541	D30041	D30647	D30649	D30649	D30734	D30739	D30804	D30804

D30804	1962 NM_0027	1962 NM_0027		#	1963	014818	1964	92	Proteasome		D30804 RATPSRC6I Rat mRNA for	_	
95	95	95					<u></u>	w	subunit RC6-1	<u>u</u> .	proteasome subunit RC6-1, complete cds		r
D30804 1965 BAA064 1966 NM_0027 1967 O14818 1968 95 P	BAA064 1966 NM_0027 1967 O14818 1968 95	1966 NM_0027 1967 O14818 1968 95	NM_0027 1967 O14818 1968 95 92	014818 1968 95	1968 95	28		0. 5	Proteasome subunit RC6-1	u_	D30804 RATPSRC6I Rat mRNA for proteasome subunit RC6-1, complete cds		•
D31873 1969 P53669 1970 NM_0167 1971 P53667 1972 88.55 Lil	P53669 1970 NM_0167 1971 P53667 1972 88.55	NM_0167 1971 P53667 1972 88.55 35	1971 P53667 1972 88.55	P53667 1972 88.55	1972 88.55	88.55		<u> </u>	LIM-domain containing, protein kinase		D31873 Rat mRNA for LIMK-1, complete cds Cytoplasmic . LIM domain //cds=(208,2151) /gb=D31873 /gi=1684611 /ug=Rn.11250 /len=3258 /ug=Rn.11250 /ug=R	Cytoplasmic.	LIM domain kinase 1 (EC 2.7.1.37) (LIMK- 1).
D31873 1973 P53669 1974 NM_0167 1975 P53667 1976 88.55 U.	P53669 1974 NM_0167 1975 P53667 1976 88.55	NM_0167 1975 P53667 1976 88.55	1975 P53667 1976 88.55	P53667 1976 88.55	1976 88.55	88.55		<u> </u>	LIM-domain containing, protein kinase		D31873 Rat mRNA for LIMK-1, complete cds   Cytoplasmic . LIM domain   Code=(208,2161) /gb=D31873 /gl=1684611   Code=Rn.11250 /len=3258   Code   Code	Cytoplasmic .	LIM domain kinase 1 (EC 2.7.1.37) (LIMK- 1).
D31873 1977 P53669 1978 NM_0167 1979 P53667 1980 88.55 LIN co	P53669 1978 NM_0167 1979 P53667 1980 88.55	NM_0167 1979 P53667 1980 88.55	1979 P53667 1980 88.55	P53667 1980 88.55	1980 88.55	88.55		585	LIM-domain containing, protein kinase		D31873 Rat mRNA for LIMK-1, complete cds Cytoplasmic . cds=(208,2151) /gb=D31873 /gi⊐1684611 /ug=Rn.11250 /len=3258	Cytoplasmic .	LIM domain kinase 1 (EC 2.7.1.37) (LIMK- 1).
D31873 1981 P53669 1982 NM_0167 1983 P53667 1984 88.55 LIM con 35	P53669 1982 NM_0167 1983 P53667 1984 88.55	NM_0167 1983 P53667 1984 88.55	1983 P53667 1984 88.55	P53667 1984 88.55	1984 88.55	88.55		388	LIM-domain containing, protein kinase		D31873 Rat mRNA for LIMK-1, complete cds Cytoplasmic.  LIM domain   cds=(208,2151) /gb=D31873 /gi=1684611   2.7.1.37) (Li   2.7.1.37) (Li   2.7.1.37) (Li   1.250 /ien=3258	Cytoplasmic .	LIM domain kinase 1 (EC 2.7.1.37) (LIMK- 1).
D31873 1985 P53669 1986 NM_0167 1987 P53667 1988 88.56 LIM-conf	P53669 1986 NM_0167 1987 P53667 1988 88.55	NM_0167 1987 P53667 1988 88.55	NM_0167 1987 P53667 1988 88.55	P53667 1988 88.55	1988 88.55	88.55		1 8 g	LIM-domain containing, protein kinase		D31873 Rat mRNA for LIMK-1, complete cds   Cytoplasmic   LIM domain   cds=(208,2151) /gb=D31873 /gi=1684611   cm=3258   cm=325	Cytoplasmic .	LIM domain kinase 1 (EC 2.7.1.37) (LIMK- 1).
D31673 1989 P53669 1990 NM_0167 1991 P53667 1992 88.55 LIM-cont	1990 NM_0167 1991 P53667 1992 88.55	NM_0167 1991 P53667 1992 88.55	1991 P53667 1992 88.55	P53667 1992 88.55	1992 88.55	88.55		Pag El	LIM-domain containing, protein kinase		D31873 Rat mRNA for LIMK-1, complete cds   Cytoplasmic . LIM domain   Cods=(208,2151) /gb=D31873 /gi=1684611   Liminase 1 (EC   Liminase 1 (EC	Cytoplasmic.	LIM domain kinase 1 (EC 2.7.1.37) (LIMK- 1).
D31674 1983 P53670 1994 BC013051 1985 P53671 1996 91.03 LIM oontide to be a second of the second of	1894 BC013051 1885 P53671 1986 91.03	BC013051 1995 P53671 1996 91.03	1995 P53671 1996 91.03	P53671 1996 91.03	1996 91.03	91.03	91.03 LIM a confi	2 pote	LIM motif- containing protein kinase 2		D31874 Rat mRNA for LIMK-2a, complete cds /cds=(62,1978) /gb=D31874 /gi=1684612 /ug=Rn.11013 /len=3455	Cytoplasmic _LIM domain kinase 2 (EC 2.7.1) (LIM	LIM domain kinase 2 (EC 2.7.1) (LIMK- 2).
D32249 1997 BAA069 1998 AB007898 1999 XP_003 2000 93.33 Neurr 693 atton association and a second and a second association and a second a second and a second a second and a second an	BAA069 1998 AB007898 1999 XP_003 2000 93.33 79 693	1998 AB007898 1999 XP_003 2000 93.33 693	AB007898 1999 XP_003 2000 93.33 693	XP_003 2000 93.33 693	2000 93.33	93.33		Neur ation asso prote	Neurodegener E13644 ation associated protein 1.		D32249 RATNDAP1 Rattus rattus mRNA for neurodegeneration associated protein 1, complete cds		

anie 4	j												,
D32249	2001	D32249 2001 BAA068		2002 AB007898	2003	XP_003 693	2004	93.33	93.33 Neurodegener E13644 atlon associated protein 1		D32249 RATNDAP1 Rattus rattus mRNA for neurodegeneration associated protein 1, complete cds		
032249	2005	BAA069 78	2006	AB007898	2007	XP_003 693	2008	83.33	Neurodegener E13644 atton associated protein 1		D32249 RATNDAP1 Rattus rattus mRNA for neurodegeneration associated protein 1, complete cds		
D37880	2009	P55146	2010	U02566	2011	Q06418	2012		Bruton agammaglobu Ilnemla tyrosine kinase		D37880 Rat mRNA for Sky, complete cds /cds=(25,2667) /gb=D37880 /gl=1498195 /ug=Rn.8883 /len=3726	Type i membrane protein.	Tyrosine-protein kinase receptor TYRO3 precursor (EC 2.7.1.112)(Tyros ine-protein kinase SKY).
D38222	2013	g10548 35	2014	L18983	2015	Q16849	2016	<b>&amp;</b> .	Rattus norvegicus tyrosine phosphatase- ilke protein IA- 2a mRNA, partlal cds		D38222 RATPDPTPLP Rat mRNA for protein tyrosine phosphatase-like protein, complete cds		
D38455		2017 P50343	2018	XM_01810 4	2019	XP_018 104	2020	75	Mast cell tryptase precursor		D38455 Rat mRNA for mast cell tryptase precursor, complete cds /cds=(25,849) /gb=D38455 /gi=556555 /ug=Rn.10183 /len=1097		Mast cell protease 6 precursor (EC 3.4.21.59) (RMCP-6) (Tryptase).
D38492	2021	Q63198	2022	XM_03871 9		XP_038 719		95	neural adhesion molecule F3		D38492 Rat mRNA for neural adhesion molecule F3, complete cds /cds=(134,3199) /gb=D38492 /gi=1498193 /ug=Rn.21397 /len=3214	Attached to the membrane by a GPI-anchor.	Contactin precursor (Neural adhesion molecule F3).
D38629	2023	P70478	2024	XM_04383 3		XP_043 933		75	APC protein (adenomatos) s polyposis coll)	L19306	D38629 Rat mRNA for APC protein, complete cds /cds=(53,8581) /gb=D38629 /gi≕928855 /ug=Rn.11351 /len=8582		Adenomatous polyposis coll protein (APC protein).
D42116	3 2025	D42116 2025 BAA225	2026	X05309	2027	P17927	2028	98	512 antigen 🏻 📔	D42115	D42116 Rattus norvegicus mRNA for 512 antigen, clone 17, partial cds		

					"Lanosterol synthase (EC 5.4.99.7) (Oxidosqualene-lanosterol cyclase)(2,3-epoxysqualene-lanosterol cyclase) (OSC)."
D42116 Rattus norvegicus mRNA for 512 antigen, clone 17, partial cds	D42137exon RATAV11 Rat annexin V gene, exon13	D44481 RATCRKII Rat mRNA for CRK-II, complete cds	D45249 RATPRPA28B Rat mRNA for proteasome activator rPA28 subunit alpha, complete cds	D45249 RATPRPA28B Rat mRNA for proteasome activator rPA28 subunit alpha, complete cds	D45252 RAT23OLC Rat mRNA for 2,3- oxidosqualene:lanosterol cyclase, complete cds
D42115					E12276
512 antigen	Annexin	CRK-II	Rat mRNA for proteasome activator rPA28 subunit alpha, complete cds	Rat mRNA for proteasome activator rPA28 subunit alpha, complete cds	oxidosqualene E12275 lanosterol- cyclase
စ္က	26	85	8	8	83
2032	2036	2040	2044	2048	2062
P17927	P08758	P46108	Q06323	Q06323	P48449
2031	2035	2039	2043	2047	2051
X05309	NM_0011	BC008506	NM_0062 63	NM_0062 63	NM_0023 40
2030	2034	2038	2042	2046	2050
D42116 2029 BAA225 2030 X05309	BAA077	D44481 2037 BAA079	2041 BAA082 06	D45249 2045 BAA082 06	D45252 2049 P48450
2029	2033	2037	2041	2045	2048
D42116	D42137	D44481	D45249	D45249	D45252

				<del></del>	
"Lanosterol synthase (EC 5.4.99.7) (Oxidosqualenelanosterol cyclase)(2,3-epoxysqualenelanosterol cyclase) (OSC)."	Cellular nuclelc acid binding protein (CNBP).	"CYTOPLAS Cellular nuclator MIC, ALSO acid binding PRESENT IN protein (CNBP). ENDOPLAS MIC RETICULUM			
	"CYTOPLAS MIC, ALSO PRESENT IN ENDOPLAS MIC RETICULUM	"CYTOPLAS MIC, ALSO PRESENT IN ENDOPLAS MIC RETICULUM			
D45252 RAT23OLC Rat mRNA for 2,3- oxdosqualene:lanosterol cyclase, complete cds	D45254 RATCNABP Rat mRNA for cellular "CYTOPLA nucleic acid binding protein (CNBP), complete MIC, ALSO cds cds ENDOPLAS MIC RETICULUI	D45254 RATCNABP Rat mRNA for cellular "CYTOPLA nucleic acid binding protein (CNBP), complete MiC, ALSO cds ENDOPLAS ENDOPLAS MIC RETICULUI	D45255 Rattus sp. mRNA for GD3 synthase, complete cds	D45920 Rat mRNA for 130kDa-Ins(1,4,5)P3 binding protein, complete cds /cds≕(468,3755) /gb=D45920 /gi⊨1183843 /ug=Rn.10884 /ien=5233	D45920 Rat mRNA for 130kDa-Ins(1,4,5)P3 binding protein, complets cds /cds=(466,3756) /gb=D45920 /gl=1183843 /ug=Rn.10684 /len=5233
				N072447	
2,3- oxidosqualene :lanosterol cyclase	Cellular Nucleic Acid Binding Protein	Cellular Nucleic Acid Binding Protein	GD3 synthase, complete cds	Rat mRNA for AI072447 130kDa- Ins(1,4,5)P3 binding protein, complete cds	130kDa- Ins(1,4,5)P3 binding protein
82	29	2	06	89. 66	89.
2056	2060	2064		2070	2074
P48449	P20694	P20894	XP_046 272	NP_006 217	NP_006 217
2055	2059	2063		2069	2073
NM_0023 40	NM_0034	NM_0034 18	XM_04627 2	D42108	D42108
2054	2058	2062	2066	2068	2072
D46262 2063 P48450	P20694	P20694	BAA082	BAA083 51	BAA083 51
2053	2057	2061	2065	2067	2071
D45252	D45254	D45254	D45255	D45920	D45920

						Leptin pracursor (Obesity factor).	Arginine/serine- rich splicing factor 10 (Transformer-2- beta) (HTRA2- beta) (Transformer 2- protein homolog) (Silica- induced protein 41)(RA301).
						Secreted.	Nuclear.
D45920 Rat mRNA for 130kDa-Ins(1,4,5)P3 binding protein, complete cds	/dg=Rn.10684 /len=5233	D45920 Rat mRNA for 130kDa-Ins(1,4,5)P3 binding protein, complete cds /cds=(466,3756) /gb=D45920 /gl=1183843 /ug=Rn.10684 /len=5233	D49363 RATPSP1 Rat mRNA for perchrolic acid soluble protein, complete cds	D49395 RATS5HT3RB Rat mRNA for serotonin 5-HT3 receptor, complete cds	D49446 RATTFIIDSP Rat mRNA for TFIID subunit p80, complete cds	D49653 RATOBESE Rat mRNA for obese(leptin), complete cds	AA851749 D49708 Rattus norvegicus mRNA for RNA binding protein (transformer-2-like), complete cds /cds=(135,1001) /gb=D49708 /gi=1255682 /ug=Rn.8538 /len=1978
E12159					070270		
130kDa- Ins(1,4,5)Р3	binding protein (phospholipas e C)	130kDa- Ins(1,4,5)P3 binding protein	perchrolic acid soluble protein	Serotonin 5- HT3 receptor	TFIID subunit p80 (general transcription	factor) Obesity (murine homolog,	RNA binding protein (transformer-2-like)
89.8	-	89.8	87	82	92	85.22	92.3
2078	·	2082	2086	2080	2094	2098	2102
NP_006 217		NP_006 217	AAK019 39	P46098	P49848	P41159	Q15815
2077		2081	2085	2089	2083	2097	2101
D42108		D42108	AY026764	NM_0008	U31659	U18915	BC000451
2076		2080	2084	2088	2092	2096	2100
BAA083 51		BAA083 51	BAA083 59	BAA083	2091 BAA084 35	P50596	Q15815
2075		2079	2083	2087	2091	2095 P50598	5088
D45920 2075 BAA083 2076 D42108		D45920	D49363	D49395	D49446	D49653	D49708

Arginine/serine- rich spilcing factor 10 (Transformer-2- beta) (Transformer 2 protein homolog) (Silica- induced protein 41)(RA301).	Mitogen- activated protein kinase kinase kinase 12 (EC 2.7.1.37)(MAPK- upstream kinase) (MUK).	Growth factor receptor-bound protein 2 (GRB2 adapter 3 adapter GRB2) (ASH protein).	
Nuclear.	Cytoplasmic and membrane- associated .		
D49708 Rattus norvegicus mRNA for RNA binding protein (transformer-2-like), complete cds /cds=(135,1001) /gb=D49708 /gi=1255682 /ug=Rn.8538 /len=1978	D49785 RATPK Rattus norvegicus mRNA for Cytoplasmic protein kinase (MUK), complete cds and membrane-associated.	D49847 Rat mRNA for Ash-e, complete cds /cds=(144,323) /gb=D49847 /gl=914960 /ug=Rn.3360 /len=1739	D50093 Rat DNA for prion protein /cds=(10,774) /gb=D50093 /gi=1772326 /ug=Rn.3936 /len=1997
Al231164			
Rattus norvegicus mRNA for RNA binding protein (transformer-2- ilke), complete	Protein kinase (MUK)	Rat mRNA for Ash-s, complete cds	Prion protein
92.3	92.52	93.36	59
2106	2110	4114	2118
Q15815	Q12852	P29354	P04156
2105	2109	2113 13	2117
2104 BC000451	U07358	BC000631	AY008282
96	2108	2112	2116
Q15815	2107 Q63796	2111 P28354	BAA087 90
2103			2115
D49708 2103 Q15815	D49785	D49847	D50093

_					<del></del>
•	"Adrenodoxin, mitochondrial precursor (Adrenal ferredoxin)."	Mitochondrial "NADPH:adreno doxin oxidoreductase, oxidoreductase, mitochondrial precursor(EC 1.18.1.2) (Adrenodoxin reductase) (AR) (Ferredoxin-NADP(+) reductase)."	Monocarboxylat e transporter 1 (MCT 1).	Monocarboxylat e transporter 1 (MCT 1).	Phosphatidylino sitol 3-kinase regulatory alpha subunit (PI3-kinasep85-alpha subunit) (Ptdina-3-kinase p85-alpha) (Ptdina-alpha) (Ptdina-alpha) (Ptdina-alpha)
	Mitochondrial "Adrenodoxin, matrix. mitochondrial precursor (Adrenal ferredoxin)."	Mitochondrial matrb.	Integral membrane protein. Plasma membrane.	Integral membrane protein. Plasma membrane.	
	D50436 Rat mRNA for adrenodoxin, complete cds /cds≖(64,630) /gb=D50436 /g⊨801871 /ug=Rn.6946 /len=838	D63761 Rattus norvegicus mRNA for adranodoxin reductase, complete cds /cds=(22,1506) /gb=D63761 /gi=2665453 /ug=Rn.10860 /len=1786	D63834 Rat MCT1 mRNA for monocarboxylate transporter, complete cds //cds=(205,1689) /gb=D63834 /gi=1199781 /ug=Rn.6085 /len=3295	D63834 Rat MCT1 mRNA for monocarboxylate transporter, complete cds /cds=(205,1689) /gb=D63834 /gi=1199781 /ug=Rn.6085 /len=3295	D63886 Rattus sp. mRNA for MT3-MMP-del, complete cds D64045 RATPI3KA Rat mRNA for phosphatidylinositol 3-kinase p85 alpha subunit, complete cds
			. 8	<u>.</u> 5	<b>=</b> = 00
	83.99 adrenodoxin	Adrenodoxin reductase	Solute carrier 16 (monocarboxy) ic acid transporter), member 1	Solute carrier 16 (monocarboxyl ic acid transporter), member 1	MT3-MMP-del phosphatidylin ositoi 3-kinase p85 alpha subunit
	83.99	87.04	88.03	88.03	06 48
	2122	2126	2130	2134	2138
	P10109	P22570	P53985	P53985	P51512 XP_043 865
	2121	2125	2129	2133	2141
	2120 M18003	J03828	131801	131801	NM_0059 41 XM_04386 5
	2120	2124	2128	2132	2136
	D50436 2119 P24483	P56522	P53987	P53987	2135 BAA222 23 2139 Q83787
•	2118	2123	2127	2131	
lable 4.	D50436	D63761	D63834	D63834	D63886

The same transfer of	Priospinaudylino sitol 3-kinase regulatory bata subunit (P13- kinasep85-beta subunit) (Ptdins- 3-kinase p85- beta).		Nuclear factor 1 A-type (Nuclear factor 1/A) (NF1- A) (NF1-A) (NF- I/A)(CCAAT-box binding transcription factor) (CTF) (TGGCA- bindingprotein).		Calreticulin precursor (CRP55) (Calregulin) (HACBP) (ERp60) (CALBP)(Calclu m-binding protein 3) (CABP3).
_			Nuclear.		Endoplasmic rettculum lumen.
	D64046 Kar mkNv4 for pnosphatoryinositol 3- kinase p85 beta subunit, complete cds /cds=(0,2168) /gb=D64046 /gl=1246389 /ug=Rn.22497 /len=2169	D64050 Rat mRNA for tyrosine phosphatase CBPTP, complete cds /cds=(165,1772) /gb=D64050 /gi=1217597 /ug=Rn.6277 /len=2881	D78018 Rat mRNA for NFI-A2, complete ods cds=(150,1613) /gb=D78018 /gj=1041033 /ug=Rn.10550 /len=2129	D78303 Rattus norvegicus YT521 mRNA for RNA spilcing-related protein, complete cds /cds=(316,2454) /gb=D78303 /gb=2696610 /ug=Rn.2155 /len=3206	D78308 Rat mRNA for calretículin, complete cds /cds≖(15,1265)/gb=D78308 /gi=1089798 /ug=Rn.974 /len=1816
-					
	88.28 phosphatdylin ositol 3-kinase p86 beta subunit	tyrosine phosphatase CBPTP	Nuclear Factor IA	YT521 mRNA for RNA splicing- related protein	93.14 cairetículin
-	88.28	88.72	75	98.32	93.14
	2146	2150		2156	2160
	000459	NP_002 840	XP_046 826 826	Q15032	334 334
	245 8	2149		2155	2159
•	2144 X80907	U77917	6 6	BF798521	AA654394
•	44	2148	2152	2154	2158
•	263788	2147 BAA195	P08414	BAA238 85	2157 P18418
•	2143	2147	2151	2163	2157
	D64046 2143 Q63788	D64050	D78018	D78303	D78308

	Caireticulin precursor (CRP55) (Cairegulin) (HACBP) (ERp60) (CALBP)(Calclu m-binding protein 3)	"Diacylglycerol kinase, zeta (EC 2.7.1.107) (Diglyceride kinase) (DGK-zeta) (DAG kinase zeta) (DGK-IV) (104 kinase zeta) (DGK-IV) (104 kinase zeta) kinase zeta) kinase zeta) kinase zeta) kinase zeta) kinase zeta) kinase)."	"Diacylglycerol kinase, zeta (EC 2.7.1.107) (Diglyceride kinase) (DGK-zeta) (DAG kinase zeta) (DGK-IV) (104 kinase zeta) (DGK-IV) (104 kinase)."		
	Endoplasmic reficulum lumen.	Nuclear.	Nuclear.		
	D78308 Rat mRNA for calreticulin, complete Endoplasmic Galreticulin cds /cds=(15,1265) /gb=D78308 /gi=1089798 reticulum precursor (CRP55) /ug=Rn.974 /len=1816 (CAP55) (Calregulin) (HACBP) (Calregulin) (HACBP) (CALBP)(C) (CALBP)(C) m-binding protein 3) (CABP3).	D78588 Rat mRNA for diacylglycerol klnase, complete cds /cds≕(180,2869) /gb=D78588 /gj=1908781 /ug=Rn.11208 /len=3580	D76568 Rat mRNA for diacylglycerol kinase, complete cds /cds=(180,2969) /gb=D78588 /gi=1908781 /ug=Rn.11208 /len≕3560	D78613 RATPTPEB Rat mRNA for protein tyrosine phosphatase epsilon M, partial cds	D82074 RATBHF1MA Rattus sp. mRNA for BHF-1, complete cds
	2164 93.14 calrettculin	Diacy(glycerol kinase	Diacyfglycerol Klnase	protein tyrosine phosphatase epsilon M	BHF-1
	93.14	89.13	89.13	8	8
		2168	2172		2178
	NP_004 334	Q13574	Q13574	XP_005 781	XP_002 573
	2163	2167	2171		2177
	2162 AA654394	U51477	U51477	XM_00578 1	XM_00257
	2162	2166	2170	2174	2176
	D78308   2161   P18418	008560	008560	BAA114 33	2175 BAA115
•	2161	2165	2169	2173	2175
	D78308	D78588	D78588	D78613	D82074

_			
	CDP- diacylglycerol— linositol 3- phosphatidyltran sferase (EC 27.8.11(Phosp hatidylinositol synthase) (Ptdins synthase) (Pi synthase).	CDP- dlacylglycerol— inositol 3- phosphatidyltran sferase (EC 2.7.8.11)(Phosp hatidylinositol synthase) (Ptdins synthase).	
	INTEGRAL MEMBRANE PROTEIN. LOCATED ON THE CYTOPLAS MIC ASPECT OF THE ENDOPLAS MIC RETICULUM AND THE GOLG!; ALSO DETECTED IN PLASMA	INTEGRAL MEMBRANE PROTEIN. LOCATED ON THE CYTOPLAS MIC ASPECT OF THE ENDOPLAS MIC AND THE GOLGI; ALSO DETECTED IN PLASMA	
	D82928 Rat mRNA for phosphatidylinositol synthase, complete cds /cds=(142,783) /gb=D82928 /gi=1620878 /ug=Rn.10598 /len=1621	D82928 Rat mRNA for phosphatidylinositol synthase, complete cds /cds=(142,783) /gb⇒D82928 /gi=1620878 /ug=Rn.10598 /len=1621	D83538 Rat mRNA for 230kDa phosphatidylinositol 4-kinase, complete cds /cds=(391,6516) /gb=D83538 /gi=1339965 /ug=Rn.11015 /len=6857
			<u> </u>
	Rat mRNA for phosphatidylin ositol synthase, complete cds	Rat mRNA for phosphatidylin ositol synthase, complete cds	Phosphatidylin ositol 4-kinase
	ស 6	100 00	93.91
	2182	2186	2190
	014735	014735	P42356
	2181	2185	2189
	2180 AF014807	AF014807	AK024034
	2180	8	2188
	2179 P70500	P70500	BAA196
	2179	2183	2187
I dinia K.	D82928	D82928	D83538

	•			٠,								
D83538	2191	D83538 2191 BAA196	2192	2192 AK024034	2193	2193 P42356	2194	93.91	93.91 Phosphatidylin ositol 4-kinase	D83538 Rat mRNA for 230kDa phosphatidylinositol 4-kinase, complete cds /cds=(391,6516) /gb=D83538 /gi=1339965 /ug=Rn.11015 /len=6857		
D83538	2185	BAA186 14	2196	AK024034	2197	P42356	2198	93.91	Phosphatidylin ositol 4-kinase	D83538 Rat mRNA for 230kDa phosphatidylinositol 4-kinase, complete cds /cds=(391,6516) /gb=D83538 /gl=1339965 /ug=Rn.11015 /len≖6857		
D83538	2199	BAA196 14	2200	AK024034	2201	P42356	2202	93.91	Phosphatidylin osttol 4-kinase	D83538 Rat mRNA for 230kDa phosphatdylinositol 4-kinase, complete cds /cds=(391,6516) /gb=D83538 /gi=1339965 /ug=Rn.11015 /len=6857		
D83948		2203 P70501	2204	AK000962	2205	g146916 7	2206	93.27	S1-1 protein from liver	D83948mRNA Rat adult liver mRNA for S1-1 Nuclear. protein, complete cds /cds=UNKNOWN/gb=D83848 /gl=1865639 /ug=Rn.8822 /len=3123		RNA-binding protein 10 (RNA binding motif protein 10) (S1- 1 protein).
D84346	2207	P55161	2208	AB011159	2209	Q9Y2A7	2210	98.15	NCK- associated protein 1	D84346 RATNAP1P Rattus norvegicus mRNA for Nap1 protein, partial cds		Nck-associated protein 1 (NAP 1) (p125Nap1) (Membrane-associatedprotein HEM-2).
D84418		2211 P52925	2212	217240	2213	P26583	2214	91.27	High mobility group protein 2	D84418 Rat mRNA for chromosomal protein NIMG2, complete cds /cds=(74,706) /gb=D84418 /gi=1304192 /ug=Rn.2874 /len=1072	Nuclear.	High mobility group protein 2 (HMG-2).
D84667	2215	2215 BAA189 69	2216	AI205643	2217	AAC511 56	2218	92.91	Phosphatidylin ositoi 4-kinase	D84667 Rattus novegicus mRNA for phosphatidylinositoi 4-kinase, complete cds		
D85183		2219 BAA127 34	2220	NP_00463		NP_004 639	1222	29	SHPS-1	D85183 Rattus norvegicus mRNA for SHPS-1, complete cds		

Table 2	٠:			٠								•	•	
D85189	2222	D85189 2222  035547	82	2223 NM_0229	2224	060488	2225	91.08 Rattus norveg mRNA Acyl-C synthe compk	Rattus norvegicus mRNA for Acyl-CoA synthetase, complete cds	- 5 < < -	D85189 Raftus norvegicus mRNA for Acyl- CoA synthetase, complete cds /cds=(185,2197) /gb=D85189 /gi=2392022 /ug=Rn.2366 /len=4862		Long-chain-fatty- acid—CoA ligase 4 (EC 6.2.1.3) (Long-chain acyl CoAsynthetase 4) (LACS 4).	
085189	2226	035547	2227	NM_0229 77	2228	060488	2228	91.08	91.08 Acyl-CoA Alz synthetase	AI236284	D85189 Rattus norvegicus mRNA for Acyl-CoA synthetase, complete cds /cds=(185,2197) /gb=D85189 /gi=2392022 /ug=Rn.2366 /len=4862		Long-chain-fatty- acid-CoA ligase 4 (EC 6.2.1.3) (Long-chain acyl CoAsynthetase 4) (LACS 4).	
D86297	2230	Q63147	223	NM_0016	2232	P21283	2233		erythroid- specific delta- aminolevulinat e synthase		D86297 Rat mRNA for rat enythroid-specific Mit delta-aminolevulinate synthase (rat ALAS-E), me complete cds /cds=(15,1778) /gb=D86297 /gi=1407567 /ug=Rn.7069 /len=1899	Mitochondrial "5- matrix. acid ery spe mit am acid syr AL AL	"5- aminolevulinic acid synthase, erythroid- specific, mitochondrialpr ecursor (EC 2.3.1.37) (Delta- aminolevulinate aminolevulinate synthase) (ALASynthetase)	

_	Sterol O- acyltransferase 1 (EC 2.3.1.26) (Cholesterol acyltransferase1) (Acyl coenzyme A:cholesterol acyltransferase 1) (ACAT-1).			12.6 kDa FK508 blnding protein (FKBP-12.6) (Peptidyl-prolyl cis- transisomerase) (EC 5.2.1.8) (PPlase) (Rotamase) (Immunophilin FKBP12.6).	
	Integral Sterol O-membrane acyltransferz protein. 1 (EC 2.3.1.1. Endoplasmic (Cholesterol reticulum. ) (Acyl coenzyme Accholesterol acyltransferz acyltransferz acyltransferz				
	D86373 Rattus norvegicus mRNA for acyl- coenzyme A-cholesterol acyltransferase, complete cds /cds=(91,1728) /gb=D86373 /gi=3036904 /ug=Rn.13213 /ien=1750	D86557 Rattus norvegicus mRNA for Protein Kinase, partial cds	D86557 Rattus norvegicus mRNA for Protein Kinase, partial cds	D86642 Rattus norvegicus mRNA for FK506- binding protein 12.6, complete cds	D86711 D86711 Rattus norvegicus cDNA /gb=D86711 /g ≃1548215 /ug≃Rn.4240 /len=994
•		AI229421			
•	acyl- coenzyme A:cholesterol acytransferas e	Protein Kinase Al229421	Protein Kinase	98.47 FK508 binding protein 1b (12.6 kDa)	Homo sapiens DKFZP586K0 524 protein
	<b>8</b>	88	86		92.16
		2239	2243	2247	
	XP_031	NP_065	NP_065	Q16645	XP_052 908
		2238	2242	2246	2249
	D86373 2234 O70536 2235 XM_03111	NM_0204	NM_0204	AF322070	AL117662
	2233	2237	2241	2245	
	070536	2236 BAA198 80	2240 BAA198	2244 P97534	2248 No Rat Protein Found.
	223	2236	2240	2244	2248
	D86373	D86557	D86557	D86642	D86711

"6- phosphofructo-2 kinasa/fructose- 2,6- biphosphatase 3 (6PF-2-K/Fru- 2,6-PZASE brain-type isozyme) (RB2K) (Includes: 6- phosphofructo-2- kinase (EC 2.7.1.105); Fructose-2,6- bisphosphatase (EC 3.1.3.46)]:"			
D87240 Rattus norvegicus RB2K1 mRNA for fructose-8-phosphate 2-kinase/fructose-2,6-blsphosphatase, complete cds lcds=(405,2072) /gb=D87240 /gl=2317651 /ug=Rn.10791 /len=2148	D87991 House rat; black rat; ship rat mRNA for UDP-galactose transporter related isozyme 1, complete cds	D87991 House rat, black rat, ship rat mRNA for UDP-galactose transporter related isozyme 1, complete cds	D87991 House rat; black rat; ship rat mRNA for UDP-galactose transporter related Isozyme 1, complete cds
Rattus norvegicus RBZK1 mRNA for fructose-6- phosphate 2- klnase/fructos e-2,6- bisphosphatas e, complete cds	UDP-galactose transporter related isozyme 1, complete cds	UDP- galactose transporter related isozyme 1, complete cds	UDP- galactose transporter related isozyme 1, complete cds
94.86 Rettus norveg RB2K1 for find for find phospholes bispholes e, com cds	\$	<b>2</b>	<b>2</b>
5253	2257	2261	2265
Q16875	NP_005 818	NP_005 818	NP_005 818
2252	2256	2260	2264
2251 AJ285747	NM_0058 27	NIM_0058 27	NM_0058 27
	2255	2259	2263
D87240 2250 035096	27	BAA135 27	BAA135 27
2250	2254	2258	2262
D87240	D87991	D87991	D87991

			Phospholipase D2 (EC 3.1.4.4) (PLD 2) (Choline phosphatase 2)(Phosphatidyl choline- hydrolyzing phospholipase D2) (PLDC)	
			Membrane- associated .	
D87991 House rat; black rat; ship rat mRNA for UDP-galactose transporter related isczyme 1, complete cds	D88250 Rattus norvegicus mRNA for serine protease, complete cds /cds=(246,2330) /gb=D88250 /gi=3080541 /ug=Rn.4037 /len=2908	D88250 Rattus norvegicus mRNA for serine protease, complete cds /cds=(248,2330) /gb=D88250 /gl=3080541 /ug=Rn.4037 /len=2908	D88534 Rattus norvegicus mRNA for pancreatic lipese, partial cds D88672 Rat mRNA for phospholipase D, complete cds /cds=(336,3137) /gb=D88672 /gi=2077942 /ug=Rn.8788 /len=4562	D88890 Rat mRNA for acyl-CoA hydrolase, complete cds /cds=(207,1223) /gb=D88890 /gi=1944427 /ug=Rn.6024 /len=1523
		AA799803	AA998338	
UDP- galactose transporter related isozyme 1, complete cds	Rattus norvegicus mRNA for serine protease, complete cds	ESTs, Weakly AA799803 similar to JC8554 probable serine proteinase [R.norvegicus]	pancreatic lipase phospholipase AA998338 D	Acyl-CoA hydrolase
28	92	92	88.04	95
2269	2273		2279	
NP_005 818	QBUCV3	XP_006	P16233	XP_001 296
2268	2272		2278	
D87991 2266 BAA135 2267 NM_0058 27 27 27 27 27 27 27 27 27 27 27 27 27	J04080	XM_00564	NM_0009 36 AF038441	XM_00129 6
2267		2276	2281	2285
27 27	JC8554	BAA257 97	2276 BAA136 37 2280 P70498	2284 BAA196 26
2266	2270	2274		2284
D87991	D88250	D88250	D88672	D88890
	,			

	Carbonyl reductase [NADPH] 1 (EC 1.1.1.184) (NADPH-dependent carbonyleductase 1).	Dipeptidylpeptidylpeptidase III (EC 3.4.14.4) (DPP III) (Dipeptidylamin opeptidase III) (Dipeptidylamin arylamidase III)		
•	Cytoplasmic. Carbonyl reductass [NADPH] 1.1.1.184 (NADPH depender carbonyli se 1).	Cytoplasmic.		
	D89069 Rattus norvegicus mRNA for inducible carbonyl reductase, complete cds	D89340 Rattus norvegicus mRNA for dipeptidyl peptidase, complete cds /cds=(14,2497) /gb=D89340 /gj=2832905 /ug=Rn.10902 /len=2615	D89655 Rat mRNA for scavenger receptor class B, complete cds /cds=(120,1649) /gb=D89655 /g =1752796 /ug=Rn.3142 /len=2392	D89855 Rat mRNA for scavenger receptor class B, complete cds /cds=(120,1649) /gb=D89655 /gj=1752796 /ug=Rn.3142 /len=2392
•		Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds	CD36 antigen (collagen type I receptor, thrombospond in receptor)- like 1 (scavanger receptor class B type 1)	CD36 antigen (collagen type I receptor, thrombospond in receptor)-like 1 (scavanger receptor class B type 1)
	90.34 inducible carbonyl reductass	89.98 0 5 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	86 2007 2007 2007 2007 2007 2007 2007 200	20 20 20 20 20 20 20 20 20 20 20 20 20 2
	2289	2293	2287	2301
	P16152	QBNY33	A48528	A48528
	2288		2286	2300
	J04056	AK021449	722655	222556
	2287 J04056	2281	2295	2289
	P47727	055086	JC5533	JC5533
•	2286	2280	2294	2298
able 4.	D89069 2286 P47727	D89340	D89855	D89655

D89730 Raftus raftus T16 mRNA, complete cds	D89730 Rattus rattus T16 mRNA, complete ods	D89730 Raftus raftus T16 mRNA, complete cds
EGF- CONTAINING FIBULIN-LIKE EXTRACELLU LAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBULIN-3) (FIBULIN-3)	EGF- CONTAINING FIBULIN-LIKE EXTRACELLU LAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBULIN-3) (FIBL-3) (T16	EGF- CONTAINING FIBULIN-LIKE EXTRACELLU LAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBL-3) (T16 PROTEIN)
5	2	2
2305	2309	2313
2304 Q12805	Q12805	Q12805
2304	2308	2312
NM_0041	NM_0041	NM_0041
2303	2307	2341
	035568	2310 035568
2302	5308	
<b>Table 2.</b> D88730   2302   035568	D89730	D89730

2317 91 EGF. D89730 Rattus rattus T16 mRNA, complete CONTAINING cds FIBULIN-LIKE EXTRACELLU LAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBL-3) (T16 PROTEIN)	95.34 antizyme D89983 Rattus norvegicus mRNA for antizyme inhibitor complete cds //cds=(730,2076) /gb=D89883 /gi=2641953 /ug=Rn.6290 /len=4269	2325 93.07 peroxisomal D90038 Rat liver 70-kDa peroxisomal Integral "ATP-binding membrane membrane protein(PMP70) mRNA membrane cassette, subprotein(PMP7 /ug=Rn.7024 /len=3303 /gi=220861 protein. family D, fug=Rn.7024 /len=330	Synthetase   Society   Synthetase   EC 6.2.1.3   Cds=(13.212)   Cds=(13.212)	
D89983 Rattus norvegicus mRNA for antizyme inhibitor, complete cds //cds=(730,2076) /gb=D89983 /gj=2841955 /ug=Rn.6290 /len=4269 D90038 Rat Ilver 70-kDa peroxisomal membrane protein(PMP70) mRNA /cds=(35,2014) /gb=D90038 /gj=220861 /ug=Rn.7024 /len=3303 AA893242 D90109 Rat mRNA for long-chain acyl-Csynthetase (EC 6.2.1.3) /cds=(13,2112) /gb=D90109 /gj=220717 /ug=Rn.6215 /len=3657	D90038 Rat Ilver 70-kDa peroxisomal membrane protein(PMP70) mRNA /cds=(35,2014) /gb=D90038 /gj=220861 /ug=Rn.7024 /len=3303 AA893242 D90109 Rat mRNA for long-chain acyl-C synthetase (EC 6.2.1.3) /cds=(13,2112) /gb=D90109 /gj=220717 /ug=Rn.6215 /len=3657	AA893242 D90109 Rat mRNA for long-chain acy. C. synthetase (EC 6.2.1.3) /cds=(13,2112) /gb=D90109 /gi=220717 /ug=Rn.6215 /len=3657		D90258 RATPSC8 Rat mRNA for proteasome subunit RC8
antizyme inhibitor		peroxisomai membrane protein(PMP7 0)	_ 0	proteasome subunit RC8
95.34		93.07	26	88
	2321	2325	2329	2333
	014977	P28288	P41215	P25788
	2320	2324	2328	2332
	D88674	BC009712	NM_0019 95	NM_0027 88
	2319	2323	2327	2331
	Q63764	P16970	P18163	2330 BAA143 02
	2318	2322	2326 F	2330
		D90038	DS0109	D90258

Mitochondrial "Dihydrolipoami de de succinyltransfer ase component of 2- oxoglutaratsdeh ydrogenase complex, mitochondrial precursor (EC 2.3.1.61) (E2)(E2K)."	Mitochondrial "Dihydrolipoami de succinyltransfer asse component of 2- oxoglutaratedeh ydrogenase complex, mitochondrial pracursor (EC 2.3.1.81)	Dipeptidyl- peptidase I precursor (EC 3.4.14.1) (DPP- I) COPPI)(Cathepsil I) (C) (Cathepsil I) (Dipeptidyl transferase).
Mitochondrial ·	Mitochondrial .	Lysosomai.
D90401 RATAKGE2 Rat mRNA for dlhydrolipoamide succinyltransferase	D90401 RATAKGE2 Rat mRNA for dihydrolipoamide succinyltransferase	D90404 RATCATC Rat mRNA for cathepsin C
95.76 Dhydrolipoam Ide succinytransf erase	Dihydrolipoam ide succinytransf erase	Cathepsin C (dipeptidyl peptidase I)
95.76	95.76	20.98
2337	234	·
P55196	P55196	S86504
7336	2340	234
D90401 2334 Q01205 2335 A1184508	A1184508	AA298088
2335	2339	2343
201205	Q01205	P80067
2334	2338	2342
D80401	D80401	D80404

Dipeptidyl- peptidase I precursor (EC 3.4.14.1) (DPP-	l) (DPPI)(CathepsI n C) (CathepsIn J) (DipeptIdyI transferase).								
Lysosomal.									
D90404 RATCATC Rat mRNA for cathepsin C		E00717UTR#1 cDNA encoding chytochrome P-450 from Rat Liver	E00898cds Cancer specific cDNA	NM_03115 E01415cds cDNA encoding rat glutathione S 4 transferase	NM_01715 E01534cds DNA sequence expressed especially in rat insulinoma	NM_01727 E03358cds cDNA encoding rat polyfunctional protease component G3	NM_01727 E03358cds cDNA encoding rat polyfunctional protease component C3	E03428cds cDNA sequence encoding rat peptidylglycin-alpha-amidating monocygenase	E06822cds cDNA encoding 20 alpha-HSD(20 alpha-hydroxysteroid dehydrogenase)
		X00469		NM_03115	NM_01715	NM_01727 9	NM_01727 9	X59689	D14424
96.07 (Cathepsin C (dipeptidy) peptidase I)		P-450 from Rat Liver	Cancer specific cDNA	Rattus norvegicus glutathione S- transferase, mu type 3	ribosomal protein S15	proteasome	proteasome	peptidylglycin- X59689 alpha- amidating monooxygena	20-alpha- hydroxysterold dehydrogenas e
96.07		79	98	8	69	66	66	75	8
	•	2351	2354	2358	2362	2366	2370	2374	2378
S66504		P04798	CAA528 17	P28161	P11174	P25787	P25787	XP_031 121	P42330
2347		2350	2353	2357	2361	2365	2369	2373	752
D90404 2345 P80067 2346 AA296068		NM_0004	X74818	NM_0008 48	NM_0010	NM_0027 87	NM_0027 87	XM_03112 1	NM_0037 39
2346		2349		2356	2360	2364	2368	2372	2376
P80067		CAA25	No Rat Protein Found.	NP_112 416	2359 NP_058 847	NP_058 975	NP_058 975	2371 CAA42 210	2375 BAA033
2345		2348	2362	2355	2359	2363	2367	2371	2375
D90404		E00717	E00898	E01415	E01534	E03358	E03358	E03428	E06822

1	•				,	•	•		•		
E12625	2378	E12625' 2379 BAA233		2380 NM_0067 2381 Q15800 2382 45	2381	Q15800	2382		cDNA I encoding a rat novel protein which is expressed with nerve injury: ( this is RANP-1 protein)	D50559	E12625cds cDNA encoding a rat novel protein which is expressed with nerve injury
E12829	2383	2383 BAA134 32		2384 NM_0184 48	2385	NP_060 918	2386	95	TIP120	D87671	E12829cds cDNA encoding novel rat protein TIP120 which is formed of complex with TBP (TATA binding protein)
J01435	2387	No human homolo g found.		No Human Protein Found.					Mitochondrial genome - cytochrome oxidase		J01435cds#1 RATMTCYOS Rattus norvegicus mitochondrial cytochrome oxidase subunits I,II, III genes, ATPase subunit 6 gene, Trp-Ala-Asn-Cys Tyr-, Ser(ucn)-, Asp-, Lys-, Giy-, Arg-, His-, Ser(agy)-, Lucu(cun)-tRNAs
J01435	2388 No hur hor g fe	No human homolo g found.	·	No Human Protein Found.					Mitochondrial genome - cytochrome oxidase		J01435cds#4 RATMTCYOS Rattus novegicus mitochondral cytochrome oxidase subunits I,II, III genes, ATPase subunit 6 gene, Trp-Ala-Asn-Cys Tyr-, Ser(ucn)-, Asp., Lys-, Gly-, Arg-, His-, Ser(agy)-, Lucu(cun)-tRNAs
J01436		2389 AAA999 07	2380	No human homolog found.		No Human Protein Found.			Mitochondrial cytochrome B gene		J01436cds RATMTCYBT Rattus norvegicus mitochondrial cytochrome B gene; Pro-, Thr-, Giu-tRNA genes; and URF6
J02598	2391	2391 AAA407 46	2392	NM_0000 40	2393	P02656	2394	4	apolipoprotein C-III		J02596cds RATAPOA02 Rat apolipoprotein C-III gene, complete cds

Table 2.								,				•
J02812	2395	2395 P08430		2396 AV683870	2397	P22310	2398	88.71 UDP- glucur ansfer family memb	onosyltr ase 1 er 1	J02612mRNA RATUDPGT Rat UDP-glucuronosyltransferase mRNA, complete cds	Microsomal. "UDP-glucurc glucurc stenses stenses micros micros (UGT1 (UG	"UDP- glucuronosyltran sferase 1-6 precursor, microsomal (EC 2-4.1.17)(UDPG T) (UGT1-6) (UGT1-6) (UGT1-6) (UGT1-6) (UGT1-6) (P- nitrophenolspeci fic)."
702669	2389	2399 P11711	2400	U22028	2401	Q16696	2402	7	Cytochrome P450 IIA1 (hepatic steroid hydroxylase IIA1) gene	J02669 Rat cytochrome P-450a (3- methylchlanthrene-inducible; with high testosterone 7-alpha activity), mRNA, complete cds /cds=(19,1497) /gb=J02669 /gi=203766 /ug=Rn.10904 /en=1687	Membrane- bound. Endoplasmic rettculum.	Membrane- Cytochrome bound. P450 2A1 (EC Endoplasmic 1.14.14.1) reticulum. (CYPIIA1) (Steroid hormones 7-alpha-hydroxylase) (Testosterone 7-alpha-hydroxylase) (P450-UT-F).
J02722	2403	2403 AAA413 46	2404	NM_0021 33	2405	P09601	2406	82	Heme oxygenase	J02722cds RATHOXA Rat heme oxygenase gene, complete cds		

Peroxisomal.   "3-ketoacyl-CoA thiolase A, peroxisomal precursor (EC 2.3.1.16) (Beta-ketothiolase A) (Acetyl-CoA acyltransferase A) (Peroxisomal 3-oxoacyl-CoA thiolase A)."	Peroxisomal. "3-ketoacyl-CoA thiolase A, peroxisomal precursor (EC 2.3.1.16) (Beta-ketothiolase A) (Acetyl-CoA acyltransferase 'A) (Peroxisomal 3-oxoacyl-CoA thiolase A)."	"Fatty acid- binding protein, heart (H- FABP)."
Peroxisomal.	Peroxisomal.	Cytoplasmic.
J02749 Rat peroxisomal 3-ketoacyi-CoA thiolase mRNA, complete cds /cds=(25,1299) /gb≂J02749 /gj⊨205096 /ug=Rn.8913 /len=1580	J02749 Rat peroxisomal 3-ketoacy/-CoA thiolase mRNA, complete cds /cds=(25,1299) /gb=J02749 /gi=205096 /ug=Rn.8913 /len=1580	J02773 Rat low molecular weight fatty acid binding protein mRNA, complete cds /cds=(36,437) /gb=J02773 /gl=204077 /ug=Rn.4147 /len=666
Acetyl-CoA acyltransferas e, 3-oxo acyl- CoA thiolase A, peroxisomal	Acetyl-CoA ecyltransferas e, 3-oxo acyl- CoA thiolase A, peroxisomal	atty nding
Acetyl-CoA acyltransfers e, 3-oxo acyl CoA thiolase A, peroxisomal	Acetyl-CoA acyltransfera e, 3-oxo acyl CoA thiolase A, A,	Heart fatty ackd binding protein
8	& 	85.68
2410	2414	2418
P09110	P09110	P05413
2409	2413	2417
2408 X12986	X12866	00 00 00 00 00 00 00 00 00 00 00 00 00
	2412	2416
2407 P21775	2411 P21775	2415 P07483
2407		2415
J02749	J02749	J02773

DNA polymerase beta (EC 2.7.7.7).	"Acyl-CoA dehydrogenase, medium-chain specific, mitochondrial precursor(EC 1.3.99.3) (MCAD)."	"2- oxolsovalerate dehydrogenase alpha subunit, mitochondrial precursor(EC 1.2.4.4) (Branched-chain alpha-keto acid dehydrogenase componentalph a chain (E1)) (BCKDH E1- alpha) (Fragment)."
	Mitochondrial matrix.	Mitochondrial 2- oxy matrix. def alp pre 1.2 1.2 (Br alp
J02776 RATPOLB1 Rat DNA polmerase beta mRNA, complete cds	J02791 Rat acyl coenzyme A dehydrogenase Mitochondrial "Acyl-CoA medium chain mRNA, complete cds matrix.  Indianacial medium-cd medium-cd specific, 1290) / gb=J02791 / gj=202888  Indianacial medium-cd specific, 1290) / gb=J02791 / gj=202888  Indianacial metric medium-cd specific, 10g=Rn.6302 / len=1866  Indianacial metric medium-cd specific, 10g=Rn.6302 / len=1866  Indianacial metric metric medium-cd specific, 10g=Rn.6302 / len=1866  Indianacial metric metric metric metric medium-cd specific, 10g=Rn.6302 / len=1866  Indianacial metric	J02827 Rat branched chain alpha-ketoacid dehydrogenase E1-alpha subunit mRNA, 3 end /ods=(0,1325) /gb=J02827 /gl=203120 /ug=Rn.3489 /len=1639
DNA polymerase beta.	Acyl- Coenzyme A dehydrogenas e, C-4 to C-12 straight-chain	branched chain alpha- ketoacid dehydrogenas e
89.55 DNA polympetary	83.24 Acyl- Coen dehyv e, C- straig	88.54
2422	2426	2430
P06746	P11310	P12694
2421	2425	2428
2420 M13140	M16827	M22221
2420	2424	2428
2419 P06766	P08503	P11960
2419	2423	2427
J02778	J02791	J02827

"2- oxoisovalerate dehydrogenase alpha subunit, mitochondrial precursor(EC 1.2.4.4) (Branched-chain alpha-keto acid dehydrogenase componentalph a chain (E1) (BCKDH E1- alpha) (Fragment)."	Peroxisomal carnitine octanoyltransfer ase (EC 2.3.1) (COT).	Galactin-3 (Galactose- specific lectin 3) (MAC-2 antigen) (IgE- bindingprotein) (35 kDa lectin) (Garbohydrate binding protein 35) (CBP 35) (Laminin- binding protein) (Lectin L-29).
Mitochondrial 7-2-7-2-7-2-7-2-7-2-7-2-7-2-7-2-7-2-7-2	Peroxisomal . Peroxisomal camitine octanoyltrans ase (EC 2.3. (COT).	
J02827 Rat branched chain alpha-ketoacid dehydrogenase E1-alpha subunit mRNA, 3 end /cds=(0,1325) /gb⇒J02827 /gi⇒203120 /ug=Rn.3489 /len=1639	J02844 RATCOTA Rat camitine octanoytransferase mRNA, complete cds	J02962 Rat igE binding protein mRNA, complete cds /cds=(40,828) /gb=J02962 /gi=203173 /ug=Rn.764 /len=948
		,
88.54. branched chain alpha-ketoacid dehydrogenas e	Camitine octanoyitransf erase	igE binding protein
88. 75.	2	89.81
2434	2438	2442
2433 P12694	QBUKG 9	P17931
2433	2437	2441
2432 M22221	AF168793	M57710
	2436	2440
P11960	P11466	P08699
2431	2435	2439
J02827 2431 P11960	J02844	702962

•	D-sita-binding protein (Albumin D box-binding protein) (D sita albuminpromote r binding protein 1).	D-site-binding protein (Albumin D box-binding protein) (D site albuminpromote r binding protein 1).	"5- aminolevulinic acid synthase, nonspecific, mitochondrial precursor(EC 2.3.1.37) (Delta- aminolevulinate synthase) (Delta- ALA synthetase)(AL AS-H)."
	Nuclear.	Nuclear.	Mitochondrial "5-matrix. and matrix. acid nor mit pre
	J03179 Rat D-binding protein mRNA, complete cds /cds=(367,1344) /gb=J03179 /gi=203942 /ug=Rn.11274 /len=1622	J03179 Rat D-binding protein mRNA, complete cds /cds=(367,1344) /gb=J03179 /gi=203942 /ug=Rn.11274 /len=1622	J03190 Rat 5-eminolevulinate synthase mRNA, complete cds /cds={17,1945} /gb=J03190 /gl=203087 /ug=Rn.6274 /len=2052
			linat
	86.35   D-binding protein	86.35 D-binding protein	Rat 5- aminolevulinat e synthase mRNA
	86.35	86.35	87.17 Rat 5- aminoi e syntt
	2448	2450	2454
	2000 888 888	Q10586	P13196
	2445	2449	2453
	D28468	D28468	X56351
	2444	2448	2452
	J03179   2443   P16443   2444   D28468	2447 P16443	2451 P13195
.:	2443		
I able 4	103179	J03178	J03160

	"5- aminolevulinic acid synthase, nonspecific, mitochondrial precursor(EC 2.3.1.37) (Delta- aminolevulinate synthase) (Delta- ALA synthese)(ALA synthese)(ALA Synthese)(ALA	"5- aminolevulinic acid synthase, nonspecific, mitochondrial precursor(EC 2.3.1.37) (Delta- aminolevulinate synthase) (Delta- synthase) (Delta- synthetase)(AL AS-H)."	"5- aminolevulinic acid synthase, nonspectific, mitochondrial precursor(EC 2.3.1.37) (Delta- aminolevulinate synthase) (Delta- ALA- Synthetase)(AL AS-H)."
	Mitochondrial "5- matrix. aci noi pre am am am am AL AA AS	Mitochondrial "5- matrix. acid not mit mit pre 2.3.3 am am AL	Mitochondrial am matrix. aci noi pre pre pre 2.3 am swarp sylvarian am am swarp sylvarian am sylvarian am swarp sylvarian am sw
	J03190 Rat 5-aminolevulinate synthase mRNA, complete cds /cds=(17,1945) /gb=J03190 /gl=203067 /ug=Rn.6274 /len=2052	J03190 Rat 5-eminolevulinate synthase mRNA, complete cds /cds≕(17,1945) /gb=J03190 /gi≃203067 /ug=Rn.6274 /len=2052	J03190 Rat 5-aminolevulinate synthase mRNA, complete cds /cds=(17,1945) /gb=J03190 /gi=203067 /ug=Rn.6274 /len=2052
			•
i	5- aminolevulinat e synthase	Rat 5- aminolevulinat e synthase mRNA	5- aminolevulinat e synthase
	7, 7, 7, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9,	67.17	87.17
	2458	2462	2466
	P13196	9131 96	P13198
	2457	2461	2465
	X56351	X56351	X56351
	2456 X56351	2460	2464
	2455 P13195	P13195	P13195
.:	2455	2459	2463
lane z	J03190	J03190	J03180

-	Dihydropteridine reductase (EC 1.6.89.7) (HDHPR) (Quinoiddihydro pteridine reductase).	Dihydropteridine reductase (EC 1.6.99.7) (HDHPR) (Quinoiddihydro pteridine reductase).	Dihydropteridine reductase (EC 1.6.99.7) (HDHPR) (Quinoiddihydro pferidine reductase).	Dihydropteridine reductase (EC 1.6.99.7) (HDHPR) (Quinoiddihydro pteridine reductase).	"Alkaline phosphatase, tissue- nonspecific isozyme precursor(EC 3.1.3.1) (AP- TNAP) (Liverbone/kidn ey isozyme) (TNSALP)."
					Attached to the membrane by a GPI-anchor.
	J03481mRNA RATDTR Rat dihydroptertdine reductase mRNA, complete cds	J03481mRNA RATDTR Rat dihydropteridine reductase mRNA, complete cds	J03481mRNA RATDTR Rat dihydropteridine reductase mRNA, complete cds	J03481mRNA RATDTR Rat dihydropteridine reductase mRNA, complete cds	J03572 Rat alkaline phosphatase mRNA, complete cds /cds=(152,1726) /gb=J03572 /gi=208122 /ug=Rn.6877 /len=2415
•					·
	88.33 dihydropteridin e reductase	dihydropteridin e reductase	dihydropteridin e reductase	dihydropteridin e reductase	Alkaline phosphatase
	88.33	88.33	88.33	88.33	5
	2470	2474	2478	2482	2486
	P09417	P09417	P09417	P09417	826 826
	2469	2473	2477	2481	2485
	2468 BC000576	BC000576	BC000578	BC000576	XM_00182
		2472	2476	2480	2484
	2467 P11348	P11348	P11348	2479 P11348	P08289
. •	2467	2471	2476		2483
lable 2.	J03481	J03481	J03481	J03481	J03572

Guanidinoacetat e N- methyltransfera se (EC 2.1.1.2).	Mitochondrial "Succiny-CoA figase [GDP-forming] alphachalin, mitochondrial pracursor(EC 6.2.1.4) (Succinyl-CoA synthetase, alpha chain) (SCS-alpha)."	Mitochondrial "Succinyl-CoA ligase [GDP-forming] alphachalin, mitochondrial precursor(EC 6.2.1.4) (Succinyl-CoA synthetase, alpha chain) (SCS-alpha)."	Plasma membrane calcium- transporting ATPase 2 (EC 3.6.3.8) (PMCA2)(Plasm a membrane calcium pump isoform 2) (Plasma membrane calciumATPase isoform 2)
	Mitochondrial	Mitochondrial	Integral membrane protein.
J03588 Rat guanidinoacetate methyltransferase mRNA, complete cds /cds=(51,761) /gb=J03588 /gi=204435 /ug=Rn.1983 /len=924	J03621 Rat mitochondrial succinyl-CoA synthetase alpha subunit (cytoplasmic precursor) mRNA, complete cds /cds=(490,1491) /gb≃J03621 /gj=204355 /ug=Rn.3766 /len=1684	J03621 Rat mitochondrial succinyl-CoA synthetase alpha subunit (cytoplasmic precursor) mRNA, complete cds fods=(490,1491) /gb⇒J03621 /gi⇒204355 /ug=Rn.3766 /len=1684	J03754CompleteSeq Rat plasma membrane Integral Ca2+ ATPase-Isoform 2 mRNA, complete cds membrane fods=UNKNOWN /gb=J03754 /gi=203048 protein. //ug=Rn.11280 /len=7025
	U75393	U75393	AA955388
84.06 guanidinoacet ate methyltransfer ase mRNA	Succinyl-CoA synthetase alpha subunit	Succinyl-CoA synthetase alpha subunit	plasma membrane Ca2+ ATPase
84.06	89 · · · · · · · · · · · · · · · · · · ·	89:06	4.1.10
2490	2484	2498	2502
Q14353	AAD179 40	AAD179 40	Q01814
2489	2483	2497	2501
2488   249878	BM72366 4	BM72366 4	700620
	2492	2496	2500
J03588   2487   P10868	P13086	P13086	P11508
2487	2491	2495	2489
J03588	J03621	J03621	J03754

	F 6 0 2 4 0 0 0 0 2 0 5 0 2	1
	Integral membrane protein.	Membrane- bound.
	J03754CompleteSeq Rat plasma membrane   integral Ca2+ ATPase-lsoform 2 mRNA, complete cds membrane //ds=UNKNOWN /gb=J03754 /gl=203048 protein. //ug=Rn.11280 /len=7025	J03773 Rat guanine nucleotide-binding regulatory protein alpha subunit mRNA, complete cds /cds=(14,1081) /gb=J03773 /gi=204546 /ug=Rn.10843 /len=1529
	ATPase isoform 2, Na+K+ transporting, beta polypeptide 2	Guanine nucleotide binding protein, alpha
	ATPa isofo Na+t trans trans beta polyr	Gua Dinc Prot
	91.14 ATPase Isoform 2 Na+K+ transport beta polypepti	92.16 Guanine nucleottd binding protein, a
	2508	2510
	2505 QQ01814 2508	P19086
	2605	2509
	L00620	J03260
	2504	2508
	J03754 2503 P11506 2504	J03773 2507 P19627
_•	2503	2507
Table 2.	J03764	J03773

NADH- cytochrome b5 reductase (EC 1.6.2.2).	"Myosin light chain kinase, skeletai muscle (EC 2.7.1.117) (MLCK)."
TS IN TS IN WS: A WS: A WS: A WD WO WD	
J03867 Rat NADH-cytochrome b-5 reductase THE mRNA, complete cds /cds=(33,938)	J03886 Rat skeletal muscle myosin light chain kinase, complete ods /ods≕(59,1891) /gb=J03886 /gi=205496 /ug≐Rn.9685 /len=2799
NADH- cytochrome b- 5 reductase	Rat skeletal muscle myosin light chain kinase, complete cds
86.48 NADH- Cytochr 5 reduct	
	2518
P00387 2514	NP_149 109
2613	2517
J03867 2511 P20070 2512 M16462	BC007753
2512	2516
P20070	2516 P20689
2511	
793867	J03886

-	"NUCLEAR. Nucleophosmin GENERALLY (NPM) NUCLEOLA (Nucleolar R. BUT IS phosphoprotein TRANSLOC B23) ATED TO (Numatrin)(Nucl THE solar protein NUCLEOPLA NO38). SM IN CASE OF SERUM STARVATIO N OR STARVATIO N OR TREATMEN T WITH ANTICANCE R DRUGS."	Elastin precursor (Tropoelastin) (Fragment).	Calcium/calmod ulin-dependent protein kinase type II gamma chain (EC2.7.1.123) (CaM-kinase II gamma chain) (CaM kinase II gamma subunit)(CaMK-II gamma subunit).
	"NUCLEAR. Nucleo GENERALLY (NPM) NUCLEOLA (Nucleo R, BUT IS phosph ATED TO (Numal THE ooler D NUCLEOPLA NO38), SM IN CASE OF SERUM STARVATIO N OR TREATMEN T WITH ANTICANCE R DRUGS.*	EXTRACELL Elastin ULAR precurs MATRIX OF (Tropod ELASTIC (Fragm FIBERS.	
	J03969 Rat nucleolar protein B23 mRNA, complete cds /cds=(46,924) /gb=J03969 /gi=203081 /ug=Rn.3539 /len=1232	J04035 Rat tropoelastin mRNA, 3 end /cds=(0,254) /gb=J04035 /gi=207442 /ug=Rn.11300 /len=1211	J04063 Rat calmodulin-dependent protein kinase II gamma subunit mRNA, complete cds /cds=(35,1618) /gb≕J04063 /gi=206151 /ug=Rn.10961 /len=1728
	96.32 nucleolar protein B23	Tropoelastin	Rat calmodulin- dependent protein kinase Il gamma subunit mRNA, complete cds
	96.32	65	<b>4.</b>
	2822		
	NP_002 511	ЕАНО	348 348
	2521	2525	2528
	2520 AL135691	M17282	BC021269
	2520	2524	2527
	2519 P13084	Q99372	P11730
:		2523	2526
ו ממום ל	903860	J04035	J04063
		_	•

Table 2.	2629	<b>Fable 2.</b> Jo4187   2529  P15149	2530 022028	U22028	2531 (0	Q16696	2532	19	Cytochrome	A2 protein	ane-	Cytochrome
									P450 IIA2	(CYP2A2) mRNA, complete cds bc /cds=(9,1487) /gb=J04187 /gj=204901 Er /ug=Rn.9867 /len=2259 re	bound. P450 2A2 Endoplasmic   1.14.14.1) reticulum. (CYPIIA2) (Testostel   15-alpha-hydroxyle.   15-alpha-hydroxyle.   1450-UT	P450 2A2 (EC 1.14.14.1) (CYPIIA2) (Testosterone 15-alpha-hydroxylase) (P450-UT-4).
104488	2533	2533 P12843	2534	M35410	2535	P18065	2536	8	Insulin-like growth factor binding protein 2	J04486 Rat insulin growth factor-binding St protein mRNA, complete cds /cds=(263,1177) /gb=J04486 /gi=203175 /ug=Rn.6813 /len=1482	Secreted.	Insulin-like growth factor binding protein 2 precursor (IGFBP-2)(IBP- 2) (IGF-binding protein 2) (BRL- BP).
J04486	2537	P12843	2638	M35410	2539	P18065	2540	8	Insulin-like growth factor binding protein 2	J04486 Rat Insulin growth factor-binding Sr protein mRNA, complete cds /cds=(263,1177) /gb=J04486 /gi=203175 /ug=Rn.6813 /len=1482	Secreted	insulin-like growth factor binding protein 2 precursor (IGFBP-2)(IBP- 2) (IGF-binding protein 2) (BRL- BP).
J04503	2541	P20650	2542	S87759	2543	P35813	2544	93.69	protein phosphatase 2c.	J04503 Rat protein phosphatase 2c mRNA, complete cds /cds=(87,1235) /gb=J04503 /gi=206312 /ug=Rn.4553 /len=1602		Protein phosphatase 2C alpha isoform (EC 3.1.3.16) (PP2C-alpha) (IA)(Protein phosphatase 1A).

	Prote phose (EC (PP2) (P				
_	J04503 Rat protein phosphatase 2c mRNA, complete cds /cds=(81, 1235) /gb=J04503 /gi=206312 /ug=Rn.4553 /len≔1602	J04791 RATODCAB Rattus norvegicus ornithine decarboxylase (ODC) mRNA, complete cds	J04792 Rattus norvegicus omithine decarboxylase (ODC) gene, complete cds /cds=(0,1385) /gb=J04792 /gi=205805 /ug=Rn.874 /len=2102	J04793 Rat Band 3 mRNA encoding kidney band 3 CH/HW-3- anion exchanger /cds=(0,2546) /gb=J04793 /gi=203092 /ug=Rn.20529 /len=2547	NM_01913 J04807mRNA RATINSIIA Rat insulin Il gene 0 mRNA, 3 end
					NIM_01913 0
	protein phosphatase 2c.	Omithine decarboxylase (ODC)	Omitine decarboxylase	Rat Band 3 mRNA encoding kidney band 3 CL/HW-3- anion exchanger	Rattus norvegicus Insulin 2
	93.69 protein phosph 2c.	9	83	75	2
	2548	2552	2556	2560	2564
	2547 P35813 2548	P11926	P11926	P02730	P01308
	2547	2551	2555	2559	2563
	887759	NM_0025 39	NM_0025 39	NM_0003	NIM_0002 07
	2546	2550	2554	2558	2562
	J04503 2545 P20650 2546 S87	2549 NP_036 747	2553 AAA662 86	2557 AAA408 00	2561 NP_062 003
	2545		2553	2557	2561
	304503	J04791	J04792	J04793	J04807

"NUCLEAR. Nucleophosmin GENERALLY (NPM) NUCLEOLA (Nucleolar Phosphoprotein TRANSLOC B23) THE THE TO (Numatrin)(Nucl THE Golar protein NUCLEOPLA NO38). SM IN CASE OF SERUM STARVATIO N OR TREATMEN T WITH ANTICANCE R DRUGS."	Protein-arginine deiminase type II (EC 3.5.3.15) (Peptidylarginin edeiminase II).	"Acyl-CoA dehydrogenase, long-chain spedific, mitochondrial precursor(EC 1.3.89.13) (LCAD)."	Mitochondrial "isovaleryi-CoA matrix. mitochondrial precursor (EC 1.3.99.10)(IVD).
"NUCLEAR. Nucleo GENERALLY (NPM) NUCLEOLA (Nucleo R, BUT IS phosp) TRANSLOC (Nume THE GOSAT NUCLEOPLA NO38) SM IN CASE OF SERUM STARVATIO N OR TREATMEN T WITH		Mitochondrial "Acyl-CoA matrix. dehydroge long-chain specific, mitochond precursor( 1.3.89.13) (LCAD)."	Mitochondrial matrix.
J04943 Rat nucleolar protein B23.2 mRNA, complete cds, clone JH2 /cds=(75,848) /gb=J04843 /gi=203077 /ug=Rn.3539 /len=1164	J05022 Rat peptidylarginine deiminase  ° mRNA /cds=(60,2057) /gb=J05022 /gi=205959 /ug=Rn.2642 /len=4507	J05029 RATACOADA Rat long chain acył- CoA dehydrogenase (LCAD) mRNA, complete cds	J05031 Rat isovaleryl-CoA dehydrogenase (IVD) mRNA, complete cds /cds=(15,1289) /gb=J05031 /gi≈204981 /ug≈Rn.147 /len=2104
96.32 nucleolar protein B23.2	Peptidyl arginine delminase, type II	Acyl Coenzyme A dehydrogenas e, long chain	Rat Isovaleryl- CoA dehydrogenas e (IVD)
96.32	88.67	85.01	90.77
2568	2572	2576	2580
AAH125 66	Q9Y2J8	P28330	P26440
2567	2571	2575	2579
2566 AL135691	BC009701	M74096	AK022777
	2570	2574	2578
2565 P13084	P20717	P15650	P12007
	2569	2573	2577
Table 2	J05022	J05029	J05031

oA dehydrogenase Mitochondrial "Isovaleryl-CoA dehydrogenase, defen 147 matrix. mitochondrial precursor (EC 1.3.99.10)(IVD).	Rat steroid 5 alpha- Integral 3-oxo-5-alpha- membrane steroid 4- protein. dehydrogenase Microsomal 1 (EC 1.3.99.5) intracellular (Steroid5-alpha-membrane. reductase 1) (SR type 1).	Rat steroid 5 alpha- iete cds membrane staroid 4- protein. dehydrogenase Microsomal (Staroid5-alpha- membrane. reductase 1) (SR type 1).	Rat steroid 5 alpha- lete cds membrane steroid 4- protein. dehydrogenase Microsomal (EC 1.3.99.5) Intracellular reductase 1) (SR type 1).
J05031 Rat isovaleryl-CoA dehydrogenase (IVD) mRNA, complete cds /cds=(15,1289) /gb=J05031 /gj=204981 /ug=Rn.147 /len=2104	J05035 RATS5ALPHA Rat steroid 5 alpha- reductase mRNA, complete cds	J05035 RATSSALPHA Rat steroid 5 aipha- reductase mRNA, complets cds	J05035 RATSSALPHA Rat sterold 5 alphareductase mRNA, complete cds
90.77 Rat isovaleryt- CoA dehydrogenas e (IVD)	Steroid 5 alpha- reductase	Sterold 5 alpha- reductase	Steroid 5 alpha- reductase
90.77 50.04 90.04	S	89 <u>N # B</u>	හි හිස ව
2584	2588	2592	2598
P26440	P18405	P18405	P18405
2583	2587	2591	2595
2581 P12007 2582 AK022777	NM_0010 47	NM_0010	NIM_0010 47
2582	2586	2590	2584
P12007	2585 P24008	2589 P24008	2693 P24008
2581	2585		2593
1 able 2.	J05035	305035	J05035

•	3-oxo-5-alpha- staroid 4- dehydrogenase 1 (EC 1.3.99.5) (Staroid5-alpha- reductase 1) (SR type 1).		Peripheral-type benzodiazepine receptor (PBR) (PKBS) (Mitochondrialb enzodiazepine receptor).	Anion exchange protein 2 (Non- erythroid band 3- like protein) (B3RP).	Anion exchange protein 2 (Non-erythroid band 3-like protein) (B3RP).
	Integral membrane protein. Microsomal intracellular membrane.		MITOCHON DRIAL; INTEGRAL MEMBRANE PROTEIN.	Integral membrane protein.	Integral membrane protein.
	J05035 RATS5ALPHA Rat steroid 5 alpha- reductase mRNA, complete cds	J05087 Rat calmodulin-sensitive plasma membrane Ca2+-transporting ATPase (PMCA3) mRNA, complete cds /cds=UNKNOWN /gb=J05087 /gi=203050 /ug=Rn.11053 /len=5084	Benzodiazepin NM_01251 J05122 Rat peripheral-type benzodiazepine receptor (PKBS) mRNA, complete cds (peripheral) /dd=(34,543) /gb=J05122 /gi=206161 /ug=Rn.1820 /len=781	J05166 Rat band 3 CI-/HCO3- exchanger (B3RP2) mRNA, complete cds /cds=(200,3904) /gb=J05166 /gi=203090 /ug=Rn.9860 /len=4057	J05166 Rat band 3 CH/HCO3- exchanger (B3RP2) mRNA, complete cds /cds=(200,3904) /gb=J05166 /gj=203090 /ug=Rn.9860 /len=4057
•			NM_01251 5		
	Steroid 5 alpha- reductase	Calmodulin- sensitive plasma membrane Ca2+ transporting ATPase (PMCA3)	Benzodiazepin receptor (peripheral)	Anion exchanger (B3RP2)	CL/HCO3- exchanger (B3RP2)
	8	4	. 62	78	78
	2600	2604	·	2610	
	P18405	P20020	XP_040	AAF195 83	XP_004 678
	2589	2603		2609	
	2598 NM_0010 47	NM_0016 82	XM_04016 7	U76667	XM_00467 8
	2598	2602	2606	2608	2612
	2597 P24008	2601 AAA696 67	P16257	2607 P23347	2611 P23347
	2597	2601	2605	2607	2611
labie 4.	105035	J05087	J05122	J05166	J05166

Anion exchange protein 2 (Non-erythroid band 3-like protein) (B3RP).	Anion exchange protein 2 (Non-erythrold band 3-erythrold band 3-like protein)	ATP-citrate (pro-S-)-lyase (EC 4.1.3.8) (Citrate cleavage enzyme).	Cytoplasmic. ATP-citrate (pro-S-)-lyase (EC 4.1.3.8) (Citrate cleavage enzyme).	Heme oxygenase 2 (EC 1.14.99.3) (HO-2).	Heme oxygenase 2 (EC 1.14.99.3) (HO-2).	Mitochondrial "Camitine O- palmitoyltransfer membrane. ase II, mitochondrial precursor(EC 2.3.1.21) (CPT II)."
Integral membrane protein.	Integral membrane protein.	Cytoplasmic.	Cytoplasmic	Microsomal.	Microsomal.	Mitochondrial Inner membrane.
J05166 Rat band 3 Cl-/HCO3- exchanger (B3RP2) mRNA, complete cds /cds=(200,3904) /gb≂J05166 /gi≃203090 /ug=Rn.9860 /len=4057	J05166 Rat band 3 CI-/HCO3- exchanger (B3RP2) mRNA, complete cds /cds=(200,3904) /gb=J05166 /gi=203090 /ug=Rn.9860 /len=4057	J05210 Rat ATP citrate-lyase mRNA, complete cds /cds=(72,3374) /gb=J05210 /gi=949989 /ug=Rn.998 /len=4269	J05210 Rat ATP citrate-lysse mRNA, complete cds /cds=(72,3374) /gb=J05210 /gi=949989 /ug=Rn.996 /len=4269	J05405mRNA RATHO2 Rat heme oxygenase-2 (HO2) mRNA, complete cds	J05405mRNA RATHO2 Rat heme oxygenase-2 (HO2) mRNA, complete cds	J05470 Rat mitochondrial camitine palmitoyltransferase II (CPT II) mRNA, complete cds /cds=(62,2038) /gb=J05470 /gl=203579 /ug=Rn.11389 /len=2296
Anion exchanger (B3RP2)	CL/HCO3 exchanger (B3RP2)	ATP citrate lyase	ATP citrate lyase	Heme oxygenase-2 non-reducing isoform	Heme oxygenase-2 non-reducing isoform	mitochondrial carmitine palmitoyltransf erase II (CPT II)
82	78	90.47	90.47	68	8	85.95
2616		2622	2626	2630	2634	2638
AAF195 83	XP_004 678	P53386	P53396	P30519	P30519	P23786
2615		2621	2625	7	2633	2637
2614   U76667	XM_00467 8	X64330	X64330	D21243	D21243	M58581
2614	2618	2620	2624	2628	2632	2636
P23347	2617 P23347	P16638	P16638	P23711	2631 P23711	P18886
2613	2617	2619	2623	2827	2631	2635
J05166 2613 P23347	J05166	J05210	J05210	J05405	J05405	J05470

		Protein phosphatase inhibitor 1 (IPP- 1) (I-1).	Protein phosphatase inhibitor 1 (IPP- 1) (I-1).	Protein phosphatase inhibitor 1 (IPP- 1) (I-1).	Protein phosphatase inhibitor 1 (IPP- 1) (t-1).		Myelin basic protein S (MBP S).
Integral membrane protein. Endoplasmic	rettculum.			3334	·		Cytoplasmic side of myelin.
J05510 Rat inositol-1,4,5-triphosphate receptor mRNA, complete cds /cds=(329,8578) /gb=J05510 /gl=204673 /ug=Rn.2135 /len=9852		J05592 Rat protein phosphatase inhibitor-1 protein mRNA, complete cds /cds=(6,521) /gb=,06592 /gi=206351 /ug=Rn.9756 /len=619	J05592 Rat protein phosphatase inhibitor-1 protein mRNA, complete cas /cds=(6,521) /gb=J05592 /gi=208351 /ug=Rn.9756 /len=619	J05592 Rat protein phosphatase inhibitor-1 protein mRNA, complete cds /cds=(6,521) /gb=J05592 /gi=208351 /ug=Rn.9756 /en=619	J05592 Rat protein phosphatase inhibitor-1 protein mRNA, complete cds /cds=(6,521) /gb=J05592 /gi=208351 /ug=Rn.9756 /len=619	J05677mRNA RATGCA Rat guanylyl cyclase Afatrial natriuratic peptide receptor (GC-A) gene, complete cds	K00512 rat myelin basic protein (mbp) gene mrna /cds=UNKNOWN /gb=K00512 /gj=205320 /ug=Rn.8672 /len=1464
Rat Inositol- 1,4,5- triphosphate receptor	HRNA	Phosphafase Inhibitor-1 protein	Phosphatase Inhibitor-1 protein mRNA	Phosphatase inhibitor-1 protein	Phosphatase Inhibitor-1 protein mRNA	Guanylyl cyclase Alatrial natriuretic peptide receptor (GC-	Myelin basic protein (mbp) gene mrna
90.22 Rat Inositol- 1,4,5- triphosphate	E	90 Hri ord	90 Hill ord	90 41 50 7	98 4 = 1 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2	8. 9. 2. 2. 2. 5. 5. 5.	M og og
2642 8		2646	2650	2654	2658	2662	
Q14643	`	Q13522	Q13522	Q13522	Q13522	P20594	XP_040 888
2641		2645	2649	2653	2657	2661	
2640   D26070		U48707	U48707	U48707	U48707	NM_0009	XM_04088 8
		2644	2648	2652	2656	2660	2664
2639 P29994		P19103	P19103	P19103	P19103	2659 AAA412 00	2663 P02688
2639		2643	2647	2651	2655	2659	
J05510		J05592	J05592	J05592	J05592	J05677	K00512

	Al008815 K00750exon#2-3 RATCYC Rat (Sprague-Dawley) cytochrome c nuclear-encoded mitochondrial gene and flanks	K00750exon#2-3 RATCYC Rat (Sprague- Dawley) cytochrome c nuclear-encoded mitochondrial gene and flanks	K00750exon#2-3 RATCYC Rat (Sprague- Dawley) cytochrome c nuclear-encoded mitochondrial gene and flanks	K00750exon#2-3 RATCYC Rat (Sprague- Dawley) cytochrome c nuclear-encoded mitochondrial gene and flanks	K00750exon#2-3 RATCYC Rat (Sprague- Dawley) cytochrome c nuclear-encoded mitochondrial gene and flanks	K00750exon#2-3 RATCYC Rat (Sprague- Dawley) cytochrome c nuclear-encoded mitochondrial gene and flanks	K00994mRNA RATCABP Rat Intestinal calcium-binding protein (icabp) gene 2, 3 end and flank
	AI008815			A1008815		/	
•	chrome c nuclear- encoded mitochondrial gene and flanks	Cytochrome C, expressed In somatic tissues	Cytochrome C, expressed In somatic tissues	chrome c nuclear- encoded mitochondrial gene and fianks	Cytochrome C, expressed in somatic tissues	Cytochrome C, expressed In somatic tissues	Intestinal calclum binding protein
•	<b>19</b>	29	2	2	20	20	75
•	2668	2672	2676	2680	2684	2688	2692
•	2667 P00001	P00001	P00001	P00001	P00001	P00001	P29377
•	2667	2671	2675	2679	2683	2687	2691
	2666 NM_0189	NM_0189	NM_0189	NM_0189	NM_0189 47	NM_0189 47	NM_0040 57
	2666	2670	2674	2678	2682	2686	2690
•	11 11	2669 AAA217	AAA217 11	AAA217 11	AAA217	2685 AAA217	2689 AAA408 43
	2665	2669	2673	2677	2681		
יי מחום ו	K00750 2665 AAA217	K00750	K00750	K00750	K00750	K00750	K00994

	Cytoplasmic. Glutethlone S- transferase Yc-1 (EC 2.5.1.18) (Chain 2) (GST Yc1)(GST class- alpha).						Myelin PO protein precursor (Myelin protein zero) (Myelin peripheralprotei n) (MPP).	"Protein kinase C, beta type (EC 2.7.1) (PKC-beta) (PKC-B)."
	Cytopiasmic.						Type I membrane protein.	
	K01932 Rat liver glutathione S-transferase Yc subunit mRNA, complete cds /cds=(44,709) /gb=K01932 /gi=204516 /ug=Rn.10460 /len=959	K02248cds RATSOM141 Rat somatostatin- 14 gene, complete cds	K02423cds RATMLC131 Rat fast myosin alkali light chain exon 1, specific for MLC1-f	K02815 Rat MHC RT1-B region class II (la antigen) A-alpha glycoprotein mRNA (haplotype Rt1-u) /cds=(0,390) /gb=K02815 /gi=205407 /ug=Rn.6100 /len=681	K03045cds RATRBP02 Rat retinol-binding protein (RBP) gene, exon 5	K03045cds RATRBP02 Rat retinol-binding protein (RBP) gene, exon 5	K03242 Rat Schwann cell peripheral myelin (P-0) mRNA, complete cds /cds=(31,777) /gb=K03242 /gl=205323 /ug=Rn.11403 /len=1029	K03486 RATPKC32 Rat protein kinase C type III mRNA, 3 region
					U63146	U63146		
	glutathione S- transferase Yc subunit	Somatostatin- 14 gene, complete cds	myosin light chain	Rat mRNA for RT1.B- 1(alpha) chain of integral membrane protein	Retinol- binding protein	Retinol- binding protein	Rat Schwann cell peripheral myelin	protein kinase C type III
	89.73	85	85	87.59	87	82	94.35	84.74
	2696	2700	2704	2707	2711	2715	2719	2723
	Q16772	NP_001	XP_030 823	P01907	P02753	P02753	P01037	NP_002 729
	2695	2699	2703	2706	2710	2714	2718	2722
	2694 NM_0008	NM_0010	XM_03082 3	M17847	NM_0067	NM_0067	Al557264	AK057555
		2698	2702		2709	2713	2717	2721
	P04804	AAA421 61	2701 AAA985 33	S04363	2708 AAB069 55	AAB069 55	2716 P06907	2720 P04410
	2693	2697	2701	2705	2708	2712		
ladie 2.	K01932 2693 P04904	K02248	K02423	K02815	K03045	K03046	K03242	K03486

								ż	
	"Adenylate cyclase, type VI (EC 4.6.1.1) (ATP pyrophosphate-lyase)(Ca(2+)-linhibitable adenylyl cyclase)."							Cathepsin S precursor (EC 3.4.22.27).	Lipoprotein lipase precursor (EC 3.1.1.34) (LPL).
	Integral membrane protein.							Lysosomal.	Attached to the membrane by a GPI-anchor.
L00382cds Rat skeletal muscle beta- tropomyosin and fibroblast tropomyosin 1 gene /cds=(0,854) /gb=L00382 /gi=207496 /ug=Rn.17580 /len=855	L01115 Rattus norvegicus adenylyl cyclase integral type VI mRNA, complete cds /cds=(198,3698) membrane /gb=L01115 /gi=202712 /ug=Rn.3313 protein.	L01793 RATMUSGLY Rattus norvegicus glycogenin mRNA sequence	L01793 RATMUSGLY Rattus norvegicus giycogenin mRNA sequence	L01793 RATMUSGLY Rattus norvegicus giycogenin mRNA sequence	L01793 RATMUSGLY Rattus norvegicus glycogenin mRNA sequence	L02315 Rattus norvegicus cDNA sequence, complete 5 and 3 UTR s /cds=UNKNOWN /gb=L02315 /gl=203126 /ug=Rn.9863	L02315 Rattus norvegicus cDNA sequence, complete 5 and 3 UTR s /cds=UNKNOWN /gb=L02315 /gl=203126 /ug=Rn.9863 /len=3829	L03201 Rattus norvegicus cathepsin S mRNA, complete cds /cds=(27,1019) /gb=L03201 /gl=203649 /ug=Rn.11347 /len=1330	L03294 Rattus norvegicus lipoprotein lipase mRNA, complete cds /cds=(174,1598) /gb=L03294 /gl=205214 /ug=Rn.3834 /len=3617
		AF021343	AF021343	AF021343	AF021343				
beta- tropomyosin and fibroblast tropomyosin 1	Adenylyl cyclase 6	Glycogenin	Glycogenin	Glycogenin	Glycogenin	Calcium channel beta 4 subunit	Calcium channel beta 4 subunit	Cathepsin S	Lipoprotein lipase
88	89.66	8	83	8	8	90.88	90.88	92	85
7272	2731	2735	2739	2743	2747	2750	2753	2757	2761
2726 P07951	043306	P46976	P46976	P46976	P46976	000305	000305	P25774	P06858
2726	2730	2734	2738	2742	2746	2749	2752	2756	2760
L00382 2724 AAA422 2725 NM_0032 89 89	AB007862	NM_0041 30	NM_0041	NM_0041	NM_0041	AF038852	AF038852	M90696	M15856
2725	2729	2733	2737	2741	2745			2755	2759
AAA422 89	Q03343	NP_112 305	6 AAB812 19	NP_112 305	4 AAB812 19	A45982	A45982	2754 Q02765	۵06000
2724	2728	2732	273	2740	2744	2748	2751 A45982	2754	2758   Q06000
L00382	L01115	L01783	1.01793	L01793	L01793	L02315	L02315	L03201	L03284

-				·				<b>0</b> .:
	Lipoprotein lipase precursor (EC 3.1.1.34) (LPL).	Lipoprotein lipase precursor (EC 3.1.1.34) (LPL).	Homeobox protein Hox-A5 (Hox-1.3) (Fragment).	Homeobox protein Hox-A5 (Hox-1.3) (Fragment).		GTP-binding protein ARD-1 (Fragment).	GTP-binding protein ARD-1 (Fragment).	Synaptic vesicle protein 2 (SV2).
	Attached to the	Attached to Ithe Ithe Ithe Ithe Ithe Ithe Ithe Ithe	Nuclear.	Nuclear.				SYNAPTIC VESICLE.
	L03294 Rattus norvegicus lipoprotein lipase mRNA, complete cds /cds=(174,1598) /gb=L03294 /gi=205214 /ug=Rn.3834 /len=3617	L03294 Rattus norvegicus lipoprotein lipase mRNA, complete cds /cds=(174,1598) /gb=L03294 /gi=205214 /ug=Rn.3834 /len=3617	L03556 Rat (clone RAHB2 8/10) hox1.3 protein (hox1.3) mRNA, 3 end /cds=(0,703) /gb=L03556 /gi=204643 /ug=Rn.10077 /len=985	L03556 Rat (clone RAHB2 8/10) hox1.3 protein (hox1.3) mRNA, 3 end /cds=(0,703) /gb=L03556 /gj=204643 /ug=Rn.10077 /len=985	L04739cds RATPMCA1A Rattus norvegicus plasma membrane calcium ATPase isoform 1 gene, partial cds	L04760 RATGUABIND Rat nucleotide binding protein mRNA, complete cds	L04760 RATGUABIND Rat nucleotide binding protein mRNA, complete cds	L05435 Rattus norvegicus synaptic vesicle protein (SV2) mRNA, complete cds /cds=(399,2627) /gb=L05435 /gi=207091 /ug=Rn.11264 /len=3844
•								
•	Lipoprotein lipase	Lpoprotein Ilpase	Homeo box A5	Homeo box A5	plasma membrane calclum ATPase.	Rat nucleotide binding protein	Rat nucleotide binding protein	synaptic vesicle protein (SV2)
	26	85	98.1	1.88	99	90.54	90.54	91.03
	2765	2769	2773	2777	2781	2785	2789	2793
	P06858	P06858	P20719	P20719	P20020	P36406	P36406	NP_055 664
	2764	2768	2772	2776	2780	2784	2788	2792
	2763 M15856	M15856	BC013682	BC013682	M95542	AF230389	AF230389	BC000776
		2767	2771	2775	2778	2783	2787	2791
	206030	000000	2770 P52949	P52949	2778 AAA508 78	2782 P36407	2786 P36407	Q02563
	2762	2766	2770	2774	2778	2782		2790
	L03284 2762 Q06000	L03294	L03556	L03556	L04739	L04760	L04760	L05435

		•		
•	Heparin-binding EGF-like growth factor precursor (HBEGF). (HBEGF).	Heparin-binding EGF-like growth factor precursor (HBEGF). (HBEGF).		
	RANE III. RE HB. SED HE CELL CELL CELL TO A TO A TOR.	MEMBRANE EGF-like g PROTEIN. factor prec MATURE HB (HB-EGF) EGF IS (HBEGF). RELEASED INTO THE EXTRACELL ULAR SPACE AND PROBABLY BINDS TO A RECEPTOR.		
	L05489 Rat heparin-binding EGF-like growth TYPE I factor mRNA, complete cds /cds=(31,657) MEMBI /gb=L05489 /gj=204289 /ug=Rn.10148 MATUF I RELEA /len=1550 EGF IS RELEA INTO I ECTRA ULAR SPACE	L05489 Rat heparin-binding EGF-like growth factor mRNA, complete cds /cds=(31,657) /gb=L05489 /gl=204289 /ug=Rn.10148 /len=1550	L05557cds RATPMCA2A4 Rat plasma membrane calclum ATPase Isoform 2 gene, exon n+3 and partial cds	L05557cds RATPMCA2A4 Rat plasma membrane calclum ATPase Isoform 2 gene, exon n+3 and partial cds
	Diphtherla toxin receptor (heparin binding epidermal growth factor factor)	Diphtheria toxin receptor (heparin binding epidermal growth factor like growth factor)	Rat plasma membrane calcium ATPase isoform 2 gene, exon n+3 and partial cds	plasma membrane calcium ATPase
	2	20	52	86
	2797	2801	2805	2809
	Q99075	Q89075	P20020	XP_052 353
	2796	2800	2804	2808
	M60278	M60278	104027	XM_05235 3
	2785	2799	2803	2807
		Q06175	AAB607 03	AAB607 03
	2794	2798	2802	2806
A DINE	L05489 2794 Q06175	1.05489	105557	L05557

Adapter-related protein complex 3 mu 1 subunit (Mu-edaptin 3A) (AP-3adapter complex mu3A subunit) (Clathrin coat assembly protein AP47homolog 1) (Clathrin coat associated protein AP47 homolog 1) (Golg	COMPONEN Adaptar-related T OF THE protain complex COAT SURROUNDI (Clathrin coat NG THE assemblyprotein CYTOPLAS AP47 homolog MIC FACE 2) (Clathrin coat MIC FACE 2) (CLATED AP47 KDa COMPLEX. Protain homolog 2) (HA1 47 KDa
· ·	
L07073 Rat clathrin-associated adaptor protein homolog (p47A) mRNA, complete cds //cds=(43,1299) /gb=L07073 /gi=468379 /ug=Rn.10959 /len=2146	L07074 Rat clathrin-associated adaptor protein homolog (p47B) mRNA, complete cds //cds=(31,1287) /gb=L07074 /gi=468381 //ug=Rn.11007 /len=3295
92.58 Clathrin-associated adaptor protein homolog (p47A) mRNA	clathrin- associated adaptor protein
92.58	88.05
	2817
Q8Y2T2	P53677
2812	2816
2811 AF092092	D38283
2811	2815
2810 P53676	2814 P53678
2810	
L07073	107074

Table 2.	~;				•	•	•	•		•		·	•
L07736	2818	L07736 2818 P32198	2819	BC000185	2820	P50416	2821	82.27	82.27 Carnitine palmitoyltransf erase 1 alpha, liver isoform	<u>⊋ £ ₽ €</u>	L07736 Rat camitine paimitoytransferase   Mit mRNA, complete cds /cds=(102,2423) out /gb=L07736 /gl=294520 /ug=Rn.2856 me=4377	Mitochondrial "Carnitine O- outer palmitoyitrans membrane. ase 1, mitochondrial fiver isoform(f 2.3.1.21) (CPTI-L)."	"Camitine O- palmitoyitransfer ase I, mitochondrial liver isoform(EC 2.3.1.21) (CPT I) (CPTI-L)."
L07925	2822	Q03386	2823	AB037729	2824 (	Q12967	2825	90.5	Ral guanine nucleotide dissociation stimulator	<u></u>	L07925 RATGNDSA Rattus rattus guanine nucleotide dissociation stimulator for a rasrelated GTPase mRNA, complete cds		Ral guanine nucleotide dissociation stimulator (RalGEF) (RalGDS).
L07925		2826 Q03386	2827	AB037729	2828	Q12967	2829	90.5	Ral guanine nucleotide dissociation stimulator	⊐ 5 <u>5</u>	L07925 RATGNDSA Rattus rattus guanine nudeotide dissociation stimulator for a rasrelated GTPase mRNA, complete cds		Ral guanine nucleotide dissociation stimulator (RalGEF) (RalGDS).
L08228		2830 AAB509	2831	NIM_0073 27	2832	Q05586	2833	8	Rattus norvegicus N- methyl-D- aspartate receptor (NMDAR1) gene, exons 1 through 22	<u> </u>	L08228exon#22 RATNMDARI Rattus norvegicus N-methyl-D-asparlate receptor (NMDAR1) gene, exons 1 through 22		
L08490		2834 AAC42 029	2835	08 08	2836	P14867	2837	06	Rettus rattus GABA-A receptor alpha- 1 subunit gene	<u> 3 9 8</u>	L08490cds RATGABAAA Rattus rattus GABA-A receptor alpha-1 subunit gene, complete cds		

	Orphan nuclear receptor NURR1 (NUR- related factor 1) (Regeneratingliv er nuclear receptor 1) (RNR-1) (SL- 322) (Nuclear orphan receptorHZF-3).	TGF-beta receptor type il precursor (EC 2.7.1.37) (TGFR 2) (TGF-betatype il receptor).	Transcription factor 12 (Transcription factor 12 (Transcription factor HTF-4) (E-box-bindingprotein) (Sallvary-specific cAMP specific cAMP element-binding proteinalpha) (SCBP alpha) (SCBP alpha)
	Nuclear.	Type I membrane protein.	Nuclear.
	L08595 Rat nuclear receptor (RNR-1) mRNA, Nuclear. complete cds /cds=(111,1904)/gb=L08595 /gj=310215 /ug=Rn.9839 /jen=2559	L09853 Rattus norvegicus transforming growth factor-b type II receptor mRNA, complete cds /cds=(58,1761) /gb=L09653 /gi=207289 /ug=Rn.9954 /len=1792	L09656 Rat sallvany-specific cAMP response element-binding protein alpha mRNA, complete cds /cds=(203,2326) /gb=L09856 /gl=310225 /ug=Rn.9916 /len=2535
•	·	ш.ç	-Th els
	nuclear receptor	transforming growth factor- b type II receptor	Rat salivary- specific cAMP response element- binding protein alpha
•	93.27 nuclear receptor	2	8
	2841		2847
	P43354	XP_003	<b>D99081</b>
	2840	·	2846
	X75918	XM_00309 4	NM_0032 05
	5836	2843	2845
	2838 Q07917 2839 X75918	P38438	P51514
	2838	2842	2844
lable 4.	L08595	L08653	109656

						<del></del>
	5- hydroxytryptami ne 5B receptor (5-HT-5B) (Serotonin receptor) (MR22).	"Guanine nucleotide- binding protein G(S), aipha subunit (Adenylatecycla se-stimulating G aipha protein)."				
	Integral membrane protein.					
	L10073 Rattus norvegicus 5- Integral hydroxytryptamine receptor (5HT5b) mRNA, 5 membrane end /cds=(302,1414) /gb=L10073 /gi=310074 protein. /ug=Rn.10572 /len=2240	L10326 Rattus norvegicus alternatively spliced GTP-binding protein alpha subunit (stimulatory) (GS-alpha) mRNA, complete cds /cds=(18,293) /gb=L10326 /gl=205609 /ug=Rn.31 /len=733	L10362 Rattus norvegicus synaptic vesicle protein 2B (SV2B) mRNA, complete cds /cds=(439,2490) /gb=L10362 /gl=207093 /ug=Rn.9940 /len=3660	L10669 RATGLYPHOB Rat glycogen phosphorylase muscle isozyme mRNA, partial cds	L10669 RATGLYPHOB Rat glycogen phosphorylase muscle Isozyme mRNA, partial cds	L11002 Rat ankyrin binding glycoprotein-1 related mRNA sequence /cds=UNKNOVVN /gb=L11002 /gi=202922 /ug=Rn.3048 /len=5822
	5- hydroxytrypta mine receptor	GTP-binding protein alpha- s subunit	Rattus norvegicus synaptic vesicle protein 2B (SV2B) mRNA, complete cds	glycogen phosphorylase	glycogen phosphorylase	Ankyrin binding glycoproteln-1 related mRNA sequence
	69	100	96.12	79	79	91.41
	2851		2857			2865
	NP_076 917	589 589	9388219	XP_050 619	XP_050 619	BAA344 76
	2850		2856			2864
	2849 NM_0240	XM_00958	AK000592	XM_05061 9	XM_05061 9	AB018299
	2849	2853	2855	2859	2861	2863
		2852 P04894	2854 S34961	2858 AAA412 53	2860 AAA412 53	2862 AAB477 53
	2848		2854			2862
lable 4.	L10073 2848 P35365	L10326	L10362	L10669	L10669	L11002

		Microsomal signal peptidase 18 kDa subunit (EC 3.4) (SPase 18 kDasubunit) (SPC18) (Endopeptidase SP18).	Microsomal signal peptidase 18 kDa subunit (EC 3.4) (SPase 18 kDasubunit) (SPC18) (Endopeptidase SP18).	Phosphoglucom utase (EC 5.4.2.2) (Glucose phosphomutase) (PGM).	Adenylyl cyclase- essociated protein 1 (CAP 1).
_	-	Microsomal Signal protein. 18 kDa Microsomal. (EC 3.4 KDasut (SPase KDasut (SPC11 (SPC	Type II Micross membrane signal protein. 18 kDa Microsomal. (EC 3.4 (SPass kDasut (SPC16 (Endop	Cytoplasmic. Phosphoglucom utase (EC 5.4.2.2) (Glucose phosphomutase ) (PGM).	MEMBRANE cyclase- associat protein 1
11035 RATTCAXAS Rat T-cell receptor	alpha chain mRNA for RT1L haplotype	L11319 Rat signal peptidase mRNA, complete cds /cds=(74,613) /gb=L11319 r /gi=206977 /ug=Rn.24875 /len=643 N	L11319 Rat signal peptidase mRNA, complete cds /cds=(74,613) /gb=L11319 /gi=206977 /ug=Rn.24875 /len=643	L11694 Rattus norvegicus phosphogiucomutase mRNA, complete cds )cds=(43,1731) /gb=L11694 /gl=393212 /ug=Rn.9970 /len=1842	L11930 Rattus norvegicus cydase- associated protein homologue (MCH1) mRNA, complete cds /cds=(21,1445) /gb=L11930 /gi=310173 /ug=Rn.21389 /len=1460
loof Tool	ipha	peptidase	signal peptidase	Phosphogluco mutase 1	Cyclase- associated protein homologue
-	LEGEL	90.32	90.32	89. 89.	ο C
_	·	2871	2875	2879	2883
1445773	909	P21378	P21378	P36871	Q01518
7000		2870	2874	2878	2882
10101010101	AF32/018	AF090315	AF090315	BC019920	M98474
-		2869	2873	2877	2881
7 7 6	Protein Found.	P42667	P42667	P38652	2880 Q08163
ין טטטט ן	7866	2868	2872	2876	
20077	650117	L11319	L11319	L11694	L11930

ribosylation

factor 2. ADP-

rlbosylation factor 5.

ADP-

80.17 Tumor- associated glycoprotein pE4	ADP- ribosylation factor 2	ADP- ribosylation factor 5	RAS p21 protein activator	RAS p21 protein activator	Calcium/calm odulin- dependent protein kinase II delta subunit	Calcium/calm odulin- dependent protein kinase II delta subunit
80.17	86.05	95.06	98	98		
2887	2891	2895	2899	2803	2907	2911
2886 P15151	NP_001 649	P26437	P20936	P20936	Q13557	Q13557
2886	2890	2894	2898	2902	2906	2910
2885 M24407	BE514791	B1837414	M23379	M23379	NM_0012 21	NM_0012
	2889	2893	2897	2901	2905	2808
L12026 2884 AAB807	P16500	P26437	JT0863	утобез	AAA414 79	AAA414 79
2884	2888	2892	2896	2800	2904	2908
L12025	L12381	L12384	L13151	L13151	L13406	L13406

L12025 Rattus norvegicus tumor-associated glycoprotein E4 (Tage4) mRNA, complete cds /cds=(65,1303) /gb=L12025 /gi=2506084 /ug=Rn.10677 /len=2171 L12381 Rattus norvegicus ADP-ribosylation factor 2 mRNA, complete cds /cds=(120,665) /gb=L12381 /gj=438863 /ug=Rn.11263

Table 2.

L12384 Rattus norvegicus ADP-ribosylation factor 5 mRNA, complete cds /cds=(94,636) /gb=L12384 /gi=438869 /ug=Rn.10974 //en=1058 /len=1700

L13151cds RATGAPX Rat GTPase-activating protein (GAP) gene, complete cds activating protein (GAP) gene, complete cds L13151cds RATGAPX Rat GTPaseL13406 RATKINDA Rattus norvegicus calcium/calmodulin-dependent protein kinase II delta subunit mRNA, partial cds

L13406 RATKINDA Rattus norvegicus calcium/calmodulin-dependent protein kinase II delta subunit mRNA, partial cds

Insulin-Induced protein 1 (Insulin-Induced growth response protein CL-6) (Immediate-early protein CL-6).	Insulin-Induced protein 1 (Insulin-Induced growth response protein CL-6) (Immediate-early protein CL-6) 6).	insulin-induced protein 1 (insulin-induced growth response protein CL-8) (immediate- early protein CL- 9).
L13619 RATCL6A Rattus rattus insulin- induced growth-respons protein (CL-6) mRNA, complete cds	L13619 RATCL6A Rattus rattus insulin- induced growth-respons protein (CL-6) mRNA, complete cds	L13819 RATCL6A Rattus rattus Insulin- induced growth-respons protein (CL-6) mRNA, complete cds
Growth response protein (CL-6)	Growth response protein (CL-6)	Growth response protein (CL-6)
87.97 Growth respons	76.78	87.97
2915	2919	2923
016503	015503	015503
2914	2918	2922
L13619 2912 Q08755 2913 BC001880	BC001880	BC001880
2913	2917	2921
Q08755	2916 Q08755	2920 Q08755
2912		
L13619	L13619	L13619

Insulin-Induced protein 1 (Insulin-Induced (Insulin-Induced response protein CL-6) (Immediate-early protein CL-6).	GRG protein (ESP1 protein) (Amino enhancer of split) (AES- 1/AES-2).	GRG protein (ESP1 protein) (Amino enhancer of split) (AES- 1/AES-2).	Cortexin.	Phosducin-like protein (PHLP).
	"NUCLEAR, THOUGH SOME AUTHORS STATE THAT IT IS PROBABLY: CYTOPLAS	"NUCLEAR, THOUGH SOME AUTHORS STATE THAT IT IS PROBABLY CYTOPLAS		
L13619 RATCL6A Rattus rattus insulin- Induced growth-respons protein (CL-6) mRNA, complete cds	L14462 RATESP1A Rattus rattus R-esp1 mRNA, complete cds	L14462 RATESP1A Rattus rattus R-esp1 mRNA, complete cds	L15011 Rattus norvegicus neuron-specific cortexin mRNA /cds=UNKNOWN /gb=L15011 /gi=294534 /ug=Rn.9131 /len=1210	L15354 RATPHLPA Rat phosduch-like protein (PhLP) mRNA, complete cds
				<u> </u>
Growth response protein (CL-6)	R-esp1	R-esp1	Rattus norvegicus neuron- specific cortexin	
87.97 Growth respons protein	8	8	93.75	88.28
2927	2931	2835		2942
015503	AAC721 03	AAC721	No Human Protein Found.	Q13371
2926	2930	2834	2938	2841
BC001880	AC005944	AC005944	BC024148	AL117602
2925	2929	2833	2937	2840
L13619   2924   Q08755	206195	2932 Q06195	2936 P41237	063737
2924	2928	2832		2839
L13619	L14462	L14462	L15011	L15354

	Casein kinase II beta chain (CK II) (Phosvitin) (G5a).	Casein kinase II beta chain (CK II) (Phosvitin) (G5a).	Heat shock 70 kDa protein 1/2 (HSP70.1/2).	
	L16619 Rat casein kinase II beta subunit (CK2) mRNA, complete cds /cds=(113,760) /gb=L15619 /gj=415717 /ug=Rn.11095 /len=1944	L15619 Rat casein kinase II beta subunit (CK2) mRNA, complete cds /cds=(113,760) /gb=L15619 /gi=415717 /ug=Rn.11095 /len=1944	L16784 RATHSP70A Rattus norvegicus heat shock protein 70 (HSP70) mRNA, complete cds	L17077 RATIGNGFVH Rattus norvegicus NGF-binding ig rearranged H-chain mRNA, V- region, partial cds
	94.29 Casein kinase Il beta subunit	94.29 Casein kinase II beta subunit	Heat shock protein 70-1	NGF-binding Ig rearranged H-chain mRNA, V- region, partial cds
	94.29	94.29	92.64	
	2948	2950	2854	
	P13862	P13862	P01842	No Human Protsin Found.
	2945	2949	2953	
	2944 NM_0013	20 20	BC002453	No human homolog found.
		2948	2952	
	L15619   2943   P13862	2947 P13862	2951 Q07439	2855 AAA819 85
:	2943		2951	2955
משוח שו	L15619	L15619	L16764	L17077

Proteasome to subunit beta type 4 precursor (EC 3.4.25.1) (FC 4.4.25.1) (Macropain beta chain) (Multicatalytic endopeptidasec omplex beta chain) (Proteasome chain) (Proteasome chain) (Proteasome chain) (RN3).	Proteasome subunit beta type 4 precursor (EC 3.4.25.1) (Proteasomebet a chain) (Macropaln beta chain) (Multicatalytic endopeptidasec omplex beta chain) (Proteasome chain)	
Cytoplasmic and nuclear.	Cytoplasmic and nuclear.	
L17127 RATRN3 Rattus norvegicus proteasome RN3 subunit mRNA, complete cds	L17127 RATRN3 Rattus novegicus proteasome RN3 subunit mRNA, complete cds	L17318 Rattus nonegicus proline-rich proteoglycan (PRPG2) mRNA, complete cds /cds=(21,908) /gb=L17318 /gi=310199 /ug=Rn.9870 /len=1011
Proteasome RN3 subunit	Professome RN3 subunit	Rattus norvegicus proline-rich proteoglycan (PRPG2) mRNA, complete cds
88	8	စ္တ
2959	2963	7866
P28070	P28070	P24928
2958	2962	
2957 BC008314	BC008314	No human homolog found.
2957	2961	2965
. 2956 P34087	2860 P34067	B48013
	7386	2964
L17127	L17127	L17318

Calgranulin B (Migration inhibitory factor-related protein 14)(MRP-14) (p14).		· · · · · · · · · · · · · · · · · · ·	
		ı	
L18948 Rattus norvegicus intracellular calcium-binding protein (MRP14) mRNA, complete cds /cds=(31,372) /gb=L18948 /gi=488156 /ug=Rn.6703 /len=494	L19112 Rat (clone R2(B3C)) heparin-binding fibroblast growth factor receptor 2 (extracellular domain) mRNA, partial cds /cds=(0,1061) /gb=L19112 /gi=310150 /ug=Rn.12732 /len=1062	L19180 Rat receptor-linked protein tyrosine phosphatase (PTP-P1) mRNA, complete cds /cds=(30,4517) /gb=L19180 /gi=310201 /ug=Rn.17237 /len=5396	L19180 Rat receptor-linked protein tyrosine phosphatase (PTP-P1) mRNA, complete cds /cds=(30,4517) /gb=L19180 /gi=310201 /ug=Rn.17237 /len=5396
P06702 2970 83.06 intracellular calciumbinding protein	97.74 Rat (clone R2(A3B)) heparin- binding fibroblast growth factor receptor 2 (extracellular domain) mRNA, partial cds	91.74 Protein tyrosine phosphatase, receptor type, D	91.74 Protein tyrosine phosphatase, receptor type, D
83.06	97.76	91.74	91.74
2970	2973	2977	2981
P06702	P21802	2204414 A	2204414 A
2869	2972	2976	2980
L18948 2967 P50116 2968 X06233	U11814	U35234	U35234
7968	·	2975	2979
P50116	99 99 1014	2974 S46217	2978 S46217
2967	2971	2974	2978
L18948	L19112 2971 g31014	L19180	L19180

Activin receptor type I precursor (EC 2.7.1.37) (ACTR-I)(Serine/threonine-protein kinase receptor R1) (SKR1) (TGF-Bsuperfamily receptor type I) (TSR-I).	Ras-related protein RAL-B.	Ras-related protein RAL-B.
Type I membrane protein.		
L19341 Rattus norvegicus activin type l receptor mRNA, complete cds /cds=(147,1676) /gb=L19341 /gi=435431 /ug=Rn.10892 /len=1780	L19699 Rat GTP-binding protein (ral B) mRNA, complete cds /cds=(64,684) /gb=L19699 /gi=310211 /ug=Rn.4586 /len=2074	L19699 Rat GTP-binding protein (ra! B) mRNA, complete cds /cds=(64,684) /gb=L19699 /gi⇒310211 /ug=Rn.4586 /len=2074
	<u> </u>	<u> </u>
94 activin type I receptor	Rat GTP- binding protein (ral B) mRNA, complete cds	Rat GTP- binding protein (ral B) mRNA, complete cds
2.	8	8
2985	2989	2893
204771	P11234	P11234
2984	2988	2992
L18341 2982 P80201 2983 NM_0011 2984 Q04771 2985	M35416	M35416
2983	2987	2991
P80201	2986 P36860	2990 P36860
2982		
118341	L19699	L18699

Aryl sulfotransferase (EC 2.8.2.1) (Phanol sulfotransferase ) (PST- 1)(Sulfokinase) (Aryl sulfotransferase N) (ASTIV) (Tyrosine- estersulfotransferase is (Minoxidii) sulfotransferase	Aryl sulfotransferase (EC 2.8.2.1) (Phenol sulfotransferase 1) (PST- 1) (Sulfokinase) (Aryl sulfotransferase IV) (ASTIV) (Tyrosine- estersulfotransferase sulfotransferase ivitotransferase ivitotransferase sulfotransferase ).
Cytoplasmic. Avyi sulft (Fr. (Ph. 1)(S) (Avy) (Avy) (Avy) (Avy) (Cyr) (C	Cytoplasmic. Aryl suff (Fra suff (Pha suff (Ph
L19998 Rat minoddil suifotransferase mRNA, complete cds /cds=(77,952) /gb=L19998 /gi=310178 /ug=Rn.1507 /len=1227	L19998 Rat minoxidii sulfotransferase mRNA, complete cds /cds=(77,952) /gb=L19998 /gl=310178 /ug=Rn.1507 /len=1227
G.	
Minoddil sulfotransfera se	Minoxidil sulfotransfera se
\$	4
2997	3001
P50225	P50225
2996	3000
2995 L19999	L1 9999
2985	5888
L18998 2994 P17988	P17988
2994	2998
L19998	L19998

	<u> </u>	
	Aryl sulfotransferase (EC 2.8.2.1) (Phenol sulfotransferase (PST-1)(Sulfokinase) (Aryl sulfotransferase IV) (ASTIV) (Tyrosinesetersulfotransferase) (Minoxdiil sulfotransferase) (Minoxdiil sulfotransferase) (Minoxdiil sulfotransferase)	Anyl sulfotransferase (EC 2.8.2.1) (Phenol sulfotransferase ) (PST- 1)(Sulfokinase) (Anyl sulfotransferase N) (ASTIV) (Tyrosine- estersulfotransferase) (Minoxidii sulfotransferase ).
•	Cytoplasmic. Aryl sulft (Phe (Phe sulft sulft sulft sulft sulf sulft sulft sulft sulft sulf sulf sulf sulf sulf sulf sulf sulf	Cytoplasmic Avy suffice (EC (Phe suffice Suffi
	L19998 Rat minoxidii suifotransferase mRNA, complete cds /cds=(77,952) /gb=L19998 /g⊨310178 /ug=Rn.1507 /len=1227	L19998 Rat minoxidil sulfotransferase mRNA, complete cds /cds=(77,952) /gb=L19998 /gi=310178 /ug=Rn.1507 /len=1227
•	Minoxidii suffotransfera se	Minoxidii sulfotransfera se
	4	47
•	3005	6008
•	P50225	P50225
	3006	3008
		L19999
		3007
•	L19998 3002 P17988	P17988
	3002	3008
	119998	

Syntaxin 5.	_		
L20822 Rattus norvegicus syntaxin 5 mRNA, complete cds /cds=(129.1034) /gb=120822 /gs=Rn.5782 /len=1608	L20900 Rattus norvegicus autoantigen p69 mRNA, complete cds /cds=(499, 1941) /gb=[20900 /gj=437663 /ug=Rn.1379 /len=2094	L21711 PFALGT Rattus sp. (clone PbURF) galectin-5 mRNA, complete cds	L21711 PFALGT Rattus sp. (clone PbURF) galectin-5 mRNA, complete cds
syntaxin 5	lslet cell autoantigen 1 69 kDa	Galectin-5	Galectin-5
88	91.45	2	2
3017	3021		
Q13190	Q05084	XP_039	XP_039 888
3016	3020		
NM_0031 64	U37183	XM_03988	XM_03988 8
3015	3019	3023	3025
Q08851	165309	AAA654 45	3024 AAA654 45
3014		3022	3024
L20822	L20900	121711	121711
	3014 Q08851 3015 NIM_0031 3016 Q13190 3017 95 symtaxin 5 L20822 Rattus norvegicus symtaxin 5 mRNA, complete da /dds=(129,1034) /gb=L20822 /gi=349322 /ug=Rn.5782 /len=1608	3014 Q08851 3015 NIM_0031 3016 Q13190 3017 95 symtaxin 5 L20822 Rattus norvegicus symtaxin 5 mRNA, complete cds /cds=(129,1034) /gb=L20822 /ug=Rn.5782 /len=1608 /ds=(129,1034) /gb=L20822 /ug=Rn.5782 /len=1608 /ds=(499,1941) /gb=L20900 /gi=437663 /ug=Rn.1379 //gb=L20900 /gi=437663 /ug=Rn.1379	3014 Q08851 3015 NIM_0031 3016 Q13190 3017 95 syntaxin 5 Complete cds /cds=(129,1034) /gp=120822 /ug=Rn.5782 /len=1608 /cds=(129,1034) /gp=120822 /ug=Rn.5782 /len=1608 /cds=(129,1034) /gp=120822 /ug=Rn.5782 /len=1608 /cds=(499.1941) /cds=

				·
Gastrotropin (GT) (lieal lipid- binding protein) (ILBP) (Intestinal (145P) (14 KDa bile acid binding protein) (1- BABP).	DNA-binding protein inhibitor ID-1.	DNA-binding protein inhibitor ID-1.	Guanine nucleotide- binding protein G(I)/G(S)/G(O) gamma-7 subunit.	Transcription factor COE1 (OE-1) (O/E-1) (Oliactory neuronalitranscription factor) (OLF-1).
Cytoplasmic.	Nuclear.	Nuclear.		Nuclear.
L22788 Rattus norvegicus 14 kDa bile acid- Gytoplasmic, Gastrotropin binding protein (I-BABP) mRNA, complete cds /cds=(48,434) /gb=[22788 /gi=349080 /ug=Rn.10008 /len=498 (ILBP)	L23148 Rattus norvegicus inhibitor of DNA-binding, splice variant Id1.25, complete cds /ods=(61,555) /gb=L23148 /gi=516116 /ug=Rn.2113 /len=1124	L23148 Rattus norvegicus inhibitor of DNA- binding, splice variant Id1.25, complete cds /cds=(61,555) /gb=L23148 /gi=516116 /ug=Rn.2113 /len=1124	L23219 Rattus norvegicus G protein gamma subunit (gamma7 subunit) mRNA, complete cds /cds=(240,449) /gb=L23219 /gl=349795 /ug=Rn.11335 /len=2897	L24051 Rattus norvegicus transcription factor Nuclear. (Oif-1) mRNA, complete cds /cds=(72,1784) /gb=124051 /gj=398587 /ug=Rn.11257 /len=2221
82.87 14 kDa bile acid-binding protein (I- BABP) mRNA	Inhibitor of DNA binding 1, helix-loophelix protein (splice variation)	Inhibitor of DNA binding 1, helix-loophelix protein (splice variation)	Guanine nucleotide binding protein (G protein), gamma 7 subunit	factor factor
22.87 24.87 19.19.19.19.19.19.19.19.19.19.19.19.19.1	91.74 III	91.74 In Ot 1.7.4 (Si Re Sa	87.25 Gr DI US BB BB BB	95.54 tra
3026			3039	3043
P51161	JC5396	JC5396	060262	P02593
3028	3032	3035	3038	3042
3027 U19869	AA689598	AA689598	BC014466	BG535341
3027	3031	3034	3037	3041
L22788 3026 P80020	P41135	P41135	P43425	Q63398
3026	3030	3033	3036	3040
8	123148	123148	23219	124051

3052	3048 P04800 3052 OKRTC 3056 OKRTC 3050 Q63321	3063 3057 3061	3049 J04813 3053 M34181 3057 M34181 3061 NM_0003	3050 85 3050 8052 3062	P20815 P22694 P22694 C022809	3053 3063	86. 88 99. 99 78	Testosterone 6-beta- hydroxylase (CYP3A1) Testosterone 6-beta- hydroxylase (CYP3A1) Tropomyosin non-muscle isoform NM3 Tropomyosin non-muscle isoform NM3 CTPM-gamma) mRNA, complete cds complete cds isoform NM3 mRNA, complete cds	L24207 Rattus norvegicus testosterone 6-beta-hydroxylase (CYP3A1) mRNA, completa bound. cds /cds=(66,1574) /gp=L24207 /gj=401798 Endopii /ug=Rn.11291 /len=2015  L24207 Rattus norvegicus testosterone 6-bound. cds /cds=(66,1674) /gp=L24207 /gj=401798 Endopii /ug=Rn.11291 /len=2015  L24776 Rattus norvegicus tropomycsin normuscle isoform NM3 (TPM-gamma) mRNA, complete cds /cds=(18,764) /gb=L24776  Gj=438879 /ug=Rn.24727 /len=1101  L24776 Rattus norvegicus tropomyosin normuscle isoform NM3 (TPM-gamma) mRNA, complete cds /cds=(18,764) /gb=L24776  Gj=438879 /ug=Rn.24727 /len=1101  L25331 Rattus norvegicus lysyi hydroxylase MEMBii mRNA, complete cds /cds=(143,2329)  CISTEI /Gn=2987	asmic m. ane-asmic m. ane-asmic m. ane-asmic m. ane-asmic m. ane-asmic m. anale asmic m. anale a	Cytochrome P450 3A1 (EC 1.14.14.1) (CYPIIIA1) (P450-PCN1). Cytochrome P450 3A1 (EC 1.14.14.1) (P450-PCN1). (P450-PCN1). (P450-PCN1). (P450-PCN1).
3064	AAA177 57 AAA177 57	3065	D25328 D25328	3066 0	Q01813 Q01813	3067	8 8	Phosphofructo Kinase C (PFK C) Phosphofructo Kinase C (PFK C) Kinase C (PFK C)	L25387 RATPHOPSHC Rat phosphofructokinase C (PFK-C) mRNA, complete cds L25387 RATPHOPSHC Rat phosphofructokinase C (PFK-C) mRNA, complete cds	ENDOPLAS MIC RETICULUM	precursor(EC 1.14.11.4) (Lysyl hydroxylase 1) (LH1)."

MICROTUBU Dynamin 2 (EC 1.E- 3.6.1.50). ASSOCIATE	Regulated endocrine specific protein 18 precursor.	Regulated endocrine specific protein 18 precursor.	Regulated endocrine specific protein 18 precursor.	Regulated endocrine specific protein 18 precursor.	"NUCLEAR, Nuclear factor BUT ALSO NF-kappa-B FOUND IN THE CYTOPLAS factor KBF1) M IN AN ROTIVE KAPPA-B1 FORM COMPLEXE D TO AN ICONTAINES INHIBITOR (I, Nuclear factor KAPPA-B)." NF-kappa-B Subunit FORM FOUND EXE RIPBB FORM FOUND
MICROTUBU LE- ASSOCIATE D	Secreted.	Secreted.	Secreted.	Secreted.	"NUCLEAR, BUT ALSO FOUND IN THE CYTOPLAS M IN AN INACTIVE FORM COMPLEXE D TO AN INHIBITOR (I KAPPA-B)."
AA851887   L25605 Rat dynamin Ilaa and Ilab mRNA,   complete cds /cds=(111,2723) /gb=L25605  /gi=416395 /ug=Rn.11231 /len=3463	L25633 Rattus norvegicus neuroendocrine- specific protein (RESP18) mRNA, complete cds /cds=(87,614) /gb=L25633 /g⊫468923 /ug=Rn.2225 /len=719	L25633 Rattus norvegicus neuroendocrinespecific protein (RESP18) mRNA, complete cds /cds=(87,614) /gb=L25633 /gi=468923 /ug=Rn.2225 /len=719	L25633 Rattus norvegicus neuroendocrinespecific protein (RESP18) mRNA, complete cds /cds=(87,614) /gb=L25633 /gi=468923 /ug=Rn.2225 /len=719	L25633 Rattus norvegicus neuroendocrinespecific protein (RESP18) mRNA, complete cds /cds=(87,614) /gb=L25633 /gi=468923 /ug=Rn.2225 /len=719	L26267 Rattus norvegicus nuclear factor kappa B p105 subunit mRNA, 3 end /cds≕(0,1689) /gb=126267 /gj=425471 /ug=Rn.2411 /len=2245
AA851887					
dynamin Ilaa and Ilab	Regulated endocrine- specific protein 18	Regulated endocrine- specific protein 18	Regulated endocrine- specific protein 18	Regulated endocrine- specific protein 18	nuclear factor kappa B p105 subunit
06	27	22	27	27	88.46
3075	3079	3083	3087	3091	3095
P50570	Q16849	Q16849	Q16849	Q16849	Z04 204
3074	3078	3082	3086	3080	3094
NM_0049 45	NM_0028 46	NM_0028 46	NM_0028 46	NM_0028 46	AI265879
3073	3077	3081	3085	3089	3083
3072 P39052	P47940	P47940	P47940	P47940	Q63369
	3076	3080	3084	3088	3092
1.25605	125633	1.25633	1.25633	125633	126267
		·			

BTG1 protein (Anti- proliferative factor).	BTG1 protein (Anti- proliferative factor).	"Adenylate cyclase, type VIII (EC 4.6.1.1) (ATP pyrophosphate-lyase)(Ca(2+)/c almodulin activated adenyk/ cyclase)."	-	Mitogen- activated protein kinase 9 (EC 2.7.1) (Stress- activatedprotein kinase JNK2) (c- Jun N-terminal kinase 2) (SAPK-aipha) (p54-aipha).
,		Integral membrane protein.		
L26268 Rattus norvegicus anti-proliferative factor (BTG1) mRNA, complete cds //cds=(0,515) /gb=L26268 /gi=1167495 //ug=Rn.1000 /len=1464	L26268 Rattus norvegicus anti-proliferative factor (BTG1) mRNA, complete cds /cds=(0,515) /gb=L26268 /gi=1167495 /ug=Rn.1000 /isn=1464	L26986 Rat adenylyl cyclase type VIII mRNA, Integral complete cds (cds=(776,4522) /gb=L26986 membra /gj=479017 /ug=Rn.10382 /len=4601 protein.	L27075 Rat ATP-citrate lyase mRNA, exons 1-7 /cds=UNKNOWN /gb=L27075 /gi=436002 /ug=Rn.986 /len=13553	LZ7112 RATSAPKB Rattus norvegicus stress activated protein kinase alpha il mRNA, complete cds
BTG1; B cell translocation gene	BTG1; B cell translocation gene	91.14 Adenyiyi cyclase type VIII	ATP-citrate lyase	Stress activated protein kinase alpha II
95.57	95.57	91.14		83.85
3088	3103	3107		3112
P31607	P31607	P40145	No Human Protein Found.	P45984
3098	3102	3108		11.6
3097 BC016759	BC016759	M63533	No human homolog found.	L31951
	3101	3105		3110
3096   Q63073	3100 Q63073	3104 P40148	No Rat Protein Found.	P49186
	3100		3108	3109
1.26268	126268	126986	127075	127112

<del></del>			
Mitogen- activated protein kinase 9 (EC 2.7.1) (Stress- activated protein kinase JNK2) (C- Jun N-terminal kinase 2) (SAPK-aipha) (p54-aipha).	Neuronal calcium sensor 1 (NCS-1) (Frequenin homolog) (Frequenin- ilkeprotein) (Frequenin-like ubiquitous protein).	Calcitonin generalated peptide type 1 receptor precursor (CGRP type 1 receptor).	
	"POST- SYNAPTIC DENSITIES OF DENDRITES, AND IN THE PRE- SYNAPTIC SYNAPTIC SYNAPTIC STRMINAL AT NEUROMUS CULAR JUNCTIONS.	Integral membrane protein.	
L27112 RATSAPKB Rattus norvegicus stress activated protein kinase alpha li mRNA, complete cds	L27421 Rattus norvegicus neuronal calclum sensor (NCS-1) mRNA, complete cds /cds=(0,572) /gb=L27421 /gl=498031 /ug=Rn.22392 /len=573	NM_01271 L27487 Rat calcitonin receptor-like receptor 7 (CRLR) mRNA /cds=UNKNOVNN /gb=L27487 /gi=440339 /ug=Rn.11202 /len=3185	L27651 Rattus norvegicus ilver-specific transport protein mRNA, complete cds /cds=(73,1680) /gb=L27651 /gi=529589 /ug=Rn.10009 /len=1810
		NM_01271	
Stress activated protein kinase alpha II	neuronal calcium sensor (NCS- 1)	Rat calcitonin receptor-like receptor (CRLR) mRNA	Solute carrier family 22 (organic anion transporter), member 7
93.85 Stress activate protein alpha I	89.39	87.9	86.28
3116	3120	3124	3128
P45984	P36610	Q16602	AAD370 91
31.5	9119	3123	3127
3114 L31951	NM_0142 86	U17473	AF210455
	£ ,	3122	3126
3113 P49186	P36610	3121   Q63118	AAA571 67
3113	3117	3121	3126
Table 2.	127421	127487	1.27851

			<del></del>
	Nervous-system specific octamer binding transcription factor N-OCT 3(Brain-specific American protein 2) (BRN-2 protein).	Nervous-system specific octamer specific octamer binding transcription factor N-OCT 3(Brain-specific homeobox/POU domain protein 2) (BRN-2 protein).	
	Nuclear.	Nuclear.	
L27651 Rattus norvegicus liver-specific transport protein mRNA, complete cds /cds=(73,1680) /gb=L27651 /gi=529589 /ug=Rn.10009 /len=1910	LZ7663 Rat DNA binding protein (Bm-2) mRNA sequence /cds=UNKNOWN /gb=LZ7663 /gi=443687 /ug=Rn.9866 /len=1814	L27663 Rat DNA binding protein (Bm-2) mRNA sequence /cds=UNKNOWN /gb=L27663 /gi≒443687 /ug=Rn.8866 /len=1814	NM_03157 L27843 RATPRL1NP Rat tyrosine 9 phosphatase (PRL-1) mRNA, complete cds
	31,		NM_03157 9
86.28 Solute carrier family 22 (organic anion transporter), member 7	POU domain, class 3, transcription factor 2	POU domain, class 3, transcription factor 2	95.4 Protein tyrosine phosphatase 4a1
86.28	o. 00	6.08	95.4
3132	33.8	3140	3144
AAD370 91	P20265	P20265	XP_034 503
3131	3135	3139	3143
3130 AF210455	211933	211933	U48296
	£ \$	3138	3142
127651 3129 AAA571 57	P56222	P56222	3141 NP_113
3129	3133	3137	3141
127651	127663	1.27663	L27843

L28801 Rat transcription factor IIIC alphasubunit mRNA, complete cds /cds=(25,6471) /gb=L28801 /gj=454176 /ug=Rn.11288 /len=6878	L28801 Rat transcription factor IIIC alpha- subunit mRNA, complete cds /cds=(25,6471) /gb=L28801 /gl=454176 /ug=Rn.11288 /len=8878	L28801 Rat transcription factor IIIC alphasubunit mRNA, complete cds /cds=(25,6471) /gb=L28801 /gi=454176 /ug=Rn.11288 /len=6878	L28901 Rat transcription factor IIIC alphasubunit mRNA, complete cds (cds=(25,6471)/gb=L28801 /gl=454176 /ug=Rn.11288	L29281 Rattus norvegicus Intitation factor-2 kinase (elF-2a) mRNA, complete cds /cds=(150,1691) /gb=L29281 /gl=468372 /ug=Rn.10022 /len=3808
Rat transcription factor IIIC alpha-subunit mRNA, complets cds	Rat transcription factor IIIC alpha-subunit mRNA, complete cds	Rat transcription factor IIIC alpha-subunit mRNA, complete cds	Rat transcription factor IIIC alpha-subunit mRNA, complete cds	Protein kinase, interferon- inducible double stranded RNA dependent
4	1	<b>F</b>	4	62
3148	3152	3156	3160	3164
3147   138414	138414	138414	138414	P19625
3147	3151	3155	3159	3163
002619	U02619	U02619	U02619	M35683
3148	3150	3154	3158	3162
L28801 3145 A56011	A56011	A56011	3157 A56011	S50216
3145	3149	3153	3157	3161
1.28801	128801	128801	128801	129281

		_	
	"Neuronal acetylcholine receptor protein, alpha-7 chain precursor."	"Neuronal acætylcholine receptor protein, alpha-3 chain precursor."	"Neuronal acetylcholine receptor protein, alpha-3 chain precursor."
	Integral membrane protein.	Integral membrane protein.	Integral membrane protein.
L29573 RATNOREPIN Rat NaCk-dependent norepinephrine transporter mRNA, partial cds	L31619 Rattus rattus nicotinic acetylcholine integral receptor alpha 7 subunit mRNA, complete cds membrane /cds=(22,1530) /gb=L31619 /gi=468919 protein. /ug=Rn.3698 /len=2105	L31621 RATNARA Rattus rattus (clone: pPCA48E) nicotinic acetylcholine receptor aipha 3 subunit mRNA, complete cds	L31621 RATNARA Rattus rattus (clone: pPCA48E) nicotinic acetylcholine receptor alpha 3 subunit mRNA, complete cds
Solute carrier family 6 (neurotransmit ter transporter, nor radrenalin), member 2	C holinergic receptor, nicotinic, applypeptide 7 (neuronal nicotinic acetycholine receptor alpha 7) (bungarotoxin alpha)	Rattus norvegicus nicotinic acetylcholine receptor sipha subunit mRNA, complete cds	Rattus norvegicus nicotinic acetylcholine receptor alpha 3 subunit mRNA, complete cds
80	87.81	89.03	89.03
3167	3171	3176	3179
P23975	P36544	P32297	P32297
3166	3170	3174	3178
M65105	X70287	X63559	X53559
	3169	3173	3177
159558	Q05941	P04757	P04757
3165  159558	3168	3172	3176
128573	131619	131621	1.31621

	Growth arrest and DNA-damage-Inducible protein GADD45 alpha (DNA-damage-Inducible transcript 1)	Growth arrest and DNA-damage-linducible protein GADD45 alpha (DNA-damage inducible transcript 1) (DDIT1).	Growth arrest and DNA-damage-inducible protein GADD45 alpha (DNA-damage-inducible protein (DNA-damage-inducible transcript 1)	Growth arrest and DNA- damage- inducible protein GADD45 alpha (DNA-damage inducible transcript 1) (DDIT1).
	L32591mRNA RATGADD45X Rattus norvegicus GADD45 mRNA, complete cds	L32591mRNA RATGADD45X Rattus norvegicus GADD45 mRNA, complete cds	L32591mRNA RATGADD45X Rattus norvegicus GADD45 mRNA, complete cds	L32591mRNA RATGADD45X Rattus norvegicus GADD45 mRNA, complete cds
•	<u>.</u>	<u> </u>	<u>\$</u>	
•	gadd45	gadd45	gadd45	gadd45
	56	8	98	15 66
•	3183	3187	3191	3195
•	P24522	P24522	P24522	P24522
	3182	3186	3190	3184
•	L32591 3180 P48317 3181 M60974	M60974	M60974	M60974
•	9181	3185	3189	3193
,	P48317	P46317	P48317	P48317
•	3180	3184	3188	3192
anie 4.	132591	132581	132591	132591

				<del>`</del>
	Ceruloplasmin precursor (EC 1.16.3.1) (Ferroxidase).	Palmitoyl- protein thloesterase 1 precursor (EC 3.1.2.22) (Palmitoyl- protein hydrolase 1).	Succinate semialdehyde dehydrogenase (EC 1.2.1.24) (NAD(+)-dependentsucci nic semialdehyde dehydrogenase)	"Runt-related transcription factor 1 (Corebinding factor, alpha 2subunit) (CBF-alpha 2) (Acute myeloid leukemia 1 protein) (OncogeneAML-1) (Polyomavirus enhancer binding protein 2 alpha B subunit)(PEB"
		Lysosomal.		Nuclear.
	L33869 Rat norvegicus ceruloplasmin mRNA, complete cds /cds=(15,3194) /gb=L33869 /gi=499668 /ug=Rn.8598 /len=3700	L34262 Rattus norvegicus paimitoyl-protein thioesterase mRNA, complete cds /cds=(0,920) /gb=L34262 /gi=535741 /ug=Rn.1574 /len=2248	L34821 Rat succinate-semialdehyde dehydrogenase (SSADH) mRNA, 3 end /cds=(0,1466) /gb=L34821 /gi=556394 /ug=Rn.10070 /len=1731	L35271 Rattus norvegicus AML1 mRNA, complete cds /cds=(400,1752) /gb=L35271 /gi=528577 /ug=Rn.11201 /len=2006
	86.44 Ceruloplasmin	painitoyl- protein thioesterase	Succinic semialdehyde dehydrogenas e	AML1
	86.44	20 .	46.48	
	3199	3203	3207	3211
	P00450	842 842	P51649	060472
	3198	3202	3206	3210
	3197 M13699	XM_02984 2	134820	D43968
	3197	3201	3205	3209
	L33869 3196 P13635	P45479	P51650	Q63046
:	3196	3200	3204	3208
abid 4.	L33869	L34262	134821	135271

Insulin gene enhancer protein ISL-2 (Islet-2).	Insulin gene enhancer protein ISL-2 (Islet-2).	Guanine nucleotide- binding protein G(I)/G(S)/G(O) gamma-8 subunit(Gamma-9).			Jagged 1 precursor (Jagged1).
Nuclear.	Nuclear.				Type I membrane protein.
L35571 Rattus norvegicus (done 1.6kB) islet-Nuclear. 2 mRNA, complete cds /cds=(76,1158) /gb=L35571 /gj=531217 /ug=Rn.10028 /len=1298	L35571 Rattus norvegicus (clone 1.6kB) islet-Nuclear. 2 mRNA, complete cds /cds=(76,1158) /gb=135571 /gj=531217 /ug=Rn.10026 /len=1298	L35921 Rattus norvegicus GTP-binding protein gamma subunit (Ggamma8) mRNA, complete cds /cds=(220,432) /gb=L35921 /gj=625158 /ug=Rn.11233 /len=560	L36088 Rattus norvegicus (clone RSTK-1) serine-threonine kinase receptor type lmRN4, complete cds (cds=(556,2070) /gb=L36088 /gi=609587 /ug=Rn. 10631 /len≃3917	L36532 Rat complement regulatory protein (Crry) mRNA, complete cds /cds=(23,1702) /gb=L36532 /gj≕550510 /ug=Rn:5825	L38483 Rattus norvegicus jagged protein mRNA, complete cds /cds=(386,4045) /gb=L38483 /gi=1492110 /ug=Rn.11254 /len=5575
<u> </u>					
Rattus norvegicus (clone 1.6kB) islet-2 mRNA	Insulin related protein 2	GTP-binding protein gamma subunit	Rattus norvegicus (clone RSTK- 1) serine- threonine kinase receptor type i mRNA,	Rat complement regulatory protein (Crry) mRNA	Jagged 1
93.26 Rattus norveg (clone Islet-2 I	93.26	89.05	86.75	4	22
3215		3222	3226	3230	3234
XP_047 951	138522	NP_150 283	P37023	AAB606 94	Q9Y219
3214	3218	3221	3225	3229	3233
3213 A1972048	AI972048	NM_0332 58	L17075	L17418	NM_0022 26
3213	3217	3220	3224	3228	3232
3212 P50480	P50480	P43426	3223 AAC37 705	3227 AAA918 21	Q63722
3212	3216	3219	3223	3227	3231
1.35571	1.35571	L35921	2008	L36532	L38483

Glutathlone synthetase (EC 6.3.2.3) (Glutathlone synthase) (GSHsynthetase) (GSH-S).	Glutathione synthetase (EC 6.3.2.3) (Glutathione synthase) (GSHsynthetase) ) (GSH-S).	Importin beta-1 subunit (Karyopherin beta-1 subunit) (Nuclear factorP97).		Cytochrome c oxidese polypeptide VIII- liver (EC 1.9.3.1).	"Class I histocompatibilit y antigen, Non- RT1.A alpha-1 chain precursor."
		CYTOPLAS MIC AND NUCLEAR ENVELOPE.			
L36615 Rattus norvegicus glutathione synthetase mRNA, complete cds /cds=(44,1468)/gb=i.38615/gi=755063 /ug=Rn.1692/len=1882	L38615 Rattus norveglcus glutathlone synthetase mRNA, complete cds /cds=(44,1468) /gb=L38615 /gl=755063 /ug=Rn.1692 /len=1882	L38644 Rattus norvegicus karyopherin beta mRNA, complete cds /cds=(101,2728) /gb=L38644 /gl=712838 /ug=Rn.11061 /len=2991	L39016 Rattus norvegicus sodium channel protein 6 (SCP6) mRNA, complete cds //cds=(0,5930) /gb=L39018 /gj=829033 //ug=Rn.10073 /len=6826	L48209 RATCOXVIII Rattus norvegicus liver cytochrome c oxidase subunit VIII (COX-VIII) mRNA, 3 end of cas	M10094 Rat MHC class I truncatad ceil surface antigen mRNA /cds=(0,320) /gb=M10094 /gi=205412 /ug=Rn.3577 /len=628
Glutathione synthetase gene	Glutathione synthetase gene	karyopherin beta	Sodium channel protein 6	Rattus norvegicus liver cytochrome c oxdasse subunit VIII (COX-VIII) mRNA, 3' end of cds	RT1 class lb gene
98	88	96.52	90.97		75
3238	3242		3249		
P48637	P48637	XP_017 163	XP_008 249	No Human Protein Found.	No Human Protein Found.
3237	3241	3245	3248		3254
NIM_0001 78	NIM_0001 78	AA738059	AB027567	No human homolog found.	138874
3236	3240	3244	3247	3251	3253
3235 P46413	P46413	3243 P52296	3246 AAC42 059	3250 P80433	P15978
	3239		3246	3250	3252
L38615	L38615	L38644	1.39018		M10094

	"Class I histocompatibility antigen, Non-RT1A alpha-1 chain precursor."		"Class I histocompatbilit y antigen, Non- RT1.A alpha-1 chain precursor."	Calcitonin generalated poptide Il pracursor (CGRP-II) (Beta-typeCGRP).
	<u> </u>		<u> </u>	
	M10094 Rat MHC class I truncated cell surface antigen mRNA (cds=(0,320) /gb=M10094 /gi=205412 /ug=Rn.3577 /len=628	M10934 RATRBPA Rat retinol-binding protein (RBP) mRNA, partial cds	M11071 Rat MHC class I cell surface antigen mRNA /cds=(0,330)/gb=M11071 /gl=205414 /ug=Rn.11168 /len=824	M11596 Rat beta-type calcitonin gene-related Secreted. peptide mRNA, complete cds /cds=(5,409) /gb=M11598 /gi=203232 /ug=Rn.10741 /len=760
	75 RT1 class lb gene	Rat retinol- binding protein (RBP) mRNA, partial cds	Rat MHC class I cell surface antigen	Rat beta-type catcitonin gene-related peptide mRNA, complete cds
	75	85		39
		3261		3267
	138874	P02753	No Human Protein Found.	P01258
	3257	3260		3266
	3256   138874	NM_0067 44	No human homolog found.	M84486
		3269	3263	3265
	M10084 3255 P15978	M10834 3258 AAA420 20	P15978	P10093
<u>.:</u>	3255	3258	3262	3284
Table 2.	M10094	M10934	M11071 3262 P15978	M11596 3264 P10093

NUCLEAR. Hetarogeneous SHUTTLES nuclear CONTINUOU ribonuciaoprotei SLY n A1 (Helix-BETWEEN destabilizingprot THE destabilizingprot AND THE protein) (InRNP CYTOPLAS core protein M.LONG A1)(HDP). MRNA. COMPONEN T OF RIBONUCLE SCOMES.	cAMP- dependent protein kinase type II-beta regulatory chain.	cAMP- dependent protein kinase type II-beta regulatory chain.	cAMP- dependent protein kinase type II-beta regulatory chain.	cAMP- dependent protein kinase type II-beta regulatory chain.
NUCLEAR. SHUTTLES CONTINUOUSLY BETWEEN THE NUCLEUS AND THE CYTOPLAS M ALONG WITH MRNA. COMPONEN T OF RIBONUCLE OSOMES.				
M12156 Rat helix-desilizing protein mRNA, complete cds /cds=(28,990) /gb=M12156 /gi=204579 /ug=Rn.1919 /len=1696	M12492mRNA#1 Rat type II cAMP-dependent protein kinase regulatory subunit and Acds=UNKNOWN /gb=M12492/gi=206670 /ug=Rn.4075 /len=3108	M12492mRNA#1 Rat type II cAMP-dependent protein kinase regulatory subunit mRNA, 3 end /cds=UNKNOWN /gb=M12492/gi=206670 /ug=Rn.4075 /len=3108	M12492mRNA#1 Rat type II cAMP-dependent protein kinase regulatory subunit mRNA, 3 end /cds=LNKNOWN /gb=M12492/gj=206670 /ug=Rn.4076 /len=3108	M12492mRNA#1 Rat type II cAMP-dependent protein kinase regulatory subunit mRNA, 3 end /cds=UNKNOWN /gb=M12492/gi=206670 /ug=Rn.4075 /len=3108
	Al235758		Al235758	,
helix- destabilizing protein	type II cAMP- dependent protein kinase regulatory subunit	type II cAMP- dependent protein kinase regulatory subunit	type il cAMP- dependent protein kinase regulatory subunit	type il cAMP- dependent protein Knase regulatory subunit
8. 4.	88.65	88.65	88.65	88.65
3271	3275	3279	. 3283	3287
XP_015	P31323	P31323	P31323	P31323
3270	3274	3278	3282	3286
Al339411	M31158	M31158	M31158	M31158
3269	3273	3277	3281	3285
M12156 3268 P04256	P12369	P12369	P12369	P12369
3268	3272	3276	3280	3284
M12156	M12492	M12492	M12492	M12492

Table 2.	•	•		•	•	•	•
M13100 3288	B8 No human homolo g found.		No Human Protein Found.	 L _ L W _	Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		M13100cds#1 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)
M13100 328	3289 No human homolo g found.		No Human Protein Found.	No L W	Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		M13100cds#1 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)
M13100 32	3290 No human homolo g found.		No Human Protein Found.		Long Interspersed repetitive DNA sequence LINE3		M13100cds#1 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)
M13100 3291	No human homolo g found.		No Human Protein Found.		Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)		M13100cds#1 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)
M13100 3292	No human homolo g found.		No Human Protein Found.		Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		M13100cds#1 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)
M13100 3293	No human homolo g found.		No Human Protein Found.		Long interspersed repetitive DNA sequence LINE3		M13100cds#1 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)

M13100cds#2 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#Z RATLIN3A Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#2 RATLIN3A Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#3 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#3 RATLIN3A Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#3 RATLIN3A Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)
Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)	Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)	Long interspersed repetitive DNA sequence LINE3	Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)	Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)	Long Interspersed repetitive DNA sequence LINE3
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found	No Human Protein Found.
294 No human homolo g found.	3295 No human homolo g found.	3296 No human homolo g found.	3297 No human homolo g found.	3298 No human homolo g found.	No human homolo g found.
M13100 3294 No hun	M13100 32	M13100	M13100 32	M13100	M13100 3288

M13100 3300 No hun	3300	No human homolo g found.	<u></u>	No Human Protein Found.				<u></u>		M13100cds#4 RATLIN3A Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)		
M13100	3301	No human homolo g found.		No Human Protein Found.	·····			<u> </u>	LINES (LIRIN) Rat long interspensed repetitive DNA sequence LINES (LIRIN)	M13100cds#4 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		
M13100	3302	No human homolo g found.		No Human Protein Found.				<u> </u>	Long interspersed repetitive DNA sequence LINE3	M13100cds#4 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		
M13100	3303	No human homolo g found.		No Human Protein Found.				<u> </u>	Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#5 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		,
M13100	3304	No human homolo g found.		No Human Protein Found.	,		·	<u> </u>	Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)	M13100cds#5 RATLIN3A Rat long Interspersed repetitive DNA sequence LINE3 (L1Rn)		11. <del>-</del>
M13100	3306	No human homolo g found.		No Human Protein Found.				<u> </u>	Long interspersed repetitive DNA, sequence LINE3	M13100cds#5 RATLIN3A Rat long interspersed repetitive DNA sequence LINE3 (L1Rn)		
M13962		3306 P06760	3307	BM01959	3308 P	P08236	3309	98.98	Glucuronidase , beta	M13962mRNA#2 Rat beta-glucuronidase mRNA, complete cds /cds=UNKNOWN /gb=M13862 /gi=204328 /ug=Rn.3692	Lysosomal. B	Beta- glucuronidase precursor (EC 3.2.1.31).

Gluccorticold receptor (GR).	Osteopontin precursor (Bone sialoprotein 1) (Secreted phosphoprotein 1) (SPP-1).			Insulin-like growth factor IB precursor (IGF- IB) (Somatomedin).		
Nuclear.				Secreted.		
M14053 Rat glucocorticoid receptor mRNA, complete cds /cds=(68,2455) /gb=M14053 /gj=204271 /ug=Rn.8582 /len=6322	M14556 Rat osteopontin mRNA, complete cds /cds=(79,1032) /gb=M14656 /g⊫205859 /ug=Rn.8871 /len=1457	M15474cds RATTMA5 Rat alpha- tropomyosin gene, exon 11	M15474cds RATTMA5 Rat alpha- tropomyosin gene, exon 11	M15481 Rat Insulin-like growth factor I (IGF- I) mRNA, complete cds /cds=(793,1176) /gb=M15481 /gl=204753 /ug=Rn.6282 /len=1348	M15523 RATPKCLB Rat protein kinase C- family related mRNA, partial cds, clone RP16	M15562 Rat MHC class II RT1.u-D-alpha chain mRNA, 3 end /cds=(0,437) /gb=M15562 /gi=205435 /ug=Rn.4200 /len=805
91.43 Glucocorticold receptor	osteopontin	Alpha- tropomyosin gene	Alpha- tropomyosin gene	Insulin-like growth factor I ((GF-I)	Rat protein kinase C- family related mRNA, partial cds, clone RP16	MHC class II alpha chain RT1.D alpha (u)
91.43	89.51	26	20	85	8	2
3313	3317	3321	3325		3331	3335
NP_000 167	P10451	P09493	P09493	XP_052 652	Q02156	P01903
3312	3316	3320	3324		3330	3334
3311 AI472273	X13694	NIM_0003 66	NM_0003 66	XM_05265 2	NM_0054 00	M60334
3341	3316	3319	3323	3327	3329	3333
3310 P06536	3314 P08721	3318 AAA218 01	AAA218 01	P08024	AAA418 77	3332 AAA416 09
3310	_	3318	3322	3326	3328	3332
M14053	M14656	M15474	M15474	M15481	M16523	M15562

			T-cell surface glycoprotein CD4 precursor (T-cell surface antigenT4/Leu-3) (W3/25 artigen).	Clathrin light chain A (Lca).	Clathrin light chain A (Lca).	Neprilysin (EC 3.4.24.11) (Neutral endopeptidase) (NEP)(Enkephal inase).
·	·		Type I membrane protein.	CYTOPLAS MIC FACE OF COATED PITS AND VESICLES.	CYTOPLAS MIC FACE OF COATED PITS AND VESICLES.	Type II membrane protein.
M15562 Rat MHC class II RT1.u-D-alpha chain mRNA, 3 end /cds=(0,437) /gb=M15562 /gj=205435 /ug=Rn.4200 /len=805	M15562 Rat MHC class II RT1.u-D-sipha chain mRNA, 3 end /cds=(0,437) /gb=M15562 /gi=205435 /ug=Rn.4200 /len=805	M15562 Rat MHC class II RT1.u-D-siphs chain mRNA, 3 end /cds=(0,437) /gb=M15562 /gi=205435 /ug=Rn.4200 /isn=805	M15768 Rat W3/25 antigen (homologue of human CD4) mRNA, complete cds /cds=(53,1428) /gb=M15768 /gj=203387 /ug=Rn.10748 /len=1749	M15882 Rat dathrin light chain (LCA1) mRNA, complete cds (cds=(115,861) /gb=M15882 /gi=203273 /ug=Rn.3428 /len=1124	M15882 Rat dathrin light chain (LCA1) mRNA, complete cds /cde=(115,881) /gb=M15882 /gl=203273 /ug=Rn.3428 /len=1124	M15944 Rat enkephalinase (neutral endopeptidase) mRNA /cds=(78,2330) /gb=M15944 /gi=204031 /ug=Rn.11165 /len=3243
Y00480		Y00480				
Rat (dlabetic BB) MHC class II alpha chain RT1.D alpha (u)	MHC class II alpha chain RT1.D alpha (u)	Rat (diabetic BB) MHC class II alpha chain RT1.D alpha (u)	CD4 antigen	clathryn light chain (LCA1).	clathryn light chain (LCA1).	Membrane metallo- endopeptidase (neutral endopeptidase /enkephalinas
02	28	2	29	91.57	91.57	91.18
3339	3343	3347	3351	3356	3359	3363
P01903	P01903	P01903	P01730	P09496	P09496	P08473
3338	3342	3348	3350	3354	3358	3362
NM_0191	M60334	NM_0191 11	NM_0006 16	M20471	M20471	X07166
3337	3341	3345	3349	3363	3357	3381
CAA68 540	AAA416 09	CAA68 540	P05540	P08081	P08081	3360 P07861
3336	3340	3344	3348	3352	3356	
M15562 3336 CAA68 540	M15562	M15562	M15768	M15882	M15882	M15944

A16112 3364 P08413	P08413		3365 AF081924	3366	Q9UNX7	3367	93.8	brain type II	M16112 Rat brain type II Ca2+/calmodulin-	Calcium/calmod
	,							Ca2+/calmodu lin-dependent protein kinase	dependent protein kinase beta subunit mRNA, complete cds /cds=(62,1690) /gb=M16112 /gj=208170 /ug=Rn.9743 /len=1840 ···	ulin-dependent protein kinase type il beta chain (EC2.7.1.123) (CaM-kinase II beta chain) (CaM kinase II beta subunit)(CaMK-III beta subunit).
416112 3368	P08413	3369	AF081924	3370	Q9UNX7	3371	8. 6.	brain type II Ca2+/calmodu Iin-dependent protein Kinase	M16112 Rat brain type II Ca2+/calmodulindependent protein kinase beta subunit mRNA, complete cds /cds=(62,1690) /gb=M16112 /gi=206170 /ug=Rn.9743 /len=1840	Calcium/calmod ulin-dependent protein kinase type II beta chain (EC2.7.1.123) (CaM-kinase II beta chain) (CaM kinase II beta subunit) (Beta subunit).
3372	117412 3372 AAA422 32	3373	NM_0143	3374	NP_055 182	3375	87.72	Growth and transformation-dependent protein	M17412 Rat growth and transformation-dependent mRNA, 3 end /cds=(0,527) /gb=M17412 /gl=207249 /ug=Rn.3378 /len=587	

	"Guanine nucleotide- binding protein G(), alpha-1 subunit (Adenylatecycla se-inhibiting G alpha protein)."	"Guanine nucleotide- binding protein G(), apha-1 subunit (Adenylatecycla se-inhibiting G afpha protein)."					
•	M17527 Rat GTP-binding protein (G-alpha- i1) mRNA, complete cds /cds=(218,1282) /gb=M17527 /gl=203167 /ug=Rn.11391 /en=1945	M17527 Rat GTP-binding protein (G-eipha- 11) mRNA, complete cds /cds=(218,1282) /gb=M17527 /gj=203167 /ug=Rn.11391 /len=1945	M18330 RATPKCDA Rat protein kinase C delta subspecies	M18330 RATPKCDA Rat protein kinase C delta subspecies	M18331 RATPKCEA Rat protein kinase C epsilon subspecies	M18331 RATPKCEA Rat protein kinase C epsilon subspecies	M18331 RATPKCEA Rat protein kinase C epsilon subspecies
	M17527 Rat GTP-binding protein (G-al 11) mRNA, complete cds /cds=(218,128 /gb=M17527 /gi=203167 /ug=Rn.11391 /len=1945	M17527 Rat GTP-binding protein (G-ai I1) mRNA, complete cds /cds=(218,128 /gb=M17527 /gj=203167 /ug=Rn.11391 /len=1945	M18330 RATPKCD/ delta subspecies	M18330 RATPKCD, delta subspecies	M18331 RATPKCE epsilon subspecies	M18331 RATPKCE epsilon subspecies	M18331 RATPKCE epsilon subspecies
٠							
	88.01 Guanine nucleotide binding protein, elpha inhibiting 1	Guanine nucleotide binding protein, alpha inhibiting 1	Rat protein kinase C deita subspecies	Rat protein kinase C delta subspecies	Protein kinase C epsilon subspecies	Protein kinase C epsilon subspecies	Protein kinase C epsilon subspecies
	88.01	88.01	87	87	86	86	86
	3378	3383			3391	3385	3388
	P04898	P04898	XP_003 106	XP_003 106	Q02156	Q02156	Q02156
	3378	3382			3380	3384	3398
	3377 AF055013	AF055013	XM_00310 6	XM_00310 6	NM_0054	NM_0054 00	NM_0054
	3377	3381	3385	3387	3389	3393	3397
	210824	3380 P10824	3384 AAA418 71	AAA418 71	AAA418 72	3392 AAA418 72	3386 AAA418 72
_	3376		3384	3386	3388	3382	
able 2.	M17527 3376 P10824	M17527	M18330	M18330	M18331	M18331	M18331

	· · · · · · · · · · · · · · · · · · ·					60S ribosomal protein L18.	Sodlum channel protein, brain i alpha subunit."	Myelin- associated glycoprotein precursor (L- MAG/S-WAG) (Brainneuron cytoplasmic protein 3).
						60S r prote	"Sodlum channel I brain I all subunit."	Myelin- associated glycoprote precursor MAG/S-M (Brainneun cytoplasm protein 3).
						Cytoplasmic.	Integral membrane protein.	Type I membrane protein.
	M18331 RATPKCEA Rat protein kinase C epsilon subspecies	M18332 RATPKCZA Rat protein kinase C zeta subspecies	M18529cds RATIGKAH Rat (R.leucopus) ig germline kappa-chain C-region gene, 3 end	M19359mRNA#2 Rat gamma-crystallin gene cluster, encoding gamma-A (gamma 1-1), gamma-B (gamma 1-2), gamma-C (gamma 2-1), gamma-E (gamma 2-2), and gamma-E (gamma 3-1) crystallins, complete cds /cds=(27,551) /gb=M19359 /gi=203626 /ug=Rn.10805 /len=618	M19359mRNA#2 Rat gamma-crystallin gene cluster, encoding gamma-A (gamma 1-1), gamma-B (gamma 1-2), gamma-C (gamma 2-1), gamma-E (gamma 3-1) crystallins, complete cds /cds=(27,551) /gb=M19359 /gi=203626 /ug=Rn.10805 /len=618	M20156 Rat ribosomal protein L18 mRNA, complete cds /cds=(1,567) /gb=M20156 /gl=206723 /ug=Rn.484 /len=607	M22253 Rattus norvegicus sodium channel I mRNA, complete cds /cds=(251,6280) /gb=M22253 /gi=1041088 /ug=Rn.10135 /len=8399	M22357 Rat 18236/myelin-associated glycoprotein (MAG) mRNA, complete cds /cds=(110,1858) /gb=M22357 /gl=205271 /ug=Rn.9668 /len=2468
					X14115			
	Protein kinase C epsilon subspecies	Protein kinase C zeta subspecies	immunoglobuli n kappa-chain.	Gamma-A- crystallin gene	gamma-A- crystallin	ribosomal protein L18	Sodium channel, voltage-gated, type I, alpha	Rat 18236/myelin- associated giycoprotein (MAG)
•	80	26	82	88	es S	98	06	88.91
	3403	3407	3411	3415		3421	3425	3429
	Q02156	Q05513	AAB281 60	P11844	XP_002 458	Q07020	P35498	P20916
•	3402	3406	3410	3414	<u> </u>	3420	3424	3428
٠	NIM_0054	215108	S65921	M17315	XM_00245 8	NM_0009 79	AY043484	NM_0806 00
,	3401	3405	3409	2413	3417	3419	3423	3427
•	M18331 3400 AAA418 3401	AAA418 78	AAA414 05	P10086	3416 AAA409 81	P12001	3422 P04774	P07722
	88	3404	3408	3412	3416	3418	3422	3426
	M18331	M18332	M18529	M19359	M19359	M20156	M22253	M22357

Myelin- associated glycoprotein precursor (L- MAG/S-MAG) (Brainneuron cytoplasmic protein 3).	Myelin- associated glycoprotein precursor (L- MAG/S-MAG) (Brainneuron cytoplasmic protein 3).	Myelin- associated glycoprotein precursor (L- MAG/S-MAG) (Brainneuron cytoplasmic protein 3).	Glypican-3 precursor (Intestinal protein OCI-5).		
Type I membrane protain.	Type I membrans protein.	Type I membrane protein.	Attached to the membrane by a GPI-anchor.		
M22357 Rat 1B236/myelin-associated glycoprotein (MAG) mRNA, complete cds /cds=(110,1859) /gb=M22357 /gl=205271 /ug=Rn.9568 /len=2488	Mz2357 Rat 1B236/myelin-associated glycoprotein (MAG) mRNA, complete cds /cds=(110,1858) /gb=Mz2357 /gl=205271 /ug=Rn.9668 /len≖2468	M22357 Rat 18236/myelin-associated glycoprotein (MAG) mRNA, complete cds /cds=(110,1858) /gb=M22357 /gl=205271 /ug=Rn.9668 /len=2468	M22400 Rat developmentally regulated intestinal protein (OCI-5) mRNA, complete cds /cds=(114,1907) /gb=M22400 /gi=205799 /ug=Rn.9717 /len=2213	M23566exon RATA2MAC2 Rattus norvegicus alpha-2-macrogiobulin gene, 3 end	M23643cds RATTRH02 Rattus norvegicus tryrotropin releasing hormone (TRH) gene, exon 2
88.91 myelin- associated giycoprotein (MAG)	Rat 18236/myelin- associated glycoprotein (MAG)	myelin- associated glycoprotein (MAG)	developmental ly regulated intestinal protein (OCI- 5)	Alpha-2- macroglobulin	Thyrotropin releasing hormone
88.91	88.91	88.91	89.19	57	55
3433	3437	3441	3445	3448	3452
P20916	P20816	P20916	P51654	MAHU	P20396
3432	3438	3440	344		3451
3431 NM_0806	00 00	NM_0806 00	L47125	XM_04363 2	M63582
3431	3435	3439	3443	3447	3450
M22357 3430 P07722	3434 P07722	P07722	P13265	A26122	RHRTT
3430	¥ ¥	34.38	3442	3446 A26122	3449 RHRTT
M22367	M22357	M22357	M22400	M23566	M23643

Table 2	દાં											
M24104	3453	M24104 3453 Q64357		3454 AF135372	3455	P19065	3456	8	Vesicle- associated membrane protein (synaptobravin 2)	M24104 Rat vesicle associated membrane protein (VAMP-1) mRNA, complete cds /cds=(87,453) /gb=M24104 /gj=207628 /ug=Rn.9972 /len=1482	MEMBRANE PROTEIN. NEURONAL SYNAPTIC VESICLES.	Vesicle- associated membrane protein 2 (VAMP 2) (Synaptobravin 2).
M24104	3457	Q84357	3458	AF135372	3459	P19065	3460	8	Vesicle- associated membrane protein (synaptobrevin 2)	M24104 Rat vesicle associated membrane protein (VAMP-1) mRNA, complete cds /cds=(97,453) (gb=M24104 /gl=207628 /ug=Rn.9972 /len=1482	TYPE II MEMBRANE PROTEIN. NEURONAL SYNAPTIC VESICLES.	Vesicle- associated membrane protein 2 (VAMP 2) (Synaptobrevin 2).
M24104	3461	Q64357	3462	AF135372	3463	P19065	3464	88	Vesicle- associated membrane protein (synaptobrevin 2)	M24104 Rat vesicle associated membrane protein (VAMP-1) mRNA, complete cds /cds=(97,453) /gb=M24104 /gi=207628 /ug=Rn.9972 /len=1482	TYPE II MEMBRANE PROTEIN. NEURONAL SYNAPTIC VESICLES.	Vesicle- associated membrans protein 2 (VAMP 2) (Synaptobrevin 2).
M24104	3465	Q64357	3466	AF135372	3467	P19065	3468	8	Vestcle- associated membrane protein (synaptobrevin	M24104 Rat vesicle associated membrane protein (VAMP-1) mRNA, complete cds /cds=(97,453) /gb=M24104 /gi=207628 /ug=Rn.9972 /len=1482	TYPE II MEMBRANE PROTEIN. NEURONAL SYNAPTIC VESICLES.	Vesicie- associated membrane protein 2 (YAMP 2) (Synaptobrevin 2).
M24104	3469	Q64357	3470	AF135372	3471	P18065	3472	8	Vesicle- associated membrane protein (synaptobrevin 2)	M24104 Rat vesicle associated membrane protein (VAMP-1) mRNA, complets cds /cds=(87,453) /gb=M24104 /gi=207628 /ug=Rn.9972 /len=1482	TYPE II MEMBRANE PROTEIN. NEURONAL SYNAPTIC VESICLES.	Vesicle- associated membrane protein 2 (VAMP 2) (Synaptobrevin 2).

Vesicle- associated membrane protein 2 (VAMP 2) (Synaptobrevin 2).								`
TYPE II MEMBRANE PROTEIN. NEURONAL SYNAPTIC VESICLES.								_
M24104 Rat vesicle associated membrane protein (VAMP-1) mRNA, complete cds /cds=(97,453) /gb=M24104 /gi=207628 /ug=Rn.9972 /len=1482	M24542cds RATRIP Rat Rieske iron-sulfur protein mRNA, complete cds	M24542cds RATRIP Rat Rieske iron-sulfur protein mRNA, complete cds	M24542cds RATRIP Rat Rieske iron-suifur protein mRNA, complete cds	M24542cds RATRIP Rat Rieske iron-sulfur protein mRNA, complete cds	M24542cds RATRIP Rat Rieske iron-sulfur protein mRNA, complete cds	M24542cds RATRIP Rat Rieske iron-sulfur protein mRNA, complete cds	M24604 Rat proliferating cell nuclear antigen (PCNA/cyclin) mRNA, complete cds /cds=(62,847) /gb=M24604 /gi=206047 /ug=Rn.223 /len=1160	M24604 Rat proliferating cell nuclear antigen (PCNA/cyclin) mRNA, complete cds /cds=(62,847) /gb=M24604 /gl=206047 /ug=Rn.223 /len=1160
			AI103911			Al103911	Y00047	Y00047
Vesicle- associated membrane protein (synaptobrevin 2)	Riaske iron- suffur protein	Rieske Iron- sulfur protein	Rat Rieske iron-sulfur protein mRNA, complete cds	Rieske iron- sulfur protein	Rieske iron- sulfur protein	Rat Rieske iron-sulfur protein mRNA, complete cds	Cyclin (PCNA, Y00047 proliferating cell nuclear antigen)	Cyclin (PCNA, proliferating cell nuclear antigen)
<b>8</b> 8	83	89	8	8	82	8	86	8
3476	3480	3484	3488	3492	3496	3500	3504	3508
P19065	NP_005 994	NP_005 894	NP_005 994	NP_005 994	NP_005 994	NP_005	P12004	P12004
3475	3479	3483	3487	3491	3495	3499	3503	3507
3474 AF135372	NM_0060 03	NM_0060 03	NM_0060	NM_0060 03	NIM_0080	NM_0060	NM_0025 92	NM_0025 92
3474	3478	3482	3486	3490	3494	3498	3502	3508
Q84357	AAA420 51	3481 AAA420 51	AAA420 51	AAA420 51	AAA420 51	AAA420 51	CAA68 261	CAA68 261
3473	3477	3481	3485	3489	3483	3497	3501	3505 CAA68 261
M24104 3473 Q84357	M24542	M24542	M24542	M24542	M24542	M24542	M24604	M24604

		Vasopressin- neurophysin 2- copeptin precursor [Contains: Arg- vasopressin; Neurophysin 2 (Neurophysin-1); Copeptin].	Orphan nuclear receptor NR1D1 (V-erbA related protein EAR-1) (Rev-erbA-alpha).	Orphan nuclear receptor NR1D1 (V-erbA related protein EAR-1) (Rev-erbA- alpha).
	·		Nuclear .	Nuclear .
M25584 Rat Insulin 1 gene, exons 1 (partial) and 2 /cds=(114,446) /gb=M25584 /gj=204947 /ug=Rn.862 /len=542	M25638 RATNFL Rat smallest neurofilament protein (NF-L) mRNA, partial cds	M25646 Rat vasopressin mRNA, complete cds /cds=(32,526) /gb=M25646 /gj=207673 /ug=Rn.9976 /len=584	M25804 Rat Rev-ErbA-alpha protein mRNA, complete cds /cds=(501,2027) /gb=M25804 /gi=514983 /ug=Rn.10165 /len=2297	M25804 Rat Rev-ErbA-aipha protein mRNA, complete cds /cds=(501,2027) /gb=M25804 /gi=514963 /ug=Rn.10105 /len=2297
V01242				
Insulin 1 gene V01242	Rat smallest neurofilament protein (NF-L) mRNA, partial cds	Vasopressin	Rev-erbA- alpha protein	ReverbA- alpha protein
<b>6</b> 8	88	80	88	8
3512	3516		3522	3526
AAA591 72	XP_005 159	580 580	P20393	P20393
3511	3515	,	3521	3525
3510 J00265	XM_00515 9	XM_00958	NM_0217 24	NM_0217 24
3510	3514	3518	3520	3524
CAA24 559	AAA416 94	P01186	063503	Q63503
3509	3513	3517	3519	3523
M26684 3509 CAA24 559	M25638	M25646	M25804	M25804

<b>Table 2.</b>  M25890	3527	<b>Fable 2.</b> M25890  3527  P01167	3528	3528 NM_0010	3529	RIHUS1	3530	90.31	90.31  Somatostatin	M25890 Rat somatostatin mRNA, complete	Secreted.	Somatostatin
				8						ods /cds=(60,410) /gb=M25890 /gj=207030 /ug=Rn.540 /len=564		precursor [Contains: Antrin; Somatostatin- 28;Somatostatin- 14].
M26125	3531	P07687	3532	A1636871	3533	XP_001	-	88.14	epoxide hydrolase	M26125 Rat epoxide hydrolase mRNA, complete cds /cds=(148, 1515) /gb=N26125 /gj=207688 /ug=Rn.3603 /len=1733	MEMBRANE BOUND ON MICROSOM ES.	Epoxide hydrolase 1 (EC 3.3.2.3) (Microsomal epoxide hydrolase)(Epoxide hydrolase)(Epoxide hydrolase).
M26161	3534	P10499	3535	L02750	3538	Q08470	3637	92.82	Rattus norvegicus potassium channei protein mRNA, complete cds	M26161 Rettus norvegicus potassium channel protein mRNA, complete cds //cds=(34,1521) /gb=M26161 /gi=208490 /ug=Rn.8769 /len=1729	Integral membrane protein.	Voltage-gated potasslum channel protein Kv1.1 (IA) (RBK1) (RCK1).
M26161	3638	P10489	3538	L02750	3540	Q09470	3541	92.82	Rattus norvegicus potassium channel protein mRNA, complete cds	M26161 Rattus norvegicus potassium channel protein mRNA, complete cds /cds=(34,1521) /gb=M26161 /gl≔208490 /ug=Rn.9769 /len≕1729	Integral membrane protein.	Voltage-gated potassium channel protein Kv1.1 (IA) (RBK1) (RCK1).
M26247	3542	3542 AAA411 62	3543	NIM_0001 33	3544	P00740	3545	82	Rat factor IX mRNA, partial cds	M26247 RATFIXA Rat factor IX mRNA, partial cds		
M26594	3546	AAA415 63	3547	L34035	3548	P48163	3549	88	malic enzyme A17,1506 (MAL)	/ M26594 Rat malic enzyme gene /cds=(0,1760) /gb=M26594 /gi=205293 /ug=Rn.22280 /len=1761		
M26594	3550	3550 AAA415 63	3551	L34035	3552	P48163	3553	88	mailc enzyme A1171508	M26594 Rat malic enzyme gene /cds=(0,1760) /gb=M26594 /gl=205293 /ug=Rn.22280 /len=1761		

Cytoplasmic. Protein-L- lsoaspartate) O- metryltransfera se (EC 2.1.1.77)(Protei n-beta-aspartate metryltransfera se) (PiNT) (Protein L- isoaspartyl/ID- aspartyl metryltransfera se) (L- isoaspartyl proteincarbox	Cytoplasmic. Protein-L- Isoaspartate) O- methyltransfera se (EC 2.1.1.77)(Protei n-beta-aspartate methyltransfera se) (PIMT) (Protein L- Isoaspartyl) aspartyl methyltransfera se) (L- Isoaspartyl proteincarbox	Mitochondrial Cytochrome c inner oxidase membrane. polypeptide Vic-2 (EC 1.9.3.1).
M26886 Rattus norvegicus carboxyl methyltransferase mRNA, complete cds /cds=(60,743) /gb=M26886 /gi=603466 /ug=Rn.7136 /len=1658	M26686 Rattus norvegicus carboxyl methyltransferase mRNA, complete cds /cds=(60,743) /gb=M26686 /gl=603466 /ug=Rn.7136 /len=1658	M27467 RATCOXHRT Rattus norvegicus Mitoc heart cytochrome oxidase subunit Vic (COX-inner Vic) mRNA, complete cds memi
te (fe)	te (te)	
3557   98.7   Protein-L- isoaspartate (D-aspartate O- methyltransf ase	3561 98.7 Protein-L- isoaspartate (D-espartate O- methyltransf ase	3565 83.54 Heart cytochrome oxidase subunit Vic (COX-Vic)
3556 P22081	3560 P22081	3564 P09669
3555 AF219140	3559 AF219140	3563 BG952851
M26686 3554 P22062	386 3558 P22062	467 3562 P11951
M26686	M26686	M27467

_			Synapsin I.	Synapsin II.	Cytochrome c oxidase polypeptide VIII- liver (EC 1.9.3.1).				
-			SYNAPSE. Sy	SYNAPSE. Sy	<u> </u>				
	M27726 RATBGP1P Rat phosphorylase (B- GP1) mRNA, partial cds	M27726 RATBGP1P Rat phosphorylase (B-GP1) mRNA, partial cds	M27812 Rat synapsin la mRNA, complete Scds /cds=(80,2194) /gb=M27812 /gi=206920 /ug=Rn.9923 /len=2400	M27925 Rat synapsin 2a mRNA, complete Scds /cds=(130,1890) /gb=M27925 /gl=206833 /ug=Rn.505 /len=2648	M28255 RATCYOBA Rat cytochrome c oxdasse subunit VIII mRNA, 3 end	M28648 RATNALPH2 Rattus norvegicus Na,K-ATPase alpha-2 subunit mRNA, 5 end	M28648 RATNALPH2 Rattus norvegicus Na,K-ATPase alpha-2 subunit mRNA, 5 end	M29249cds RAT3H3M Rat 3-hydroxy-3- methylglutaryl coenzyme A reductase gene, partial cds	M29249cds RAT3H3M Rat 3-hydroxy-3- methylglutaryl coenzyme A reductase gene, partial cds
-	Phosphorylas e (B-GP1)	Phosphorytas e (B-GP1)	Synapsin la mRNA	synapsin 2a	Cytochrome c oxidase subunit VIII mRNA, 3' end	Na,K-ATPese alpha-2 subunit mRNA, 5 end	Na,K-ATPase alpha-2 subunit mRNA, 5' end	3-hydroxy-3- methylglutaryl- Coenzyme A reductase	3-hydroxy-3- methylglutaryl- Coenzyme A reductase
_	8	26	2	92.66	0000	<b>S</b>	8	8	8
-	3269	3573		3579		3585		3591	3595
	P11216	P11216	XP_013 120	Q82777	No Human Protein Found.	P13637	XP_009 351	P04035	P04035
_	3568	3572		3578		3584		3590	3594
	J03544	J03544	XM_01312 0	U40215	No human homolog found.	M37457	XM_00935	M11058	M11058
-	3567	3571	3575	3577	3581	3583	3587	3589	3593
-	AAA408	3570 AAA408 15	P09951	Q63537	P80433	3582 AAA416 72	AAA416 72	P51639	P51639
-	3566	3570	3574	3576	3580	3582	3586	3588 P51639	3692
	M27726 3566 AAA408 3567 J03544	M27728	M27812	M27825	M28255	M28648	M28648 3586 AAA416 72	M29249	M29249

Small nuclear ribonucleoprotei n associated protein N (Smprotein N) (Sm-N) (Sm-N) (Sm-D) (Tissuespecific spilcing protein).			"Calbindin (Vitamin D- dependent calcium-binding protein, avian- type)(Calbindin D28) (D-28K) (Spot 35 protein)."
Nuclear.			
M29293 Rat small nuclear ribonucleoparticle- Nuclear.associated protein (smRNP) mRNA, complete cds, clone Sm51 /cds=(596,1318) /gb=W29293 /gi⇒207005 /ug=Rn.11169 /len=1428	M31032mRNA#2 RATCRP01 Rat contiguous repeat polypeptides (CRP) mRNA, complete cds	M31032mRNA#2 RATCRP01 Rat contiguous repeat polypeptides (CRP) mRNA, complete cds	M31178 Rat calbindin D28 mRNA, complete cds /cds=(285,1070) /gb=M31178 /gl=203234 /ug=Rn.3908 /len=2280
LED a	đ 10	d 0	<b></b>
92.02 Small nuclear ribonucleoparticle-associated protein (snRNP) mRNA, clone Sm51	Rat contiguous repeat polypeptides (CRP) mRNA,	Rat contiguous repeat polypeptides (CRP) mRNA,	Cerebellar Caburding protein, spot 35 protein
92.02			48.
9698	3603	3607	3611
P14648	Q16378	Q16378	P05937
89	3602	3606	3610
AF319523	NM_0072 44	NIM_0072 44	X06661
3597	3601	3605	3609
P14648	AAA409 69	3604 AAA409 69	3608 P07171
3596	3600		
M28293 3596 P14648	M31032	M31032	M31178

"Calbindin (Vitamin D-dependent calcium-binding protein, aviantype) (Calbindin D28) (D-28K) (Spot 35 protein)."	"Phosphoglycer ate kinase, testis specific (EC 2.7.2.3)."	"Phosphoglycer ate kinase, testis specific (EC 2.7.2.3)."	Low affinity immunoglobulin gamma FC region receptor III precursor(IGG FC receptor III) (FC-gamma RIII) (FC-RIII).	Low affinity immunoglobulin gamma FC region receptor III precursor(IGG FC receptor III) (FC-gamma RIII) (FCRIII).
			Type I membrane protein .	Туре I membrane protein .
M31178 Rat calbindin D28 mRNA, complete cds /cds=(285,1070) /gb=M31178 /gi=203234 /ug=Rn.3908 /len=2280	M31788 Rat X-chromosome linked phosphoglycerate kinase mRNA, complete cds /cds=(40,1293) /gb=M31788 /gl=208112 /ug=Rn.10989 /len=1675	M31788 Rat X-chromosome linked phosphoglycerate kinase mRNA, complete cds /cds=(40,1293)/gb=M31788/gi=206112 /ug=Rn.10989 /len=1675	M32062 Rat Fo-gamma receptor mRNA, complete cds /cds=(49,852) /gp=M32062 /gi=204114 /ug=Rn.6050 /len=1341	M32062 Rat Fo-gamma receptor mRNA, complete cds /cds={49,852} /gb=M32062 /gl=204114 /ug=Rn.6050 /len=1341
91.84 Cerebellar Cabinding protein 35 protein	phosphoglycer AA892797 ate kinase	phosphoglycer AA892797 ate kinase	Fogamma receptor	Fogamma receptor
91.84	26	26	96.12	96.12
3615	3619	3623	3627	3631
P05937	P00558	P00558	AAA358 27	AAA358 27
3614	3618	3622	3626	3630
3613 X06661	NM_0002 91	NM_0002 91	AV703731	AV703731
3613	3617	3621	3625	3629
P07171	P16617	P16617	P27645	P27645
3612	3616	3620	3624	3628
M3178 3612 P07171	M31788	M31788	M32062	M32062

Low affinity immunoglobulin gamma FC ragion receptor III precursor(IGG FC receptor III) (FC-gamma RIII) (FC-gamma RIII)	Low affinity immunoglobulin gamma FC region receptor III precursor(IGG FC receptor III) (FC-gamma RIII) (FC-RIII).	Prostatic acid phosphatase precursor (EC 3.1.3.2).	Prostatic acid phosphatase precursor (EC 3.1.3.2).	Voltage-gated potassium channel protein Kv1.4 (RCK4) (RHK1) (RK4).
Type i membrane protein .	Type I membrane protein .			Integral membrane protein.
M32062 Rat Fo-gamma receptor mRNA, complete cds /cds=(49,852) /gb=M32062 /g =204114 /ug=Rn.6050 /len=1341	M32062 Rat Fo-gamma receptor mRNA, complete cds /cds=(49.852) /gb=M32062 /gj=204114 /ug=Rn.6050 /len=1341	M32397 Rat prostatic acid phosphatase (rPAP) mRNA, complete cds /cds=(40,1185) /gb=M32397 /gi=206028 /ug=Rn.9728 /len=1603	M32397 Rat prostatic acid phosphatase (rPAP) mRNA, complete cds /cds=(40,1185) /gb=M32397 /gi=206028 /ug=Rn.9728 /len=1603	M32867 Rat potasslum channel protein (RHK1) mRNA, complete cds /cds=(80,2044) membrane /gb=M32867 /gi=205042 /ug=Rn.9884 protein.
96.12 Fogamma receptor	Fo-gamma receptor	Rat prostatic acid phosphatase (rPAP)	Rat prostatic acid phosphatase (rPAP)	Potassium channel protein (RHK1)
96.12	96.12	84.94	84.94	90.52
3635	3639	3643	3647	3651
AAA358 3635 27	AAA358 27	P15309	P15309	P22459
3634	3638	3642	3646	3650
3633 AV703731	AV703731	M34840	M34840	L02751
	3637	3641	3645	3649
P27645	P27645	P20646	P20646	P15385
3632	3636	3640	3644	3648
M32062 3632 P27645	M32062	M32397	M32397	M32867

Mitochondrial "Hydroxymethyl glutaryl-CoA synthase, mitochondrial precursor(EC 4.1.3.5) (HMG-CoA synthase) (3-hydroxy-3-methylglutaryl coenzyme Asynthase)."	Mitochondrial "Hydroxymethyl glutary-CoA synthase, mitochondrial precursor(EC 4.1.3.5) (HMG-CoA synthase) (3-hydroxy-3-methylglutaryl coenzyme Asynthase)."	COMPONEN Adapter-related T OF THE protein complex COAT 2 beta 1 subunit SURROUNDI (Beta- GATHE adaptin)(Plasma CYTOPLAS membrane adaptin)(Plasma CYTOPLAS adaptin beta MIC FACE adaptin beta SUBUNIT) PLASMA (Clathrinassemb MEMBRANE. IY protein COMPIEX 2 beta large chain) (AP105B).
Mitochondria.	Mitochondrial .	COMPONEN Adapter-1 T OF THE protein or COAT 2 beta 1 s SURCOUND! (Beta 1 s SURCOUND! (Clathrina MEMBRANE. IY protein Complex (Clathrina MEMBRANE. IY protein (AP1058)
M33648 Rat mitochondrial 3-hydroxy-3- methylglutaryl-CoA synthase mRNA, complete cds /cds=(49,1575) /gb=M33648 /gj=204618 /ug=Rn.6592 /len=1994	M33648 Raf mitochondrial 3-hydroxy-3- methylglutaryl-CoA synthase mRNA, complete cds /cds=(49,1575) /gb=M33648 /gl=204618 /ug=Rn.6592 /len=1994	M34176 Rat beta adaptin mRNA, complete cds /cds=(71,2884) /gb=M34176 /gj=203086 /ug=Rn.1050 /lsn=3477
3-hydroxy-3- methylglutaryl- CoA synthase	3-hydroxy-3- methylglutaryl- CoA synthase	R.norvegicus beta-chain clathrin associated protein complex AP-2 mRNA, complete cds
86.03	86.03	100
3855	3659	3663
P54868	P54868	P21851
3654	3658	3662
X83618	X83618	M34175
3653	3657	386
M33648 3652 P22791	P22791	P21851
3652	3666	3960
M33648	M33648	M34176

י מטום א.				•	•	•	•	•	•		٠	
M34253	3664	M34253 3664 P23570		3665 X14454	3666	3666 P10914	3667	86.81	86.81 Interferon regulatory factor 1 (IRF-	M34253 Rat Interferon regulatory factor 1 (IRF-1) mRNA, complete cds /cds=(197,1183) /gb=M34253 /gl=204970 /ug=Rn.6396 /en=2048	Nuclear.	Interferon regulatory factor 1 (IRF-1).
M34253	3668	P23570	3669	X14454	3670	P10914	3671	86.81	Interferon regulatory factor 1 (IRF-	M34253 Rat Interferon regulatory factor 1 (IRE-1) mRNA, complete cds /cds=(197,1183) /gb=M34253 /gl=204970 /ug=Rn.6396 /len=2048	Nuclear.	Interferon regulatory factor 1 (IRF-1).
M35270	3672	P09139	3673	0000 30 30	3674	P21549	3675	92	Alanine- glyoxylate aminotransfer ase (Serine- pyruvate aminotransfer ase)	M35270completeSeq RATSPA Rat serine pyruvate amlnotransferase mRNA, complete ods	MITOCHON DRIAL MATRIX (INDUCED ON GLUCAGON ADMINISTR ATION) AND PEROXISOM ES (NOT EFFECTED BY GLUCAGON)	MITOCHON "Serine— DRIAL pyruvate MATRIX aminotransferas (INDUCED e, mitochondrial ON precursor(EC GLUCAGON 2.6.1.51) (SPT) ADMINISTR (Atanine— ATION) AND glyoxylate ATION) AND glyoxylate PEROXISOM aminotransferas ES (NOT e)(EC 2.6.1.44) EFFECTED (AGT)." BY GLUCAGON)
M35270	3676	M35270 3676 P09139	3677	0000_MN	3678	P21549	3679	92	Alanine- glyoxylate aminotransfer ase (Serine- pyruvate aminotransfer ase)	M35270completeSeq RATSPA Rat serine byruvate aminotransferase mRNA, complete cds	MITOCHON DRIAL MATRIX (INDUCED ON GLUCAGON ADMINISTR ATION) AND PEROXISOM ES (NOT EFECTED BY GLUCAGON)	MITOCHON "Serine- DRIAL minotransferas (INDUCED e, mitochondrial ON precursor(EC GLUCAGON 2.6.1.51) (SPT) ADMINISTR (Alanine- ATION) AND glyoxylate PEROXISOM aminotransferas ES (NOT BY GLUCAGON)

		Seplapterin reductase (EC 1.1.1.153) (SPR).	Seplapterin reductase (EC 1.1.1.153) (SPR).				Leukocyte surface antigen CD53 (Cell surface glycoprotein CD53)(Leukocyt e antigen MRC OX-44).	Ribosomal protein S6 kinase I (EC 2.7.1) (S6K) (P70-S8K).
		Cytoplasmic.	Cytopiasmic.				Integral membrane protein.	CYTOPLAS MIC. ALSO FOUND IN THE SOLUBLE SYNAPTOS OMAL FRACTIONS.
	M36151cds RATMHRT1B Rat MHC class II A-beta RT1.B-b-beta gene, partial cds	M36410 Rat sepiapterin reductase mRNA, partial cds /cds=(0,779) /gb=M36410 /gi=206895 /ug=Rn.6658 /len=1157	M36410 Rat seplapterin reductase mRNA, partial cds /cds=(0,779) /gb=M36410 /gl=206895 /ug=Rn.6658 /len=1157	M55015cds RATNUCIA1 Rat nucleolin gene	M55017exon RATNUCIA2 Rat nucleolin gene	Protein kinase NM_01262 M55417 exon RATPKCGA Rat protein kinase C-gamma (PRKC-gamma) gene, exon 1 (PRKC-gamma) gene	M57276 Rat leukocyte antigen MRC-OX44 mRNA, complete cds /cds=(161,820) /gb=M57278 /gl=205897 /ug=Rn.2133 /len=1899	M57428 RATS6KIN3 Rat S6 Kinase mRNA, compelete cds
						NM_01262 8		
	MHC class II A-beta RT1.B- b-beta gene	Seplapterin reductase	Seplapterin reductase	nucleo[in	Rat nucleolin gene	Protein kinase C-gamma (PRKC- gamma) gene	leukocyte antigen MRC- OX44	S6 kinase
	<b>F</b>	74	42	73	23	88	83.56	96.36
	3683	3687	3691	,		3698	3703	3707
	P01919	P35270	P35270	XP_048 741	XP_048 741	P05129	P19397	P23443
	3682	3686	3690		<del></del>	3698	3702	3706
	M81141	M76231	M76231	XM_04874	XM_04874	NM_0027 39	M37033	M60724
	3681	3685	3689	3693	3695	3697	3701	3705
	AAA416 12	P18297	P18297	AAA417 32	AAA417 32	M55417 3696 NP_036	3700 P24485	3704 P21425
•	3680	3684	3688	3692	3694	3696		3704
	M36151 3680 AAA416 3681 M81141	M36410	M36410	M55015	M55017	M55417	M57276	M57428
				_				

	Mitochondrial "Mitochondrial matrix. processing peptidase alpha subunit, mitochondrialpr ecursor (EC 3.4.24.84) (Alpha-MPP) (P-55)."	Mitochondrial "Mitochondrial matrix. processing processing peptidase alpha subunit, mitochondrialpr ecursor (EC 3.4.24.64) (Alpha-MPP) (P-55)."	Mitochondrial "Mitochondrial matrix. processing peptidase alpha subunit, mitochondrialpr ecursor (EC 3.4.24.64) (Alpha-MPP) (P-55)."	Mitochondrial "Mitochondrial matrix. processing processing peptidase alpha subunit, mitochondrialpr ecursor (EC 3.4.24.64) (Alpha-MPP) (P-65)."	GTP cyclohydrolase I precursor (EC 3.5.4.16) (GTP- CH-I).
	Mitochondrial matrix.	Mitochondrial matrix.	Mitochondrial matrix.	Mitochondrial matrix.	
	M57728 Rat general mitochondrial matrix processing protease (MPP) mRNA, 3 end /cds=(0,1574) /gb=M57728 /gi=205516 /ug=Rn.11175 /len=1712	M57728 Rat general mitochondrial matrix processing protease (MPP) mRNA, 3 end /cds=(0,1574) /gb=M57728 /gi=205516 /ug=Rn.11175 /len=1712	M57728 Rat general mitochondrial matrix processing protease (MPP) mRNA, 3 end /cds=(0,1574)/gb=M57728 /gi=205516 /ug=Rn.11175 /len=1712	M57728 Rat general mitochondrial matrix processing protease (MPP) mRN4, 3 end locas=(0,1574)/gb=M57728 /gi=205518 /ug=Rn:1175 /len≕1712	M58364 Rat GTP cyclohydrolase I mRNA, complete cds /cds≖(127,852) /gb=M58364 /gi=204536 /ug=Rn.5833 /len=1016
	Rat general mitochondrial matrix processing protease (MPP) mRNA,	Rat general mitochondrial matrix processing protease (MPP) mRNA,	Rat general milochondrial matrix procassing protease (MPP) mRNA,	Rat general mitochondrial matrix processing protease (MPP) mRNA,	GTP cyclohydrolas e 1
	o, 98	o. 99	6.	89 80	82.83
	3711	3715	3718	3723	3727
	Q10713	Q10713	Q10713	Q10713	076071
	3710	3714	3718	3722	3726
	3709 D21064	D21064	D21064	D21064	U63810
		3713	3717	3721	3726
	P20069	P20069	P20069	3720 P20069	3724 P22288
	3708	3712	3716		
labie 2.	M57728 3708 P20069	M57728	M57728	M57728	M58364

8 8		······································	
M58370 Rat collpase mRNA, complete cds /cds=(58,396) /gb=M58370 /gi=203504 /ug=Rn.6714 /len=492	M60322 Rat aldose reductase gene, complete cds /cds=(38,988) /gb=M60322 /gl=202851 /ug=Rn.2917 /len=1339	M60322 Rat aldose reductase gene, complete cds /cds=(38,988) /gb=M60322 /gj=202851 /ug=Rn.2817 /len=1339	M60322 Rat aldose reductase gene, complete cds /cds=(38,989) /gb=M60322 /gl=202851 /ug=Rn.2917 /len=1339
3731   93.26   Colipase	Aldehyde reductase 1 (low Km aldose reductase) (5.8 kb Pstl fragment, probably the functional gene)	Aldehyde reductase 1 (low Km aldose reductase) (5.8 kb Pstl fragment, probably the functional gene)	Aldehyde reductase 1 (low Km aldose reductase) (5.8 kb Pstl fragment, probably the functional gene)
93.26	88	28	88
3731	3735	3739	3743
NP_001 823	P15121	P16121	P15121
3730	9734	3738	3742
BG311131 3730 NP_001 823	NM_0016	NM_0016	28 28
3729	3733	3737	3741
M58370 3728 P17084	3732 AAA407 21	3736 AAA407 21	3740 AAA407 21
3728		3736	3740
M58370	M60322	MB0322	M60322

			BTG2 protein (NGF-inducible anti-proliferative protein PC3).	BTG2 protein (NGF-Inducible anti-proliferative protein PC3).
		•		
M60322 Rat aldose reductase gene, complete cds /cds=(38,988) /gb=M60322 /gi=202851 /ug=Rn.2917 /len=1339	M60322 Rat aldose reductase gene, complete cds /cds=(38,988) /gb=M60322 /gl=202851 /ug=Rn.2917 /len=1339	M60322 Rat aldose reductase gene, complete cds /cds=(38,989) /gb=M60322 /gi=202851 /ug=Rn.2917 /len=1339	M60921 Rat PC3 NGF-Inducible anti- proliferative putative secreted protein (PC3) ImRNA, complete cds /cds=(84,540) /gb=M60921 /gi=205720 /ug=Rn.4308	M80921 Rat PC3 NGF-inducible anti- proliferative putative secreted protein (PC3) mRNA, complete cds /cds=(64,540) /gb=M60921 /gi=205720 /ug=Rn.4308 /len=2519
Aldehyde reductase 1 (low Km aldose reductase) (5.8 kb Pstl fragment, probably the functional gene)	Aldehyde reductase 1 (low Km aldose reductase) (5.8 kb Psti fragment, probably the functional gene)	Aldehyde reductase 1 (low Km aidose reductase) (5.8 kb Pstl fragment, probably the functional gene)	B-cell translocation gene 2, anti- proliferative	B-cell translocation gene 2, anti- proliferative
<b>8</b>	80	80	88.24	88.24
3747	3751	3755	3759	3763
P15121	P15121	P15121	P78543	P78543
3746	3750	3754	3758	3762
NM_0016	NM_0016 28	28 28	U72649	U72649
3745	3749	3753	3757	3761
M60322 3744 AAA407	3748 AAA407 21	AAA407 21	P27049	3760 P27049
3744	3748	3752	3758	3760
И60322	M60322	M60322	M60921	M60921

				······································
	BTG2 protein (NGF-Inducible antl-proliferative protein PC3).	BTG2 protein (NGF-inducible ant-proliferative protein PC3).	Cytoplasmic. Prohibitin (B-cell receptor associated protein 32) (BAP 32).	CD44 antigan precursor (Phagocytic glycoprotein I) (PGP-1) (HUTCH-I)(Extracellular matrix receptor-III) (ECMR-III) (GP90 lymphocytehomi naceptor) (Hermes antigen) (Hyaluronate receptor)(LY-
			Cytoplasmic.	Type f
	M60921 Rat PC3 NGF-Inducible anti- proliferative putative secreted protein (PC3) mRNA, complete cds /cds=(64,540) /gb≕M60921 /gi≃205720 /ug=Rn.4308 /len=2519	M60921 Rat PC3 NGF-Inducible anti- proliferative putative secreted protein (PC3) mRNA, complete cds /cds=(64,540) /gb=M60921 /gi=205720 /ug=Rn.4308 /len=2519	M61219 Rat prohlbitin (phb) mRNA, complete cds /cds=(11,829) /gb=M61219 /gl=206383 /ug=Rn.719 /len=1688	M61875 Rattus norvegicus glycoprotein CD44 (CD44) mRNA, complete cds /cds=(112,1208) /gb=M61875 /gi=578532 /ug=Rn.1120 /len=2747
	B-cell translocation gene 2, anti- proliferative	B-cell translocation gene 2, anti- proliferative	prohibitin	glycoprotein CD44
	88.24 B-cell transle gene 3 prolife	88.24	8	91.33
	3767	3771	3775	3778
	P78543	P78543	P35232	P04920
	3766	3770	3774	3778
	3765 U72649	U72649	NM_0026 34	BF748398
		3769	3773	3775
	P27049	P27049	3772 P24142	3776 P26051
•	3764	3768		
1	M60921 3764 P27049	M60921	M61219	M61875

	Ublquitin- conjugating enzyme E2 B (EC 6.3.2.19) (Ublquitin- proteinligase B) (Ublquitin carrier protein B) (HR6B) (HR6B)	Ublquitin- conjugating enzyme E2 B (EC 6.3.2.19) (Ublquitin- proteinligase B) (Ublquitin carrier protein B) (HR6B) (HR6B)			Tumor necrosis factor receptor superfamily member 1A precursor (p60)(TNF-R1) (p55).
					Type I membrane protein.
	M62388 RATUCE Rattus norvegicus ubiquitin conjugating enzyme mRNA, complete cds	M62388 RATUCE Rattus norvegicus ubiquitin conjugating enzyme mRNA, complete cds	M62992 R.rattus glycoprotein p62 gene, complete cds /cds≂(716,2293) /gb=M62992 /g⊨205953 /ug=Rn.354 /len=2918	M62992 R.rattus glycoprotein p62 gene, complete cds /cds=(716,2293) /gb=M62992 /gi≃205953 /ug=Rn.354 /len=2918	M63122 Rat tumor necrosis factor receptor (TNF receptor) mRNA, complete cds /cds=(237,1622) /gb=M63122 /gl=207361 /ug=Rn.11119 /len=2130
	94.38 Ubiquitin conjugating enzyme	Ubiquitin conjugating enzyme	glycoprotein p62	glycoprotein p62	Tumor necrosis factor receptor
	94.38	94.38	57	57	84.09
	3783	3787			3795
	P23567	P23567	XP_008 986	XP_008 986	P19438
	3782	3786			3794
	3781 BC005879	BC005679	XM_00898 6	XM_00898 6	M33294
	3781	3785	3789	3791	3793
	M62388 3780 P23567	3784 P23567	3788 AAA417 89	AAA417 89	P22934
:	3780			3790	3792
י מומשו	M62388	M62388	M62992	M62992	M63122

Matrin 3.	Neuroendocri Neuroendocrine ne and protein 782 endocrine precursor secretory (Secretogranin granules. V).	Neuroendocri Neuroendocrine ne and protein 782 endocrine precursor secretory (Secretogranin granules. V).	Hypoxanthine- guanine phosphoribosytr ansferase (EC 2.4.2.8) (HGPRT)(HGP	Hypoxanthine- guanine phosphoribosyltr ansferase (EC 2.4.2.8) (HGPRT)(HGP RTase).	"cAMP- dependent protein kinase inhibitor, beta form (PKI-beta) (cAMP- dependent protein kinase inhibitor, testis isoform)."
NUCLEAR MATRIX.	Neuroendocri ne and endocrine secretory granules.	Neuroendocri ne and endocrine secretory granules.	Cytoplasmic.	Cytoplasmic	
M63485 Rattus norvegicus matrin 3 mRNA, complets cds /cds=(225,2762) /gb=M63485 /g=2276401 /ug=Rn.8064 /len=3744	M63901 Rat neuroendrocrine protein 7B2 mRNA, complete cds /cds=(36,668) /gb=M83901 /gi=202562 /ug=Rn.6173 /len=1107	M63901 Rat neuroendrocrine protein 7B2 mRNA, complete cds /cds=(36,688) /gb=M63901 /gl=202562 /ug=Rn.6173 /len=1107	M63983 RATHPRT Rat hypoxanthine phosphoribosyttransferase mRNA, complete cds	M63983 RATHPRT Rat hypoxanthine phosphoribosyftransferase mRNA, complete cds	NM_01262 M64092 Rat testis cAMP-dependent protein 7 kinase inhibitor protein mRN4, complete cds /cds=(255,470) /gb=M64092 /gl=206196 /ug=Rn.9748 /len=1350
			AA798402		7 7
92.81 matrin 3	neuroendrocri ne protein 782	neuroendrocri ne protein 782	Rat hypoxanthine phosphoribosy ilransferase	hypoxanthine phosphoribosy Itransferase	CAMP- dependent protein kinase (catalytic subunit binding) inhibtor 2
92.81	88.1	88.1	2	8	4.
3799	3803	3807	3811	3815	3819
P43243	P05408	P05408	AAB593 92	P00492	Q9C010
3798	3802	3806	3810	3814	3818
3797 BC015031	BC005349	BC005349	1.29382	NIM_0001 94	AF225513
	3801	3805	3809	3813	3817
3796 P43244	P27682	P27682	P27605	P27605	P27775
3796	3800	3804	3808	3812	98.
M63485	M63901	M63901	M63983	M63983	M64092

	· -											
M6430	3820	P27704	3821	M64301 3820 P27704 3821 NM_0027	3822	Q16659	3823	91.51	91.51 extracellular signal-related kinase 3.	M64301 RATERK3 Rat extracellular signal-related kinase (ERK3) mRNA, complete cds		Mitogen- activated protein kinase 6 (EC 2.7.1) (Extracellular signal-regulated kinase 3) (ERK- 3) (p55-MAPK).
M84301		3824 P27704	3825	NM_0027 48	3826	Q16659	3827	15.19	extracellular signal-related kinase 3.	M64301 RATERK3 Rat extracellular signal-related kinase (ERK3) mRNA, complete cds	·	Mitogen- activated protein kinase 6 (EC 2.7.1) (Extracellular signal-regulated kinase 3) (ERK- 3) (p55-MAPK).
M64378	3828	P23265	3829	NM_0123	3830	g328000 1		80.65	Rat offactory protein mRNA, complete cds	M64376 RATOL FPROB Rat offactory protein Integral membra complete cds protein.	90	Oifactory receptor-like protein F3.
M64488		3831 P29101	3832	XM_01284	3833	XP_012 840	3834	8	synaptotagmin II	M64488 Rat synaptotagmin II mRNA, complete cds /cds=(114,1382) /gb=M64488 /gi=207144 /ug=Rn.10042 /len=2681	SYNAPTIC VESICLES AND CHROMAFFI N GRANULES.	Synaptotagmin II (Sytil).
M64733		3835 AAA422 99	3836	3836 XM_02744 7		XP_027 447		75	Rat TRPM-2 gene	M64733mRNA RATTRPM2B Rat TRPM-2 gene, complete cds		

Cysteine sulfinic acid decarboxylase (EC 41.1.29) (Sulfinoalanined carboxylase) (Cysteine-sulfinate decarboxylase).	"6- phosphofructo-2. 2,6- piphosphatase 4. (8PF-2-K/Fru-2,6-P2ASE testis-type isozyme) [Includes: 6- phosphofructo-2. kinase(EC 2.7.1.105); Fructose-2,6- Fructose-2,6- Fructose-2,6- Fructose-2,6- Fructose-2,6- Fructose-2,6-
M64755 Rattus norvegicus cysteine sulfinic acid decarboxylase mRNA, complete cds /cds=(67,1503) /gb=M64755 /gj=847652 /ug=Rn.11321 /lsn=2060	M64797 Rat testis fructose-6-phophate, 2-kinase-fructose-2, 6-bisphosphatase mRNA, complete cds /cds=(34,1443) /gb=M64797 /gi=204147 /ug=Rn.10825 /len=1739
cysteine suffnic acid decarboxylase	6- phosphofructo- 2- kinase/fructos e-2,6- biphosphatase 4
89.68 cysteine suffinic a decarbox	88 1. 8 대 전 전 전 4
	3844
Q9Y600 3840	Q16877
3839	3843
M64755 3837  Q64611 3838  AF116545	AF108765
3838	3842
D64611	P25114
3837	3841 P25114
M64755	M64797

	•	
•	•	
٠	į	Š
	¢	0
٠		

Secondary   100   2004/28   3944   100   2004/28   3944   100   2004/28   3944   100   2004/28   3944   100   2004/28   3944   100   2004/28   3944   2004/28   3944   2004/28   3944
3846 AV701053 3847 P09429 3848 100 amphoterin mRNA, complete ods lods-r(122.769) /pb-M84986 /gj=202884 /ug=Rn.4121 /len=1225 /ug=Rn.4121 /ug=Rn.4121 /len=1225 /ug=Rn.4121 /len=1225 /ug=Rn.4121 /len=1225 /ug=Rn.4121 /ug
3850 AV701053 3851 P09429 3852 100 amphoterin
3846 AV701053 3847 P09429 3848 3850 AV701053 3851 P09429 3852
3846 AV701053 3847 P09429 3848 3850 AV701053 3851 P09429 3852
3846 AV701053 3847 P09429 3848 3850 AV701053 3851 P09429 3852
3846 AV701053 3847 P09429 3850 AV701053 3851 P09429
3846 AV701053 3847 3850 AV701053 3851
3850 AV701053
3850
3850
18
3846 P07155 3849 P07155
3846
M64986

-	Table 2	. •													
<del></del>	W65251	3853	M65251 3853 Q00900		3854 X65644	3855	P31629	3856	92.8	Human Immunodeficie ncy virus type I enhancer- binding protein 2	′	M65251 Rat anglotensinogen gene-inducible   Nuclear. enhancer-binding protein 1 mRNA, 3 end /cds=(0,2752) /gb=N65251 /gj=202790 /ug=Rn.9802 /len=3774		DNA-binding protein AGIE- BP1 (Angiotensinoge n gene- inducibleenhanc er-binding protein 1)	
	M65251	3857	000000	3858	X65644	3859	P31629	3860	87.8	Human Immunodeficie ncy virus type I enhancar- binding protein 2		M65251 Rat anglotensinogen gene-inducible Nuclear. enhancer-binding protein 1 mRNA, 3 end /cds=(0,2752) /gb=M65251 /gi=202780 /ug=Rn.9802 /len=3774		DNA-binding protein AGIE- BP1 BP1 (Anglotensinoge n gene- inducibleenhanc er-binding protein 1) (Fregment).	
	M68971	3861	3861 P27881	3862	AF148513	3863	P52789	3864	25	Hexokinase 2		M68971 Rat hexokinase type II (HKII) mRNA, complete cds /cds=(197,2950) /gb=M68971 /gj=204612 /ug=Rn.22813 /fen=3635		Hexokinase type II (EC 2.7.1.1) (HK II).	
	M73714	3865	P30839	3866	XM_04505 8		XP_045 058	,	2	aldehyde dehydrogenas e		M73714 Rat microsomal aldehyde dehydrogenase mRNA, complete cds /cds=(123,1677)/gb=M73714 /gl=205265 /ug=Rn.9113 /len=2977	CYTOPLAS "Fatty aldehy MIC dehydrogens SURFACE (EC 1.2.1.3) OF THE (Aldehyde ENDOPLAS dehydrogens MIC microsomal) RETICULUM (ALDH class MEMBRANE. 3)."	"Fatty aldehyde dehydrogenase (EC 1.2.1.3) (Aldehyde dehydrogenase, microsomal) (ALDH class 3)."	

	"Phosphorylase B Kinase B amma catalytic chain, testis/liver isoform(EC 2.7.1.38) (PHK- gamma-T) (Phosphorylase kinase gamma subunit 2)."	Neurosecretory protein VGF precursor (VGF8a protein).		Sodium/potassi um-transporting ATPase alpha-1 chain precursor(EC 3.6.3.9) (Sodium pump 1) (Na+/K+ ATPase 1).
		Stored in secretory vesicles and then secreted.		Integral membrane protein.
	M73808mRNA Rat phosphorylase kinase catalytic subunit mRNA, complete CDS //cds=UNKNOWN /gb=M73808 /gi=206163 /ug=Rn.11153 /len=1838	M74223 Rat VGF mRNA, complete cds /cds=(183,2036) /gb=M74223 /gl=207650 /ug=Rn.9704 /len=2507	M74439mRNA RATUDPGV Rattus rattus UDP glucuronosyltransferase gene, complete ods	M7494 Rat sodlum/potassium ATPase alpha-1 subunit truncated isoform mRNA, 3 end /cds=(0,731) /gb=M74494 /gi=205629 /ug=Rn.2992 /len=936
1	phosphorylase Kinase catalytic subunit	94.34 VGF nerve growth factor inducible	UDP glucuronosyttr ansferase gene, complete cds	ATPase, Na+K+ transporting, alpha 1 polypeptide
	8	¥.34	99	98
	3870		3877	3881
	016816	9563008 5	075795	P05023
	8988	3873	3876	3880
	3868 NM_0062 13	BF223121	NM_0010	660000
	3868	3872	3875	3879
	M73808 3867 P31325	P20156	AAA423	P06685
	3867	3871	3874	3878
anne 7	M73808	M74223	M74439	M74494 3878

Table 2.	<b>~:</b>												
M74494	3882		3883	6600000	3884	P05023	288	8.	ATPase, Na+K+ transporting, alpha 1 polypeptide		M74494 Rat sodium/potassium ATPase alpha-1 subunit truncated isoform mRNA, 3 end /ods=(0,731) /gb=M74494 /gi=205629 /ug=Rn.2992 /len=936	Integral membrane protein.	Sodium/potassi um-transporting ATPase alpha-1 chain precursor(EC 3.6.3.9) (Sodium pump 1) (Na+/K+ ATPase 1).
M75153		3886 P24410	3887	X53143	88 88 89	P24410	3889	<b>26</b> .	RAB11a, member RAS oncogene family		M75153 R. norvegicus ras p21-like small GTP binding protein (24KG) mRNA, complete cds /cds=(0,650) /gb=M75153 /gl=206566 /ug=Rn.1016 /len=895	1	Ras-related protein Rab-11A (RAB-11) (24KG) (YL8).
M75153	3830	P24410	3891	X53143	3892	P24410	3893	94.94	RAB11a, member RAS oncogene family		M75153 R.norvegicus ras p21-like small GTP binding protein (24KG) mRNA, complete cds /cds=(0,650) /gb=M75153 /gi=206566 /ug=Rn.1016 /len=895		Ras-related protein Rab-11A (RAB-11) (24KG) (YL8).
M75168	3894	Q63413	3895	AK026762	3896	NP_004 631	3897	93.68	Rattus A norveglcus liver nuclear protein p47	A892014	AA892014 M75168 Rattus norvegicus liver nuclear protein p47 mRNA /cds=(99,1298) /gb=M75168 /gi=205941 /ug=Rn.3516 /len=1643	Nuclear.	Probable ATP-dependent RNA helicase p47.
M75168	3898	Q63413	3899	AK026762	3900	NP_004 631	3901	93.68	liver nuclear protein p47		M75168 Rattus norvegicus liver nuclear protein p47 mRNA /cds=(99,1298) /gb=M75168 /gi=205941 /ug=Rn.3516 /len=1643	Nuclear.	Probable ATP- dependent RNA helicase p47.
M76426	3902	P46101	3903	W96860	3804	P42658	3908	8	Dipeptidylpepti		M76426 Rattus norvegicus dipeptidyi aminopeptidase-related protein (dpp6) mRNA, membrane complete cds /cds=(197,2776) /gb=M76426 /gi=408713 /ug=Rn.10076 /len=2819	Type II membrane protein	Dipeptidy, peptidase IV like protein (Dipeptidyl aminopeptidase- related protein) (Dipeptidylpepti dase VI) (DPPX).

Dipeptidyl peptidase IV like protein (Dipeptidase-aminopeptidase-related protein) (Dipeptidylpeptidase-VI) (Dipeptidylpeptidase-VI)		Adapter-related protein complex (1 beta 1 subunit (26ta-adaptin 1)(Adaptor protein complex AP-1 beta-1 subunit) (Golgi adaptor HA1/AP-1adaptin beta subunit) (Clathrin assembly protein complex 1 betalarg
Type II membrane protein .		Component Adapter of the coat protein of surrounding (Beta-ac cytoplasmic 1)(Adapter ocated AP-1 be vesicles subunit) located at the adaptor Golg! http://ap.complex. (Clathrif assemb protein (Clathrif assemb protein (1) as
M76426 Rattus norvegicus dipeptidyi aminopeptidase-related protein (dpp6) mRNA, membrane complete cds /cds=(197,2776) /gb=M76426 protein . /gj=408713 /ug=Rn.10076 /len=2819	M76740 RATMUCINI Rat intestinal mucin mRNA, partial cds M76740 RATMUCINI Rat intestinal mucin mRNA, partial cds	M77245 R.norvegicus beta -chain clathrin associated protein complex AP-1 mRNA, complete cds /cds≖(39,2888) /gb=M77245 /gl=203112 /ug=Rn.9466 /len=3663
Dipeptidy/pepti dase 6	Rat intestinal mucin mRNA Rat intestinal mucin mRNA, mucin mRNA, partial cds	Adaptor protein complex AP-1, bets 1 subunit
86	55 55	8
3909	3913	3921
3908 P42658 3909	AAC022 72 AAC022 72	Q10567
3908	3912 3916	3920
3907 (M96860	AF007194 AF007194	L13939
	3915	916
M76426 3806 P46101	M76740 3910 AAA416 42 M76740 3914 AAA416 42	3918 P52303
3806	3910	
M76426	M76740 M76740	M77245

Table 2.

Fumarylacetoac etase (EC 3.7.1.2) (Fumarylacetoa cetate hydrolase)(Beta- dliketonase) (FAA).		Programmed cell death protein 2 (Zinc finger protein Rp-8) (Fragment).	"Neutral and basic amino acid transport protein rBAT (B(0,+)- typeamino acid transport protein) (NAA-TR) (D2)."	Proteinase activated receptor 1 precursor (PAR- 1) (Thrombin receptor).	Proteinase activated receptor 1 precursor (PAR- 1) (Thrombin receptor).
		Nuclear .	Type II membrane protein .	Integral membrane protein.	Integral membrane protein.
M77694 R.norvegicus fumarylacetoacetate hydrolase (FAH) mRNA, complete cds /cds=(22,1281) /gb=M77694 /gl=204089 /ug=Rn.9195 /len=1373	M80367 Rat isoprenylated 67 kDa protein mRNA, complete cds /cds=(172,1947) /gb=M80367 /gi=207604 /ug=Rn.7932 /len=2396	M80601 Rat zinc finger protein (RP8) mRNA, 3 end /cds=(0,863) /gb=M80601 /gj=206717 /ug=Rn.6959 /len=912	M80804 RATSTRAP Rat protein which stimulates transport of cystine and dibasic membra and neutral amino acids mRNA, complete cds protein.	M81642 Rat G-protein coupled thrombin Integral receptor mRNA, complete cds /cds=(73,1371) membrane /gb=M81642 /gj=207465 /ug=Rn.2609 /len=3418	M81642 Rat G-protein coupled thrombin Integral receptor mRNA, complete cds /cds=(73, 1371) membrane /gb=M81642 /gi=207465 /ug=Rn.2809 /len=3418
fumarylacetoa cetate hydrolase (FAH)	isoprenylated 67 kDa protein	Programmed cell death 2	Rattus norvegicus unknown mRNA	Thrombin receptor	Thrombin
85.26	88.73	87.27	82.89	#	#
3926	3929		3838	3940	3944
P16930	P32455	g379013 3	Q07837	P25116	P25116
3924	3928	3932	3635	3939	3943
X51728	M55542	AK055180	L11696	M62424	M62424
3923	3927	3931	3934	3938	3942
P25093	AAA199 09	P47816	Q64319	P26824	P26824
3922	3926	3930	3933	3937	3941
M77694 3922 P25083	M80367	M80601	M80804	M81642	M81642

Syndecan-2 precursor (Fbroglycan) (Heparan sulfate proteoglycan coreprotein) (HSPG) (SYND2).			Transgelin (Smooth muscle protein 22- alpha) (SM22- alpha).
Type I membrane protein.			Cytoplasmic . Transgelin (Smooth m protein 22- alpha) (SM
M81687 Rat core protein (HSPG) mRNA, complete cds /cds=(353,988) /gb=M81687 /gi=204668 /ug=Rn.11127 /len=2153	M82826 RATNF1ASAC Rattus leucopus neurofibromatosis protein type I (NF1, type III splice variant) mRNA, 3 end	M82826 RATNF1ASAC Rattus leucopus neurofibromatosis protein type I (NF1, type III splice variant) mRNA, 3 end	M83107 Rat SM22 mRNA, complete cds /cds=(162,767) /gb=M83107 /gl=202982 /ug=Rn.774 /len=1169
		·	
Core protein (HSPG)	Rattus leucopus neurofibromat osis protain type I (NF1, type III splice variant) mRNA, 3' end	Rattus leucopus neurofibromat osis protein type I (NF1, type III splice variant) mRNA, 3' end	SM22
80.2	o 6	<b>6</b>	
3948			3956
P34741	XP_050	XP_050	XP_006 432
3947			3955
3946 Al373958	XM_05012	xM_05012 1	XM_00843 2
3946	3950	3962	3954
P34900	AAA416 91	M82826 3851 AAA416	P31232
3945	3949	3951	3953
M81687 3945 P34900	M82828 3949 AAA416 91	M82826	M83107

"Serina/threonin e protein phosphatase 24, 55 kDa 24, 55 kDa regulatory subunit B, B-alpha Isoform (PP2A, subunit B, B5-alpha Isoform) (PP2A, subunit B, B55-alpha Isoform) (PP2A, subunit B, PR55 alpha Isoform) (PP2A, subunit B, PR55 alpha Isoform) (PP2A, subunit B, PR55 alpha Isoform)	"Serine/threonin e protein phosphatase 2A, 55 kDa regulatory subunit B, elpha isoform (PP2A, subunit B, B-alpha isoform) (PP2A, subunit B, B55-alpha isoform) (PP2A, subunit B, B55-alpha isoform) (PP2A, subunit B, B75-alpha isoform) (PP2A, subunit B, PR55-alpha isoform) (PP2A, subunit B, PR55-alpha isoform)
M83298 Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha mRNA, complete cds /cds=(284, 1627) /gb=M83298 /gi=206298 /ug=Rn.2166 /len=2142	M83298 Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha mRNA, complete cds /cds=(284,1627) /gb=M83298 /gi=206298 /ug=Rn.2166 /len=2142
D14419 M8:	D14419 M8:
93.3 Rat protein phosphatase 2 (PP2A) 55 KD regulatory subunit alpha	Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha
93.3	3964 83.3
708 708	NP_002 38
8986	3863
3958 BM01489	3 3
	3962
57 P3687	3961 P36876
M83298 3957 P36876	M83288

"Serine/threonin perotein phosphatase 2A, 55 kDa regulatory subunit B, Brabunit B, Brabunit B, B5-alpha isoform) (PP2A, subunit B, B55-alpha isoform) (PP2A, subunit B, B55-alpha isoform) (PP2A, subunit B, PR55-alpha isoform) (PP2A, su'll pp2A, su''ll pp2A, su'''ll pp2A, su''ll pp2A,	"Serine/threonin e protein phosphatase 24, 55 kDa regulatory subunit B, alpha isoform (PP2A, subunit B, B5-subunit B, B5-subunit B, B755-subunit B, B755-subunit B, PR55-subunit B, PR55-subun
M83298 Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha mRNA, complete cds /cds=(284,1627) /gb=M83298 /g⊫206298 /ug=Rn.2166 /lsn=2142	M83298 Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha mRNA, 55 kD regulatory subunit alpha mRNA, complete cds /cds=(284,1627) /gb=M83298 /gi=206298 /ug=Rn.2166 /len=2142
D14419	D14419
Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha	Rat protein phosphatase 2A (PP2A) 55 KD regulatory subunit alpha
6.	893
3968	3972
NP_002 708	708 708
3967	3971
3966 BM01489	3 3 3
3968	3970
P36876	P36876
3986	8968
M83298 3965 P36876	M83298

"Sertne/threonin e protein phosphatase 24, 55 kDa regulatory subunit B, alpha isoform (PP24, subunit B, B- alpha isoform) (PP24, subunit B, B55-alpha isoform) (PP24, subunit B, B55-alpha isoform) (PP24, subunit B, B55-alpha isoform) (PP24, subunit B, PR55-alpha isoform)	"Serine/threonin e protein phosphatase 24, 55 kDa regulatory subunit B, alpha isoform (PP2A, subunit B, B-alpha isoform) (PP2A, subunit B, B-alpha isoform) (PP2A, subunit B, PR55-alpha isoform) (PP2A, subunit B, PR55-alpha isoform) (PP2A, subunit B, PR55-alpha isoform)
M83298 Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha mRNA, complete cds /cds=(284,1627) /gb=M83298 /gi=206298 /ug≈Rn.2166 /len=2142	M83298 Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha mRNA, complete cds /cds=(284,1627) /gb=M83298 /gi=206298 /ug=Rn.2166 /len=2142
D14419	D14419
Rat protein phosphatase 2 (PP2A) 55 KD regulatory subunit alpha	Rat protein phosphatase 2A (PP2A) 55 kD regulatory subunit alpha
83. 6.	93.3
3976	3980
NP_002	NP_002 708
3975	3979
3 3	BM01489
3974	3978
M83298 3973 P36876	P36876
3973	3977
M83298	M83298

"Clutamate receptor, lonotropic kalnate 1 precursor (Glutamate receptor5) (GLUR-5)."	"Glutamate receptor, ionotropic kainate 1 precursor (Glutamate receptor5) (GLUR-5) (GLUR-5).	Ras-related protein Rab-8 (Fragment).	Ras-related protein Rab-13 (Fragment).		GTP-binding protein Rab-3D.	
Integral membrane protein.	Integral membrane protein.					
M83561 Rattus norvegicus glutamate receptor subunit 5-2 (GluR5-2), kainate subtype mRN4, complete cds /cds≕(187,2904) /gp=M83561 /gl≔204389 /ug=Rn.10449 /len=3185	M83561 Rattus norvegicus giutamate receptor subunit 5-2 (GluR5-2), kalnate subtype mRNA, complete cds /cds≕(187,2904) /gb=M83561 /gl=204389 /ug=Rn.10449 /len≕3185	M83675 Sprague-Dawley (clone LRB11) RABB mRNA, complete cds /cds≖(27,404) /gb=M83675 /gl=206540 /ug=Rn.9823 /len=840	M83878 Sprague-Dawley (clone LRB10) RAB13 mRNA, 3 end /cds=(0,494) /gb=M83678 /gi=206532 /ug=Rn.9819 /len=857	M83679 Sprague-Dawley (clone LRB9) RAB15 mRNA, complete cds /cds=(219,857) /gb=N/83679 /gi=206536 /ug=Rn.9821 /len=945	M83681 Sprague-Dawfey (clone LRB2) RAB16 mRNA, complete cds /cds≂(0,596) /gb=M83681 /gl≃206538 /ug≕Rn.9822 /len=1889	Dimerization . AJ005542 M83740 RATHOMEOA Rat cofactor mRNA cofactor of HNF1; pterin-48-carbinolamin dehydratase
						AJ005542
Glutamate receptor, lonotropic, kainate 1	Glutamate receptor, lonotropic, kalnate 1	RAB8	RAB13	RAB15	RAB16	Dimerization . cofactor of HNF1; pterin-4a-carbinolamin dehydratase
26	26	89.8	06	25	88	8
3984	3988	3992	3996		4002	4006
P39086	P39086	P24407	P51153	XP_050 525	095716	P80095
3983	3987	3991	3995		4001	4005
U16125	U16125	X56741	X75593	XM_05052 5	NM_0042 83	NM_0002 81
3982	3986	3990	3994	3998	4000	4004
M83561 3981 P22756	P22756	P35280	P35286	AAA419 95	Q63942	CAA06 587
3981	3985	3989	3993	3997	3888	4003
M83561	M83561	M83675	M83678	M83679	M83681	M83740

M83746 4007 P28841 4008 BC0058816 4009 P16819 4010 Proproblem         4010 Proposition and processes and problems and processes and problems and processes and problems and problems and problems and processes and processes and problems and problems and processes an				
M63746 Rat homologue of KezZ and furing convertase   Co	Neuroendocrine convertase 2 precursor (EC 3.4.21.94) (NEC 2) (PC2) (Prohormo ne convertase 2) (Proprotein convertase 2) (KEX2-likeendoproteas e 2).	Dimetrylaniline monocxygenase [N-cxdde forming] 1 (EC 1.14.13.8)(Hepa to flavin-containing monocxygenase 1) (Dimetrylaniline cxddase 1).	Prothymosin alpha.	
4008 BC005815 4009 P16519 4010 90.1 Proprotein convertase subtilishr/kexin type 2 4012 M64082 4013 C01740 4014 82 Flavin-containing monocxygena se 1 4016 X78678 4017 P50053 4018 79 Ketohexokinas 9 4020 Al859111 4021 XP_038 93.72 alpha-anglotensin gene, single exon	LOCALIZED IN THE SECRETION GRANULES.	Microsomal.	Nuclear.	
4012 M64082 4013 Q01740 4014 82 4016 X78678 4017 P50053 4018 79 4020 A1859111 4021 XP_038 93.72 4023 D13814 4024 P30556 4025	M83746 Rat homologue of Kex2 and furin proteins mRNA, complete cds //ods=(284,2210) /gb=M83746 /gi=205064 /ug=Rn.9889 /len=2428	M84719 Rat flavin-containing monooxyganase 1 (FMO-1) mRNA, complete cds /cds=(44,1642) /gb=M84719 /gj=204151 /ug=Rn.867 /len=2042	M86235 Rat ketohexokinase mRNA, complete cds /cds=(48,944) /gb=M86235 /gj=409148 /ug=Rn.9888 /len=1131 M86564 Rat alpha-prothymosin mRNA, complete cds /cds=(146,484) /gb=M86564 /gj=202885 /ug=Rn.817 /len=1162	M86912exon RATAT1B Rat anglotensin receptor (AT1) gene, single exon
4012 M64082 4013 Q01740 4014 82 4016 X78678 4017 P50053 4018 79 4020 A1859111 4021 XP_038 93.72 4023 D13814 4024 P30556 4025	Proprotein convertase subtilisin/kexin type 2	Flavin- containing monooxygena se 1	Ketohexokinas 9 alpha- prothymosin	Rat anglotensin eceptor (AT1) gene, single exon
4012 M64082 4013 4016 X78678 4017 4020 A859111 4021 4023 D13814 4024	90.1			
4012 M64082 4013 4016 X78678 4017 4020 A859111 4021 4023 D13814 4024		4104	4018	4025
4012 M64082 4013 4016 X78678 4017 4020 A859111 4021 4023 D13814 4024	P16519	Q01740	P50053 XP_038 338	P30556
	BC005815	M64082	X78678 Al859111	D13814
M84719 4011 P36365 M86235 4015 S32426 M86564 4019 P06302 M86912 4022 CAA44		4012	4016	4023
M84719 4011 M86535 4015 M86564 4019 M86912 4022	P28841		S32426 P06302	CAA44 183
M84719 M86235 M86564	4007		4015	
	M83746	M84719	M86235 M86564	M86912

"Dihydropyridines sensitive L-type, calclum channel beta-3 subunit (CAB3) (Voltage-dependent calclum channel beta-3 subunit)."		Metabotropic glutamate receptor 4 precursor (mGluR4).	Metabotropic glutamate receptor 4 precursor (mGluR4).		Adenosine A2b receptor.	"Beta-arrestin 2 (Arrestin, beta 2)."
		Integral membrane protein.	Integral membrane protein.		Integral membrane protein.	
M88751 Rat calclum channel beta subunit-III mRNA, complete cds /cds=(93,1547) /gb=M88751 /gl=203221 /ug=Rn.2808 /len=2525	M89953cds RAT5HT1D Rattus norvegicus 5- HT1D serotonin receptor gene, complete cds	M90518 Rat meotropic glutamate receptor (GLUR4) mRNA, complete cds /cds=(854,3592) /gb=M90518 /gl=205400 /ug=Rn.9682 /len≖4488	M90518 Rat meotropic glutamate receptor (GLUR4) mRNA, complete cds /cds=(854,3592) /gb=M90518 /gi=205400 /ug=Rn.9682 /len=4488	M91234 Rat VL30 element mRNA /cds=UNKNOWN /gb=M91234 /gi=207671 /ug=Rn.18005 /len=1131	M91466 Rattus norvegicus A2b-adenosine receptor mRNA, complete cds /cds=(107,1105) /gb=M91468 /gl≃202587 /ug=Rn.10428 /len=1839	M91590 Rat beta-arrestin2 mRNA, complete cds /cds=(181,1423) /gb=M91590 /gl=949988 /ug=Rn.25040 /len=1758
93.76 Calcium channel subunit beta 3	5 - Hydroxytrypta mine (serotonin) receptor 1D	Glutamate receptor, metabotropic 4	Glutamate receptor, metabotropic 4	VL30	A2b- adenosine receptor mRNA	beta-arrestin2,
93.76	8	90.07	90.07		86.92	90.67
4029	4033	4037	4041		4046	4050
P54284	P28221	Q14833	Q14833	No Human Protein Found.	P29275	P32121
4028	4032	4036	4040		4045	4049
X78556	NM_0008 64	U92457	U92457	No human homolog found.	M97759	AF106941
4027	4031	4035	4039		4044	4048
4026 P54287	AAA406 14	P31423	P31423	No Rat Protein Found.	P29276	P29067
	4030	4034	4038	4042	4043	4047
M88751	M89953	M80518	M90518	M91234	M91466	M91590

"Beta-arrestin 2 (Arrestin, beta 2)."						
					·	
M91590 Rat beta-arrestin2 mRNA, complete   cds /cds=(191,1423) /gb=M91590 /gi=949986  /ug=Rn.25040 /len=1758	M91595exon RATILGFBPA Rattus norvegicus insulin-ilke growth factor binding protein-2 gene, exon 1	M91595exon RATILGFBPA Rattus norvegicus insulin-ilke growth factor binding protein-2 gene, exon 1	M91599mRNA RATFGR4A Rat fibroblast growth factor receptor subtype 4 (FGFR4) mRNA, complete cds	M91599mRNA RATFGR4A Rat fibroblast growth factor receptor subtype 4 (FGFR4) mRNA, complete cds	M91599mRNA RATFGR4A Rat fibroblast growth factor receptor subtype 4 (FGFR4) mRNA, complete cds	M91599mRNA RATFGR4A Rat fibroblast growth factor receptor subtype 4 (FGFR4) mRNA, complete cds
90.67   beta-arrestin2.	Insulin-like growth factor binding protein 2 gene, exon 1	Insulin-like growth factor binding protein 2 gene, exon	Fibrobiast growth factor receptor subtype 4	fibroblast growth factor receptor subtype 4 (FGFR4)	Fibroblast growth factor receptor subtype 4	fibroblast growth factor receptor subtype 4 (FGFR4)
90.67	\$	2	8	83	8	8
4054	4058	4062	4066	4070	4074	4078
P32121	XP_002 636	XP_002 636	P22455	CAA742 00	P22455	CAA742 00
4053	4057	4061	4065	4069	4073	4077
AF106941	XM_00263 6	XM_00263 6	NIM_0020 11	Y13901	NM_0020	Y13901
4052	4056	4060	4064	4068	4072	4076
M91590 4051 P29087	4055 AAA918 98	4059 AAA918 99	AAA411 57	M91599 4067 AAA411	4071   AAA411 57	4075 AAA411 57
4051	4055	4059	4063	4067	4071	4075
M91590	M91595	M91595	M91599	M91599	M91599	M91599

•	Glutamine synthetase (EC 6.3.1.2) (Glutamate-ammonia ilgase).	Glutarnine synthetase (EC 6.3.1.2) (Glutamate—ammonia ligase).	Homeobox protein Hox-A2 (Hox-1.11).		Interleukin-6 receptor beta chein precursor (IL-6R-beta) (Interleukin6 signal transducer) (Membrane glycoprotein 130) (GP130).	"Calclum- transporting ATPase type (EC 3.6.3.8) (ATPase2C1) (ATP-dependent Ca2+ pump PMR1)."
	Cytoplasmic. Glutamine synthetase 6.3.1.2) (Glutamate ammonia ligase).	Cytoplasmic.	Nuclear.		Type I membrane protein.	integral membrane protein.
	M91652completeSeq Rat glutamine synthetase (ginA) mRNA, complete cds /cds=UNKNOWN /gb=M91652 /gi=204348 /ug=Rn.2204 /len=2793	M91652completeSeq Rat glutamine synthetase (ginA) mRNA, complete cds /cds=UNKNOWN /gb=M91652 /gi=204348 /ug=Rn.2204 /len=2793	M91802 Rattus norvegicus homeobox protein Nuclear. (Hox 1.11) mRNA, complete cds /cds=(194,1312) /gb=M91802 /gi=204641 /ug=Rn.11240 /len=1576	M92059 RATADPSNP Rattus norvegicus adipsin mRNA sequence	M92340 RATGP130A Rat (clones rLG[08,14,25]) Interleukin 6 signal transducer mRNA sequence	M93017 Rat athematively spliced mRNA /cds=(178,2937) /gb=M93017 /gj=202861 /ug=Rn.5805 /len=4625
	·			S73894		
	Glutamine synthetase (glutamate- ammonia ligase)	Giutamine synthetase (giutamate- armmonia igase)	Homeobox protein (Hox 1.11)	Adipsin	Raf (clones n.C[08,14,25]) Interleukin 6 signal transducer mRNA	spiloed mRNA.
	8	85	95.69	2	92.7	91.44
	4082	4086	4090	4094	4098	4102
	P15104	P15104	NP_006 726	P00746	P40189	P98194
	4081	4085	4089	4083	4097	4101
	Y00387	Y00387	NIM_0067 35	AJ313463	S80479	AF225981
	4080 Y00387	4084	4088	4092	4096	4100
	P09606	4083 P09606	P31246	4091 AAB319		4099 Q64566
•	4079		4087		4095	
lable &	M91652 4079 P09606	M91652	M91802	M92059	M82340	M93017

_						
			Mitochondrial "Methylmaionat e-semialdehyde dehydrogenase [acylating], mitochondrialpr ecursor (EC 1.2.1.27) (MIMSDH)."	Neurogenic locus notch homolog protein 2 precursor (Notch 2).	Neuroendocri Secretogranin II ne and precursor (SGII) endocrine (Chromogranin secretory C).	"Calclum/calmo dulin-dependent 3,5-cyclic nucleotide phosphodiester ase18 (EC 3.1.4.17) (Cam- PDE 18) (63 KDa Cam- PDE)."
				Type I membrane protein. Following proteolytical processing NICD is translocated to the nucleus.	Neuroendocri ne and endocrine secretory granules.	Cytoplasmic
M93257 RATSLCCOMT Rattus norvegicus	cathechol-O-methyltransferase mRNA, 3 flank	M93297cds RATROAT04 Rattus norvegicus ornithine aminotransferase (rOAT) gene, exon 7	M93401 Rattus norvegicus methyimalonate semialdehyde dehydrogenase gene, complete cds /cds=(81,1688) /gb=M93401 /gi=205525 /ug=Rn.1645 /len=2059	NM_02435 M93661 Rat notch 2 mRNA /cds=UNKNOWN 8 /gb=M93661 /gi=205753 /ug=Rn.13245 /len=8287	M93669 Rat secretogranin II mRNA, complete cts /cds=(30,1889) /gp=M93669 /gj=206902 /ug=Rn.11392 /len=2289	M94537 Rattus rattus cyclic nucleotide phosphodiesterase (CaM-PDE) mRNA, complete cds /cds=(74,1681) /gb=M94537 /gi=203268 /ug=Rn.9930 /len=1831
Z12651			,	NM_02435 8		
cathechol-O-	methyltransfer ase	ornithine aminotransfer ase	Methylmalonat e semialdehyde dehydrogenas e	Notch gene homolog 2, (Drosophila) [Rattus norvegicus].	Secretogranin II	Cyclic nucleotide phosphodleste rase (CaM- PDE)
79		98	96.08	91.95	83.93	90.32
		4108	217	9116	4120	4124
XP_033	789	P04181	Q02252	AAA363 77	P13521	Q01064
		4107	111		4119	£23
4104 XM 03379	6	NM_0002 74	AK026842	AA725658	BC022509	U56976
		4106	4110	41	4118	4122
CAA78	276	4105 AAA420 61	4109 Q02253	0 0 0	P10362	4121 Q01066
4103		4105		4113	4117	
M93257	278	M93297	M93401	MB3661	M93669	M84537

Table 2.

Neuromedin U- 23 precursor (NmU-23).	Farnesyldiphosphate damesyltransfer ase (EC 2.5.1.21) (Squalenesynth etase) (SQS) (SS) (FPP: FPP farnesyltransfer ase).	Famesyldiphosphate famesyltransfer ase (EC 2.5.1.21) (Squalenesynth etase) (SQS) (SS) (FPP:FPP famesyltransfer ase).	Farnesyl- diphosphate farnesyltransfer ase (EC 2.5.1.21) (Squalenesynth etase) (SQS) (SS) (FPP:FPP farnesyltransfer ase).
Secreted.	Integral Farnesylmenbrane diphosphy protein. farnesyltra Endoplasmic ase (EC reticulum. 2.5.1.21) (Squalen etase) (S) (FP) farnesyltra ase).	Integral Famesyl membrane diphosph protein. famesyl Endoplasmic ase (EC reticulum. (Squaler (SS) (FP (SS) (FP famesylt ase).	Integral Farnessyl membrane diphospi protein. Farnesylt Endoplasmic ase (EC retculum. 2.5.1.21) (Squaler (SS) (FP (SS) (FP famesylt ase).
M94555 Rat neuromedin U mRNA, complete   Secreted. cds /cds=(112,636) /gb=M94555 /gi=205745 /ug=Rn.9712 /len=707	M95591 RATSST Rattus rattus hepatic squalene synthetase mRNA, complete cds	M95591 RATSST Rattus rattus hepatic squalene synthetase mRNA, complete cds	M95591 RATSST Rattus rattus hepatic squalene synthetase mRNA, complete cds
82.45 Neuromedin U mRNA	Farnesyl diphosphate farnesyl transferase 1	Farnesyl diphosphate farnesyl transferase 1	Farnesyl diphosphate farnesyl transferase 1
82.45	8	8	<b>&amp;</b>
4128	4132	4136	4140
P48645	P37268	P37268	P37268
4127	4131	4135	4139
BC012908	S78822	S76822	576822
4126	4130	4134	8138
M84555 4125 P12760	Q02769	4133 Q02769	4137 Q02769
4125	4129		4137
M94555	M95591	M95591	M85581

	Farmesyldiphosphate farmesyltransfer ase (EC 2.5.1.21) (Squalenesynth etase) (SQ) (FPP:FPP farmsyltransfer ase).	DI-N- acetylchitobiase precursor (EC 3.2.1).	Neurexin 1-beta precursor (Neurexin I- beta).	Sodium- and chloride-dependent taurine transporter.	Plasma membrane calclum- transporting ATPase 3 (EC 3.6.3.8) (PMCA3)(Plasm a membrane calclum pump isoform 3) (Plasma membrane calclumATPasse isoform 3).
	Integral Famesyl membrane diphospt protein. famesylt Endoplasmic ase (EC rettculum. 2.5.1.21) (Squaler (SS) (FP famesylt famesylt ase).	Lysosomal.	Type I membrane protein .	Integral membrane protein.	Integral membrane protein.
	M95591 RATSST Rattus rattus hepatic squalene synthetase mRNA, complete cds	M95768 Rattus norvegicus di-N- acetylchitobiase mRNA, complete cds /cds=(0,1103) /gb=M95768 /gi=203452 /ug=Rn.11199 /len≈1616	M96375 Rattus norvegicus non-processed neurexin I-beta mRNA, complete cds I/cds=(822,2228) /gb=M96376 /gi=205712 /ug=Rn.8930 /len=2441	M96601 Rattus norvegicus taurine transporter mRNA, complete cds /cds=(126,1981) /gb=M96601 /g⊨207541 /ug=Rn.9968 /len=2476	M96626 RAT plasma membrane CA2+- ATPase isoform 3 mRNA, partial cds /cds=(0,346) /gb=M96626 /gl=203212 /ug=Rn.11053 /len=609
•			10781		
	Farnesyl diphosphate farnesyl transferase 1	dHN- acetyichitobia se	Non- processed neurexin I- beta	Taurine transporter	RAT plesma membrane CA2+-ATPase isoform 3 mRNA, partial cds
	8	82	94.29	87	95.63
	44	4148	4152	4156	4180
	P37268	Q01459	P58400	XP_042 939	Q16720
	4143	4147	4151	4155	4169
	4142   S76822	NM_0043 88	AF064842	XM_04293 9	U15689
		4146	4150	4154	8158
	M95591 4141 Q02769	Q01460	Q63373	P31643	Q84568
•	4141	4145	4149	4153	4157
anie 4.	M95591	M95768	M96375	M96601	M96626

·	<u> </u>
Plasma membrane calcium- transporting ATPase 3 (EC 3.6.3.8) (PMCA3)(Plasm a membrane calcium pump isoform 3) (Plasma membrane calciumATPase isoform 3).	Plasma membrane calclum- transporting ATPase 3 (EC 3.6.3.8) (PMCA3)(Plasm a membrane calclum pump isoform 3) (Plasma membrane calclumATPase isoform 3)
Integral membrane protein.	Integral membrane protein.
M98626 RAT plasma membrane CA2+- ATPase isoform 3 mRNA, partial cds /cds=(0,346) /gb=M98626 /gi=203212 /ug=Rn.11053 /len=609	M96626 RAT plasma membrane CA2+- ATPase isoform 3 mRNA, partial cds /cds=(0,346) /gb=M96626 /gl=203212 /ug=Rn.11053 /lan=609
95.63 RAT plasma membrane CA2+ATPase isoform 3 mRNA, partial cds	RAT plasma membrane CA2+-Affase isofom 3 mRNA, partial cds
85.88 85 85 85 85 85 85 85 85 85 85 85 85 8	95.63 R. Talenda C. C. Alenda C. Al
	8914
Q16720 4164	Q16720
P. 163	Δ 4167
U15689	U15689
4162	4168
M96626 4161 Q64568 4162 (U15689	Q64568
4161	4165
M96626	M86626

Plas men calci (PM) a me a me calci isofo (Plas men men calci isofo isofo isofo	FP dens 6 (Pro-
Integral membrane protein.	CONCENTR TPRE ATED AT Gene SYNAPTIC B5 (JUNCTIONS (PRE PRIMARILY PROTE ON THE PRESYNAP G-88 TIC SIDE (WAS (DIS ORIGINALLY HOM THOUGHT TO BE POSTSYNA PTIC).
M96626 RAT plasma membrane CA2+- ATPase Isoform 3 mRNA, partial cds /cds=(0,346) /gb=M96626 /gj=203212 /ug=Rn.11053 /len=609	M96853 Rat postsynaptic density protein (PSD-95), homologue of discs-large tumor supressor protein mRNA, complete cds fods=(57,2231) /gb=M98853 /gj=208454 /ug=Rn.9765 /len=3066
95.63 RAT plasma membrane CA2+ATPase isoform 3 mRNA, partial cds	Rat postsynaptic density protein (PSD-95), homologue of discs-large turnor supressor protein
85. 83.	<b>0</b>
4172	4176
4171   Q16720	4175 AAD561 73
4171	4175
4170 U15689	AF156495
4170	4174
Q64568	4173 P31016
4169	4173
M96626 4169 Q64568	M98853

			<del></del>			
"Presynaptic density protein	95 (PSD-95) (Presynaptic protein SAP90)(Synaps e-associated protein 90) (Discs, large homolog 4)."					
CONCENTR ATED AT	SYNAPTIC JUNCTIONS PRIMARILY ON THE PRESYNAP TIC SIDE (WAS ORIGINALLY THOUGHT TO BE POSTSYNA		·			
M96853 Rat postsynaptic density protein (PSD-95), homologue of discs-large tumor	supressor protein mRNA, complete cds /cds=(57,2231) /gb=M96853 /gi=206454 /ug=Rn.9765 /len=3086	M99567 RATPHOCBE Rat phospholipase C beta-3 mRNA	M99567 RATPHOCBE Rat phospholipase C beta-3 mRNA	M99567 RATPHOCBE Rat phospholipase C beta-3 mRNA	rc_A4684919 EST105769 Rattus norvegicus cDNA, 3 end /done=RPCAR53 /done_end=3 /gb=AA684819 /gj=2671517 /ug=Rn.14682 /len=301	rc_AA685221 EST106628 Rattus norvegicus cDNA, 3 end /done=RPCBE53 /clone_end=3 /gb=AA685221 /gi=2871819 /ug=Rn.14676 /len=325
Rat postsynaptic	density protein (PSD-95), homologue of discs-large turnor supressor protein	Rattus norvegicus phospholipase C beta-3 mRNA, partial cds	Rattus norvegicus phospholipase C beta-3 mRNA, partial cds	Rattus norvegicus phospholipase C beta-3 mRNA, partial	EST (not recognized)	EST (not recognized)
86		87.66	87.66	87.66		
4180		4183	4186	4189		
AAD561 73		Q01970	Q01970	Q01970	No Human Protein Found.	No Human Protein Found.
4179		4182	4185	4188		
AF156495		32 32	NM_0009 32	NM_0009 32	No human homolog found.	No human homolog found.
4178						
P31016		A45483	A45493	4187 A45493	No Rat Protein Found.	No Rat Protein Found.
4177		4181	4184		4190	4191
M96853 4177 P31016		M99567	M99567	M99567	AA6849 19	AA6852 21

			<u> </u>	te 14.3) In sphoryl 1) In se	
				Adenylate kinase Isoenzyme 1 (EC 2.7.4.3) (ATP-AMP transphosphoryl ase)(AK1) (Myokinase)	
				Cytopiasmic.	
rc_AA685974 EST108806 Rattus norvegicus CDNA, 3 end /done=RPNAH48 /done_end=3 /gb=AA885974 /gi=2672572 /ug=Rn.14668 /len=371	rc_AA686164 EST108401 Rattus norvegicus cDNA, 3 end /dons=RPNAR24 /clons_end=3 /gb=AA686164 /gi=2672762 /ug=Rn.3390 /len=373	rc_AA799279 EST188776 Rattus norvegicus cDNA, 3 end /clone≕RHEAA06 /clone_end=3 /gb≕AA799279 /gi=2862234 /ug≕Rn.4182 /len≕619	rc_AA799279 EST188776 Rattus norvegicus cDNA, 3 end /clons≕RHEAA06 /clons_end=3 /gb≡AA799279 /gi=2862234 /ug=Rn.4182 /len=619	rc_AA799299 EST188796 Rattus norvegicus cDNA, 3 end /clone=RHEAA18 /clone_end=3 /gb=AA799299 /gi=2862254 /ug=Rn.8563 /len=506	rc_AA799323 EST188820 Rattus norvegicus cDNA, 3 end /dons=RHEAA31 /dons_end=3 /gb=AA798323 /g=2862278 /ug=Rn.6178 /len=328
	BC000598				NM_01954
Hypothetical Protein	Mus musculus, Similar to dendritic cell protein, clone MGC:11741 IMAGE:39693 35, mRNA, complete cds	Mus musculus adult male heart cDNA, RIKEN	Mus musculus adult male heart cDNA, RIKEN	85.94 Adenylate kinase 1	pleckstrin (Plek)
88.5	92.14		<u></u>	85.94	86.54
4185	4189			4205	4209
AAH139 49	XP_006	No Human Protein Found.	No Human Protein Found.	P00568	P08567
4194	4198			4204	4208
4193 BC013949	AF064603	No human homolog found.	No human homolog found.	AB021871	X07743
4193	4197			4203	4207
BAB251 23	ААН05 598	No Rat Protein Found.	No Rat Protein Found.	P39069	4206 NP_062 422
4192	4186	4200	4201	4202	4206
AA6859 4192 BAB251 74	AA6861 64	AA7892 79	AA7892 79	AA7992 99	AA7893 23

rc_AA799328 EST188825 Rattus norvegicus cDNA, 3 end /done=RHEAA34 /done_end=3 /gb=AA799328 /gj=2862283 /ug=Rn.757 /len=637	rc_AA799328 EST188825 Rattus norvegicus cDNA, 3 end /clone=RHEAA34 /clone_end=3 /gb=AA789328 /gl=2862283 /ug=Rn.757 /len=637	rc_AA799330 EST188827 Rattus norvegicus cDNA, 3 end /clone=RHEAA35 /clone_end=3 /gb=AA799330 /gi=2862285 /ug=Rn.3842 /len=617	rc_AA799396 EST18893 Rattus norvegicus cDNA, 3 end /done=RHEAA74 /done_end=3 /gb⇒AA798396 /gi=2862351 /ug=Rn.263 /len=637	rc_AA799396 EST18893 Ratus norvegicus cDNA, 3 end /done=RHEAA74 /clone_end=3 /gb=AA798396 /gi=2862351 /ug=Rn.263 /len≕637	rc_AA799406 EST188903 Ratus norveglcus cDNA, 3 end /clone=RHEAA79 /clone_end=3 /gb=AA799406 /gl=2862361 /ug=Rn.90 /len=591	rc_AA799410 EST188907 Rattus norvegicus cDNA, 3 end /done=RHEAA81 /clone_end=3 /gb=AA799410 /gi=2862365 /ug=Rn.3326 /len=612	nc_AA799410 EST188907 Rattus norvegicus cDNA, 3 end /clone=RHEAA81 /clone_end=3 /gb=AA799410 /gi=2862365 /ug=Rn.3326 /len=612
	<del>-</del>	AF148638					
EST (not recognized)	EST (not recognized)	Pelota	Mus musculus, clone IMAGE:35917 05	Mus musculus, clone IMAGE;35917 05	EST(not recognised)	Homo sapiens, clone IMAGE:38609 08	Homo sapiens, clone IMAGE:38609 08
		91.76		26		91.82	91.82
		4215			•		
No Human Protein Found.	No Human Protein Found.	XP_032 885	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
		4214	4217	4219		4222	4224
No human homolog found.	No human homolog found.	NM_0159 46	AF043896	AF043896	No human homolog found.	BC012458	BC012458
		4213					
No Rat Protein Found.	No Rat Protein Found.	AAK581	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
4210	4211	4212	4216	4218	4220	4221	4223
AA7993 4210 No Rat 28 Fround	AA7993 28	AA7993 30	AA7993	AA7993 86	AA7994 06	AA7994 10	AA7894 10

rc_AA799421 EST188918 Rattus norvegicus cDNA, 3 end /clone=RHEAA87 /clone_end=3 /gb=AA799421 /gi=2862376 /ug=Rn.19951 /len=570	rc_AA799440 EST188937 Rattus norvegicus cDNA, 3 end /clons=RHEAB09 /clons_end=3 /gb=AA799440 /gl=2862395 /ug=Rn.6185 /len=705	rc_AA799442 EST188939 Rattus norvegicus cDNA, 3 end /clone=RHEAB11 /clone_end=3 /gb=AA799442 /gi=2862397 /ug=Rn.3826 /len=649	rc_AA799442 EST188939 Rattus norvegicus cDNA, 3 end /clone=RHEAB11 /clone_end=3 /gb=AA799442 /gi=2862397 /ug=Rn.3826 /len=649	rc_AA799442 EST188939 Rattus norvegicus cDNA, 3 end /clone=RHEAB11 /clone_end=3 /gb=AA799442 /gi=2862397 /ug=Rn.3826 /len=649	rc_AA799442 EST188939 Rattus norvegicus cDN4, 3 end /done=RHEAB11 /done_end=3 /gb=AA799442 /gi=2862397 /ug=Rn.3826 /len=649	rc_AA789442 EST188939 Rattus norvegicus cDNA, 3 end /clone=RHEAB11 /clone_end=3 /gb=AA799442 /gi=2862397 /ug=Rn.3826 /len=849
	AA789440					
ESTs, Highly similar to PROTEIN KINASE C, EPSILON TYPE (R. TYPE (R. TYPE)	Mus musculus AA799440 MRPL13 mRNA for mitochondrial ribosomal protein L13	Mus musculus 18 days embryo cDNA, RIKEN	Mus musculus 18 days embryo cDNA, RIKEN	EST (not recognized for rat)	Mus musculus 18 days embryo cDNA, RIKEN	Mus musculus 18 days embryo cDNA, RIKEN
8.	88.83	82.89	82.89	82.89	82.89	82.89
4228	4232			4239	,	
4227   Q02156	NP_054 797	No Human Protein Found.	No . Human Protein Found.	AAF676 58	No Human Protein Found.	No Human Protein Found.
4227	4231	4234	4236	4238	4241	4243
X65293	NM_0140 78	NM_0184 80	NM_0184 80	NM_0184 80	NM_0184 80	NM_0184 80
4226	4230					
4225 KIRTCE	4229 BAB408	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
4225		4233	4235	4237	4240	4242
AA7894 21	AB0496 41	AA7994 42	AA7994 42	AA7994 42	AA7994 42	AA7994 42

rc_AA799442 EST188939 Rattus norvegicus cDNA, 3 end /clone=RHEAB11 /clone_end=3 /gb≃A4799442 /gi≃2862397 /ug=Rn.3826 /len=649	rc_AA799448 EST188945 Rattus norvegicus cDNA, 3 end /clone=RHEAB18 /clone_end=3 /gb=AA799448 /gi=2862403 /ug=Rn.8296 //en=615	rc_AA799448 EST188945 Rattus norvegicus cDNA, 3 end /clone=RHEAB18 /clone_end=3 /gb=AA799448 /gi=2862403 /ug=Rn.8296 /len=615	rc_AA799449 EST188946 Rattus norvegicus cDNA, 3 end /clons=RHEAB19 /clons_end=3 /gb=AA799449 /gl=2862404 /ug=Rn.3286 /len=653	rc_AA799449 EST188946 Rattus norvegicus cDNA, 3 end /done=RHEAB19 /done_end=3 /gb≕AA799449 /gi≃2862404 /ug=Rn.3286 /len=553	rc_AA799449 EST188946 Rattus norvegicus cDNA, 3 end /clone=RHEAB19 /clone_end=3 /gb=AA799449 /gl=2862404 /ug=Rn.3286 /len=553	rc_AA799465 EST188962 Rattus norvegicus cDNA, 3 end /clone=RHEAB36 /clone_end=3 /gb=AA799466 /gj=2862420 /ug=Rn.6188 /len=844
·			NM_00867 2	NM_00867	NM_00867 2	
82.89 EST (not recognized for rat)	EST(not recognised)	EST (not recognised)	Mus musculus NM_00867 nucleosome 2 assembly protein 1-like 4 (Nap14)	Mus musculus NM_00867 nucleosome 2 assembly protein 1-like 4 (Nap14)	Mus musculus NM_00867 nucleosome 2 assembly protein 1-like 4 (Nap14)	long interspersed repeated element LINE
82.89	96.15	96.15	87.5	87.5	87.5	
4246	4249	4252	4256	4260	4264	
AAF676 58	P13726	P13726	Q99733	Q99733	Q99733	No Human Protein Found.
4245	4248	4251	4255	4259	4263	
NM_0184 80	BF109813	BF109813	U77456	U77456	U77456	No human homolog found.
			4254	4258	4262	
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_032 698	NP_032 698	NP_032 698	No Rat Protein Found.
4244	4247	4250	4253	4257	4261	4265
AA7994 4244 No Rat 42 Protein Found.	AA7994 48	AA7994 48	AA7994 49	AA7994 49	AA7894 49	AA7994 65

	ı	•				
rc_AA799467 EST188964 Rattus norveglcus cDNA, 3 end /done=RHEAB38 /done_end=3 /gb=AA789467 /gl=2862422 /ug=Rn.4036 /len=568	rc_AA799473 EST188970 Rattus norvegicus cDNA, 3 end /clone=RHEAB44 /clone_end=3 /gb=AA799473 /gi=2862428 /ug=Rn.2928 /len=577	rc_AA799474 EST188971 Rattus norvegicus CDNA, 3 end /clone=RHEAB45 /clone_end=3 /gb=AA799474 /gj=2862429 /ug=Rn.1413 /ien=687	rc_AA799475 EST188972 Rattus norvegicus cDNA, 3 end /clone=RHEAB46 /clone_end=3 /gb=AA799475 /gi=2862430 /ug=Rn.4291 /len=633	rc_AA799479 EST188976 Rattus norvegicus cDNA, 3 end /clone=RHEAB52 /clone_end=3 /gb=AA799479 /gi=2862434 /ug=Rn.3373 /len=681	rc_AA799479 EST188976 Rattus norvegicus cDNA, 3 end /done=RHEAB52 /done_end=3 /gb=AA799479 /gi=2862434 /ug=Rn.3373 /len=881	rc_AA799481 EST188978 Rattus norvegicus cDNA, 3 end /clone=RHEAB54 /clone_end=3 /gb=AA799481 /gi=2862436 /ug=Rn.3939 /len=673
		AA799474				NM_02187 6
EST (not recognized)	EST(not recognised)	Homo sapiens, cytochrome c- 1, clone	Mus musculus 8 days embryo cDNA, RIKEN	NADH dehydrogenas e (ubiquinone) Fe-S protein 8 (23kD)	NADH dehydrogenas e (ublquinone) Fe-S protein 8 (23kD)	Ectoderm development (Eed),
		97.16	88.74	92.96	92.96	97.06
		4271		4276	4279	4283
No Human Protein Found.	No Human Protein Found.	BC0010	No Human Protein Found.	000217	000217	XP_051
		4270	4273	4275	4278	4282
No human homolog found.	No human homolog found.	AA643228	BI769995	U65579	U65579	AF099032
		4269				4281
No Rat Protein Found.	No Rat Protein Found.	BC0056 20	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_068 676
4266	4267	4268	4272	4274	4277	4280
AA7994 4266 No Rat 87 Protein Found	AA7994 73	AA7894 74	AA7894 75	AA7994 79	AA7994 79	AA7994 81

	<del></del>			<del></del>		
						NADH- ubiquinone oxidoreductase 13 kDa-B subunit (EC 1.6.5.3)(EC 1.6.99.3) (Complex I- 13kd-B) (CI- 13kd-B) (Complex I subunit B13).
					-	Mitochondrial NADH- Inner ublquin metrix side. 13 kDa subunit 1.6.99.3 13 kG-B 13 kG-B 13 kG-B 13 kG-B 13 kG-B 13 kG-B
	rc_AA799487 EST188984 Rattus norvegicus CDNA, 3 end /clone=RHEAB63 /clone_end=3 /gb=AA799487 /gl=2862442 /ug=Rn.6192 /len=737	rc_AA799488 EST188985 Rattus norvegicus cDNA, 3 end /clone=RHEAB64 /clone_end=3 /gb=AA799488 /gi=2862443 /ug=Rn_22211 /ien=654	rc_AA799497 EST188994 Rattus norvegicus cDNA, 3 end /clone=RHEAB74 /clone_end=3 /gb=AA799497 /gi=2862452 /ug=Rn.3793 /len=513	rc_AA799497 EST188994 Rattus norvegicus cDNA, 3 end /clone=RHEAB74 /clone_end≃3 /gb=AA799497 /gi≃2862452 /ug=Rn.3793 /len=513	rc_AA799499 EST188996 Rattus norvegicus cDNA, 3 end /clone=RHEAB77 /clone_end=3 /gb=AA799499 /gi=2862454 /ug=Rn.17057 /len=565	rc_AA799501 EST188998 Rattus norvegicus Mitoc cDNA, 3 end /done=RHEAB79 /done_end⇔3 inner /gb=AA799501 /gi=2862456 /ug=Rn.90 /len=777 matri
	EST(not recognised)	EST(not recognised)	Mus musculus 18 days embryo cDNA, RIKEN	Mus musculus 18 days embryo cDNA, RIKEN	Homo sapiens NADH dehydrogenas e (ubiquinone) 1 beta subcomplex	Homo sapiens ribosomal protein S4, X- linked
		80.53	-		87.14	80 80
					4292	
	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	043676	XP_044 022
		4286			4291	4295
	No human homolog found.	AK025159	No human homolog found.	No human homolog found.	AF047183	AA083919
					4290	4294
	No Rat Protein Found.	No Rat Protein Found.	4287 No Rat Protein Found.	No Rat Protein Found.	4289 NP_079 873	Q63362
•	4284	4285	4287	4288		4283
abid A.	AA7994 4284 No Rat 87 Found.	AA7994 88	AA7994 97	AA7994 97	AA7994 99	01 01

rc_AA799507 EST189004 Rattus norvegicus cDNA, 3 end /clone=RHEAB87 /clone_end=3 /gb=AA799507 /gi=2862462 /ug=Rn.1821 /len=707	rc_AA799511 EST189008 Rattus norvegicus cDNA, 3 end /done=RHEAB95 /done_end=3 /gb=AA799511 /gi=2862466 /ug=Rn.3624 /len=731	rc_AA799511 EST189008 Rattus norvegicus cDNA, 3 end /clone=RHEAB95 /clone_end=3 /gb=AA799511 /gj=2862466 /ug=Rn.3624 /len=731	rc_AA799515 EST189012 Rattus norvegicus cDNA, 3 end /clone=RHEAC03 /clone_end=3 /gb=AA799515 /gj=2862470 /ug=Rn.4063 /len=601
<b>a 4</b> 6	2 2	2 70_	<u> </u>
Mus musculus 18 days embryo cDNA, RIKEN full- length enriched library, clone:1190010	Homo sapiens BAC done CTB-119C2 from 7p15, complete sequence (similar to NFE2-related transcription factors)	Homo saplens BAC done CTB-119C2 from 7p15, complete sequence (similar to NFE2-related transcription factors)	EST(not recognised)
·	99.24	99.24	
No Human Protein Found.	39 39	AAC090 39	No Human Protein Found.
	4298	4300	
No human homolog found.	AK026373	AK026373	No human homolog found.
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
4296	4297	4299	4301
AA7995 4296 No Rat 07 Found.	AA7995 11	AA7895 11	AA7995 15

rc_AA799525 EST189022 Rattus norvegicus cDNA, 3 end /clone=RHEAC13 /clone_end=3 /gb=AA799525 /gi=2862480 /ug=Rn.1099 /len=573	BC013617 rc_AA799531 EST189028 Rattus norvegicus cDNA, 3 end /clone=RHEAC22 /clone_end=3 /gb=A4799531 /gi=2862486 /ug=Rn.6198 /len=570	BC013617 rc_AA799531 EST189028 Rattus norveglcus cDNA, 3 end /clone=RHEAC22 /clone_end=3 /gb=AA799531 /gl=2862486 /ug=Rn.6198 /len=570	rc_AA799534 EST189031 Rattus norvegicus cDNA, 3 end /clone=RHEAC25 /clone_end=3 /gb=AA799534 /gi=2862489 /ug=Rn.8291 /len=556	rc_AA799537 EST189034 Rattus norvegicus cDNA, 3 end /clone=RHEAC28 /clone_end=3 /gb=AA799537 /gi=2862492 /ug=Rn.3798 /len=577
	BC013617	BC013617		
ESTs, Moderately similar to NUEM, HUMA N NADH- UBIQUINONE OXIDOREDU CTASE 39 KDA SUBUNIT PRECURSOR [H.saplens]	Mus musculus, Similar to hypothetical protein, cione MGC:18941	Mus musculus, similar to hypothetical protein, clone MGC:18941	EST (not recognized)	Mus musculus 18 days embryo cDNA, RIKEN
83	90.07	90.07		
4305	4309	4313		
4304 Q16795	XP_047 594	XP_047 594	No Human Protein Found.	No Human Protein Found.
4304	4308	4312		
4303 L04490	AK000759	AK000759	No human homolog found.	No human homolog found.
	4307	4311	,	
634 634	AAH13 617	AAH13 817	No Rat Protein Found.	No Rat Protein Found.
4302	4306	4310	4314	4315
AA7995 4302 NP_079	AA7895	AA7995 31	AA7995 34	AA7995 37

rc_AA799539 EST189036 Rattus norvegicus cDNA, 3 end /clone=RHEAC31 /clone_end=3 /gb=AA799539 /gi=2862494 /ug=Rn.6200 /len=615	rc_AA799542 EST189039 Rattus norvegicus cDNA, 3 end /clone=RHEAC34 /clone_end=3 /gb=AA799542 /gl=2862497 /ug=Rn.980 /len=553	rc_AA799550 EST189047 Rattus norvegicus cDNA, 3 end /clone=RHEAC44 /clone_end=3 /gb=AA799550 /gl=2862505 /ug=Rn.3393 /len=623	rc_AA799551 EST189048 Rattus norvegicus cDNA, 3 end /clone=RHEAC45 /clone_end=3 /gb=AA799551 /gl=2862508 /ug=Rn.11546 /len=616	rc_AA799560 EST189057 Rattus norvegicus cDNA, 3 end /done=RHEAC55 /done_end=3 /gb=AA799560 /gi=2862515 /ug=Rn.3407 /len=604	rc_AA799566 EST189063 Rattus norvegicus cDNA, 3 end /cione=RHEAC61 /cione_end=3 /gb=AA799566 /g⊨2862521 /ug=Rn.3521 /len=595
				•	AF319949
ESTs, Weakly similar to 2118318A promyelocyte ieukemla Zn finger protein [M.musculus]	rac1 gene	Mus musculus RIKEN cDNA 9130413122 gene	ESTs, Weakly similar to S06147 QTP-binding protein rab1B - rat [R.norvegicus]	Mus musculus 18 days embryo cDNA, RIKEN	MMS19
<b>94</b> .31			85.39	92.31	93.59
4318	. 4321		4328	4329	4333
NP_005 997	CAA107 33	No Human Protein Found.	Q9BZG1	QBUN36	BC0093
4317	4320		4325	4328	4332
AK000931	AJ132695	No human homolog found.	AF322067	AK067843	AK025496
			4324		4331
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	S06147	No Rat Protein Found.	4330 AAK526 70
4316	4319	4322	4323	4327	4330
AA7995 4316 No Rat 39 Frotein Found.	AA7995 42	AA7995 50	AA7995 51	AA7885 60	AA7995 66

<del></del>			<u> </u>		ycine ating anase	
					Peptidyl-glycine alphe-amidating monooxygenase precursor(EC 1.14.17.3) (PAM).	
					Secretory granules.	
AF319949 rc_AA799566 EST189063 Rattus norvegicus cDNA, 3 end /done=RHEAC61 /done_end=3/gb=AA799566 /gi=2862521 /ug=Rn.3521	rc_AA799566 EST189063 Rattus norvegicus cDNA, 3 end /clone=RHEAC61 /clone_end=3 /gb=AA799566 /gi=2862521 /ug=Rn.3521 /len=595	rc_AA799566 EST189063 Rattus norvegicus cDNA, 3 end /clone=RHEAC61 /clone_end=3 /gb=AA799566 /gl=2862521 /ug=Rn.3521 /len=595	rc_AA799566 EST189063 Rattus norvegicus cDNA, 3 end /clone=RHEAC61 /clone_end=3 /gb=AA799566 /gi=2862521 /ug=Rn.3521 /len=595	rc_AA799566 EST189063 Rattus norvegicus cDNA, 3 end /clone=RHEAC61 /clone_end=3 /gb=AA799566 /gi=2862521 /ug=Rn.3521 /len=595	rc_AA799575 EST189072 Rattus norvegicus Secretory cDNA, 3 end /clone=RHEAC71 /clone_end=3 granules.//gb=AA799575 /gi=2862530 /ug=Rn.1121	rc_AA789593 EST189090 Rattus norvegicus cDNA, 3 end /clone=RHEAC89 /clone_end=3 /gb=AA799593 /gi=2862548 /ug=Rn.19453 /len=523
AF319949	AF319949	AF319949	AF319949	AF319949	X59689	BC008517
93.59 MMS19	MMS19	MMS19	93.59 MMS19	MMS19	Petidylglycine X59689 alpha- amidating monooxygena se	ublquitin- conjugating enzyme E2H (homologous to yeast UBC8)
93.59	93.59	93.59	93.59	93.59	91.74	28
4337	4341	4345	4349	4353	4357	4361
BC0093	BC0093	BC0093 96	BC0093 96	BC0093	P18021	P37286
4336	4340	4344	4348	4352	4356	4360
4335 AK025496	AK025496	AK025496	AK025496	AK025498	AF035320	NM_0033
	4339	4343	4347	4351	4355	4359
AAK526 70	AAK526 70	AAK526 70	4346 AAK526 70	AAK526 70	P14925	AAH08 517
4334	4338	4342	4346	4350	4354	4358
AA7995 4334 AAK526 68 70	AA7995 66	AA7995 66	AA7995 66	AA7995 66	AA7995 75	AA7995 83

a 9	w 97	g et
rc_AA799600 EST189097 Rattus norvegicus cDNA, 3 end /clone=RHEAC96 /clone_end=3 /gb=AA799600 /gi=2862555 /ug=Rn.3774 /len=591	ന്ട_AA799601 EST189098 Rattus norvegicus CDNA, 3 end /clone=RHEAD03 /clone_end=3 /gb=AA799601 /gl=2862556 /ug=Rn.24537 /len=887	rc_AA799609 EST189106 Rattus norvegicus cDNA, 3 end /clone=RHEAD12 /clone_end=3 /gb=AA799809 /gi=2882564 /ug=Rn.6210 /len=663
rc_AA799600 EST189097 Rattus norveg cDNA, 3 end /clone=RHEAC96 /clone_er (gb=AA789600 /gi=2862555 /ug=Rn.3774 len=591	9098 Rattui RHEADO3 / 82556 /ug=	rc_AA799609 EST169106 Rattus norvegi cDNA, 3 end /clone=RHEAD12 /clone_en (gb=AA799609 /gi=2862564 /ug=Rn.6210 len=663
600 EST18 nd /clone= 3600 /g⊫28	601 EST18 ind /clone=i 9601 /gl≃28	609 EST18 ind /clone≕i 809 /gj⊨28
rc_AA799 cDNA, 3 e /gb=AA798 /len=591	rc_AA799 cDNA, 3 e /gb=AA796 /len=887	rAA799 cDNA, 3 e /gb=AA796 /len=663
ESTS, Weakly similar to LIST MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYD ROLASE IB ALPHA SUBUNIT [R.novegicus]	Mus musculus 11 days pregnant adult female ovary and uterus cONA, RIKEN full-length enriched library, done:5033430	ESTs, Moderately similar to T43443 hypothetical protein DKFZp434A2 315.1
E. E	97.92 N 26.79	76
S36113	No Human Protein Found.	XP_012 017
4364	4368	
L13388	AA731950	XM_01201 7
4363		
AA7996 4362 P43035	No Rat Protein Found.	No Rat Protein Found.
4362	4365	4367
AA7896 00	01 01	AA7886 09

	Ublquitin- conjugating enzyme E2 B (EC 6.3.2.19) (Ublquitin- proteinilgase B) (Ublquitin carrier protein B) (HR6B) (HR6B)		
rc_AA799609 EST189106 Rattus norvegicus cDNA, 3 end /clone=RHEAD12 /clone_end=3 /gb=AA799809 /gi=2862664 /ug=Rn.6210 /len=663	rc_AA799612 EST189109 Rattus norvegicus CDNA, 3 end /done=RHEAD15 /clone_end=3 /gb=A4799612 /gi=2862567 /ug=Rn.3530 /len=708	rc_AA799633 EST189130 Rattus norvegicus CDNA, 3 end /clone=RHEAD41 /clone_end=3 /gb=AA799633 /gl=2862588 /ug=Rn.6212 /len=539	rc_AA799637 EST189134 Rattus norvegicus CDNA, 3 end /clone=RHEAD45 /clone_end=3 /gb=AA799637 /gi=2862592 /ug=Rn.25425 /len=571
	U04308		
ESTs, Moderately similar to T43443 hypothetical protein DKFZp434A2 315.1 [H.sapiens]	Rattus norvegicus 14 kDa ubiquitin conjugating enzyme gene, exon 6, partial cds	Homo saplens hypothetical protein MGC13016	ESTs, Weakly AF095585 similar to A55071 hydrogen peroxide-inducible protein hlo-5 - mouse
76	94.38	86.8	95.65
	4372	4376	4380
XP_012	P23567	XP_051 263	P48059
	1784	4375	4379
XM_01201	BC005979	BC006123	U09284
	4370	4374	4378
No Rat Protein Found.	P23567	BAB297 92	4377 AAD13
4368	4369	4373	4377
AA7996 4368 No Rat 09 Frotein Found.	AA7996 12	AA7996 33	AA7896 37

able 2.

					<del></del>
,			Phospholemma n precursor (FXYD domaincontaining lon transportragulat or 1).	Phospholemma n precursor (FXYD domain- containing ion transportregulat	
			Type I membrane protein	Type I membrane protein.	
ESTs, Weakly AF085585 rc_AA799837 EST189134 Rattus norvegicus similar to cDNA, 3 end /clone=RHEAD45 /clone_end=3 /gb=AA799637 /gi=2862592 /ug=Rn.25425 /len=571 /len=571 /len=671 /len=	rc_AA799641 EST189138 Rattus norvegicus cDNA, 3 end /clone=RHEAD50 /clone_end∺3 /gb=AA799641 /gi=2862596 /ug=Rn.3775 /len=665	rc_AA789641 EST189138 Rattus norvegicus cDNA, 3 end /clone=RHEAD50 /clone_end=3 /gb=AA799841 /gl=2862596 /ug=Rn.3775 /len=685	rc_AA799645 EST189142 Rattus norvegicus cDNA, 3 end /clone=RHEAD54 /clone_end=3 /gb=AA799645 /gi=2862600 /ug=Rn.3828 /len=591	FXYD domain- NM_03164   rc_AA799645 EST189142 Rattus norvegicus Type I containing ion 8 cDNA, 3 end /clone=RHEAD54 /clone_end=3 membrane /gb=AA789645 /gi=2862600 /ug=Rn.3828 protein.	Peroxiredoxin NM_02254 rc_AA799650 EST189147 Rattus norvegicus 3 cDNA, 3 end /clone=RHEAD59 /clone_end=3 /gb=AA789650 /gi=2862605 /ug=Rn.2011 /len=593
AF085585	NM_01203 2	NM_01203 2	NM_03164 8	NM_03164 8	NM_02254 0
ESTs, Weakly similar to A55071 hydrogen peroxide-inducible porotical procession by the peroxide-inducible porotical biocession bioce	Mus musculus NM_01203 tumor 2 differentially expressed 1 (Tde1)	Mus musculus NM_01203 tumor 2 differentially expressed 1 (Tde1)	FXYD domain- NM_03164 containing ion 8 transport regulator 1	FXYD domain- containing ion transport regulator 1	Peroxiredoxin 3
95.65	87.72	87.72	26	20	\$
4384	4388	4392	4396	4400	4404
P48059	NP_006 802	NP_006 802	000168	000168	P30048
4383	4387	4381	4395	4399	4403
4382   U09284	NM_0068	NM_0068	U72245	U72245	NM_0067 93
	4386	4390	4394	4398	4402
AA7996 4381 AAD13 37 197	NP_036 162	NP_036 162	008589	008589	NP_071 985
4381	4385	4389	4393	4397	104
AA7996 37	AA7896 41	AA7996 41	AA7896 45	AA7998 45	AA7996 60

Table 2

norvegicus Aone_end=3 Rn.8165	norvegicus done_end=3 dn.8165	norveglous slone_end=3 Rn.22173	norvegicus slone_end=3 3n.22173	norvegicus done_end=3 Rn.22173
BC010776 rc_AA799654 EST189151 Rattus norvegicus cDNA, 3 end /clone=RHEAD63 /clone_end=3 /gb=AA799654 /gi=2862609 /ug=Rn.8165 /len=520	rc_AA799654 EST189151 Rattus norvegicus cDNA, 3 end /dons=RHEAD63 /dons_end=3 /gb=AA799854 /gi=2862609 /ug=Rn.8165 /ien=520	rc_AA799656 EST189153 Rattus norvegicus cDNA, 3 end /ctons=RHEAD65 /clons_end=3 /gb≈AA799656 /gb≈2862611 /ug=Rn.22173 /len=610	rc_AA799855 EST189153 Rattus norvegicus cDNA, 3 end /clone=RHEAD65 /clone_end=3 /gb=AA799656 /g⊨2862611 /ug=Rn.22173 /len=610	rc_AA799656 EST189153 Rattus norvegicus cDNA, 3 end /done≂RHEAD65 /done_end≕3 /gb≂AA799656 /gi=2862611 /ug=Rn.22173 /len=610
rc_AA79   cDNA, 3   /gb=AA71   /len=520		rc_AA79 cDNA, 3 /gb=AA7/ /len=610	SCON Jeb Jeb	rc_AA79 cDNA, 3 /gb=AA7 /len=610
BC010776	BC010776		246966	
culus, lar to f- and WD- omain sin 5, se 5: 2:18679 GE:42115 nRNA,	Mus musculus, Similar to f- box and WD- 40 domain protein 5, clone MGC:18879 IMAGE:42115 92, mRNA,	Mus musculus 10 days embryo cDNA, RIKEN	Imogen 44	Mus musculus 10 days embryo cDNA, RIKEN
87.73 Mus Simil Simil Box a 40 d prote Gon MGC IMAC IMAC IMAC IMAC	87.73	87.97	87.97	87.97
,		4413	4417	4420
XP_038 053	XP_038 053	No Human Protein Found.	CAA929 51	No Human Protein Found.
4407	0144	4412	4416	4419
4406 AL137631	AL 137631	Z68747	ZB8747	268747
4406	6044		4415	
776 776	AAH10 776	No Rat Protein Found.	CAA87 087	No Rat Protein Found.
4405	4408 8	<b>1</b> 14	4 4 4	4418
AA7996 4405 AAH10 54 776	AA7936 54	AA7996 56	AA7996 56	AA7996 56

					· · · · · · · · · · · · · · · · · · ·		60S ribc protein (Neopla related C140).
rc_AA799856 EST189153 Rattus norvegicus cDNA, 3 end /done=RHEAD65 /clone_end=3 /gb=AA798856 /gi=2862611 /ug=Rn.22173 /len=610	rc_AA799657 EST189154 Rattus norvegicus cDNA, 3 end /done=RHEAD66 /clone_end=3 /gb=AA799657 /gi=2862612 /ug=Rn.6214 /len=502	rc_AA799663 EST189160 Rattus norvegicus cDNA, 3 end /done≡RHEAD74 /clone_end=3 /gb=AA799663 /gi≃2862618 /ug=Rn.6216 /len=478	rc_AA799663 EST189160 Rattus norvegious cDNA, 3 end /clone=RHEAD74 /clone_end=3 /gb≂AA799663 /g⊨2862618 /ug=Rn.6216 /len=478	rc_AA799663 EST189160 Rattus norvegicus cDNA, 3 end /done=RHEAD74 /clone_end=3 /gb=AA799663 /gi=2862618 /ug=Rn.6216 /len=478	rc_AA799863 EST189160 Rattus norvegicus cDNA, 3 end /clone≖RHEAD74 /clone_end⊐3 /gb=AA799663 /gl=2862618 /ug≖Rn.6216 /len=478	rc_AA799667 EST189164 Rattus norvegicus cDNA, 3 end /clone=RHEAD78 /clone_end=3 /gb=AA799867 /gi=2882622 /ug=Rn.22470 /len=541	rc_AA799672 EST189169 Rattus norvegicus cDNA, 3 end /clone=RHEAD83 /clone_end=3 /gb=AA799672 /gl=2862627 /ug=Rn.2660 /len=616
246966		X74504	X74504	X74504	X74504	Y17326	X87107
87.97   Imogen 44	EST not recognized	M.musculus T10 mRNA	M.musculus T10	M.musculus T10 mRNA	M.musculus 710	Rattus norvegicus CDK106	ribosomal protein L6
87.97	86.3	88.65	88.65	88.65	88.65	88	91.09
4424						4442	
CAA929 51	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	NP_006 684	XP_050 942
4423	4426	4429	4432	4435	4438	44	4445
<b>Z68747</b>	NM_0066	BG699621	BG699621	BG699821	BG699621	NM_0066	AA307406
4422		4428	4431	4834	4437	4440	44 44
CAA87 087	No Rat Protein Found.	CAA52 612	4430 CAA52 812	CAA52 612	CAA62 612	CAB56 623	4443 P21533
4421	4425	4427		£833	4436	4439	
AA7996 4421 CAA87 56 087	AA7996 67	AA7996 63	AA7996 63	AA7998 63	AA7996 63	AA7996 67	AA7996 72

rc_AA799881 EST169178 Rattus norvegicus cDNA, 3 end /cione=RHEAD96 /cione_end=3 /gb=AA799681 /gi=2862636 /ug=Rn.20182 /len=461	rc_AA798691 EST189188 Rattus norvegicus cDNA, 3 end /clone=RHEAE11 /clone_end=3 /gb=AA799691 /gi=2862646 /ug=Rn.6967 /len=628	re_AA799700 EST189197 Rattus norvegicus cDNA, 3 end /clone=RHEAE21 /clone_end=3 /gb=AA799700 /gl=2862655 /ug=Rn.11447 /len=540	rc_AA799711 EST189208 Rattus norvegicus cDNA, 3 end /clone=RHEAE37 /clone_end=3 /gb=AA799711 /gl=2862668 /ug=Rn.17142 /len=586	rc_AA799711 EST189208 Rattus norvegicus cDNA, 3 end /done=RHEAE37 /clone_end=3 /gb=AA799711 /gl=2862666 /ug=Rn.17142 /len=586	rc_AA799718 EST189215 Rattus norvegicus cDNA, 3 end /clone=RHEAE44 /clone_end=3 /gb=AA799718 /gi=2862673 /ug=Rn.3816 /len=571	rc_AA799724 EST189221 Rattus norvegicus cDNA, 3 end /cione=RHEAE52 /cione_end=3 /gb=AA799724 /gi=2862679 /ug=Rn.6228 /en=638	rc_AA799726 EST189223 Rattus norvegicus cDNA, 3 end /clone=RHEAE54 /clone_end=3 /gb=AA799726 /gi=2862681 /ug=Rn.19617 /len=503
	AF087436	NM_00926 6				NM_0090877	
EST(not recognised)	putative potassium-chioride cotransporter-	selenophosph Ni ate synthetase 6 2 (Sps2)	ESTs, Moderately similar to S12207 hypothetical protein [M.musculus]	ESTs, Moderately similar to S12207 hypothetical protein [M.musculus]	Mus musculus ES cells cDNA, RIKEN	RNA NM_00908 rg polymerase 1- 7 cd sd	Mus musculus adult male tongue cDNA, RIKEN
	75	78			95.05	92.19	86.89
		4452				4460	·
No Human Protein Found.	XP_016 773	Q99611	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q9Y2S0	No Human Protein Found.
		4451			4456	4459	4462
No human homolog found.	Xiv_01677 3	NM_0122 48	No human homolog found.	No human homolog found.	AA806443	NM_0159 72	AB051524
	4448	4450				4458	
AA7896 4446 No Rat 81 Protein Found.	AAD38 328	NP_033 292	\$12207	S12207	No Rat Protein Found.	NP_033	No Rat Protein Found.
4446	4447	4449	4453	4454	4455	4457	148
W7996	AA7996 91	AA7997 00	AA7987	AA7997	AA7997 18	AA7997 24	AA7997 26

_	ST E	φ. Γ.	8	ख हो -	ब है	<u>ब</u> ह	অ ম	s (?)	8 E
	rc_AA789732 ES1 189229 Rattus norvegicus :DNA, 3 end /clone=RHEAE60 /clone_end=3 gb=AA789732 /gi=2862687 /ug=Rn.22467 len=579	rc_AA799735 EST189232 Rattue norvegicus :DNA, 3 end /done=RHEAE63 /clone_end=3 'gb=AA799735 /gi≃2862690 /ug=Rn.3544 !en=581	rc_AA799735 EST189232 Rattus norvegicus cDNA, 3 end /done=RHEAE63 /done_end=3 /gb=AA799735 /gl=2862690 /ug=Rn.3544 /len=581	rc_AA799740 EST189237 Rattus norvegicus :DNA, 3 end /done=RHEAE88 /done_end=3 gb=AA799740 /gi=2862695 /ug=Rn.3717 ien=658	rc_AA799745 EST189242 Raftus norvegicus :DNA, 3 end /done=RHEAE75 /clone_end=3 gb=AA799745 /gi≃2862700 /ug=Rn.3727 len=568	rc_AA799745 EST189242 Rattus norvegicus :DNA, 3 end /done=RHEAE75 /clone_end=3 gb=AA799745 /gi≈2862700 /ug=Rn.3727 len=568	rc_AA799745 EST189242 Rattus norvegicus cDNA, 3 end /dons=RHEAE75 /dons_end=3 gb=AA799745 /gi=2862700 /ug=Rn.3727 len=568	rc_AA799745 EST189242 Raftus norvegicus cDNA, 3 end /clone=RHEAE75 /clone_end=3 /gb=AA799745 /gi=2862700 /ug=Rn.3727 /len=568	rc_AA799751 EST189248 Rattus norvegicus •DNA, 3 end /clone=RHEAE83 /clone_end=3 gb=AA799751 /gi=2862706 /ug=Rn.3583 ien=671
	rc_AA/99732 ES1189229 Rattus norvegicus cDNA, 3 end /clone=RHEAE60 /clone_end=3 /gb=AA799732 /gi=2862687 /ug=Rn.22467 /len=579	rc_AA799735 EST189232 Rattue norvegicus cDNA, 3 end /done=RHEAE63 /clone_end=3 /gb=AA799735 /gl=2862690 /ug=Rn.3544 /len=581	rc_AA799735 EST189232 Rattus norvegicus cDNA, 3 end /done=RHEAE63 /done_end=3 /gb=AA799735 /gl=2862690 /ug=Rn.3544 /len=581	rc_AA799740 EST189237 Rattus norvegicus cDNA, 3 end /done=RHEAE68 /done_end=3 /gb=AA799740 /gi=2862695 /ug=Rn.3717 /len=658	rc_AA799745 EST189242 Raftus norvegicus cDNA, 3 end /done=RHEAE75 /done_end=3 /gb=AA799745 /gi=2862700 /ug=Rn.3727 /len=568	rc_AA799745 EST189242 Rattus norvegicus cDNA, 3 end /done=RHEAE75 /done_end=3 /gb=AA799745 /gi=2862700 /ug=Rn.3727 /len=568	re_AA799745 EST189242 Rattus norvegicus cDNA, 3 end /dona=RHEAE75 /dona_end=3 /gb=AA799745 /gl=2862700 /ug=Rn.3727 /len=568	rc_AA799746 EST189242 Raftus norvegicus cDNA, 3 end /cione=RHEAE75 /cione_end=3 /gb=AA799745 /gi=2862700 /ug=Rn.3727 /len=568	rc_AA799751 EST189248 Rattus norvegicus cDNA, 3 end /clone=RHEAE83 /clone_end=3 /gb=AA799751 /gi=2862708 /ug=Rn.3583
		BC006688	BC006688		AF177476	AF177476	AF177476	AF177476	
-	ESTS, Moderately similar to DGC6 MOUSE DGCR6 PROTEIN [M.musculus]	Mus musculus, HS1 binding protein	Mus musculus, HS1 binding protein	EST(not recognised)	CDK5 activator- binding protein C53	CDK5 activator- binding protein C53	CDK5 activator- binding protein	CDK5 activator- binding protein C53	EST(not recognised)
:	91.03	94.46	94.46		82	. 8	82	82	85.58
	689	4469	4473						
	4464 Q14129	XP_001 403	XP_001 403	No Human Protein Found.	XP_017 042	XP_017 042	XP_017 042	XP_017 042	No Human Protein Found.
	4464	4468	4472						<del>18</del>
	X96484	Y17829	Y17829	No human homolog found.	XM_01704 2	XM_01704 2	XM_01704 2	XM_01704 2	AV724415
•		4467	4471		4476	4478	4480	4482	
	No Rat Protein Found.	AAH06 688	AAH06 688	No Rat Protein Found.	AAF602 22	AAF602 22	AAF602 22	AAF602 22	No Rat Protein Found.
	68	4466	4470	4474	4475	447	4479	4481	4483
י מוחום לי	AA7897 4463	AA7997 35	AA7997 35	AA7997 40	AA7997 45	AA7997 45	AA7997 45	AA7897 45	AA7997 51

Table 2.

						"ATP synthase B chain, mitochondrial precursor (EC 3.6.3.14)."
						Mitochondrial .
rc_AA799764 EST169261 Rattus norvegicus cDNA, 3 end /clone=RHEAF08 /clone_end=3 /gb=AA799764 /gi=2862719 /ug=Rn.6231 /len=646	rc_AA799766 EST189263 Rattus norvegicus cDNA, 3 end /clone=RHEAF10 /clone_end=3 /gb=AA799766 /gi=2862721 /ug=Rn.3333 /len=567	rc_AA799771 EST189268 Rattus norvegicus cDNA, 3 end /clone=RHEAF15 /clone_end=3 /gb=AA789771 /gi=2862726 /ug=Rn.3821 /len=831	rc_AA789771 EST189268 Rattus norvegicus cDNA, 3 end /done=RHEAF15 /clone_end=3 /gb=AA799771 /gl=2862726 /ug=Rn.3821 /len=631	rc_AA799773 EST189270 Rattus norvegicus cDNA, 3 end /clone=RHEAF17 /clone_end=3 /gb=AA799773 /gl=2862728 /ug=Rn.22352 /len=915	rc_AA799773 EST189270 Rattus norvegicus CDNA, 3 end /clone=RHEAF17 /clone_end=3 /gb=AA799773 /gh=2862728 /ug=Rn.22352 /fep=615	rc_AA799778 EST189275 Rattus norvegicus Mitochondrial "ATP synthase CDNA, 3 end /clone=RHEAF23 /clone_end=3 .
	-					M35052
91.27 EST(not recognised)	کار	EST(not recognised)	EST (not recognized)	Mus musculus 18 days embryo cDNA, RIKEN	Mus musculus 18 days embryo cDNA, RIKEN	86.13 F-0-ATPase subunit b
91.27	83.11	87.38	87.38			86.13
	4489					4499
No Human Protein Found.	Q13155	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	NP_001 679
4486	4488	4491	4493			4498
BC007880	NM_0063 03	BG779035	BG778035	No human homolog found.	No human homolog found.	B1461802
						4497
No Rat Protein Found.	4487 No Rat Protein Found.	4490 No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	4485 No Rat Protein Found.	4486 P19511
4485	4487	4480	4492	4484	4485	4486
AA7997 4485 No Rat 64 Protein Found.	AA7997 66	AA7997 71	AA7997 71	AA7997 73	AA7897 73	AA7997

PEROXISOM Dihydroxyaceto AL; EXCLUSIVE acyltransferase LY (EC 2.3.1.42) LOCALIZED (DHAP- TO THE AT)(DAP-AT) LUMENAL (Glycarone- SIDE OF phosphate O- acyltransferase) PEROXISOM (Acyl- CoA:dihydroxya AL CoA:dihydroxya MEMBRANE cetonephosphat eacyftransferase ).	PEROXISOM Dihydroxyaceto AL; ne phosphate EXCLUSIVE acyltransferase LY LOCALIZED (DHAP- TO THE AT)(DAP-AT) LUMENAL (Glycerone- SIDE OF phosphate O- SIDE OF acyltransferase) PEROXISOM (Acyl- AL Cod-dihydroxya MEMBRANE cetonephosphat eacyltransferase )
PEROXISOM DIHyda AL; EXCLUSIVE acyltra LV (EC 2.) LOCALIZED (DHA2.) LUMENAL (Glyce SIDE OF phosp THE acyltra PEROXISOM (Acyl-AL CoA:d MEMBRANE cetons OR (Acyl-CoA:d MEMBRANE cetons OR (Acyl-CoA:d MEMBRANE cetons OR (Acyl-CoA:d MEMBRANE (CoA:d MEMBRANE (C	
glyceronephos NM_01032   rc_AA799779 EST189276 Rattus norvegicus   PEROXISOM   Dihydroxyacato cDNA, 3 end /clone=RHEAF24 /clone_end=3 AL;  e (Gnpat)   AD=A799779 /gi=2862734 /ug=Rn.1739   EXCLUSIVE   ecytransferase   (Gnpat)   LOCALIZED   (DHAP-TO THE   AT)(DAP-AT)   LUMENAL   (Glycerone-SIDE OF   phosphate O-THE   acytransferase)   PEROXISOM   (Acyl-ACyl-ACyl-ACyl-ACyl-ACyl-ACyl-ACyl-AC	rc_AA799779 EST189276 Rattus norvegicus PECDNA, 3 end /clone=RHEAF24 /clone_end=3 AL; /cgb=AA789779 /gj=2882734 /ug=Rn.1739 EX /len=679 TO TO TO CUU
NM_0103	AF110769
glyceronephos phate O- acyltransferas e (Gnpat)	peroxisomal acyl- CoA:dlhydroxy acetione phosphate acyltransferas e
8	8
4503	4507
015228	015228
4502	4508
4501 NM_0142 36	36 36
4501	4505
AA7997 4500 Q9ES7 79	Q9ES7
4500	4504
AA7997 79	79 79

PEROXISOM DIllydroxyaceto AL; ne phosphate EXCLUSIVE acytransferase LY (CC 2.3.1.42) LOCALIZED (DHAP- TO THE AT)(DAP-AT) LUMENAL (Glycerone- SIDE OF acytransferase) PEROXISOM (Acyt- CoAcdilydroxya AL CoAcdilydroxya MEMBRANE cetonephosphat eacytransferase) ).	PEROXISOM Dihydroxyaceto AL; EXCLUSIVE acyltransferase LY (EC 2.3.1.42) LOCALIZED (DHAP- TO THE AT)(DAP-AT) LUMENAL (Glycerone- SIDE OF acyltransferase) PEROXISOM (Acyl- CAC-dihydroxya AL CAC-dihydroxya MEMBRANE cetonephosphat eacyltransferase ).		
PEROXISOM DIIVA AL; EXCLUSIVE acytra LY LOCALIZED (DHA) TO THE (GI)SO TO THE (GI)SO THE acytra PEROXISOM (Acyt- AL CoAcd MEMBRANE escont	PEROXISOM Dihyda AL; EXCLUSIVE acytra LY LOCALIZED (DHAS TO THE AT)(DI LUMENAL (GI)SS SIDE OF phosp SIDE OF acytra AL CoA-d MEMBRANE cetone eacytra		
glyceronephos NM_01032   rc_AA789779 EST189276 Rattus norvegicus   PEROXISOM   Dihydroxyaceto	rc_AA799779 EST189276 Rattus norvegicus cDNA, 3 end /clone=RHEAF24 /clone_end=3 /gb=AA799779 /gi=2862734 /ug=Rn.1739 /len=679	rc_AA799783 EST189280 Rattus norvegicus cDNA, 3 end /clone=RHEAF28 /clone_end=3 /gb=AA799783 /gl=2862738 /ug=Rn.12965 /len=609	
NM_01032 2	AF110769		AF148210
glyœronephos phate O- acyfransferas e (Gnpat)	peroxisomal acyl- coA-dihydroxy acetone phosphate acyltransferas e	EST (not recognised)	RAB6, member RAS oncogene family
8	8	96.3	91.94
4511	4515	-	4521
015228	015228	No Human Protein Found.	AAH036 17
4510	4514	4517	4520
4509 NM_0142 36	36 36	AI682207	AL136727
	4513		4519
AA7997 4508 Q9ES7 79	Q9ES7	No Rat Protein Found.	AAD38 018
4508	4512	4516	4518
79	AA7997 79	AA7997 83	AA7997 84

	rc_AA799804 EST189301 Rattus norvegicus cDNA, 3 end /done=RHEAF56 /clone_end=3 /db=AA799804 /di=2862759 /uo=Rn_25117		rc_AA799814 EST189311 Rattus norvegicus cDNA, 3 end /clone=RHEAF68 /clone_end=3 /gb=AA799814 /gi=2862769 /ug=Rn.6276 /len=475	rc_AA799822 EST189319 Rattus norvegicus cDNA, 3 end /done=RHEAF78 /done_end=3 /gb=AA799822 /gj=2862777 /ug=Rn.6239 /len=810	rc_AA799822 EST189319 Rattus norvegicus cDNA, 3 end /done=RHEAF76 /clone_end=3 /gb=AA799822 /gi=2862777 /ug=Rn.6239 /len=610	rc_AA799824 EST189321 Rattus norvegicus cDNA, 3 end /clone=RHEAF80 /clone_end=3 (gb=AA799824 /gj=2862779 /ug=Rn.6240 /len=630	rc_AA799864 EST189351 Rattus norvegicus cDNA, 3 end /clone=RHEAG17 /clone_end=3 /gb=AA799854 /gi=2862809 /ug=Rn.6244 /len=427	rc_AA799858 EST189355 Rattus norvegicus	cDNA, 3 end /clone=RHEAG21 /clone_end=3 /gb=AA799858 /gi=2862813 /ug=Rn.6245 /len=207	cDNA, 3 end /done=RHEAG21 /clone_end=3 /gb=AA799858 /gi=2862813 /ug=Rn.6245 /lsn=207 /sn=207 rc_AA799881 EST189358 Rattus norvegicus cDNA, 3 end /clone=RHEAG24 /clone_end=3 /gb=AA799881 /gi=2862816 /ug=Rn.6246 /len=499
•	rc_AA799804 cDNA, 3 end // /db=AA799804	/len=582	rc_AA7998141 cDNA, 3 end /c /gb=AA799814 /len=475	rc_AA799822   cDNA, 3 end /c /gb=AA799822 /len=610	rc_AA799822   cDNA, 3 end /c /gb=AA799822 /len=610	U13839 rc_AA799824   cDNA, 3 end /c //gb=AA799824   //en=630	rc_AA799854   cDNA, 3 end /c //gb=AA799854  /len=427	rc_AA799858	CUNA, 3 end 14 /gb=AA799858 /len=207	CUNA, 3 end 7 (gb=AA799858 //sn=207 //sn=207 0 CDNA, 3 end // /gb=AA798861 //en=499
	EST (not recognized)	,	EST(not recognised)	EST (mouse hypothetical protein)	EST (mouse hypothetical protein)	vacuolar adenosine triphosphatase subunit C	EST (not recognized)	Pyruvate dehydrogenas	e (lipoamide) beta	
	·		93.72			89.01				82.9
			4525			4533		4537		4541
	No Human Protein	Found.	P49137	No Human Protein Found.	No Human Protein Found.	P21283	No Human Protein Found.	BC0004		Q92985
,			4524			4532				4540
	No human homolog found		012779	No human homolog found.	No human homolog found.	J05682	No human homolog found.	AAH0043 9		U73036
				4527	4529	4531		4536		4539
	No Rat Protein Found		No Rat Protein Found.	AAH10 524	AAH10 524	AAC83 084	No Rat Protein Found.	4535 P48432		NP_058 546
	4522		4523	4526	4528	4530	4534			4538
	AA7998 4522 No Rat 04 Protein Found		AA7998 14	AA7998 22	AA7998 22	AA7998 24	AA7998 54	AA7998 58		AA7998 61

rc_AA799889 EST189386 Rattus norvegicus cDNA, 3 end /cione=RHEAG57 /cione_end=3 /gb=AA789888 /gi=2862844 /ug=Rn.3832 /len=510	rc_AA799889 EST189386 Rattus norvegicus cDNA, 3 end /cione=RHEAG57 /cione_end=3 /gb=AA799889 /gi=2862844 /ug=Rn.3832 /len=510	rc_AA799893 EST189390 Rattus norvegicus cDNA, 3 end /clone=RHEAG61 /clone_end=3 /gb=AA799893 /gi=2862848 /ug=Rn.1819 /len=523	rc_AA799893 EST189390 Rattus norvegicus cDNA, 3 end /clone=RHEAG61 /clone_end=3 /gb=AA799893 /gl=2862848 /ug=Rn.1819 /en=523	rc_AA799964 EST189461 Rattus norvegicus cDNA, 3 end /cione=RHEAH66 /cions_end=3 /gb=AA799964 /gi=2862919 /ug=Rn.6261 /len=452	rc_AA799980 EST189477 Rattus norvegicus cDNA, 3 end /clone=RHEAH85 /clone_end=3 /gb=AA799980 /gi=2862835 /ug=Rn.4143 /len=551
	NM_01091				
88.89 Natural killer tumor recognition protein (cyclophilln-related)	Natural killer turnor recognition protein (cyclophilin- related)	Mus musculus 10 day old male pancreas cONA, RIKEN	Mus musculus 10 day old male pancreas cONA, RIKEN	Mus musculus 18 days embryo cDNA, RIKEN full- length enriched library, clone:1110046	Protein phosphatase type 1B (formely 2C), Mg- dependent, beta isoform
88.89	88.89			84.55	92.5
4549	4553				4561
4548 A47328	A47328	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	075688
4548	4552			4557	4560
4547 AI628792	Al628792	No human homolog found.	No human homolog found.	AK024270	AW66593 6
4547	4551				4559
AA7998 4546 NP_035 89 048	NP_035 048	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	
4546	4550	4554	4555	4556	4558
AA7998 89	AA7998 89	AA7898 93	AA7998 93	AA7999 64	AA7899 80

	rc_AA799991 EST189488 Rattus norvegicus cDNA, 3 end /done=RHEA101 /done_end=3 /gb=AA789991 /gj=2862946 /ug=Rn.3844 /len=712	rc_AA800004 EST189501 Rattus norvegicus cDNA, 3 end /done=RHEA119 /clone_end=3 /gb=AA800004 /gl=2862959 /ug=Rn.6269 /len=649	NM_00973   rc_AA800024 EST189521 Rattus norvegicus cDNA, 3 end /done=RHEAI50 /done_end=3 /gb=AA800024 /gi=2862979 /ug=Rn.22339 /len=579	rc_AA800034 EST189531 Rattus norvegicus cDNA, 3 end /done=RHEA!83 /done_end=3 (gb=AA800034 /gi=2862989 /ug=Rn.8569 len=613	rc_AA800034 EST189531 Rattus norvegicus cDNA, 3 end /clone=RHEAl83 /clone_end=3 (gb=AA800034 /gi=2862989 /ug=Rn.8569 /len=813	rc_AA800036 EST189533 Rattus norvegicus cDNA, 3 end /clone=RHEA/85 /clone_end=3 /gb=AA800036 /gi=2862991 /ug=Rn.22212 /len=514	NM_03110 rc_AA800054 EST189551 Rattus norvegicus 60S ribosomal 23 cDNA, 3 end /clone=RHEAI86 /clone_end=3 protein L19. /gb=AA800054 /gi=2863009 /ug=Rn.3384 /len=602	NM_01973 rc_AA800062 EST189559 Rattus norvegicus cDNA, 3 end /clone=RHEAl95 /clone_end=3
	<sub>7</sub> ල අ <u>ම</u>	AB027143 rc_ cDN /gb: /fen	M_00973 ເວັ ເປລ ເຊຍ/ len	5, <u>Q</u> <u>\$</u>	5, <u>Q</u> <u>9</u>	5, <u>Q</u> <del>Q</del> <u>P</u>	M_03110 CD (gb/ /len	M_01973 rc_ cDi
	EST (not recognized)	94.25 CDCrel-1A A		EST (not recognized)	EST (not recognized)	schwannomin- Interacting protein 1 (SCHIP1)	ribosomal N protein L19 3	N- acylsphingosin 4
	93.68 EST (not recognize	94.25	92.76 Attractin	<del></del>	<u> </u>	91.37	2	62
	4564	4568	4572			4577	4581	4585
	Q9BZQ6	043236	NP_036 202	No Human Protein Found.	No Human Protein Found.	NP_055	P14118	Q13510
	4563	4567	4571	<u> </u>		4576	4580	4584
	AF288393	AF035811	AK021433	No human homolog found.	No human homolog found.	NM_0145 75	NIM_0009 81	NM_0043 15
		4566	4570				4579	4583
	No Rat Protein Found.	4565 BAA980 51	NP_033 860	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	P14118	NP_062 708
	4562		4569	4573	4574	4575	4578	4582
i 2	AA7999 4562 No Rat 91 Protein Found.	AA8000	AA8000 24	AA8000	AA8000 34	AA8000 36	AA8000 54	AA8000 62

		<u> </u>					
rc_AA800126 EST189623 Rattus norvegicus CDNA, 3 end /clone=RHEAL05 /clone_end=3 /gb=AA800126 /gi=2863081 /ug=Rn.8555 /len=378	rc_AA800168 EST189865 Rattus norvegicus CDNA, 3 end /clone=RHEAL95 /clone_end=3 /gb=AA800168 /gi=2863123 /ug=Rn.22112 //en=343	rc_AA800177 EST189674 Rattus norvegicus cDNA, 3 end /clone=RHEAM10 /clone_end=3 /gb=AA800177 /gl=2863132 /ug=Rn.3864 /len=576	rc_AA800177 EST189674 Rattus norvegicus cDNA, 3 end /clone=RHEAM10 /clone_end=3 /gb=AA800177 /gi=2863132 /ug=Rn.3864 /len=576	rc_AA800184 EST189681 Rattus norvegicus cDNA, 3 end /clone=RHEAM20 /clone_end=3 /gb=AA800184 /gi=2863139 /ug=Rn.6294 /len=514	rc_AA800190 EST189687 Rattus norvegicus cDNA, 3 end /clone=RHEAM27 /clone_end=3 /gb=AA800190 /gl=2863145 /ug=Rn.1518 /len=645	rc_AA800190 EST189687 Rattus norvegicus cDNA, 3 end /clone=RHEAM27 /clone_end=3 /gb=AA800190 /gi=2863145 /ug=Rn.1618 /len=645	rc_AA800198 EST189695 Rattus norvegicus cDNA, 3 end /clone=RHEAM35 //clone_end=3 /gb=AA800198 /gi=2863153 /ug=Rn.3405 /len=556
					<del></del>		
97.25 Human DNA sequence from clone from clone RP11-353C18 on chromosome 20	EST (not recognized)	EST (not recognized)	EST (not recognized)	Homo sapiens ubiquitin specific protease 15	Rat glycogen phosphorylase brain isozyme mRNA, 5'	Rat glycogen phosphorylase brain isozyme mRNA, 5'	Mus musculus adult male tongue cDNA, RIKEN
97.25				95.31	92.47	92.47	83.57
4588				4594	4598	4602	
CAC111	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q9Y4E8	P35749	P35749	No Human Protein Found.
4587				4583	4597	4601	4604
L10910	No human homolog found.	No human homolog found.	No human homolog found.	AB011101	AF013570	AF013570	BF904759
				,	4596	4600	
4586 No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	4595 AAA412 52	AAA412 62	No Rat Protein Found.
4586	4589	4590	4591	4592	4595	4599	4603
AA8001 26	AA8001 68	AA8001 77	AA8001 77	AA8001 84	AA8001 90	AA8001 90	AA8001 98

anie 4.													
AA8001 4605 No Rat 99 Protein Found.	4605	No Rat Protein Found.		BE396293	4606	No Human Protein Found.		85.19	85.19 Mus musculus 18 days embryo cDNA, RIKEN		rc_AA800199 EST188696 Rattus norvegicus   CDNA, 3 end /clone=RHEAM36   Cdone_end=3 /gb=AA800199 /gi=2863154   Cdone_end=3 /gb=A311   Cdon		
AA8002 12	4807	4607 P11507	4608	M23114		P16815		91.03	91.03 ATPase, Ca++ transporting, cardiac muscie, slow twitch 2		rc_AA800212 EST189709 Rattus norvegicus INTEGRAL CDNA, 3 end /clone=RHEAM51 /done_end=3 /gb=AA800212 /gi=2863167 PROTEIN. /ug=Rn.2305 /len=727 SARCOPL SMIC AND ENDOPLAS MIC RETICULU  RETICULU	ш « о Е	MEMBRANE "Sarcoplasmic neticulum calcium ATPase SMIC AND 2 (EC SMIC AND 2 (EC SERCA2) (SR ETICULUM (SERCA2) (SR Calcium-transporting ATP ase sarcoplasmic rediculum type, slow twritch skeletal muscielsofo"
AA8002 20	4611	NP_037 138	4612	BE018412	4613	NP_006 321	4614	92.42	Lysophospholi N	IM_01300	92.42 Lysophospholi NM_01300 rc_AA800220 EST189717 Ratus norvegicus pase 6 cDNA, 3 end /clone=RHEAM59 /clone_end=3 /gb=AA800220 /gi=2863175 /ug=Rn.3594 /len=720	,	
AA8002 21		4615 AAK503	4616	AF128505	4617	ОВОИНРВ	4618	85.65	SMPX protein AF364071	<del></del>	rc_AA800221 EST189718 Rattus norvegicus cDNA, 3 end /ctone=RHEAM60 /ctone_end=3 /gb=AA800221 /gi=2863176 //g=Rn.4123 /len=459		
AA8002 24	4619	No Rat Protein Found.		AK001441	4620	No Human Protein Found.	4621	87.13	EST (not recognized)		rc_AA800224 EST189721 Rattus norvegicus cDNA, 3 end /clone=RHEAM64 /clone_end=3 /gb=AA800224 /gi=2863179 /ug=Rn.18772 /len=583		· ·

rc_AA800228 EST189725 Rattus norvegicus cDNA, 3 end /clone=RHEAM68 /clone_end=3 /gb=AA800228 /gi=2863183 /ug=Rn.1171 /ien=669	NM_00770 rc_AA800243 EST189740 Rattus norvegicus cDNA, 3 end /clone=RHEAM86 /clone_end=3 /gb=AA800243 /gl=2863198 /ug=Rn.8171 /len=613	rc_AA800260 EST189757 Rattus norvegicus cDNA, 3 end /done=RHEAN12 /clone_end=3 /gb=AA800260 /gl=2863215 /ug=Rn.3448 /len=623	rc_AA800268 EST189765 Rattus norvegicus cDNA, 3 end /clone=RHEAN22 /clone_end=3 /gb=AA800268 /gl=2863223 /ug=Rn.3875 /len=569	rc_AA800272 EST189769 Rattus norvegicus CDNA, 3 end /clone=RHEAN26 /clone_end=3 /gb=AA800272 /gl=2863227 /ug=Rn.6950 /len=625	rc_AA600290 EST189787 Rattus norvegicus cDNA, 3 end /clone≕RHEAN45 /clone_end≕3 /gb=AA800290 /gi=2863245 /ug≔Rn.6309 /len=420	rc_AA800290 EST189787 Rattus norvegicus cDNA, 3 end /clone=RHEAN45 /clone_end=3 /gb=AA800290 /gi=2863245 /ug=Rn.6309 /len=420
	NM_00770 2		BC002148			
87.86 R.norvegicus mRNA for unknown protein (PIPPIn)	cell death- inducing DNA fragmentation factor, alpha subunit-like effector A	EST (not recognized)	similar to HSPC160 protein (EST)	Mus musculus adult male kidney cDNA, RIKEN	EST (not recognized)	EST (not recognized)
87.86	85.45			91.16		
4625	4629			4635		<del>-</del>
CAB460 24	060543	No Human Protein Found.	XP_006 736	P09001	No Human Protein Found.	No Human Protein Found.
4624	4628			4634		
4623 AB027011 4624 CAB460 24	AF041378	No human homolog found.	XM_00673 6	X06323	No human homolog found.	No human homolog found.
4623	4627		4632			
CAA62 001	NP_031 728	No Rat Protein Found.	AAH02 146	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
4622	4626	4630	4631	4633	4636	4637
AA8002 4822 CAA62 28 001	AA8002 43	AA8002 60	AA8002 68	AA8002 72	AA8002 90	AA8002 90

7002	4638	AA8002 4638 No Rat 90 Protein Found.		No human homolog found.		No Human Protein Found.			EST (not recognized)		rc_AA800290 EST189787 Rattus norvegicus CDNA, 3 end /clone=RHEAN45 /clone_end=3 /gb=AA800290 /gi=2863245 /ug=Rn.6309 /en=420	
AA8002 90	4639	No Rat Protein Found.	-	No human homolog found.		No Human Protein Found.			EST (not recognized)		rc_AA800290 EST189787 Rattus norvegicus cDNA, 3 end /clone=RHEAN45 /clone_end=3 /gb=AA800290 /gl=2863245 /ug=Rn.6309 /len=420	,
AA8002 /	4640	No Rat Protein Found.	<u>-</u>	No human homolog found.	-	No Human Protein Found.		•	EST (not recognized)		rc_AA800290 EST189787 Rattus norvegicus cDNA, 3 end /clone=RHEAN45 /clone_end=3 /gb=AA800290 /gl=2863245 /ug=Rn.6309 /len=420	
AA8002 4	4641	No Rat Protein Found.		No human homolog found.		No Human Protein Found.			EST (not recognized)		rc_AA800290 EST189787 Rattus norvegicus cDNA, 3 end /done=RHEAN45 /clone_end=3 /gb=AA800290 /gl=2863245 /ug=Rn.6309 /len=420	
AAB003 4 03	4642	NP_076 053	4643	NM_0203 60	4644	QBNRY6	4645	8	phospholipid	NM_02356	NM_02356 rc_AA800303 EST189800 Ratus norvegicus cDNA, 3 end /done=RHEAN65 /clone_end=3 /gb=AA800303 /gl=2883258 /ug=Rn.22784 /len=568	
AA8003 4	4646	NM_02 2692		XM_05346		XP_053		,	RAB5A, member RAS oncogene family (RAB5A),	NP_07318	rc_AA800305 EST189802 Rattus norvegicus CDNA, 3 end /done=RHEAN68 /done_end=3 /gb=AA800305 /gb=2863260 /ug=Rn.6311 /len=556	
18 18	4647	B26423	4648	M13203	9494	THUC4	4650	20	ESTs, Weakly similar to B26423 serina proteinase inhibitor 2.2 - rat [R. norvegicus]		rc_AA600318 EST189815 Rattus norvegicus cDNA, 3 end /clone=RHEAN84 /clone_end=3 /gb=AA800318 /gl=2863273 /ug=Rn.947 /len=560	

		1	•			
rc_AA800535 EST190032 Rattus norvegicus cDNA, 3 end /clone=RLUAB20 /clone_end=3 /gb=AA800535 /gi=2863490 /ug=Rn.8573 /len=476	rc_AA800570 EST190067 Rattus norvegicus cDNA, 3 end /clone=RLUAB41 /clone_end=3 /gb=AA800570 /gj=2863525 /ug=Rn.3346 /len=496	rc_AA800572 EST180069 Rattus norvegicus CDNA, 3 end /clone=RLUAB42 /clone_end=3 /gb=AA800572 /gi=2863527 /ug=Rn.22787 /len=473	rc_AA800597 EST190094 Rattus norvegicus cDNA, 3 end /clone=RLUAB60 /clone_end=3 /gb=AA800597 /gi=2863552 /ug=Rn.1149 /len=598	rc_AA800597 EST190094 Rattus norvegicus cDNA, 3 end /clone=RLUAB60 /clone_end=3 /gb=AA800597 /gl=2863552 /ug=Rn.1149 /len=596	rc_AA800622 EST180119 Rattus norvegicus cDNA, 3 end /done=RLUAB76 /clone_end=3 /gb=AA800622 /gi=2863577 /ug=Rn.22788 /len=652	rc_AA800637 EST190134 Rattus norvegicus cDNA, 3 end /clone=RLUAB84 /clone_end≃3 /gb=AA800637 /gi=2863592 /ug=Rn.2033 /len=639
_		-			·	
ESTs, Weakly similar to T47144 hypothetical protein DKFZp761E1 347.1 [H.sapiens]	Homo sapiens chromosome 15 clone RP11 64K12	Homo saplens novel antagonist of FGF signaling (sprouty-1)	EST (not recognized)	EST (not recognized)	EST (not recognized)	Homo sapiens full length insert cDNA clone
96.79	95.61	93.89			93.B	
4653		4658				
4652   747144	No Human Protein Found.	043609	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
4652	4655	4657			4662	4665
AF247703	R49498	AF041037	No human homolog found.	No human homolog found.	AK056690	AF147398
		· _				4664
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	BAB274 81
4651	4654	4656	4659	4660	4661	4663
4A8005	AA8005 70	AA8005 72	AA8005 97	AA8005 97	AA8008 22	AA8006 37

rc_AA800639 EST190136 Rattus norvegicus cDNA, 3 end /done≃RLUAB85 /cione_end=3 /gb=AA800639 /g⊨2863594 /ug≕Rn.6615 /len=583	rc_AA800651 EST190148 Rattus norvegicus cDNA, 3 end /clone=RLUAB91 /clone_end=3 /gb=AA800651 /gl=2863606 /ug=Rn.1519 /len=539	Mus musculus NM_02304 rc_AA800663 EST190160 Rattus norvegicus RAN binding 5 cDNA, 3 end /clone=RLUAK04 /clone_end=3 protein 16 /gb=AA800663 /gi=2863618 /ug=Rn.7664 /len=362	NM_00563 rc_AA800671 EST190168 Rattus norvegicus cDNA, 3 end /clone=RLUAK13 /clone_end=3 /gb=AA800671 /gi=2863626 /ug=Rn.3743 /len=590	rc_AA800673 EST190170 Rattus norvegicus cDNA, 3 end /done=RLUAK15 /ctons_end=3 /gb=AA800873 /gj=2863628 /ug=Rn.22282 /len=698	rc_AA800678 EST190175 Rattus norvegicus cDNA, 3 end /done=RLUAK20 /clone_end=3 /gb=AA800678 /gl=2863633 /ug=Rn.8592 /len=452	rc_AA800680 EST190177 Rattus norvegicus cDNA, 3 end /clone=RLUAK23 /clone_end=3 /gb=AA800880 /gl=2863635 /ug=Rn.22780 /len=626
		NM_02304 5	NM_00663 3			
EST(not recognised)	protein phosphatase 2, regulatory subunit B (856)	Mus musculus RAN binding protsin 16	IQ motif containing GTPase activating protein 2	Mus musculus 10, 11 days embryo cDNA, RIKEN	EST(not recognised)	EST (mouse hypothetical protein)
	88	95.48	96.75	96.84		•
	4869	4673	4677	4680		
No Human Protein Found.	Q15172	Q9UIA9	Q13576	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
	4668	4672	4676	4679		
No human homolog found.	NM_0062 43	AB018288	U51903	D79986	No human homolog found.	No human homolog found.
		4671	4675			4683
No Rat Protein Found.	No Rat Protein Found.	NP_075 532	NP_006 624	No Rat Protein Found.	No Rat Protein Found.	BAB282 31
4666	4667	4670	4674	4678	4681	4682
AA8006 39	AA8006 51	AA8006 63	AA8006 71	AA8006 73	AA8006 78	AA8006 80

					····
rc_AA800684 EST190181 Rattus norvagicus cDNA, 3 end /clone=RLUAK27 /clone_end=3 /gb=AA800684 /gl=2863639 /ug=Rn.22791 /len=501	rc_AA800684 EST190181 Rattus norvegicus cDNA, 3 end /clone=RLUAK27 /clone_end=3 /gb=AA800684 /gi=2863639 /ug=Rn.22791 /lsn=501	rc_AA800686 EST190183 Rattus norvegicus cDNA, 3 end /clone=RLUAK29 /clone_end=3 /gb⇒AA800686 /gl=2863641 /ug=Rn.3751 /len=632	rc_AA800686 EST190183 Rattus norvegicus cDNA, 3 end /clone=RLUAK29 /clone_end=3 /gb=AA800686 /gl=2863641 /ug=Rn.3751 /len=832	rc_AA800693 EST190190 Rattus norvegicus cDNA, 3 end /clone=RLUAK36 /clone_end=3 /gb=AA800693 /gi=2863648 /ug=Rn.6620 /len=533	rc_AA800683 EST190190 Rattus norvegicus cDNA, 3 end /cione=RLUAK36 /cione_end=3 /gb=AA800693 /gi=2863648 /ug=Rn.6620 /len=533
N [81	. ×[8]	F 20	eja Eja	sa 4	
ESTS, Moderately similar to TYCOSINE- PROTEIN KINASE LYN [R.norvegicus]	ESTS, Moderately similar to TYROSINE- PROTEIN KINASE LYN [R.norvegicus]	Similar to growth factor receptor- binding protein Grb10	Similar to growth factor receptor-binding protein Grb10	Mus musculus adult male tongue cDNA, RIKEN	EST (not recognized)
91.54 ESTs. Moder similar TYRO PROT KINAS	91.54	93.94	93.94		
4686	4689	4692	4695		
P06239	P06239	Q13322	Q13322	No Human Protein Found.	No Human Protein Found.
4685	4688	4691	4694		•
M36881	M36881	D86962	D86962	No human homolog found.	No human homolog found.
		•			
PT0198	PT0198	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
4684	4687	4690	4693	4696	4697
AA8006 4684 PT0198	AA8006 84	AA8006 86	AA8008 86	AA8008 93	AA8006 93

rc_AA800693 EST190190 Rattus norvegicus cDNA, 3 end /clone=RLUAK36 /clone_end=3 /gb=AA800693 /gj=2863648 /ug=Rn.6620 /len=533	re_AA800693 EST190190 Rattus norveglcus cDNA, 3 end /clone=RLUAK36 /clone_end=3 /gb=AA800693 /gj=2863648 /ug=Rn.6620 /len=533	rc_AA800699 EST190196 Rattus norveglcus cDNA, 3 end /clone=RLUAK42 /clone_end=3 /gb=AA800699 /gj=2863854 /ug=Rn.6621 /len=634	rc_AA800699 EST190196 Rattus norvegicus cDNA, 3 end /clone=RLUAK42 /clone_end=3 /gb=AA800699 /gj=2863654 /ug=Rn.6621 /len=634	rc_AA800701 EST190198 Rattus norvegicus cDNA, 3 end /clone=RLUAK44 /clone_end=3 /gb=AA800701 /gi=2863656 /ug=Rn.8286 /len=585
EST (not recognized)	Mus musculus adult male tongue cDNA, RIKEN	Mus musculus 18 days embryo cDNA, emgth enriched enriched ilbrary, clone:1110065	ESTS, Weakly similar to YN60_YEAST HYPOTHETIC AL 32.3 KDA PROTEIN IN KRE1-HXT14 INTERGENIC REGION [S. cerevisiae]	Mus musculus 10 day old male pancreas cDNA, RIKEN
		88.44		98.15
		4702	4705	4708
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	517 517	P13726
	-	4701	4704	4707
No human homolog found.	No human homolog found.	AK027812	AK027812	BF109813
No Rat Protein Found.				
4698	4699	4700	4703	4706
AA8006 4698 N	AA8006 93	AA8006 89	AA8008 99	AA8007 01

·							
rc_AA800708 EST190205 Rattus norvegicus CDNA, 3 end /clone=RLUAK52 /clone_end=3 /gb=AA800708 /gi=2863693 /ug=Rn.3886 /len=841	rc_AA800719 EST190216 Rattus norvegicus CDNA, 3 end /clone=RLUAK63 /done_end=3 /gb≔AA800719 /gi≃2863674 /ug≔Rn.6624 /ien=663	rc_AA800719 EST190216 Rattus norvegicus CDNA, 3 end /clone=RLUAK63 /clone_end=3 /gb=AA800719 /gi≃2863674 /ug=Rn.6624 /len≕663	rc_AA800735 EST180232 Rattus norvegicus cDNA, 3 end /clone=RLUAK81 /clone_end=3 /gb=AA800735 /gl=2863690 /ug=Rn.6627 /len=552	rc_AA800735 EST190232 Rattus norvegicus cDNA, 3 end /clone=RLUAK81 /clone_end=3 /gb=AA800735 /gi=2863690 /ug=Rn.6627 /len=552	re_AA800749 EST180246 Rattus norvegicus cDNA, 3 end /done=RLUAL02 /done_end=3 /gb=AA800749 /gi=2863704 /ug=Rn.1897 /len=837		rc_AA800753 EST190250 Rattus norvegicus cDNA, 3 end /clone=RLUAL06 /clone_end=3 /gb=AA800753 /gi=2863708 /ug=Rn.17156 /len=475
						AJ278435	AJ278435
EST(not recognised)	83.12 KIAA1181 protein	KIAA1181 protein	Mus musculus, Similar to supervillin, done IMAGE:35895	Mus musculus, Similar to supervillin, clone IMAGE:35895	EST (not recognised)	RanBP7/impor AJ278435 tin 7 [Mus musculus]	RanBP7/impor AJ278435 tin 7 [Mus musculus]
	83.12	83.12	92.92	92.92		93.28	93.28
			4716	4719		4724	4728
No Human Protein Found.	XP_043	XP_043 341	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	CAC176 09	CAC176
	4711	4713	4715	4718		4723	4727
No human homolog found.	AL133060	AL133060	AF051850	AF051850	No human homolog found.	AK027892	AK027892
				:		4722	4726
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protain Found.	No Rat Protein Found.	No Rat Protein Found.	CAC17 143	CAC17 143
4709	4710	4712	4714	4717	4720	4721	4725
AA8007 4709 No Rat 08 Protein Found.	AA8007 19	AA8007 19	AA8007 35	AA8007 35	AA8007 49	AA8007 53	AA8007 53

	න භ	<u>න</u> ල	<b>9</b> 6	g 69	4 F		ø p	<b>ω</b> <sub>1</sub>	w C
	rc_AA800768 EST190265 Rattus norvegicus cDNA, 3 end /clone=RLUAL23 /clone_end=3 /gb=AA800768 /gi=2863723 /ug=Rn.4116 /len=651	rc_AA800772 EST190269 Rattus nowegicus cDNA, 3 end /clone≂RLUAL27 /clone_end=3 /gb=AA800772 /gi=2863727 /ug=Rn.6639 /len=600	rc_AA800782 EST190279 Rattus norvegicus cDNA, 3 end /clone=RLUAL38 /clone_end=3 /gb=AA800782 /gi=2863737 /ug=Rn.3621 /len=554	rc_AA800787 EST190284 Rattus norvegicus cDNA, 3 end /clone=RLUAL44 /clone_end=3 /gb=AA800787 /gl=2863742 /ug=Rn.4117 /len=520	rc_AA800794 EST190291 Rattus norvegicus cDNA, 3 end /clons=RLUAL53 /clons_end=3 /gb=AA800794 /gi≃2863749 /ug=Rn.4118 /len=844	rc_AA800803 EST190300 Rattus norvegicus cDNA, 3 end /clons=RLUAL62 /clons_end=3 /gb=AA800803 /gb≃2863758 /ug=Rn.2245 /len=534	rc_AA800803 EST190300 Rattus norvegicus cDNA, 3 end /clons=RLUAL62 /clons_end=3 /gb=AA800803 /gi=2863758 /ug=Rn.2245 /len=534	rc_AA800814 EST190311 Rattus norvegicus cDNA, 3 end /done=RLUAL75 /clone_end=3 /gb=AA800814 /gi=2863769 /ug=Rn.19955 /len=470	rc_AA800850 EST190347 Rattus norvegicus cDNA, 3 end /done=RLUAM24 /clone_end=3 /gb=AA800850 /gl=2863805 /ug=Rn.17998 /len=470
	າຕ_AA800768 EST190265 Rattus norvegi cDNA, 3 end /clone=RLUAL23 /clone_ent /gb=AA800768 /gi=2863723 /ug=Rn.4116 /len=651	rc_AA800772 EST190269 Rattus norvegi cDNA, 3 end /clone=RLUAL27 /clone_eni /gb=AA800772 /gi=2863727 /ug=Rn.6639 /len=600	rc_AA800782 EST190279 Rattus norveg cDNA, 3 end /clone=RLUAL38 /clone_en /gb=AA800782 /gi=2863737 /ug=Rn.3621 /len=554	rc_AA800787 EST190284 Rattus norveg cDNA, 3 end /clone=RLUAL44 /clone_en /gb=AA800787 /gi=2863742 /ug=Rn.4117 /len=520	rc_AA800794 EST190291 Rattus norvegi cDNA, 3 end /cione=R∟UAL53 /cione_enc /gb=AA800794 /gi=2863749 /ug=Rn.4118 /isn=844	rc_AA800803 EST180300 Rattus norvegi cDNA, 3 end /cione=Rt.UAL62 /done_en /gb=AA800803 /g⊨2863758 /ug=Rn.2245 /len=534	rc_AA800803 EST180300 Rattus norvegi cDNA, 3 end /cione=R∟UAL62 /cione_en /gb=AA800803 /gi=2863758 /ug=Rn.2245 /len=534	rc_AA800814 EST190311 Rattus norvegic cDNA, 3 end /done=RLUAL75 /clone_end <sup>.</sup> /gb=AA800814 /gi=2863769 /ug=Rn.19955 /len=470	rc_AA800850 EST190347 Rattus norvegic CDNA, 3 end /done=RLUAM24 /done_end /gb=AA800850 /gj=2863805 /ug=Rn.17898 /len=470
				XM_01033					
	95.98 EST(not recognised)	EST(not recognised)	EST (not recognized)	lysosomal- associated membrane protein 2 (LAMP2)	Mus musculus 10 day old male pancreas cDNA, RIKEN	EST (not recognized)	EST (not recognized)	EST (not recognized)	murine leukemla viral (bml-1) oncogene homolog
	95.98				89.76	92.08	92.08		91.67
				4735	4738	4741	4744		4748
	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	P13473	Q13049	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	P35226
	4730			4734	4737	4740	4743	•	4747
•	AW57310 2	No human homolog found.	No human homolog found.	NM_0139 95	U18543	AK026608	AK026608	No human homolog found.	L13689
	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	XP_010 337	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
	4729	4731	4732	4733	4736	4739	4742	4745	4746
י מטום לי	AA8007 68	AA8007 72	AA8007 82	AA8007 87	AA8007 94	AA8008 03	AA8008 03	AA8008 14	AA8008 50

				Growth factor receptor-bound protein 2 (GRB2 adapter protein)(SH2/SH 3 adapter GRB2) (ASH protein).
rc_AA800882 EST190379 Rattus norvegicus cDNA, 3 end /clone=RLUAM60 /clone_end=3 /gb=AA800882 /gl=2863837 /ug=Rn.24136 /len=379	rc_AA800908 EST190405 Rattus norvegicus cDNA, 3 end /clone≖RLUAM90 /clone_end=3 /gb=AA800908 /gi=2863863 /ug=Rn.6663 /len=297	rc_AA800928 EST190425 Rattus norvegicus cDNA, 3 end /clone=RLUAN23 /clone_end=3 /gb=AA800928 /gi=2863883 /ug=Rn.23969 /len=460	NM_01160 rc_AA800962 EST190459 Rattus norvegicus cDNA, 3 end /clone=RLUAN59 /clone_end=3 /gb=AA800962 /gl=2863917 /ug=Rn.6674 /len=495	NM_00816 rc_AA801130 EST190627 Rattus norvegicus 3 cDNA, 3 end /clone=ROVAA74 /clone_end=3 /gb=AA801130 /gj=2864085 /ug=Rn.3360 /len=613
			NM_01160	33 00816
96.88 Mus musculus 11 days smbryo head cDNA, RIKEN	EST(not recognised)	EST (not recognized)	Talin	growth factor receptor bound protein 2 (Grb2),
96.88			06	93.36
			4756	4760
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q9Y490	P29354
4750			4755	4759
AA708838	No human homolog found.	No human homolog found.	AF177198	BC000631
			4754	4758
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_035 732	P28354
4749	4751	4752	4753	4757
AA8008 4749 No Rat 82 Protein Found.	AA8009 08	AA8009 28	AA8009 62	AA8011

CCAAT-binding transcription factor subunit A (CBF-A) (NF-Y proteinchain B) (NF-YB) (CAT-box DNA binding protein subunit B).	Ceruloplasmin precursor (EC 1.16.3.1) (Ferroxidase).	60S ribosomal protein L24 (L30).	60S ribosomal protein L24 (L30).	CD59 glycoprotein precursor (Membrane attack complex inhibitionfactor) (MACIF) (MAC- inhibitory protein) (MAC- IP) (Protectin).
Nuclear.				Attached to the membrane by a GPI-anchor.
NM_03155   rc_AA817843 UI-R-A0-ae-f-09-0-UI.s1 Rattus   Nuclear. 3 norvegicus cDNA, 3 end /clone=UI-R-40-ae-f- 09-0-UI /clone_end=3 /gb=AA817843 /gi=2887723 /ug=Rn.1131 /len=618	rc_AA817854 UI-R-A0-ae-g-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- A0-ae-g-10-0-UI /cione_end=3 /gb=AA817854 /gi=2946779 /ug=Rn.8598 /len=438	rc_AA817997 UI-R-AO-ah-b-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- AO-ah-b-07-0-UI /clone_end=3 /gb=AA817997 /gl=2887877 /ug=Rn.1214 /len=584	rc_AA817997 UI-R-AO-ah-b-07-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- AO-ah-b-07-0-UI /clone_end=3 /gb=AA817997 /gl=2887877 /ug=Rn.1214 /len=564	92.06 CD59 antigen NM_01292 rc_AA818025 UJ-R-A0-al-a-06-0-UJ.s1 Rattus Attached to norvegicus cDNA, 3 end /done=UJ-R-A0-al-a-the 06-0-UJ /done_end=3 /gb=AA818025 membrane /gl=2887805 /ug=Rn.1231 /len=487 by a GPI-anchor.
NM_03155	AF202115	X78443	X78443	5 5
nuclear transcription factor Y, beta (NFYB),	GPI-anchored AF202115 ceruloplasmin	ribosomal protein L24	rbosomal protein L24	CD59 antigen
	86.44	16	16	82.08
	4766	4770	4774	4778
XP_049	P00450	P38663	P38663	602 602
	4765	4769	4773	7774
XM_04919	M13699	AA380579	AA380579	AF052941
4762	4764	4768	4772	<i>477</i> 6
AA8178 4761 P22569	P13635	P38663	P38663	P27274
4761	4763	4767	4771	4775
AA8178 43	AA8178 54	AA8179 97	AA8179 97	AA8180 25

	CD59 glycoprotein precursor (Membrane attack complex inhibitionfactor) (MACIF) (MAC- inhibitory protein) (MAC- IF) (Protectin).	Cytoplasmic. Peptityl-prolyl cla-trans isomerase A (EC 5.2.1.8) (PPlasa) (Rotamase)(Cyc lophilin A) (Cyclosporin Abinding protein) (P31).		
	Attached to the membrane by a GPI-anchor.	Cytoplasmic.		
	NP_000   4782   92.06   CD59 antigen   NM_01292   rc_AA818025 UI-R-AG-el-e-08-0-UI.s1 Rattus   Attached to   CD59	rc_AA818152 UI-R-A0-am-b-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- A0-am-b-09-0-UI /clone_end=3 /gb=AA818152 /gi=2888032 /ug=Rn.16465 /len=117	Phosphatidate NM_02253 rc_AA818593 UI-R-A0-bo-g-01-0-UI.s1 phosphohydrol 8 Rattus norvegicus cDNA, 3 end /clone=UI-R- ase type 2 A0-bc-g-01-0-UI /clone_end=3 /gb=AA818593 /gj=2889332 /ug=Rn.1944 /len=475	Phosphatidate NM_02253 rc_A818593 UI-R-40-bc-g-01-0-UI.s1 phosphohydrol 8 Rattus norvegicus cDNA, 3 end /clons=UI-R- ase type 2 /gb=AA818593 /gi=2889332 /ug=Rn.1944 //en=475
	5 5 5		NM_02253 8	NM_02253
	CD59 antigen	95.02 Cyclophilin	Phosphatidate N phosphohydrol 8 ase type 2	Phosphatidate N phosphohydrol 8 ase type 2
	95.06	95.02	91.88	91.88
	4782	4786	4790	4794
	602 602	P05092	P42285	P42285
	4781	4785	4789	4793
	AA8180 4779 P27274 4780 AF052941	AA071426	D29641	D29641
	4780	4784	4788	4792
	P27274	4783 P10111	NP_071 983	NP_071 983
•	6774		4787	4791
	AA8180 25	AA8181 62	AA8185 93	AA8185 93

Neurofilament triplet H protein (200 kDa neurofilament protein)(Neurofilament protein)(Neurofilament heavy polypeptide) (NF-H)			Peptidyl-prolyl cis-trans Isomerase A (EC 5.2.1.8) (PPlase) (Rotarmase)(Cyc lophilin A) (Cyclosporin Abinding protein) (P31).
			Cytoplasmic.
rc_AA818677 UJ-R-AO-az-a-04-0-UJ.s1 Rattus norvegicus cDNA, 3 end /clone=UJ-R- A0-az-a-04-0-UJ /clone_end=3 /gb=AA818677 /gl=2888263 /ug=Rn.1429 /len=801	rc_AA818726 UI-R-A0-ay-f-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A0-ay-f- 04-0-UI /clone_end=3 /gb=AA818726 /gj=2888312 /ug=Rn.22468 /len=464	NM_01990 rc_AA818843 UI-R-A0-ar-g-04-0-UI.s1 Rattus 7 norvegicus cDNA, 3 end /clone=UI-R-A0-ar-g- 04-0-UI /clone_end=3 /gb=AA818843 /g⊨2888429 /ug=Rn.12394 /len=452	NM_01710 rc_AA818858 UI-R-AO-ar-h-08-0-UI.s1 Rattus Cytoplasmic. Peptidyl-prolyl nonegicus cDNA, 3 end /clone=UI-R-AO-ar-h-08-0-UI.R-AO-ar-h-08-0-UI /clone_end=3 /gp=AA818858 (EC 5.2.1.8) /gj=2888444 /ug=Rn.1463 /len=611 (Rotamase)(C footsporin A) (Cyclosporin A) (Cyclosporin A) (Cyclosporin P) (Inding protein (P31).
M21964		NM_01990 7	1 1
89.73 Rat heavy neurofilament subuntt (NF-H) mRNA, 3' end	Homo saplens peptidyprolyl isomerase (cyclophilin)- like 2	postsynaptic protein CRIPT	Peptidylprolyl Isomerase A (cyclophilin A)
89.73	88.62	66	95.02
4798	4801		4807
XP_037 942	NP_055 152	XP_031 570	P05092
4797	4800		988
BC014185	U37221	XM_03157 0	AA071425
4796		4803	4805
P16884	No Rat Protein Found.	4802 NP_063 972	P10111
4795	4799	4802	4884
Table 2.       AA8186 4795 P16884       77	AA8187 26	AA8188 43	AA8188

"Translocon- associated protein, delta subunit (TRAP- delta)(Signal sequence receptor delta subunit) (SSR-	delta)."  Translocon- associated protein, delta subunit precursor (TRAP- delta)(Signal	accepture using search of the control of the contro
ပ္	<u>o</u>	<u>o</u>
rc_AA819338 UI-R-A0-bc-c-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- membrane A0-bc-c-12-0-UI /clone_end=3 /gb=AA819338 /gi=2889427 /ug=Rn.1999 Fendoplasm /len=544	rc_AA819338 UI-R-A0-bo-o-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- membrane A0-bc-o-12-0-UI /clone_end=3 /gb=AA819338 /gi=2889427 /ug=Rn.1999 Endoplasm /ien=544	rc_AA819338 UI-R-A0-bc-c-12-0-UI:s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- membrane A0-bc-c-12-0-UI /clone_end=3 /gb=AA819338 /gi=2889427 /ug=Rn.1899 Findoplasm /isn=544
Signal sequence receptor, delta	Signal sequence receptor, delta	Signal sequence receptor, delta
87.92 Signal sequen	87.92	87.92
4811	4815	84
P51571	P51571	P61671
4810	4184	4818
<b>Z69043</b>	Z69043	Z69043
4809	4813	4817
AA8183 4808 Q07984 4809 Z69043	4812 Q07984	Q07984
4808	4812	4816
AA8183 38	AA8183 38	AA8193 38

"Translocon- associated protein, delta subunit precursor (TRAP- delta)(Signal sequence receptor delta subunit) (SSR- delta)."			
ဋ			
rc_AA819338 UJ-R-AO-bc-c-12-0-UJ.s1 Raftus norvegicus cDNA, 3 end /clone=UJ-R- membrane AO-bc-c-12-0-UJ /clone_end=3 /gb=AA819338 /gi=2889427 /ug=Rn.1999 Fendoplasm /len=544	BC003335 rc_AA819500 UI-R-AO-bl-o-O4-O-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R-AO-bl-o-O4-O-UI /clone_end=3 /gp=A819500 /gi=2889589 /ug=Rn.17046 /len=524	rc_AA819500 UI-R-AQ-bI-o-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-AQ-bI-o- 04-0-UI /clone_end=3 /gb=AA819500 /gj=2889589 /ug=Rn.17046 /len=524	rc_AA819500 UI-R-A0-bl-o-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A0-bl-o- 04-0-UI /clone_end=3 /gb=AA819500 /gi=2889589 /ug=Rn.17046 /len=524
	BC003335	BC003335	BC003335
Signal sequence receptor, delta	ESTs, Highly similar to AC12_HUMA N AC1YATOR 137 KD SUBUNIT (H.saplens)	ESTS, Highly similar to AC12_HUMA N ACTIVATOR 137 KD SUBUNIT [H.saplens]	ESTS, Highly similar to AC12_HUMA N ACTIVATOR 137 KD SUBUNIT [H.sapiens]
87.92 Signal sequel recept	91.87	91.87	91.87
4823	4827	1831	4835
P51571	P35249	P35249	P35249
4822	4826	4830	4834
Z69043	M87339	M87339	M87339
4821	4825	4829	4833
Q07984	AAH03 335	4828 AAH03 335	335 335
4820	4824	4828	4832
AA8183 4820 Q07884 38	AA8185 00	AA8195 00	AA8195 00

		Lysophosphatidi c acid receptor (EDG-2) (REC1.3) (VZG-1).	60S ribosomal protein L31.	60S ribosomal protein L21.	60S ribosomal protein L21.
		Integral membrane protein.			
91.87 ESTs, Highly BC003335 rc_AA819500 UI-R-A0-bi-c-04-0-UI.s1 Rattus similar to Ac12_HUMA and Ac12_HUMA	NM_01974 rc_AA848545 EST191305 Rattus norvegicus cDNA, 3 end /clone=RKIAC95 /clone_end=3 /gb=AA848545 /gi=2936085 /ug=Rn.1176 /len=565	AF080347 rc_AA848831 EST191592 Rattus norvegicus Integral cDNA, 3 end /clone=RLUAG91 /clone_end=3 membrane /gb=AA848831 /gl=2936371 /ug=Rn.11200   protein.	rc_AA849038 EST191800 Rattus norvegicus CDNA, 3 end /clone=RLUAJ81 /clone_end≔3 /gb=AA848038 /gl=2936578 /ug=Rn.1101 /len=581	rc_AA849648 EST192415 Rattus norvegicus cDNA, 3 end /clone=RMUAH28 /clone_end=3 /gb=AA849648 /gj=2937188 /ug=Rn.2554 /len=413	rc_AA849648 EST192415 Rattus norvegicus cDNA, 3 end /clone=RMUAH28 /clone_end=3 /gb=AA849648 /gi=2937188 /ug=Rn.2554 /len=413
BC003335	NM_01974 5	AF090347	NIM_02250 6		
ESTs, Highly similar to AC12_HUMA N AC17VATOR 1 37 KD SUBUNIT [H.saplens]	programmed cell death 10 (Pdcd10)	putative G- protein coupled receptor GPCR81	Ribosomal protein L31	Rattus norvegicus ribosomal protein L21 mRNA, complete cds	Rattus norvegicus ribosomal protein L21 mRNA, compiete cds
91.87	8	89.94	96.25	92.86	92.86
4839	4843	4847	4851	4855	4859
P35249	AAH025 06	Q92633	NP_000 984	P10398	P10398
4838	4842	4846	4850	4854	4858
4837 M87339	BC002506	NM_0014	BC001663	X04790	X04790
4837	4841	4845	4849	4853	4857
335 335	4840 NP_062 719	4844 Q61130	P12947	P20280	P20280
4836	4840	4844	4848	4852	4856
AA8195 4838 AAH03 00 335	AA8485 45	AA8488 31	AA8490 38	AA8496 48	AA8496 48

60S ribosomal protein L21.

60S ribosomal protein L21.

Table 2.

Foilistatinrelated protein 1 precursor. Follistatinrelated protein 1 precursor.

Follistatinrelated protein 1 precursor.

Follistatinrelated protein 1 precursor.

		Secreted.	Secreted.	Secreted.	Secretad.	
rc_AA849648 EST192415 Rattus norvegicus cDNA, 3 end /clone=RMUAH28 /clone_end=3 /gb=AA849648 /gl=2937188 /ug=Rn.2554 /len=413	rc_AA849648 EST192415 Rattus norvegicus cDNA, 3 end /clone=RMUAH28 /clone_end=3 /gb=AA849648 /gl=2837188 /ug=Rn.2554 /len=413	rc_AA849769 EST192536 Rattus norvegicus CDNA, 3 end /clone=RMUAl64 /clone_end=3 /gp=AA849769 /gi=2837309 /ug=Rn.2979 /len=608	rc_AA849769 EST192536 Rattus norvegicus Secreted. cDNA, 3 end /clone=RMIJA/64 /clone_end=3 /gb=AA849769 /gi=2937309 /ug=Rn.2879 /len=608	rc_AA849769 EST192536 Rattus norvegicus cDNA, 3 end /clone=RMUAI64 /clone_end=3 /gb=AA849769 /gi=2937309 /ug=Rn.2979 /len=608	9769 EST192536 Rettus norvegicus end /done=RMIUA164 /clone_end=3 19769 /gj=2937309 /ug=Rn.2979	rc_AA850138 EST192905 Rattus norvegicus CDNA, 3 end /clone=ROVAC84 /clone_end=3 /gb=AA850138 /gi=2937678 /ug=Rn.129 /len=474
Rattus norvegicus ribosomal protein L21 mRNA, complete cds	Rattus norvegicus ribosomal protein L21 mRNA, complete cds	Follistatin- related protein precursor	Follistatin- related protein precursor	Follistatin- related protein precursor	Follistatin- related protein precursor	ig lambda-2 chain C region
92.86 Rattus norveg ribosor protein mRNA, comple	92.86	8	83	83	8	89
4863	4867	4871	4875	4879	4883	4887
P10398	P10398	Q12841	Q12841	Q12841	Q12841	P01842
. 4862	4866	4870	4874	4878	4882	4886
X04790	X04790	0.06863	006863	U06863	006863	AJ318022
4861	4865	4869	4873	4877	4881	4885
4860 P20280	P20280	Q62632	Q62632	Q62632	Q62632	4884 BZ7390
4860	4884	4868	4872	4876	4880	
AA8496 48	AA8498 48	AA8497 69	AA8497 69	AA8497 69	AA8497 69	AAB501 38

Vascular endothellal growth factor A precursor (VEGF-A) (Vascularperme ability factor) (VPF).		60S ribosomal protein L4 (L1).	GTP-binding protein Rheb.
"VEGF-A120 is acidic and freely secreted. VEGF-A164 is more basic, has heparin-binding properties and, although a signicant propertion remains cell-associated, most is freely secreted. VEGF-A188 is ver"			
NM_00950 rc_AA850734 EST193502 Rattus norvegicus "VEGF-A120   Vascular CDNA, 3 and /clone_end=3  s acidic and endothelication of the content	rc_AA850781 EST183549 Rattus norvegicus cDNA, 3 end /clone=ROVAK70 /clone_end=3 /gb=AA850781 /gi=2938321 /ug=Rn.7995 /len=550	rc_AA850940 EST193708 Rattus norvegicus cDNA, 3 end /clone=ROVAO65 /clone_end=3 /gb=AA850940 /gi=2938480 /ug=Rn.1133 /len=619	rc_AA851381 EST194149 Rattus norvegicus cDNA, 3 end /done=RPLAF91 /clone_end=3 /gb=AA851381 /gl=2938921 /ug=Rn.859 /len=618
5 5			
Vascular endothelial growth factor	Mus musculus 18 days embryo cDNA, RIKEN	Ribosomal protein L4	Ras homolog enriched in brain
	93.89	8	89.83
	4892	4896	4900
XP_062 676	Q08752	P36578	Q15382
	4891	4895	4899
XM_06267	L11667	1.20868	AW02041 4
		4894	4898
AAB507 4888 P16612 34	No Rat Protein Found.	P50878	Q62639
8888	4890	4893	4897
AAB507 34	AA8507 81	AA8509 40	AA8513 81
			_

			•	Glutamine synthetase (EC 6.3.1.2) (Glutamate– ammonia Ilgase).
	·			Cytopiasmic.
rc_AA851403 EST194171 Rattus norvegicus cDNA, 3 end /clone=RPLAG17 /clone_end=3 /gb=AA851403 /gi=2938943 /ug=Rn.3383 /len=393	rc_AA851403 EST194171 Rattus norvegicus cDNA, 3 end /clone=RPLAG17 /clone_end=3 /gb=AA851403 /gi=2938943 /ug=Rn.3383 /len=393	rc_AA851403 EST194171 Rattus norvegicus cDNA, 3 end /clone=RPLAG17 /clone_end=3 /gb=AA851403 /gl=2938943 /ug=Rn.3383 /len=393	rc_AA851403 EST194171 Rattus norvegicus cDNA, 3 end /done=RPLAG17 /clone_end=3 /gb=AA851403 /gl=2938943 /ug=Rn.3383 /len=393	rc_AA852004 EST194773 Rattus norvegicus Cytopiasmic. Glutamine cDNA, 3 end /cione=RSPAP38 /cione_end=3 (glutamatte filen=368 (Glutam
				NM_01707
94.34 ESTs, Moderately similar to JE0382 NADH dehydrogenas e [H.saplens]	Homo saplens NADH dehydrogenas e (ubiquinone) 1 beta subcompiex, 8	ESTs, Moderately similar to JE0382 NADH dehydrogenas e [H.saplens]	Homo saplens NADH dehydrogenas e (ubiquinone) 1 beta subcomplex, 8	Glutamine synthetase
<u>क्र</u> श्र		<b>2</b> 8.	94.34	85
XP_030	XP_030 429	XP_030 429	XP_030 429	ХР_046 468
4903	4906	4909	4912	
4902 BI488555	B1488555	B1488555	B1488555	XM_04646 8
	4805	4908	4911	4184
AA8514 4901 NP_080	4904 NP_080 337	337	4910 NP_080 337	4913 P09606
4901	4804	4907	4910	4913
AA851, 03	AA8514 03	AA8514 03	AA8514 03	AAB520 04

Table 2.

Tyrosine-protein kinase receptor TYRO3 precursor (EC 2.7.1.112)(Tyros ine-protein kinase SKY).					
Type I membrane protein.					
rc_AA852055 EST194824 Rattus norvegicus   Type I cDNA, 3 end /clone=RSPAP96 /clone_end=3 membrane /gb=AA852055 /gi=2939595 /ug=Rn.8883 protein. /len=494	rc_AA858572 UI-R-E0-bq-f-04-0-UI.s1 Rattus nonvegicus cDNA, 3 end /clone=UI-R-E0-bq-f- 04-0-UI /clone_end=3 /gb=AA858572 /g⊨2948912 /ug=Rn.83 /len=436	rc_AA856586 UI-R-E0-bq-g-07-0-UI.s1 Raftus norvegicus cDNA, 3 end /ctone=UI-R- E0-bq-g-07-0-UI /ctone_end=3 /gb=AA858586 /gi=2948926 /ug=Rn.92 /len=413	rc_AA858586 UI-R-EO-bq-g-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-bq-g-07-0-UI /clone_end=3 /gb=AA858586 /gi=2948926 /ug=Rn.92 /len=413	re_AA858607 UI-R-E0-bq-a-08-0-UI.s1 Rattus norvegicus CDNA, 3 end /cione=UI-R- E0-bq-a-08-0-UI /cione_end=3 /gb-AA858607 /gi=2948947 /ug=Rn.3532	
		U88539	U88539		NM_02327 5
88.67 Sky - brain specific tyrosine kinase	EST (not recognized)	Mus musculus U88539 chromatin structural protein homolog	Mus musculus U88539 chromatin structural protein homolog	EST (not recognized)	TC10-like Rho NM_02327 GTPase 5
88.67		88.09	88.09		6
4918		4923	4927		4932
Q06418	No Human Protein Found.	P51809	P51809	No Human Protein Found.	XP_050 746
4917		4822	4926		4931
4916   U02566	No human homolog found.	U56402	U56402	No human homolog found.	AK027278
		4921	4925		4930
AAB520 4915   P55146 55	No Rat Protein Found.	AAC40 052	4924 AAC40 052	No Rat Protein Found.	NP_075 784
4915	4919	4920	4924	4928	4929
AA8520 55	AA8585 72	AA8585 86	AA8585 86	AA8586 07	AA8586 17

				Integral Diacyiglycenol Omembrane acytransferase protein. 1 (EC 2.3.1.20) Endoplasmic (Diglycerideacyit reticulum. ransferase).
		<del></del>	<u>.</u>	<u>o</u>
				Integral membrane protein. Endoplasn reticulum.
rc_AA858640 UI-R-E0-bq-d-08-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E0-bq-d-08-0-UI /clone_end=3 /gb=AA858640 /gi=2848980 /ug=Rn.221 /len=463	Mus musculus         NM_01187         rc_AA858879 UI-R-A0-bd-b-09-0-UI.s1           proteasome         5         Rattus norvegicus cDNA, 3 end /clone=UI-R-(prosome, amacropain)         A0-bd-b-09-0-UI /clone_end=3         /gb=AA85879 /gi=2948230 /ug=Rn.16918           26S subunit, non-ATPase, 13 (Psmd13)         /fen=520	rc_AA859483 UI-R-E0-bv-f-07-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R-E0-bv-f- 07-0-UI /clone_end=3 /gb=AA859483 /gl=2949003 /ug=Rn.231 /len=416	rc_AA859524 UI-R-E0-br-b-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-br-b- 07-0-UI /clone_end=3 /gb=AA859524 /gi=2949044 /ug=Rn.251 /len=482	rc_AA859529 UI-R-EO-br-b-12-0-UI.s1 Rattus Integral norvegicus cDNA, 3 end /ctons=UI-R-EO-br-b-membrane 12-0-UI /ctons_end=3 /gb=AA859529 protein. /gi=2849049 /ug=Rn.252 /len=431 rettculum.
	NM_01187			
Rat CDK110 mRNA (Y17319) / HSP60 (NM_02229) (Double	Mus musculus proteasome (prosome, macropain) 26S subunit, non-ATPase, 13 (Psmd13)	EST (not recognized)	EST(not recognised)	89.11 Diacylglycerol AF296131 acyltransferas
	90.48	92.08		89.11
	4837			4944 44
No Human Protein Found.	Q9UNM 6	No Human Protein Found.	No Human Protein Found.	XP_035
	4936	4939		4943
No human homolog found.	AB009398	AW80502 0	No human homolog found.	BI521353
	4935			4942
No Rat Protein Found.	NP_036 005	No Rat Protein Found.	No Rat Protein Found.	4941 Q9ERM 3
4933	4934	4938	4940	2484
AA8586 4933 No Rat 40 Protein Found.	AA8588 79	AA8594 83	AA8585 24	AA8595 29

AF109674 rc_AA659581 UJ-R-E0-bv-d-01-0-UJ.s1 Rattus norvegicus cDNA, 3 end /clone=UJ-R-E0-bv-d-01-0-UJ /clone_end=3 /gb=AA859581 /gl=2949101 /ug=Rn.4346 /len=540	rc_AA859581 UI-R-E0-bv-d-01-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R- E0-bv-d-01-0-UI /clone_end=3 /gb=AA859581 /gl=2849101 /ug=Rn.4346 /len=540	re_AA859597 UI-R-EO-bs-e-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-bs-e-07-0-UI /clone_end=3 /gb-AA859597 /gi=2849117 /ug=Rn.8504 /len=484	re_AA859597 UI-R-EO-bs-e-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EC-bs-e-07-0-UI /clone_end=3 /gb=AA859597 /gi=2949117 /ug=Rn.8504 /len=484	rc_AA859627 UI-R-EO-bs-h-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-bs-h-03-0-UI /clone_end=3 /gb=AA859627 /gl=2849147 /ug=Rn.25 /len=419	Mus musculus NM_01125 rc_AA859632 UI-R-E0-bs-h-08-0-UI.s1 replication 8 Rattus norvegicus cDNA, 3 end /clone=UI-R-factor C, 140 E0-bs-h-08-0-UI /clone_end=3 /gb=AA859632 /gl=2849152 /ug=Rn.6208 /len≖446
AF109674	AF109674				NM_01125 8
Rattus norvegicus late gestation lung protein 1 (Lgi1) mRNA, complete cds	Rattus norvegicus late gestation lung protein 1 (Lgl1) mRNA, complete cds	EST (not recognized)	EST (not recognized)	97.14 EST (not recognized)	Mus musculus replication factor C, 140 kDa (Recc1)
<b>8</b>	98			97.14	
4948	4952				4960
4947 NP_113	NP_113 664	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	AAA161 21
	4951	•		4956	4959
NM_0314 76	NM_0314	No human homolog found.	No human homolog found.	AB046797	123320
4946	4950				4958
AA6595 4945 AAD16	AAD16 986	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_035 388
4945	4949	4953	4954	4955	4957
AA8595 81	AA8595	AA8595 97	AA8595 97	AA8596 27	AA8596 32

_					- Lu E	·
					Mitochondrial "Dihydrolipoami de succinyltransfer ase component of 2- exoglutaratedeh ydrogenase complex, mitochondrial precursor (EC 2.3.1.61) (E2)(E2K)."	
_	·				Mitochondrial ·	
rc_AA859665 UI-R-E0-bs-c-09-0-UI.s1	Rattus norvegicus cDNA, 3 end /done=UI-R- E0-bs-c-09-0-UI /clone_end=3 /gb=AA859665 /gi=2949185 /ug=Rn.43 /len=400	nc_AA859688 UI-R-E0-bx-e-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bx-e-09-0-UI /clone_end=3 /gb=AA859688 /gl=2949208 /ug=Rn.50 /len=438	rc_AA859890 UI-R-EO-bx-e-11-0-UI.s1 Raftus norvegicus CDN4, 3 end /cione=UI-R- EO-bx-e-11-0-UI /cione_end=3 /gb=AA859890 /gl=2949210 /ug=Rn.51 /len=419	rc_AA859893 UI-R-E0-bx-f-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone≕UI-R-E0-bx-f- 02-0-UI /clone_end≕3 /gb=AA859693 /gi=2949213 /ug=Rn.24864 /len≕505	rc_AA859702 UI-R-E0-bx-g-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bx-g-01-0-UI /clone_end=3 /gb=AA859702 /gi=2849222 /ug=Rn.58 /len=486	rc_AA859718 UI-R-E0-bx-h-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bx-h-05-0-UI /clone_end=3 /gb=AA859718 /gl=2849238 /ug=Rn.66 /len=476
		NM_01670 9			NM_01321	
Mus musculus	adult male testis cDNA, RIKEN	AU RNA- binding protein/enoyl- coenzyme A hydratase	EST(not recognised)	EST (not recognized)	Afadın (AF-6)	EST (not recognized)
		90.35		88.52	95.76	
		4865		4969	4973	
2:	Human Protein Found.	NP_001 689	No Human Protein Found.	No Human Protein Found.	P55186	No Human Protein Found.
		4964		4968	4872	<del></del>
No human	found.	X79888	No human homolog found.	AK001631	A1184508	No human homolog found.
		4963			4971	
AA8596 4961 No Rat	Protein Found.	NP_057 918	No Rat Protein Found.	No Rat Protein Found.	4970 Q01205	No Rat Protein Found.
4961		4962	4966	4867	4970	4974
AA8596	<u> </u>	AA8596 88	AA8596 90	AA8596 93	AA8597 02	AA8597 18

						<u>-</u>
			60S ribosomal protein L44 (L36a).			
			Cytoplasmic.			
NM_02547   rc_AA859719 UI-R-E0-bx-h-08-0-UI.s1 4 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bx-h-08-0-UI /clone_end=3 /gb=AA859719 /gi=2949239 /ug=Rn.67 /len=514	rc_AA859740 UI-R-E0-bx-b-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bx-b-08-0-UI /clone_end=3 /gb=AA859740 /gj=2949260 /ug=Rn.22626 /len=418	rc_AA859750 UI-R-E0-bx-c-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bx-c-05-0-UI /clone_end=3 /gb=AA859750 /gj=2949270 /ug=Rn.7937 /len=441	NM_03110	rc_AA859788 UI-R-EO-bu-f-11-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-EO-bu-f- 11-0-UI /clone_end=3 /gb=AA859788 /gi=2849308 /ug=Rn.759 /en=423	rc_AA859805 UI-R-EO-bu-h-10-0-UI.s1 Rattus nonvegicus cDNA, 3 end /clone=UI-R- EO-bu-h-10-0-UI /clone_end=3 /gb=AA859805 /gj=2948325 /ug=Rn.770 /len=433	rc_AA859827 UI-R-EO-co-f-10-O-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R-EO-co-f- 10-0-UI /clone_end=3 /gb=AA859827 /gi=2949347 /ug=Rn.24811 /len=500
NM_02547 4	AB024566		NM_03110 5	AB049945		
EST, weakly similar to Mus musculus mitochondrial ribosomal protein S14	heparan sulfate 6- sulfotransfera se 1	EST (not recognized)	Rattus norvegicus large subunit ribosomal protein L36a	Mus musculus AB049945 MRPS11 mRNA for mitochondrial ribosomal protein S11	Mus musculus, Similar to lysyl oxidase-like 1, clone IMAGE:34887	uridine- cytidine kinase 2
	2	95.88	6	86.49	40.	93.27
	4980		4986	4990	4993	4997
No Human Protein Found.	XP_017 698	No Human Protein Found.	NP_066 357	P82912	0.08397	P04155
	4979	4982	4985	4989	4992	4996
No human homolog found.	XM_01769 8	AI671553	NM_0210 29	AK026165	121186	BF745219
4976	4978		4984	4988		4895
AA8597 4975 NP_079	BAA892 48	No Rat Protein Found.	P09896	BAB409 98	No Rat Protein Found.	4994 BAA630 85
4975	4977	4981	4983	4987	4991	
AA8597 19	AA8597 40	AA8597 50	AA8597 83	AA8597 88	AA8598 05	AA8598 27

·	Arrestin-D (Fragment).	Arrestin-D (Fragment).		
rc_AA859832 UI-R-E0-cc-g-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cc-g-04-0-UI /clone_end=3 /gb=AA859832 /gi=2849352 /ug=Rn.22318 /len=558	rc_AA859837 UI-R-E0-co-g-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- E0-co-g-09-0-UI /cione_end=3 /gb=AA859837 /gl=2949357 /ug=Rn.24783 /len=486	rc_AA859837 UI-R-EO-co-g-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-co-g-09-0-UI /clone_end=3 /gb=AA859837 /gl=2949357 /ug=Rn.24783 /len=486	Mus musculus AA859848 Ira-E0-co-h-10-0-UI.s1 KOI-4 gene, Raftus norvegicus cDN4, 3 end /clone=UI-R-E0-co-h-10-0-UI /clone_end=3 /gb=AA859848 /gi=2948368 /ug=Rn.790 //en=549	AAK54860 rc_AA859897 UI-R-EO-cg-a-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clons=UI-R- EO-cg-a-01-0-UI /clone_end=3 /gb=AA859897 /gi=2949417 /ug=Rn.808 /len=582
			AA859848	AAK54860
Mus musculus 18 days embryo cDNA, RIKEN	87.87 Guanine deaminase	87.87 Guanine deaminase	Mus musculus KOI-4 gene, partial cds	sel-1 (suppressor of IIn-12, C.elegans)- Ilke (SEL1L),
<u>e</u>	87.87	87.87		85
	5003	5007	5011	5015
No Human Protein Found.	Q9YZT3	Q9Y2T3	NP_060 809	5014 XP_007 325
Hur Pro For	5002	5006	5010	5014
AI139056	NM_0042 93	NM_0042 93	NM_0183 39	XM_00732 5
	5001	5005	2009	5013
No Rat Protein Found.	5000 P36577	5004 P36577	AF0313 5008 AAB864	5012 AF3048 65
4998	2000	4000	5008	5012
AA6598 4998 No Rat 32 Protein Found.	AA8598 37	AA8598 37	AF0313 81	AA8598 97

MEMBRANE acetyheuramina terbeta-MEMBRANE alactosamide-Bound alpha-2,3-sialyitransferase (EC 24.88) CISTERNAE (Beta-OF GOLGI, galactoside alpha-2,3-sialyitransferase (Gal-beta-1,3-Gal-be	MEMBRANE acetylneuramina protein. PROTEIN. MEMBRANE-galactosamide-apha-2,3-FORM IN slayltransferase (C.2.4.99) CISTERNAE (Beta-OF GOLGI, galactoside soluble alpha-2,3-FORM IN slayltransferase BODY ) (Alpha2,3-ST) (Gal-Nacash)
MEMBRANE PROTEIN. MEMBRANE. BOUND FORM IN TRANS CISTERNAE. OF GOLG! SOLUBLE FORM IN BODY FLUIDS."	TYPE II MEMBRANE PROTEIN. MEMBRANE: BOUND FORM IN TRANS CISTENAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS."
rc_AA859911 UI-R-E0-cg-b-05-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- MEMBRANE acetyineuramina E0-cg-b-05-0-UI /clone_end=3 /gb-AA859911 /gi=2949431 /ug=Rn.24851 MEMBRANE-galactosamide- BOUND slayltransferase FORM IN slayltransferase TRANS (EC 2.4.99) CISTERNAE (Beta- OF GOLGI, galactoside SOLUBLE sipha-2,3- FORM IN slayltransferase BODY ) (Abha2,3- FUUIDS.* (Gal-NAc6S) Gal-NAc6S) Gal-NAc6S) Gal-NAc6sipha- C3-selaiyltransferase C3-selaiyltransferase C3-selaiyltransferase	Rattus novegleus cDNA, 3 end /done=U-R- MEMBRANE acetylneuramina ED-cg-b-05-0-Ui.s1
	·
87.89 Slalyftransfera se 5	Sialyftransfera se 5
87.89	87.89
9019	9023
JC5251	105251
5018	, 2205
5017 X96667	X96667
	5021
011205	5020 Q11205
5016	9050
AA8599 5016 Q11205	AA8599

rc_AA859919 Ui-R-E0-cg-c-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=Ui-R- E0-cg-c-01-0-UI /clone_end=3 /gb=AA859919 /gi=2949439 /ug=Rn.2696 /len=474	rc_AA859919 UI-R-E0-cg-c-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cg-c-01-0-UI /clone_end=3 /gb=AA859919 /gi=2949439 /ug=Rn_2696 /len=474	rc_AA859921 UI-R-E0-cg-c-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cg-c-03-0-UI /clone_end=3 /gb=AA859921 /gi=2948441 /ug=Rn.14551 /len=314	rc_AA859931 UI-R-E0-cg-d-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cg-d-0-UI /clone_end=3 /gb=AA859931 /gi=2949451 /ug=Rn.822 /fen=506	rc_AA859931 UI-R-E0-cg-d-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cg-d-01-0-UI /clone_end=3 /gb=AA859931 /g⊨2949451 /ug=Rn.822	rc_AA859833 UI-R-E0-og-d-03-0-UI.s1 Raffus norvegicus CDNA, 3 end /clone=UI-R-E0-cg-d-03-0-UI /clone_end=3 /gb=AA858933 /gj=2948453 /ug=Rn.s24 /len=517	rc_AA859933 UI-R-E0-cg-d-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cg-d-03-0-UI /clone_end=3 /gb=AA859933 /gi=2949453 /ug=Rn.824 /len=517
<b>8</b> C	ø . c		<b>m r</b>	(2)		
Homo sapiens clone 015h12 My015 protein	Homo sapiens clone 015h12 My015 protein	28S ribosomal RNA	Mus musculus 10, 11 days embryo cDNA, RIKEN	Mus musculus 10, 11 days embryo cDNA, RIKEN	EST(not recognised)	EST(not recognised)
93.81	93.81		87.75	87.75		
			5031	5034		
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found:	No Human Protein Found.
5025	5027		5030	5033		
AV699259	AV699259	No human homolog found.	BC001080	BC001080	No human homolog found.	No human homolog found.
			·			
5024 No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
5024	2026	5028	5029	5032	5036	5036
AA8599 19	AA8599 19	AA8599 21	AA8599 31	AA8599 31	AA8599 33	AA8599 33

	· · · · · · · · · · · · · · · · · · ·						
rc_AA859933 UI-R-E0-og-d-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-og-d-03-0-UI /clone_end⊏3 /gb=AA659933 /gi≃2949453 /ug=Rn.824 /len=517	rc_AA859933 UI-R-E0-cg-d-03-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E0-cg-d-03-0-UI /clone_snd=3 /gb=AA859933 /gi=2949453 /ug=Rn.824 /len=517	rc_AA859937 UI-R-E0-cg-d-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cg-d-07-0-UI /clone_snd=3 /gb=AA859937 /gi=2949457 /ug=Rn.826 /len=419	rc_AA859837 UI-R-E0-cg-d-07-0-UI.s1 Raftus norvegicus cDNA, 3 end /done=UI-R- E0-cg-d-07-0-UI /done_end=3 /gb=AA859937 /gi=2949457 /ug=Rn.828 /len=419	rc_AA859851 UI-R-E0-ca-e-09-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E0-ca-e-09-0-UI /clone_end=3 /gb=AA859951 /gi=2949471 /ug=Rn.837 /len=462	rc_AA859952 UI-R-E0-ca-e-10-0-UI.s1 Raftus norvegicus CDNA, 3 end /clone=UI-R- E0-ca-e-10-0-UI /clone_end=3 /gb=AA859952 /gi=2949472 /ug=Rn.22832 /len=443	rc_AA859954 UI-R-E0-ce-f-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ca-f- 01-0-UI /clone_end=3 /gb=AA859954 /gi=2849474 /ug=Rn.846 /len=519	rc_AA859966 UI-R-E0-ca-g-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /done≖UI-R- E0-ca-g-03-0-UI /done_end=3 /gb=AA859866 /gi=2849486 /ug=Rn.861 /len=392
				-			•
EST(not recognised)	EST(not recognised)	EST (not recognized)	EST (not recognized)	EST (not recognized)	Homo sapiens similar to early development regulator 2	Homo sapiens HSPC292 mRNA, partial	Strong homology with 18S rRNA (V01270)
·		91.27	91.27	91.72	85.26	95.05	<u> </u>
		5041	5044		5049	5052	
No Human Protein Found.	No Human Protein Found.	075473	075473	No Human Protein Found.	XP_031 289	AAF289 70	No Human Protein Found.
		5040	5043	5046	5048	5051	- <del> </del>
No human homolog found.	No human homolog found.	AI581056	AJ581056	R40468	BC007384	AK024969	No human homolog found.
	···						
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
5037	5038	5039	5042	5045	5047	5050	5053
AA8599 5037 33	AA8599 33	AA8599 37	AA8699 37	AA8599 51	AA8598 62	AA8599 54	AA8599 66

rc_AA859982 UI-R-EO-ca-h-10-0-UI.s1 Rattus norvegicus cDNA; 3 end /clone=UI-R- EO-ca-h-10-0-UI /clone_end=3 /gb=AA859982 /gi=2849502 /ug=Rn.18656 /len=532	rc_AA859996 UI-R-E0-ca-b-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- E0-ca-b-04-0-UI /cione_end=3 /gb=AA859996 /gi=2949516 /ug=Rn.22634 /len=553	rc_AA860010 UI-R-E0-ca-c-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-ca-c-07-0-UI /clone_end=3 /gb=AA860010 /gi=2849530 /ug=Rn.872 /len=400	rc_AA860015 UI-R-E0-ca-c-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-ca-c-12-0-UI /done_end=3 /gb=AA860015 /gl=2949535 /ug=Rn.857 /len=590	rc_AA860017 UI-R-EO-ca-d-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-ca-d-02-0-UI /clone_end=3 /gb=AA860017 /gj=2849537 /ug=Rn.876 /len=528	rc_AA860044 UI-R-E0-bz-f-12-0-UI.s2 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-bz-f- 12-0-UI /clone_end=3 /gb=AA860044 /gi=2949564 /ug=Rn.893 /len=442
		BC011490		Y17793	
EST (not recognized)	Homo sapiens cDNA: FLJ23343 fis, clone HEP13562	Similar to cholinergic receptor, nicothic, alpha polypeptide 2 (neuronal)	ESTS, Weakly similar to T50507 hypothetical protein DKFZp434I10 16.1 [H.sapiens]	Mus musculus Y17793 mRNA for Dutt1 protein (strong homology to Roundabout	Contains the XBP1 gene for X-box binding protein 1
	87.59	4		92.55	
		2080		508	5070
No Human Protein Found.	No Human Protein Found.	Q15822	47 002 616	AAC395 75	CAB450 16
	5056	5059	5062	5085	6909
No human homolog found.	AB046773	NM_0007 42	F34867	BC001969	<b>2838</b> 30
		5058 8		5064	5068
5054 No Rat Protein Found.	No Rat Protein Found.	AAH11 490	No Rat Protein Found.	CAA76 850	AAH03 203
5054	5055	5057	5081	5083	5067
AA8599 82	AA8599 96	AA8600 10	AA8600 15	AA8600 17	AA8600 44

	_	_	Mile mileonine	_	** AA880040 11 D E0 by 2 05 0 11 22
Human	nan		adult male	<u>- œ</u>	Rattus norvegicus cDNA, 3 end /clone=UI-R-
Protein Found.	 ≦ +j		colon cDNA, RIKEN	<u>n &amp; ≤</u>	E0-bz-g-05-0-Ul /clone_end=3 /gb=AAA860049 /gi=2949669 /ug=Rn.898 /len=375
P33261	261 5075	22	cytochrome P450 mRNA 6	NM_01715 F 8 A A /g	rc_AA866240 UI-R-A0-bg-g-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A0-bg-g-05-0-UI /clone_end=3 /gb=AA866240 /gi=2961686 /ug=Rn.3010 /ien=291
P33261	5079	5	cytochrome P450 mRNA 6	8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	re_AA866240 UI-R-A0-bg-g-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-A0-bg-g-05-0-UI /done_end=3 /gb=AA866240 /gl=2961686 /ug=Rn.3010 /len=291
P33261	5083	72	cytochrome P450 mRNA 6	NM_01715 8 . R A A /g	re, ÀAB66240 UI-R-A0-bg-9-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A0-bg-9-05-0-UI /clone_end=3 /gb=AA866240 /gi=2961686 /ug=Rn.3010 /len=291
P33261	5087	2	cytochrome P450 mRNA 8	NM_01715 8 8 A A /q	rc_AA866240 UI-R-A0-bg-g-05-0-UI.s1 Rattus novegicus cDNA, 3 end /clone=UI-R- A0-bg-g-05-0-UI /clone_end=3 /gb=AA866240 /gi=2961686 /ug=Rn.3010 /len=291
No Human Protein Found.			Rat EST (mouse hypothetical protein)	- K 4 95	rc_AA866257 UI-R-A0-bd-g-0g-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A0-bd-g-09-0-UI /clone_end=3 /gb=AA886257 /gi=2961718 /ug=Rn.3025 /len=420
Q96S97	5093	94.64	myeloid- associated differentiation marker (waekly similar)	NM_01686 9 A A A A A A A A A A A A A A A A A A A	rc_AA868276 UI-R-A0-bg-b-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- A0-bg-b-08-0-UI /cione_end=3 /gb=AA868276 /gi=2981737 /ug=Rn.3035 /len=476
No Human Protein Found.			EST(not recognised)	- 5 to 60	rc_AA866299 UI-R-A0-ac-f-12-0-UI.s3 Rattus novegicus cDNA, 3 and /ciona=UI-R-A0-ac-f- 12-0-UI /ciona_end=3 /gb=AA866299 /gi=2981760 /ug=Rn.3049 /ien=395

rc_AA866299 UI-R-AO-ao-f-12-0-UI.s3 Rattus nonegicus cDNA, 3 end /clone=UI-R-AO-ao-f- 12-0-UI /clone_end=3 /gp=AA866299 /gi=2961760 /ug=Rn.3049 /len=395	rc_AA866306 UI-R-AO-ao-g-09-0-UI.s3 Raftus norvegicus cDNA, 3 end /clone=UI-R- AO-ac-g-09-0-UI /clone_end=3 /gb=AA866308 /gl=2961767 /ug=Rn.3054 /len=251	rc_AA866358 UI-R-A0-bm-b-07-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- A0-bm-b-07-0-UI /clone_ end=3 /gb=AA866358 /gi=2961819 /ug=Rn.3077 /len=239	rc_AA866358 UI-R-AO-bm-b-07-0-UI.s1 Raftus norvegicus cDNA, 3 end /cione=UI-R- AO-bm-b-07-0-UI /cione_end=3 /gb=AA866358 /gl=2861819 /ug=Rn.3077 /len=239	rc_AA866371 UI-R-A0-bm-d-03-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- A0-bm-d-03-0-UI /clone_end=3 /gb=AA866371 /gi=2961832 /ug=Rn.7220 /len=381	rc_AA866371 UI-R-A0-bm-d-03-0-UI.s1 Raffus norvegicus cDNA, 3 end /done=UI-R- A0-bm-d-03-0-UI /done_end=3 /gb=AA866371 /gi=2961832 /ug=Rn.7220 /len=381	rc_AA866409 UI-R-E0-ch-e-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ch-e-03-0-UI /clone_end=3 /gb=AA866409 /gi=2861870 /ug=Rn.21410 /len=467
	·			AK002491	AK002491	
EST(not recognised)	EST (not recognized)	EST (not recognized)	EST (not recognized)	RIKEN fuil- length cDNA (mouse) with myb transforming protein	RIKEN full- length cDNA (mouse) with myb transforming protein domain	Homo sapiens KIAA0332 protein (KIAA0332)
	06			96.15	96.15	\$
						5108
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protain Found.	No Human Protein Found.	No Human Protein Found.	XP_031 553
	6097	1		5102	5105	5107
No human homolog found.	BG291391	No human homolog found.	No human homolog found.	AW40824	AW40824	XM_03155 3
				5101	5104	
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	BAB221 40	BAB221 40	No Rat Protein Found.
5095	5098	5098	5099	5100	5103	5106
AA8662 5095 R	AA8663 06	AA8663 58	AA8663 58	AA8663 71	AA8663 71	AA8664 09

	<del></del>				m I	(D -	
rc_AA866419 UI-R-E0-ch-c-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-ch-c-04-0-UI /clone_end=3 /gb=AA866419 /gl=2961880 /ug=Rn.3099 /len=520	rc_AA866439 UI-R-E0-ch-g-02-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E0-ch-g-02-0-UI /clone_end=3 /gb=AA866439 /gi=2961900 /ug=Rn.3109 /len=248	nc_AA866439 UI-R-E0-ch-g-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- E0-ch-g-02-0-UI /cione_end=3 /gb=AA866439 /gi=2961900 /ug=Rn.3109 /len=248	rc_AA866444 UI-R-E0-ch-h-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-ch-h-01-0-UI /clone_end=3 /gb=AA886444 /gi≃2961905 /ug=Rn.3112 /len=276	rc_AA866454 UI-R-E0-br-e-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-br-e- 07-0-UI /clone_end=3 /gb=AA866454 /gi=2961915 /ug=Rn.3115 /len=516	rc_AA866454 UI-R-E0-br-e-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-br-e- 07-0-UI /clone_end=3 /gb=AA866454 /gi=2961915 /ug=Rn.3115 /len=516	rc_AA866471 UI-R-E0-br-g-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-br-g- 08-0-UI /clone_end=3 /gb=AA866471 /gi=2861832 /ug=Rn.3120 /len=537	nc_AA874791 UI-R-E0-bw-f-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-bw-f-06-0-UI /clone_end≃3 /gb=AA874791 /gi≃2979739 /ug=Rn.3125 /len=436
				X66209	X66209		NM_01171
EST not recognized	EST(not recognised)	EST(not recognised)	EST (not recognized)	Rat sipha-2(i) -X66209 Promoter	Rat alpha-2(l) -X66209 Promoter	Unamed protein product	hypothetical gene supported by AK027615
	91.07	91.07		93.14	93.14		94.44
				5117	5120	5124	
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	BAB142 19	XP_034 356
	5111	5113		5116	5119	5123	5127
No human homolog found.	AK057056	AK057056	No human homolog found.	AK000261	AK000261	AK022744	AL390184
						5122	5126
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	AAH08 539	NP_035 847
6109	5110	5112	5114	5115	5118	5121	5125
AA8664	AA8664 39	AA8664 39	AA8684 44	AA8664 54	AAB664 54	AA8664 71	AA8747 91

		Histone H1.0 (H1(0)) (Histone H1').				
		Nuclear.				
AF187065 rc_AA874794 UI-R-EO-bw-f-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-bw-f-10-0-UI /clone_end=3 /gb=AA874794 /gi=2979742 /ug=Rn.3126 /len=523	rc_AA874794 UI-R-E0-bw-f-10-0-UI.81 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-bw-f-10-0-UI /clone_end=3 /gb=AA874794 /gj=2979742 /ug=Rn.3126 /len=523	rc_AA874802 UI-R-EO-bw-g-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-EO-bw-g-07-0-UI /clone_end=3 /gb=AA874802 /gl=2978750 /ug=Rn.3129 /len=536	rc_AA874803 UI-R-E0-bw-g-08-0-UI.s1 Rattus nonvegicus cDNA, 3 end /clone=UI-R-E0-bw-g-08-0-UI /clone_end=3 /gb=AA874803 /gl=2878751 /ug=Rn.3130 /len=524	rc_AA874803 UI-R-E0-bw-g-08-0-UI.s1 Rattus nonvegicus cDNA, 3 end /clone=UI-R-E0-bw-g-08-0-UI /clone_end=3 /gb=AA874803 /gl=2878751 /ug=Rn.3130 /len=524	rc_AA874827 UI-R-E0-cg-e-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- E0-cg-e-12-0-UI /done_end=3 /gb=AA874827 /gi=2979775 /ug=Rn.3137 /len=477	rc_AA874873 UI-R-E0-cl-d-11-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cl-d- 11-0-UI /clone_end=3 /gb=AA874873 /gi=2978821 /ug=Rn.3156 /len=568
AF187065	AF187065	X70685				
p75NTR- associated cell death executor; NADE	p75NTR- associated cell death executor; NADE	histone H10 (H1 subtype	ESTs, Moderately similar to 0806162L protein URF5 [M.musculus]	ESTs, Moderately similar to 08061621. protein URF5 [M.musculus]	ESTS, Weakly similar to Y008_HUMAN HYPOTHETIC AL PROTEIN KIAA0008 [H.sapiens]	EST (mouse hypothetical protein)
6.7	90.1	3	88	68		97.33
5131	5135	5139			44	
P00001	P00001	P07305	NP_008 352	NP_008 352	Q15398	No Human Protein Found.
5130	5134	5138			5143	5147
NM_0143 80	NM_0143 80	NM_0053 18	NC_00180	NC_00180	D13633	Al497723
5129	5133	5137				5146
5128 AAF751	AAF751 30	P43278	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_084 537
5128	5132	5136	5140	5141	5142	5145
AA8747 94	AA8747 94	AA8748 02	AA8748 03	AA8748 03	AA8748 27	AA8748 73

1748	5148	AA8748 5148 No Rat 73 Found.		Al497723	5149	No Human Protein Found.		97.33 Mus musc clone MGC IMAC	Mus musculus, clone MGC:7182 IIMAGE:34816		rc_AA874873 UI-R-EO-ci-d-11-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone-UI-R-EO-ci-d- 11-0-UI /clone_end=3 /gb=AA874873 /gi=2979821 /ug=Rn.3156 /len=568
AA8748 73	5150	NP_084 537	6151	A1497723	6152	No Human Protein Found.		97.33	EST (mouse hypothetical protein)		rc_AA874873 UI-R-EO-ci-d-11-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R-EO-ci-d- 11-0-UI /clone_end=3 /gb=AA874873 /gi=2978821 /ug=Rn.3156 /len=568
AA8748 73	5153	No Rat Protein Found.		A1497723	5154	No Human Protein Found.		97.33	Mus musculus, clone MGC:7182 IMAGE:34816		rc_AA874873 UI-R-E0-ci-d-11-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ci-d- 11-0-UI /clone_end=3 /gp=AA874873 /g=2979821 /ug=Rn.3156 /len=568
AA8748 74	5155	AAC52 763	5156	M29872	5157	P11766	5158	89.3	ESTs, Highly (I similar to ALCOHOL DEHYDROGE NASE CLASS III (R.norvegicus)	U48971	rc_AA874874 UI-R-EO-ci-d-12-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R-EO-ci-d- 12-0-UI /clone_end=3 /gb=AA874874 /gi=2978822 /ug=Rn.3157 /len=513
AA8748 74	5159	AAC52 763	5160	M29872	5161	P11766	5162	ಕು ಕು	ESTe, Highly It similar to ALCOHOL DEHYDROGE NASE CLASS III	U48971	rc_AA874874 UI-R-EO-ci-d-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-EO-ci-d- 12-0-UI /clone_end=3 /gb=AA874874 /gi=2978822 /ug=Rn.3157 /len=513
AA8748 97	5183	NP_077	5164	No human homolog found.	-	No Human Protein Found.			EST in rat (Mouse hypothetical protein MGC7475)	NM_02447	NM_02447

		·····			
NM_01074   rc_AA874924 UI-R-E0-ck-h-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-ck-h-02-0-UI /clone_end=3 /gb=AA874924 /gi=2979872 /ug=Rn.3176 /len=525	rc_AA874926 UI-R-E0-ck-h-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-ck-h-06-0-UI /clone_end=3 /gb=AA874926 /gi=2979874 /ug=Rn.806 /len=477	rc_AA874934 UI-R-EO-ci-c-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-EO-ci-c- 05-0-UI /clone_end=3 /gp=AA874934 /gi=2978982 /ug=Rn.3179 /len=333	rc_AA874982 UI-R-E0-cf->08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cf-o- 06-0-UI /clone_end=3 /gb=AA874982 /gi=2979930 /ug=Rn.3195 /len=519	rc_AA874993 UI-R-E0-cf-d-06-0-UI.s1 Rattus nonvegicus cDNA, 3 end /clone≕UI-R-E0-cf-d- 08-0-UI /clone_end≕3 /gb≔AA874893 /gi≕2979941 /ug≕Rn.22108 /len≕439	NM_02447 rc_AA874995 UI-R-E0-cf-d-08-0-UI.s1 Rattus 2 norvegicus cDNA, 3 end /clone=UI-R-E0-cf-d- 08-0-UI /clone_end=3 /gb=AA874995 /gi=2979943 /ug=Rn.3197 /len=525
NM_0107 5		D50000	D67015		NM_02447 2
88.19 lymphocyte antigen 86 (Ly86)	Homo sapiens mRNA; cDNA DKFZp434M1 616	Doct	scg (karyopherin beta)	Homo saplens ubiduitin protein ligase E34 (human papilloma virus E6-associated protein, Argelman syndrome)	Hypothetical protein MGC7473 [Mus musculus]
88.19	92.65	24	96	28	5
5168	5171	5175			
095711	075718	NP_003 577	XP_017 163	XP_041 142	XP_037 529
5167	5170	5174			
AB020499	AJ006470	NM_0035 86	XM_01716 3	XM_04114 2	XM_03752 8
5166		5173	5177		5180
AA8749 5165 NP_034 24 875	No Rat Protein Found.	BAA234 30	BAA110 34	No Rat Protein Found.	NP_077
5165	5169	5172	5176	6178	5179
AA8749 24	AA8749 26	AA8749 34	AA8749 82	AA8749 93	AA8749 85

					Fibulin-5  precursor (FIBL- 5)  (Developmental arteries and neural crestEGF- like protein) (Dance) (Embryonic vascular EGF repeat- containingprotei n) (EVEC).
					Secreted.
rc_AA875004 UI-R-E0-cb-b-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cb-b-07-0-UI /clone_end=3 /gb=AA875004 /gl=2879952 /ug=Rn.2147	rc_AA875019 UI-R-E0-cb-f-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cb-f- 08-0-UI /clone_end=3 /gb=AA875019 /gi=2979967 /ug=Rn.3204 /len=513	rc_AA875019 UI-R-E0-cb-f-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /cone=UI-R-E0-cb-f- 08-0-UI /clone_end=3 /gb=AA875019 /gi=2979967 /ug=Rn.3204 /len=513	rc_AA875023 UI-R-E0-cb-f-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R-E0-cb-f- 12-0-UI /done_end=3 /gb=AA875023 /gl=2979971 /ug=Rn.2954 /len=519	rc_AA875025 UI-R-E0-cb-g-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cb-g-08-0-UI /clone_end=3 /gb=AA875025 /gi=2979973 /ug=Rn.3207 /len=469	rc_AA875033 UI-R-ED-cb-h-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-cb-h-10-0-UI /clone_end=3 /gb=AA875033 /gj=2979981 /ug=Rn.1699 /len=440
	AB033168	AB033168		NM_01349	
92.25 Hypothetical Protein	Nuclear protein ZAP	Ñuclear protein ZAP	EST (not recognized)	Mus musculus NM_01349 cellular retinoic acid binding protein I (Crabp1)	Fibulin 5
92.25				91.89	94.22
5183	5187	5191		5196	5200
XP_052	P49760	P49750	No Human Protein Found.	P29762	овивхе
5182	5186	5180		5185	5199
BC006350	BC007792	BC007792	No human homolog found.	S74445	NM_0063 29
	5185	5189		5194	5198
No Rat Protein Found.	BAA851 82	BAA851 82	No Rat Protein Found.	NP_038 524	5197 Q9WVH
5181	28 48	5188	5192	5183	5187
AA8750 5181 No Rat 04 Frotein Found.	AA8750 19	AA8750 19	AA8750 23	AA8750 25	AA8750 33

Fibulin-5 precursor (FIBL-5) (Developmental arterles and neural crestEGF-like protein) ((Cance) ((Embryonic vascular EGF-repeat-containingprotein) n) (EVEC).			Testis-specific protein kinase 1 (EC 2.7.1).
Secreted.			
rc_AA875033 UI-R-EO-cb-h-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- EO-cb-h-10-0-UI /cione_end=3 /gb=AA875033 /gj=2979981 /ug=Rn.1699 /len=440	rc_AA875037 UI-R-EO-cb-a-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cb-a-03-0-UI /clone_end=3 /gb=AA875037 /gi=2979985 /ug=Rn.2559 /len=534	rc_AA875040 UI-R-E0-cb-b-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- GD-cb-b-01-0-UI /clone_end=3 /gb-cb-b-01-0-UI /clone_end=3 /len=539	rc_AA875043 Ul-R-E0-cb-c-01-0-Ul.s1 Rattus norvegicus cDN4, 3 end /done=Ul-R-E0-cb-c-01-0-Ul /done_end=3 /gb=AA875043 /gi=2979991 /ug=Rn.7006
		BC005726	
5204   84.22   Fibulin 5	ESTS, Weakly similar to PLASMINOG EN ACTIVATOR INHBITOR-2, TYPE A [R.norvegicus]	Mus musculus, clone IMAGE:35966 95	Testis specific protein kinase 1
94.22	92	2	91.45
	9208	5212	5216
овивхе	P50453	NP_113 663	Q15569
5203	5207	5211	5215
33 AAB750 5201 Q9WVH 5202 NM_0063	L40378	NM_0314 65	AF478317
5202	9209	5210	5214
H/WAC	S19886	5209 AAH05 726	6213 Q63572
5201	5205	5209	5213
AA8750	AA8750 37	AA8750 40	AA8750 43

AA8750 5217 054783 50	6217	054783		5218 AB029885	5219	Q9Y259	5220	8	ESTS, Weakly similar to KICE RAT CHOLINE/ET HANOLAMIN E KINASE [R.norvegicus]		rc_AA875050 UI-R-EO-cb-d-05-0-UI.s1 Ratus norvegicus cDNA, 3 end /clone=UI-R- E0-cb-d-05-0-UI /clone_snd=3 /gb=AA875050 /gj=2979998 /ug=Rn.3218 /len=530		
AA8750 54		5221 P28480	5222	BG198443	5223	AAH124 96	5224	90.05	Tcp-1=t- complex polypeptide 1	S46763	rc_AA875054 UI-R-E0-cb-e-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cb-e-04-0-UI /clone_end=3 gb=AA875054 /gj=2880002 /ug=Rn.24874	Cytoplasmic T-complex protein 1, al subunit (TC alpha) (CCT alpha) "	"T-complex protein 1, alpha subunit (TCP-1-alpha) (CCT-
AA8750 59	5225	No Rat Protein Found.		R67025	5226	No Human Protein Found.		92.91	EST (not recognised)		rc_AA876059 UI-R-E0-cb-f-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cb-f- 04-0-UI /clone_end=3 /gb=AA875059 /gi=2980007 /ug=Rn.3224 /len=490		
AA8750 68	5227	P06351	5228	XM_01116 5		XP_011 165		16	Histone H3.3	X73683	rc_AA875069 UI-R-E0-cb-h-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-cb-h-05-0-UI /clone_end=3 /gb=AA875069 /gj=2980017 /ug=Rn.3342 /len=643		Histone H3.3 (H3.A) (H3.B) (H3.3Q).
AA8750 90	5229	No Rat Protein Found.		NM_0175 95	5230	NP_060	5231		-kappa-B- Inbracting Ras-like protein 2 (KBRAS2		rc_AA875090 UI-R-EO-cf-g-01-0-UI.s1 Rattus novvegicus cDNA, 3 end /clone=UI-R-EO-cf-g- 01-0-UI /clone_end=3 /gb=AA875090 /gi=2980038 /ug=Rn.15038 /len=481		

Table 2

	Nucleoporin 50 KDa (Nuclear pore-associated protein 60 kDa- like).		
-	"Nuclear. Localizes to KDa ( the pore- nucleoplasmi prote  c fibrils of the like). nuclear pore- complex. In the testis, the  localization  changes  during germ  cell  differentiation  from the  inuclear  surface in  spermatocyte  s to the"		
	85.95 nucleoporin 50 NM_01299 rc_AA875099 UJ-R-EO-cf-g-11-0-UJ.s1 Rattus "Nucleor."  1	rc_AA875105 UI-R-E0-cf-h-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-E0-cf-h- 08-0-UI /cione_end=3 /gb=AA875105 /gi=2980053 /ug=Rn.3245 /len=435	rc_AA875107 UI-R-E0-c/-h-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-c/-h- 08-0-UI /clone_end=3 /gb=AA875107 /gi=2980055 /ug=Rn.3263 /len=542
	1 1		
	nucleoporin 50	EST (not recognized)	Mus musculus adult male tongue cDNA, RIKEN
	85.9		
	5235		
	Q9UKX7 5235	No Human Protein Found.	No Human Protein Found.
	4524		
	AA8760 5232 008587 5233 NM_0071 89 72	No human homolog found.	No human homolog found.
	<b>6</b> 233		
•	008587	No Rat Protein Found.	No Rat Protein Found.
	2525	5238	6237
	AA8750 89 87	AA8751 05	AA8751 07

Nuclear transcription factor Y subunit gamma (NF-Y protein chaln C)(Nuclear factor YC) (CCAAT-binding transcription factorsubunit C)	(СВF-С).				
Nuclear.	<u> </u>				
rc_AA875121 UI-R-E0-bu-b-08-0-UI.s2 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-bu-b-08-0-UI /done_end=3 /gb=AA875121 /gi=2980069 /ug=Rn.1457 /len=573	rc_AA875124 UI-R-E0-bu-c-06-0-UI.s2 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-bu-c-06-0-UI /done_end=3 /gb=AA875124 /gj=2980072 /ug=Rn.2798 /len=119	rc_AA875127 UI-R-E0-bu-d-05-0-UI.s2 Rattus norvegicus cDNA, 3 end /dons=UI-R- E0-bu-d-05-0-UI /cions_end=3 /gb=AA875127 /gi=2980075 /ug=Rn.18698 /len=579	rc_AA875127 UI-R-E0-bu-d-05-0-UI.s2 Rattus norvegicus cDNA, 3 end /clons=UI-R- E0-bu-d-05-0-UI /dons_end=3 /gb=AA875127 /gi=2980075 /ug=Rn.18698	rc_AA875127 UI-R-E0-bu-d-05-0-UI.s2 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-bu-d-05-0-UI /clone_end=3 /gb=AA875127 /gi=2980075 /ug=Rn.18698 /len=579	rc_AA875127 UI-R-E0-bu-d-05-0-UI.s2 Rattus nonvegicus cDNA, 3 end /clone=UI-R- E0-bu-d-05-0-UI /clone_end=3 /gb=AA875127 /gi=2980075 /ug=Rn.18698 /len=579
			AK009373		AK009373
95.41 CCAAT binding factor of CBF-CNFY.	EST (not recognized)	CDC2L5 protein kinase (Rat EST; mouse hypothetical	CDC2L5 protein kinase	CDC2L5 protein kinase (Rat EST; mouse hypothetical	CDC2L5 protein kinase
95.41		97.14	97.14	97.14	97.14
		5245	5249	5253	5257
A56356	No Human Protein Found.	4004	014004	Q14004	Q14004
5240		5244	5248	5252	5256
6239 AK055329	No human homolog found.	NM_0037 18	NM_0037 18	NM_0037 18	NM_0037 18
		5243	5247	5251	5255
Q62725	No Rat Protein Found.	BAB262 50	BAB262 50	BAB262 50	BAB262 50
5238	6241	5242	5246	5250	5254
AA8751 5238 Q62725 21	AA8751 24	AA8761 27	AA8751 27	AA8751 27	AA8751 27

ADP- ribosylation factor-like protein 5.						"Hemoglobin beta chain, minor-form."
rc_AA875135 UI-R-E0-bu-f-01-0-UI.s2 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-bu-f- 01-0-UI /clone_end=3 /gb=AA875135 /gi=2980083 /ug=Rn.2803 /len=581	rc_AA875147 UI-R-EO-bu-h-03-0-UI.s2 Rattus norvegicus CDN4, 3 end /clone=UI-R- EO-bu-h-03-0-UI /clone_end=3 /gb=AA875147 /gl=2980095 /ug=Rn.766 /len=470	rc_AA875148 UI-R-E0-bu-h-05-0-UI.s2 Rattus norvegicus cDNA, 3 end /cione=UI-R- E0-bu-h-05-0-UI /cione_end=3 /gb=AA875148 /gi=2980096 /ug=Rn.767 /len=500	rc_AA875192 UI-R-E0-cu-a-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /dona≕UI-R- E0-cu-a-10-0-UI /dona_end=3 /gb=AA875192 /gl=2980140 /ug=Rn.2620 /len=545	rc_AA875198 UI-R-EO-cu-c-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- EO-cu-c-07-d-UI /cione_end=3 /gb=AA875198 /gi=2980146 /ug=Rn.2826 /len=513	rc_AA875206 UI-R-EO-сu-e-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-cu-e-07-0-UI /clone_end=3 /gb=AA875206 /gj=2980154 /ug=Rn.2830 /len=510	rc_AA875207 UI-R-E0-cu-e-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cu-e-10-0-UI /clone_end=3 /gb=AA875207 /gl=2980155 /ug=Rn.11417 /len=445
					D87950	
R.norvegicus (Sprague Dawley) ARLS mRNA for ARF-like protein 5	Mus musculus 10 days neonate cerebellum cDNA, RIKEN	EST (not recognized)	Rat EST; mouse hypothetical protein from a	EST(not recognised)	DA41	Hemoglobin, beta
6	97.44				90.91	93.18
5261					5271	5275
Q9Y689	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	NP_038 466	P02023
5260	5263				5270	5274
AF100740	D87440	No human homolog found.	No human homolog found.	No human homolog found.	NM_0530 67	BG311786
5259			5266		5269	5273
5258 P51646	No Rat Protein Found.	No Rat Protein Found.	NP_079 642	No Rat Protein Found.	5268 BAA922 67	P11517
5258	5262	5264	5265	5267		5272
AA8751 35	AA8751 47	AA8751 48	AA8751 92	AA8751 98	AA8752 06	AA8752 07

Table 2.

AA8752 5276 No Rat 17 Found.	AA8752 5278 P0v 25	AA8752 5282 P0	AA8752 5286 P41 53	AA8762 5290 No Rat 63 Protein Found.
Rat Ind.	P04897 5279	P04897 5283	P41276 6287	Rat ind.
BF512741	AK055574	3 AK055574	7 (128997	AF015308
6277	2280	5284	5288	5291
No Human Protein Found.	P04889	P04899	P40616	9320196 4
•	5281	5285	5289	5292
85.22	96.38	98.38 Mus muso clone IMAA 47	8.18	90.45
95.22 EST (not recognized)	Mus musculus, clone IIMAGE:35830 47	Mus musculus, clone IMAGE:35830 47	Mus musculus adult male tongue cDNA, RIKEN	ESTs, Highly similar to cell cycle-regulated factor p78 [H.sapiens]
rc_AA875217 UJ-R-E0-cu-g-09-0-UJ.s1 Rattus norvegicus cDNA, 3 end /clone=UJ-R- E0-cu-g-09-0-UJ /clone_end≃3 /gb=AA875217 /gj=2980165 /ug=Rn.2836 /len=405	rc_AA875225 UI-R-E0-cq-a-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-cq-a-06-0-UI /clone_end=3 /gb=AA875225 /gi=2980173 /ug=Rn.3036 /len=421	rc_AA875225 UI-R-E0-cq-a-06-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E0-cq-a-06-0-UJ /clone_end=3 /gb=AA875225 /gl=2980173 /ug=Rn.3036 /len=421	rc_AA875253 UI-R-E0-cq-d-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cq-d-08-0-UI /clone_end=3 /gb=A4875253 /gi=2880201 /ug=Rn.3065 /len=573	rc_AA875263 UI-R-E0-ce-a-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R-E0-ce-a-08-0-UI /done_end=3 /gb=AA875263 /gl=2980211 /ug=Rn.2727 /len=452
	<u> </u>	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	<u> </u>	. <u> </u>
	"Guanine nucleotide- binding protein G(i), alpha-2 subunit (Adem/latecycla se-inhibiting G	"Guanine nucleotide- binding protein G(j), alpha-2 subunit Adenylatecycla se-inhibiting G	ADP- ribosylation factor-like protein 1.	

rc_AA875268 UI-R-E0-cs-b-04-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E0-cs-b-04-0-UI /clone_end=3 /gb=AA875268 /gi=2980216 /ug=Rn.2855 /len=449	rc_AA875269 UI-R-E0-cs-b-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cs-b-05-0-UI /clone_end=3 /gb=AA875269 /gi=2880217 /ug=Rn.2627 /len=510	rc_AA875275 UI-R-E0-cs-c-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cs-c-01-0-UI /clone_end=3 /gb=AA875275 /gj=2980223 /ug=Rn.24936 /len=535	rc_AA875278 UI-R-E0-ce-c-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-ce-c-09-0-UI /clone_end=3 /gb=AA875278 /gl=2880226 /ug=Rn.2861 /len=530	rc_AAB75278 UI-R-E0-ce-c-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /done=UI-R- E0-ce-c-09-0-UI /done_end=3 /gb=AA875278 /gi=2880226 /ug=Rn.2861 /len=530	rc_AA875327 UI-R-E0-cn-h-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cn-h-05-0-UI /clone_end=3 /gb=AA875327 /gi=2980275 /ug=Rn.2880 /len=377
	NM_03184				AF139987
ESTS, Highly similar to NUKM_HUMA, N NADH-UBIQUINONE OXIDOREDU CTASE 20 KDA SUBUNIT PRECURSOR [H.sepiens]	Rattus norvegicus stearoyl-CoA desaturase 2 (Scd2)	EST(not recognised)	Homo sapiens Fanconi anemia, complementati on group E (FANCE)	Homo sapiens Fanconl anemia, complementati on group E (FANCE)	Mus musculus AF139987 LIM-kinase1 (Limk1)
90.1	8	87.5	28	28	95.33
	5298		5303	5308	5310
XP_027 422	000767	No Human Protein Found.	XP_011	XP_011 449	Q15056
5294	5297	2300	5302	5305	5309
BG875079	AF097514	AA761673	AF265210	AF265210	D26068
	5296				5308
Found.	NP_114 029	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	AAD34 858
5293	5295	6299	5301	5304	5307
68 68 68	AA8752 69	AA8752 75	AA8752 78 ٍ	AA8752 78	AA8753 27

Table 2.

		·-·		· · · · · · · · · · · · · · · · · · ·			
rc_AA875327 UI-R-EO-cn-h-05-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R- EO-cn-h-05-0-UI /clone_end=3 /gb=AA875327 /g⊨2980275 /ug=Rn.2880  len=377	rc_AA875327 UI-R-E0-cn-h-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cn-h-05-0-UI /clone_end=3 /gb=AA875327 /gl=2980275 /ug=Rn.2880 /en=377	rc_AA875327 UI-R-E0-cn-h-05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cn-h-05-0-UI /clone_end=3 /gb=AA875327 /gi=2980275 /ug=Rn.2880 /len=377	nc_AA875348 UI-R-E0-co-b-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-co-b-06-0-UI /clone_end=3 /gb=AA875348 /gl=2880296 /ug=Rn.2887 /len=455	nc_AA875362 UI-R-E0-co-c-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R- E0-co-c-10-0-UI /cione_end=3 /gb=AA875362 /gl=2980310 /ug=Rn.2894 /len=402	rc_AA875425 UI-R-E0-cs-f-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cs-f- 07-0-UI /clone_end=3 /gb=AA875425 /g⊨-2880373 /ug=Rn.2815 /len=521	rc_A4875428 UI-R-E0-cs-f-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-cs-f- 12-0-UI /clone_end=3 /gb=A4875428 /gi=2880376 /ug=Rn.2916 /len=477	rc_AA875444 Ui-R-E0-cp-e-08-0-Ui.s1 Rattus norvegicus cDNA, 3 end /clone=Ui-R- E0-cp-e-08-0-Ul /clone_end=3 /gb=AA875444 /gi=2980392 /ug=Rn.2889 /len=383
AF139987	AF139987	AF139987					
Mus musculus AF139987 LIM-kinase1 (Limk1)	Mus musculus AF139987 LIM-kinase1 (Limk1)	Mus musculus AF139987 LIM-kinase1 (Limk1)	EST(not recognised)	EST (not recognized)	Human DNA sequence from clone RP5-1169J3	EST (not recognized)	Dihydropyrimi dinase-like 2 (collapsin response mediator protein 1].
95.33	95.33	95.33	·	98.55		84.21	
5314	5318	5322					
015056	Q15056	Q15056	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	XP_048 080
5313	5317	5321		5325		5328	
D26068	D26068	D26068	No human homolog found.	AA808851	No human homolog found.	NM_0221 71	XM_04808 0
5312	5316	6320					6330
AAD34 858	AAD34 858	AAD34 858	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	Q62950
5311	5315	5318	5323	5324	5326	5327	5329
AA8753 27	AA8753 27	AA8753 27	AA8753 48	AA8753 62	AA8754 25	AA8754 28	AA8754 44

					_	•
rc_AA875444 UI-R-EO-cp-e-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-cp-e-08-0-UI /clone_end=3 /gb=AA875444 /gi=2980392 /ug=Rn.2889 /len=383	rc_AA875485 UI-R-E0-ct-b-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-E0-ct-b- 04-0-UI /cione_end=3 /gb=AA875485 /gl=2880443 /ug=Rn.1876 /len=495	rc_AA875495 UI-R-E0-ct-b-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ct-b- 04-0-UI /clone_end=3 /gb=AA875495 /gi=2880443 /ug=Rn.1878 /len=495	rc_AA875496 UI-R-EO-ct-b-O5-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-EO-ct-b- 05-0-UI /clone_end=3 /gb=AA875496 /g⊨2880444 /ug=Rn.2936 /len=456	rc_AA875500 UI-R-E0-ct-b-11-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ct-b- 11-0-UI /clone_end=3 /gb=AA875500 /gl=2980448 /ug=Rn.2857 /len=459	rc_AA875506 UI-R-E0-ct05-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ct-c- 05-0-UI /clone_end=3 /gb=AA875506 /gl=2880454 /ug=Rn.22771 /len=513	rc_AA875511 UI-R-E0-ct-c-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-ct-c- 10-0-UI /clone_end=3 /gb=AA875511 /gb=2880459 /ug=Rn.2940 /len=376
,					X82233	
Dihydropyrimi dinase-like 2 [collapsin response mediator protein 1].	EST (not recognized)	EST (not recognized)	Mus musculus 10 days neonate cerebellum cDNA, RIKEN	Homo sapiens KIAA1460 protein	M.musculus gMCK2alphaC pseudogene	EST(not recognised)
	97.06	97.06	89.42			93.27
,				5341	. "	
XP_048 080	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	XP_047 123	No Human Protein Found.	No Human Protein Found.
	5334	6336	5338	5340		5344
5332 XM_04808	B1495246	BI495246	AA521144	XM_04712 3	No human homolog found.	BF980184
AA8754 5331 Q62950	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
5331	6333	5335	5337	5339	5342	5343
AA8754 44	AA8754 95	AA8754 95	AA8754 96	AA8755 00	AA8755 06	AA8755 11

		•				
rc_AA875552 UI-R-EO-cv-h-12-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-cv-h-12-0-UI /clone_end=3 /gb=AA875552 /gi=2980500 /ug=Rn.2955 /len=502	rc_AA875563 UI-R-E0-cm-b-06-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cm-b-06-0-UI /clone_end=3 /gb=AA875563 /gi=2980511 /ug=Rn.3276 /len=472	rc_AA875588 UI-R-EO-cv-b-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-cv-b-08-0-UI /clone_end=3 /gb=AA875598 /gi=2980546 /ug=Rn.2970 /len=409	rc_AA875615 UI-R-EO-cv-d-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- EO-cv-d-07-0-UI /clone_end=3 /gb=AA875615 /gi=2980563 /ug=Rn.6562 /len=504	rc_AA875630 UI-R-E0-ct-e-12-0-UI.s1 Raftus novegicus cDNA, 3 end /clone=UI-R-E0-ct-e- 12-0-UI /clone_end=3 /gb=AA875630 /gi=2980578 /ug=Rn.2981 /len=396	rc_AA875659 UI-R-EO-ct-h-07-0-UI.s1 Rattus norvegicus CDNA, 3 end /clone=UI-R-EO-ct-h- 07-0-UI /clone_end=3 /gb=AA875659 /gi=2980607 /ug=Rn.10966 /len=424	rc_AA891037 EST194840 Rattus norvegicus cDNA, 3 end /done=RHEA017 /done_end=3 /gb=AA881037 /gj=3017916 /ug=Rn.16548 /len=401
	NM_00903 7				NM_01912 8	
Mus musculus, clone MGC:7764 IMAGE:34989 02, mRNA, complete cds	Mus musculus NM_00903 reticulocalbin 7 (Rcn)	Mus musculus adult male testis cDNA, RIKEN	Mus musculus 10 days embryo cDNA, RIKEN	Mus musculus, clone IMAGE:37097 46,	Internexin, alpha (Inexa),	ESTS, Moderately similar to 60S RIBOSOMAL PROTEIN L3 [R.norvegicus]
	89.91	96.72	86.56		7	91.3
		5351	5354		5359	5363
No Human Protein Found.	XP_054 015	Q13617	Q06265	No Human Protein Found.	Q16352	Q92901
	5348	5350	5353		5358	5362
No human homolog found.	B1826212	U58088	U09215	No human homolog found.	NM_0327 27	U65581
	5347				5357	5361
No Rat Protein Found.	NP_033	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_062 001	R5RT3L
5346	5346	5349	5352	5355	5356	5360
AA8765 52	AA8765 63	AA8755 98	AA8756 15	AA8756 30	AA8756 59	37 37

		<del></del>			<b>6</b>	·	<del></del>
8 E	8 G	<u> </u>	g 67	a &	æ ç;	w 57	ග හි
NM_01107   rc_AA891049 EST194852 Rattus norvegicus   CDNA, 3 end /clone=RHEAO35 /clone_end=3 //gb=AA891049 /gi=3017928 /ug=Rn.3423   Ilen=455	NM_01107 rc_AA891049 EST194852 Rattus norvegicus 0 cDNA, 3 end /clone=RHEAO35 /clone_end=3 /gb=AA891049 /gi=3017928 /ug=Rn.3423 /len=455	rc_AA891054 EST194857 Rattus norvegicus cDNA, 3 end /clone=RHEAO44 /clone_end=3 /gb=AA891054 /gi=3017933 /ug=Rn.4287 /len=458	127 rc_AA891069 EST194872 Rattus norvegicus cDNA, 3 end /cione=RHEAO81 /cione_end=3 /gb=AA891069 /gi=3017948 /ug=Rn.19443 · /len=397	73 rc_AA891107 EST194910 Rattus norvegicus cDNA, 3 end /done=RHEAP20 /done_end=3 /gb=AA891107 /gi=3017986 /ug=Rn.11627 /len=348	NM_03102	rc_AA691161 EST194964 Rattus norvegicus cDNA, 3 end /clone=RHEAP94 /clone_end=3 /gb=AA891161 /gl=3018040 /ug=Rn.7257 /len=448	rc_AA891161 EST194964 Rattus norvegicus cDNA, 3 end /clone=RHEAP94 /clone_end=3 /gb=AA891161 /gi=3018040 /ug=Rn.7257 /isn=448
0 011	NM_0		NM_009	AF253473	NM_031		
91.46   Prefoldin 2 (Pfdn2)	Prefoldin 2 (Pfdn2)	Mouse 4.5S RNA gene	serine/arginine NM_00927 rich protein 4 specific kinase 2	Diphosphoino sitol polyphosphate phosphohydol ase type II	LIC-2 dynein light intermediate chain 53/55	EST (not recognized)	EST (not recognized)
91.46	91.46	93.91	8	90.41	93.97	88.24	88.24
5367	5371	5374		5380	5384		
5366 Q9UHV9	авинув	P11230	XP_004 842	NP_061 967	043237	No Human Protein Found.	No Human Protein Found.
	5370	5373		5379	5383	5386	5388
NM_0123 94	NM_0123 94	AW96854	XM_00484	AA287829	AF035812	AK001865	AK001865
5365	5369		5376	5378	5382		
AA8910 5364 NP_035 49 200	NP_035 200	No Rat Protein Found.	300 300	AAK292 79	Q62698	No Rat Protein Found.	No Rat Protein Found.
5364	5368	5372	5375	5377	5381	5385	5387
AA8910 49	AA8910 49	AA8910 54	AA8910 69	AA8911 07	AA8911 32	AA8911 61	AA8911 61

BC002097   rc_AA891171 EST194974 Rattus norvegicus   cDNA, 3 end /clone=RHEAQ10 /clone_end=3 /gb=AA891171 /gj=3018050 /ug=Rn.3009   len≔592	rc_AA891220 EST195023 Rattus norvegicus cDNA, 3 end /clone=RHEAQ88 /clons_end=3 /gb=AA891220 /gl=3018099 /ug=Rn.7264 /len=635	rc_AA891221 EST195024 Rattus norvegicus cDNA, 3 end /clone=RHEAQ70 /clone_end=3 /gb=AA891221 /gl=3018100 /ug=Rn.1978 /len=627	rc_AA891286 EST195089 Rattus norvegicus cDNA, 3 end /clone=RHEAR95 /clone_end=3 /gb=AA891286 /gl=3018165 /ug=Rn.9474 /len=438	NM_00837 rc_AA891308 EST195111 Rattus norvegicus 7 cDNA, 3 end /done=RHEAS28 /done_end=3 /gb=AA891308 /gj=3018187 /ug=Rn.16305 /len=465	rc_AA891314 EST195117 Rattus norvegicus cDNA, 3 end /clone=RHEAS38 /done_end=3 /gb=AA891314 /gl=3018193 /ug=Rn.2683 /len=442	rc_AA891322 EST195125 Rattus norvegicus cDNA, 3 end /clone=RHEAS47 /clone_end=3 /gb=AA891322 /gl=3018201 /ug=Rn.7278 /len=438
			AF108213	NM_00837		
Mus musculus, Similar to NADH dehydrogenas e (ubiquihone)	EST (not recognized)	Hypothetical protein	NADPH- dependent thioredoxin reductase	Integral membrane glycoprotein	alphaCP-4 (PCBP4)	Rat EST (mouse hypothetical protein)
87.27 Mus Smil Smil NAD dehy e (ub	•	96.49	85	96.8		84.23
5392		5397	5401	5405	5408	5412
095298	No Human Protein Found.	XP_061	Q16881	BC0142 76	P57723	Q9UE46
5381		5396	5400	5404	5407	1112
BG723290	No human homolog found.	AK001447	AJ001050	AL117666	AF176330	X06815
9390		5385	5399	5403		5410
5389 AAH02 097	No Rat Protein Found.	NP_080 580	AAD43 039	NP_032 403	No Rat Protein Found.	AAH02 169
5389	5393	5394	5398	5402	5408	5409
AA8911	AA8912 20	AA8912 21	AA8912 86	AA8913 08	AA8913 14	AA8913 22

				-	
rc_AA891322 EST195125 Rattus norvegicus cDNA, 3 end /clone=RHEAS47 /clone_end=3 /gb=AA891322 /gi≕3018201 /ug=Rn.7278 /len=438	rc_AA891322 EST195125 Rattus norvegicus cDNA, 3 end /done=RHEAS47 /done_end=3 /gb=AA891322 /gi=3018201 /ug=Rn.7278 /len=438	rc_AA891322 EST195125 Rattus norvegicus cDNA, 3 end /cione=RHEAS47 /cione_end=3 /gb=AA891322 /gj=3018201 /ug=Rn.7278 /len≃438	rc_AA891423 EST185226 Rattus norvegicus cDNA, 3 end /clone=RHEAT94 /clone_end=3 /gb=AA891423 /gi=3018302 /ug=Rn.6868 /len=484	NM_02294 rc_AA891445 EST195248 Rattus norvegicus cDNA, 3 end /clone=RHEAU35 /clone_end=3 /gb=AA891445 /gl=3018324 /ug=Rn.2911 /len=481	rc_AA891475 EST185278 Rattus norvegicus cDNA, 3 end /done=RHEAU83 /clone_end=3 /gb=AA891475 /gi=3018354 /ug=Rn.3456 /len=506
X17453		X17453		NM_02294 7	AA891475
94.23 M.musculus DNA for U1- RNA- associated 70 KDa protein (H).	Rat EST (mouse hypothetical protein)	M.musculus DNA for U1- RNA- associated 70 KDa protein (H).	Hypothetical protein FLJ12118	suppressor of K+ transport defect 3 (Skd3),	EST weakly similar to Mus musculus musculus mRNA for immunoglobuli n-like cell surface receptor FDFACT, activating counterpart
94.23	94.23	94.23		88.8	
5415	6419	5422	5426	5430	
5414   Q9UE46	Q9UE46	Q9UE48	AAH072 20	XP_035 165	No Human Protein Found.
5414	9418	5421	5425	5428	
X06815	X06815	X06815	BC007220	AL136909	No human homolog found.
	5417		5424	5428	5432
No Rat Protein Found.	AAH02 169	No Rat Protein Found.	BAB265 96	NP_075 236	332 332
5413	9116	5420	5423	5427	5431
AAB913 5413 No Rat 22 Protein Found.	AA8913 22	AA8913 22	AA8914 23	AA8914 45	47 47

· · · · · · · · · · · · · · · · · · ·					
rc_AA891499 EST195302 Rattus norvegicus cDNA, 3 end /clone=RHEAZ20 /clone_end=3 /gb=AA891499 /gj=3018378 /ug=Rn.8534 /len=460	rc_AA891521 EST195324 Rattus norvegicus CDNA, 3 end /clons=RHEAZ48 /clons_end=3 /gb=AA891521 /gj=3018400 /ug=Rn.7299 /len=470	rc_AA891521 EST195324 Rattus norvegicus CDNA, 3 end /clone=RHEAZ48 /clone_end=3 /gb=AA891521 /gj=3018400 /ug=Rn.7299 /len=470	rc_AA891537 EST195340 Rattus norvegicus CDNA, 3 end /clone=RHEAZ68 /clone_end=3 /gb=AA891537 /gj=3018416 /ug=Rn.7302 /len=549	rc_AA891542 EST195345 Rattus norveglcus cDNA, 3 end /clone=RHEAZ72 /clone_end≃3 /gb=AA891542 /gl=3018421 /ug=Rn.4189 /len≕598	NM_01874 rc_AA891553 EST195356 Rattus norvegicus cDNA, 3 end /clone=RHEAZ86 /clone_end=3 /gb=AA891553 /gl=3018432 /ug=Rn.3463 /len=614
					9 01874
Homo sapiens chromosome 5 clone CTC- 352,10, complete sequence	EST (not recognized)	EST (not necognized)	Rat EST (mouse and human hypothetical protein)	Mus musculus AF092536 heat shock protein hsp40- 3 gene	ESTS, Highby similar to 1537 MOUSE EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 7 [M.musculus]
	83.72	83.72	89.72	86.23	96.36
	5437	5440	5444	5448	5462
No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	XP_007 019	075953	P28034
5434	5436	5439	5443	5447	1243
AC008462	AY027526	AY027526	U79274	AK023253	BE122841
			5442	5446	6450
5433 No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	BAB238 85	AAC64 141	219 219
5433	5435	5438	5441	5445	
AA8914 99	AA8915 21	AA8915 21	AA8915 37	AA8915 42	AA8915 53

NM_01874   rc_AAB91553 EST195356 Ratus norvegicus 9	rc_AA881578 EST195381 Rattus norvegicus cDNA, 3 end /clone=RKIAE19 /clone_end=3 /gb=AA891578 /gi=3018457 /ug=Rn.19837 /len=410	rc_AA891595 EST195398 Rattus norvegicus cDNA, 3 end /clons=RKIAE40 /clons_end=3 /gb=AA891595 /gl=3018474 /ug=Rn.22699 /len=471	NM_03109 rc_AA891595 EST195398 Rattus norvegicus cDNA, 3 end /clone=RKIAE40 /clone_end=3 /gb=AA891595 /gi=3018474 /ug=Rn.22599 /len=471	rc_AA891631 EST195434 Rattus norvegicus cDNA, 3 end /dons=RKIAE84 /done_end=3 /gb=AA891631 /gj=3018510 /ug=Rn.14598 /len=327	rc_AA891631 EST185434 Rattus norvegicus cDNA, 3 end /done=RKIAE84 /clone_end=3 /gb=AA891631 /gj=3018510 /ug=Rn.14698 /len=327	rc_AA891634 EST195437 Rattus norvegicus cDNA, 3 end /done=RKIAE87 /clone_end=3 /gb=AA891634 /gi=3018513 /ug=Rn.14700 /len=384
NM_01874						
ESTS, Highly similar to IF37 MOUSE EUKARYOTIC TRANSLATION N INITIATION FACTOR 3 SUBUNIT 7 [M.musculus]	EST(not recognised)	Rho- associated, coiled-coil containing protein kinase 2	Rho- associated, coiled-coil containing protein kinase	EST (not recognized)	EST (not recognized)	EST (not recognized)
96.36			9	89.22	89.22	
8256		5460	5464		,	
P29034	No Human Protein Found.	XP_038 377	XP_038 377	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
5455		5459	5463	5466	5468	
BE122841	No human homolog found.	XM_03837 7	XM_03837 7	AB032989	AB032989	No human homolog found.
5454			5462			
NP_081 219	No Rat Protein Found.	No Rat Protein Found.	NP_112 360	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
	5457	5458	5461	5465	5467	5469
AA8916 53	AA8915 78	AA8915 95	AA8915 95	AA8916 31	AA8916 31	AA8916 34

		<b>o</b>		
		Melanoma- associated antigen D1 (MAGE-D1 antigen) (Neurotrophinre ceptor- interacting MAGE homolog) (Sertoli cell necdinrelated gene-1)	Melanoma- associated antigan D1 (MAGE-D1 antigan) (Neurotrophinre ceptor- interacting MAGE homolog) (Serfoll cell necdinrelated gene-1)	
	-	Cytoplasmic. Expression shifts from the cytoplasm to the plasma membrane upon stimulation with NGF.	Cytoplasmic. Expression shifts from the cytoplasm to the plasma membrane upon stimulation with NGF.	
rc_AA891651 EST195454 Rattus norvegicus cDNA, 3 end /clone=RKIAF13 /clone_end=3 /gb=AA891651 /gi=3018530 /ug=Rn.1318 /len=499			rc_AA891666 EST195469 Rattus norvegicus CDNA, 3 end /clone=RKIAF29 /clone_end=3 /gb=AA891666 /gj=3018545 /ug=Rn.8501 /len=381	rc_AA891677 EST195480 Rattus norvegicus cDNA, 3 end /clone=RKIAF42 /clone_end=3 /gb=AA891677 /gi=3018556 /ug=Rn.22242 /len=482
	NM_00859 5	ВС003838	BC003938	
95.09 EST (not recognized)	manic fringe homolog (Drosophila) (Mfng),	Similar to EAP30 subunit of ELL complex	Similar to EAP30 subunit of ELL complex	EST (not recognized)
95.09	83	80°5	93.09	
5472	5476	5480	5484	
014561	CAB075 11	<b>д</b>	Q9Y5V3	No Human Protein Found.
5471	5475	5478	5483	
NM_0050	293096	AK074092	AK074092	No human homolog found.
	5474	8478	28482	
No Rat Protein Found.	NP_032 621	3 3	3 3	No Rat Protein Found.
5470	5473	5477		5485
AA8916 5470 No Rat 51 Protein Found.	AA8916 64	AA8916 66	AA8916 66 66	AA8916 77

rc_AA891689 EST195492 Rattus norvegicus cDNA, 3 end /clone=RKIAF57 /clone_end=3 /gb=AA891689 /gi=3018568 /ug=Rn.14704 /len=421	rc_AA891694 EST195497 Rattus norvegicus CDNA, 3 end /clone=RKIAF62 /clone_end=3 /gb=AA891694 /gi=3018573 /ug=Rn.3960 /len=493	rc_AA891700 EST185503 Rattus norvegicus CDNA, 3 end /done=RKIAF69 /done_end=3 /gb=AA891700 /gi=3018579 /ug=Rn.14706 /len=470	rc_AA891700 EST195503 Rattus norvegicus CDNA, 3 end /clone=RKIAF69 /clone_end=3 /gb=AA891700 /gi=3018579 /ug=Rn.14706 /len=470	rc_AA891724 EST195527 Rattus norvegicus CDNA, 3 end /cione=RKIAG01 /cione_end=3 /gb=AA891724 /gi=3018603 /ug=Rn.17091 /len=523	rc_AA891725 EST195528 Rattus norvegicus CDNA, 3 end /clone=RKIAG02 /clone_end=3 /gb≒AA891725 /g⊨3018604 /ug=Rn.22702 /len=625	rc_AA891727 EST195530 Rattus norvegicus CDNA, 3 end /clone=RKIAG04 /clone_end=3 /gb=AA891727 /gi=3018606 /ug=Rn.3418 /len=418	rc_AA891733 EST195536 Rattus norvegicus cDNA, 3 end /clone=RKIAG10 /clone_end=3 /gb=AA891733 /gi=3018612 /ug=Rn.8288 /len=664	rc_AA891734 EST195537 Rattus norvegicus cDNA, 3 end /clone=RKIAG13 /clone_end=3 /gb=AA891734 /gl=3018613 /ug=Rn.3481 /len=616
					<del></del>			
100 HSPC262	EST(not recognised)	EST (moderately similar to human transmembran e proteln)	EST (moderately similar to human transmembran e protein)	KIAA0699 protein	Mus musculus 13 days embryo head cDNA, RIKEN	EST (hypothetical protein)	EST(not recognised)	EST(not recognised)
100		93.04	83.04	68	88.08	95.11	89.44	89.52
5488		5492	5495	5498	5501	5504	5507	
AAF289 40	No Human Protein Found.	P48553	P48553	XP_046 863	No Human Protein Found.	XP_042 640	015165	No Human Protein Found.
5487		5491	5494	5497		5503	5506	5509
BM71493	No human homolog found.	U19252	U19252	XM_04686	BC014953	BC006007	AF009424	AK001539
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
5486	5489	6490	5483	5486	5499	5502	5505	5508
AA8916 89	AA8916 94	AA8917 00	AA8917 00	AA8917 24	AAB917 25	AA8917 27	AA8917 33	AA8917 34

XP_015 185 XP_016 185 No Human Protein Found. 5532 P48735 5533 92.92	SM_01518	SM_01518   XP_015   EST (not recognized for reat) -   hypothetical protein for human   XM_01518   XP_015   EST (not recognized for recogniz
XP_015 185 XP_015 185 No Human Protein Found.	XM_01518 XP_015 5 185 5 185 6 No human No Human homolog Human found. Found. Found.	5527         No Rat Protein         XM_01518         XP_015           Found.         5         185         185           Found.         5         185         185           Found.         5         185         185           Found.         5         185         185           Found.         6529         No Rat No human homolog Human found.         No Human Found.         Found.           Found.         6530         AAG43         5531         U52144         5532         P48735         5533         92.92
XP_015 185 185 185 No Human Protein Found. 5532 P48735 5533 92.92	XM_01518	5527         No Rat         XM_01518         XP_015           Found.         5         No Rat         XM_01518         XP_015           Found.         5         No human homolog         No human homolog         Human Found.           6528         No Rat homolog         No human homolog         Found.         Found.           6530         AAG43         5531         U52144         5532         P48735         5533         92.82
XP_015 185 XP_015 186 No Human Protein Found.	XM_01518	5527 No Rat
5532	XM_01518 5 XM_01518 5 5 No human homolog found. 5531 U52144 5532	5527 No Rat
5532	XM_01518 5 XM_01518 5 5 No human homolog found. 5531 U52144 5532	5527 No Rat
		5527 No Rat Protein Found. Found. 6528 No Rat Protein Found. Found. Found. 5530 AAG43 5531
	No Rat Found. No Rat Protein Found. AAG43	5528 6528 6530
		5528 6528 6530

rc_AA891802 EST195605 Rattus norvegicus cDNA, 3 end /done=RKIAH01 /clone_end=3 /gb=AA891802 /gi=3018681 /ug=Rn.8316 /len=648	91-related zinc NM_02154 rc_AA891810 EST195613 Rattus norvegicus finger protein 0 cDNA, 3 end /clone=RKIAH13 /clone_end=3 /gb=AA891810 /gi=3018689 /ug=Rn.17620 /len=551	nc_AA891810 EST195613 Rattus norvegicus cDNA, 3 end /done=RKIAH13 /done_end=3 /gb=AA891810 /gi=3018689 /ug=Rn.17620 /len=551	re_AA891810 EST185613 Rattus norvegicus cDNA, 3 end /done=RKIAH13 /clone_end=3 /gb=AA891810 /gi=3018689 /ug=Rn.17620 /len=551	re_AA891810 EST195613 Rattus norvegicus cDNA, 3 end /done=RKIAH13 /done_end=3 /gb=AA891810 /gi=3018689 /ug=Rn.17620 /len=551	nc_AA891812 EST195615 Rattus norvegicus cDNA, 3 end /done=RKIAH16 /done_end=3 /gb=AA891812 /gj=3018691 /ug=Rn.1885 /len=620	rc_AA891812 EST195615 Rattus norvegicus cDNA, 3 end /clons=RKIAH16 /clons_end=3 /gb=AA891812 /gi=3018691 /ug=Rn.1885 /len≔620	rc_AA891812 EST185615 Rattus norvegicus cDNA, 3 end /clone=RKIAH16 /clone_end=3 /gb=AA881812 /gi=3018691 /ug=Rn.1885 /len=620
	NM_02154 0	NM_02154 0	NM_02154 0	NM_02154 0			
EST(not recognised)	g1-related zinc finger protein [Mus musculus]	g1-related zinc NM_02154 finger protein 0 [Mus musculus]	g1-related zinc NM_02154 finger protein 0 [Mus musculus]	g1-related zinc NM_02154 finger protein 0 [Mus musculus]	ESTs, Highly similar to S54147 alpha adducin - rat [R.norvegicus]	ESTs, Highly similar to S54147 alpha adducin - rat [R.norvegicus]	ESTs, Highly similar to S54147 alpha adducin - rat (R.norvegicus)
	98.35	98.35	98.35	98.35	2	2	2.
		Ö	<u></u>	<u> </u>		•	<u>.                                    </u>
	5553	5557	5561	5565	2568	9	5574
No Human Protein Found.							
No Human Protein Found.	5553	5557	5561	5565	2568	5571	5574
No human homolog Human found. Protein Found.	NP_060 5553 904	NP_060 5557 804	NP_060 5561 904	NP_060 5565 804	S18207 5568	S18207 5571	\$18207 5574
No human homolog found.	5551 AF155650 5552 NP_080 5553	5555 AF155650 5556 NP_060 5557 904	5559 AF155650 5560 NP_080 5561 904	5563 AF155650 5564 NP_080 5565 904	5567 \$18207 5568	6570 \$18207 5571	5573 \$18207 5574
No Rat No human homolog hound. found.	5551 AF155650 5552 NP_080 5553	5555 AF155650 5556 NP_060 5557 904	5559 AF155650 5560 NP_080 5561 904	5563 AF155650 5564 NP_080 5565 904	S54147 X58141 5567 S18207 5568	S54147 X58141 6570 S18207 5571	S54147 X58141 5573 S18207 5574
No human homolog found.	AF155650 5552 NP_080 5553	5555 AF155650 5556 NP_060 5557 904	5559 AF155650 5560 NP_080 5561 904	AF155850 5584 NP_060 5565 804	X58141 5567 S18207 5568	X58141 6570 S18207 5571	X58141 5573 S18207 5574

		Collagen alpha 2(1) chain precursor.	Collagen alpha 2() chain precursor.	GTP cyclohydrolase I precursor (EC 3.5.4.16) (GTP- CH-I).	GTP cyclohydrolase I precursor (EC 3.5.4.16) (GTP- CH-I).	GTP cyclohydrolase I pracursor (EC 3.5.4.16) (GTP- CH-I).
	rc_AA891812 EST195615 Rattus norvegicus cDNA, 3 end /clone=RKIAH16 /clone_end=3 /gb=AA891812 /gl=3018891 /ug=Rn.1885 /len=620	rc_AA891628 EST195631 Rattus norvegicus cDNA, 3 end /dons=RKIAH33 /dons_end=3 /gb=AA891828 /gj=3018707 /ug=Rn.6963 /len=546	rc_AA891628 EST195631 Rattus norvegicus CDNA, 3 end /done=RKIAH33 /done_end=3 /gb=AA891828 /gb=3018707 /ug=Rn.6963 /len=546	rc_AA891829 EST185632 Rattus norvegicus CDNA, 3 end /done=RK/AH34 /done_end=3 /gb=AA891829 /gb=3018708 /ug=Rn.3498 /len=667	rc_AA891829 EST195632 Rattus norvegicus cDNA, 3 end /clons=RKIAH34 /clone_end=3 /gb=AA891829 /gj=3018708 /ug=Rn.3498 /len=667	Mus musculus NM_02529 rc_AA891829 EST195632 Rattus norvegicus VVD40 protein 6 Clao1 (Clao1 Clao1 (Clao1   /gb=AA891829 /gi=3018708 /ug=Rn.3498 /len=667
			AF121217	NM_02529 6	NM_02529 6	NM_02529 6
	ESTs, Highly similar to S54147 alpha adducin - rat [R.norveglcus]	Homo saplens, Similar to RAD23	Procollagen, type I, alpha 2	Mus musculus NM_02529 WD40 protein 6 Clao1 (Clao1- pending)	Mus musculus NM_02529 WD40 protein 6 Ciso1 (Ciso1- pending)	Mus musculus WD40 protein Clao1 (Clao1- pending)
	26	95.37	95.37	92.83	92.83	92.83
	5577	558 1	5585	5589	5593	5597
	S18207	P54725	P64726	076071	076071	076071
	5576	2580	5584	5588	5592	5596
	X58141	D21235	021235	U63810	U63810	U63810
		5579	5583	5587	5591	5595
	S54147	P02466	P02466	P22288	P22288	5594 P22288
•	5575	5578	5582	5586	5590	
	AA8918 5575 S54147 12	AA8918 28	AA8918 28	AA8918 29	AA8918 29	AA8918 29

	GTP cyclohydrolase I precursor (EC 3.5.4.16) (GTP- CH-I).	GTP cyclohydrolase I precursor (EC 3.5.4.16) (GTP- CH-I).	GTP cyclohydrolase I precursor (EC 3.5.4.16) (GTP- CH-I).			Peroxisomal. Catalase (EC 1.11.1.6).	Mitochondrial Mitochondrial Inner I
						Peroxisomal.	Mitochondrial Inner membrane
	92.83 Mus musculus NM_02529 rc_AA891829 ES1195532 Raftus novegicus WD40 protein 6 cDNA, 3 end /clons=RKIAH34 /clons_end=3 /gb=AA891829 /gi=3018708 /ug=Rn.3498 pending) //en=667	rc_AA891829 EST195632 Rattus norvegicus cDNA, 3 end /cione=RKIAH34 /cione_end=3 /gb=AA881829 /gi=3018708 /ug=Rn.3498 /len=667	rc_AA891829 EST195632 Rattus norvegicus cDNA, 3 end /done=RKIAH34 /done_end=3 /gb=AA881829 /gi=3018708 /ug=Rn.3498 /len=667	rc_AA891842 EST195645 Rattus norvegicus cDNA, 3 end /clone=RKIAH53 /clone_end=3 /gb=AA891842 /gi=3018721 /ug=Rn.14714 /len=591	rc_AA891842 EST195645 Raitus norvegicus cDNA, 3 end /done=RKIAH53 /cione_end=3 /gb=AA891842 /gi=3018721 /ug=Rn.14714 /ien=591	rc_AA891848 EST195651 Raitus norvegicus cDNA, 3 end /clone=RKIAH61 /clone_end=3 /gb=AA891848 /gi=3018727 /ug=Rn.8127 /len=617	rc_AA891857 EST195660 Raftus norvegicus cDNA, 3 end /clone=RKIAH77 /clone_end=3 /gb=AA891857 /gi=3018738 /ug=Rn.13451 /len=501
	6 NM_02529	6 NM_02529	NM_02528 8			,	AF150108
•	Mus musculus WD40 protein Clao1 (Clao1- pending)	Mus musculus NM_02529 WD40 protein 6 Clao1 (Clao1- pending)	Mus musculus NM_02529 WD40 protein 6 Clao1 (Clao1- pending)	BM-018	BM-018	Mus musculus, Similar to solute carder family 35 (CMP-sialic	Rattus norvegicus smail zinc finger-like protein (TIM8b)
:	92.83	92.83	92.83	89.52	89.52	86.48	98.34
	9601	5605	5609	5612	5615	5619	5623
		076071	076071	AAF642 74	AAF642 74	P04040	NP_036
_	009g	5604	9099	5611	5614	8618	5622
	5589 063810	U63810	U63810	BC005192	BC005192	X04076	A1005112
		5603	5607			5617	5621
-	P722788	P22288	P22288	No Rat Protein Found.	No Rat Protein Found.	P04762	09R1B
	92 93 93 93 93 93 93 93 93 93 93 93 93 93	5602	9099	5610	5613	5616	5620
	AA8918 5598 P22288	AA8918 29	AA8918 29	AA8918 42	AA8918 42	AA8918 48	AA8918 57

98	5624 No Rat	Rat	_	AA781413	5625	2		84.62	84.62   EST (not		rc_AA891859 EST195662 Rattus norvegicus	_	
	5 <u>5</u>	Protein Found.				Human Protein Found.			recognized)		cDNA, 3 end /clone=RKIAH79 /clone_end=3  gb=AA891859 /gj=3018738 /ug=Rn.3920  len=570	<del></del>	
$   \tilde{g} $	5626 AA(	AAG37 6	5627	XM_04374 6	5628	XP_043 746	9299	8	nuclear ATP/GTP- binding protein (Nna1)	AF219141	rc_AA891884 EST195687 Rattus norvegicus CDNA, 3 end /clone=RKIAH84 /clone_end=3 /gb=AA891864 /gi=3018743 /ug=Rn.19939 /len=608		
82	5630 Q61841	<del> </del>	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	U40480	5632	013423	9833	88.73	similar to NNTM MOUSE NAD(P) TRANSHYDR OGENASE, MITOCHOND RIAL PRECURSOR	249204	rc_AA891872 EST195675 Rattus norvegicus CDNA, 3 end /clone=RKIAH93 /clone_end=3 gb=AA891872 /gi=3018751 /ug=Rn.3128 len=614		
<b>}</b> ~	5634 No Pro	No Rat Protein Found.		X77548	5635	Q13772	5636	89.19	Mus musculus 18 days embryo cDNA, RIKEN		rc_AA891877 EST195680 Rattus norvegicus CDNA, 3 end /done=RKIAI04 /clone_end=3 /gb=AA891877 /gi=3018756 /ug=Rn.7633 /len=548		
iń	5637 Q9.	2 2	5638	BC000124	5639	Q9BWM 7	5640	87.64	Tricarboxylate NM_02294 carrier-like 8 protein		rc_AA891880 EST195683 Rattus norvegicus   Mi cDNA, 3 end /clone=RKIAI08 /clone_end=3 . /gb=AA891880 /gi=3018759 /ug=Rn.1082 /len=452	Mitochondrial Sideroflexin 3.	ideroflexin 3.
	5641 Q9.	Q9JHY (	5642 E	BC000124	5643	Q9BWM 7	5644	87.64	Tricarboxylate NM_02294 carrier-like 8 protein	MM_02294	rc_AA891880 EST195683 Rattus norvegicus Mii cDNA, 3 end /clone=RKIAI08 /clone_end=3 ./gb=AA891880 /gi=3018759 /ug=Rn.1082 /len=452	Mitochondrial Sideroflexin 3.	ideroflexin 3.
	5645 No Pro Fou	No Rat Protein Found.	<u> </u>	XM_02908	•	XP_029 081	· · · ·		Topoisomeras e-related function protein 4-1		rc_AA891891 EST195694 Rattus norvegicus cDNA, 3 end /clone=RKIAI20 /clone_end=3 gb=AA891891 /gj=3018770 /ug=Rn.2Z710 /len=497		
	5646	Q63532	5647	NM_0059 87	5648	g685073		85.85	Smail proline- rich protein gene	,	rc_AA891911 EST195714 Rattus norvegicus cDNA, 3 end /clone=RKIAI48 /clone_end=3 /gb=AA891911 /gl=3018780 /ug=Rn.14720 /len=383		

		· · · · · · · · · · · · · · · · · · ·	<del></del>				SEE ES .
							l''Aspartata aminotransferas e, mitochondrial precursor (EC 2.6.1.1)(Transa minase A) (Glutamate oxaloacetate transaminase- 2)."
	<b></b>						Mitochondrial "Aspartate matrix. aminotrans e, mitocho precursor ( 2.6.1.1)(Tn minase A) (Glutamate oxeloaceta transamina 2)."
	rc_AA891814 EST195717 Rattus norvegicus cDNA, 3 end /clone=RKIAI52 /clone_end=3 /gb=AA891914 /gi=3018793 /ug=Rn.3679 /len=576	rc_AA891943 EST195746 Rattus norvegicus cDNA, 3 end /clone=RKIAI86 /clone_end=3 /gb=AA891943 /gl=3018822 /ug=Rn.3564 /len=550	rc_AA891944 EST195747 Rattus norvegicus cDNA, 3 end /clone=RKIAI87 /clone_end=3 /gb=AA891944 /gi=3018823 /ug=Rn.8128 /len=605	rc_AA891950 EST195753 Rattus norvegicus cDNA, 3 end /clone=RKIAl93 /clone_end=3 /gb=AA891950 /gj=3018829 /ug=Rn.2072 /len=542	r c_AA891989 EST195772 Rattus norvegicus cDNA, 3 end /clone=RKIAK18 /clone_end=3 /gb=AA891969 /gj=3018848 /ug=Rn.14725 /len=343	rc_AA891978 EST185781 Rattus norvegicus cDNA, 3 end /cione=RKIAK27 /cione_end=3 /gb=AA891978 /gi=3018857 /ug=Rn.3529 /len=305	re_AA892012 EST195815 Rattus norvegicus cDNA, 3 end /clone=RKIAK66 /clone_end=3 /gb=AA892012 /gl=3018891 /ug=Rn.3628 /len=363
			BC005419		BC005436		·
	87.27 aminoacylase	EST (not recognized)	Mus musculus, Similar to interferon-g induced GTPase	Mus musculus adult male stomach cDNA, RIKEN	Mus musculus, nuclear DNA- binding protein, clone MGC:5983	EST(not recognised)	Giutamate oxaloacetate transaminase 2, mitochondrial (aspartate aminotransfer ase 2)
	87.27			87.4	89.35 35	80.09	2
	5651				2880	5663	5667
	Q03154	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	NP_008 324	No Human Protein Found.	P00505
	5650			5656	5859	2995	2686
	D16307	No human homolog found.	No human homolog found.	B1870835	BE886831	AK000494	M22632
			5654		<del>5658</del>		5665
	No Rat Protein Found.	No Rat Protein Found.	AAH05 419	No Rat Protein Found.	AAH05 436	No Rat Protein Found.	P00507
•	5649	5652	5663	5655	5657	5661	5664
i abid £	AA8919 5649 114	AA8919 43	AA8919 44	AA8919 50	AA8919 69	AA8919 78	AA8920 12

"Aspartate aminotransferas e, mitochondrial precursor (EC precursor (EC minase A) (Glutamate oxaloacetate transaminase-2)."						
Mitochondrial matrix.						
rc_AA892012 EST195815 Rattus norvegicus Mitochondrial "Aspartate cDNA, 3 and /clone=RKIAK66 /clone_end=3 matrix. amitochondrial /db=AA892012 /gi=3018891 /ug=Rn.3628 precursor ( precursor (	rc_AA892049 EST195852 Rattus norvegicus cDNA, 3 end /clone=RKIAL20 /clone_end=3 /gb=AA892049 /gl=3018928 /ug=Rn.15656 /len=531	rc_AA892094 EST195897 Rattus norvegicus cDNA, 3 end /done=RKIAM28 /done_end=3 /gb=AA892094 /gl=3018973 /ug=Rn.18972 /len=404	rc_AA892094 EST195897 Rattus norvegicus cDNA, 3 end /cione=RKIAM28 /cione_end=3 /gb=AA892094 /gj=3018973 /ug=Rn.18972 /len=404	rc_AA892120 EST195923 Rattus norvegicus cDNA, 3 end /ctone=RKIAM60 /ctone_end=3 /gb=AA892120 /gt=3018999 /ug=Rn.9122 /len=476	rc_AA892127 EST195930 Rattus norvegicus cDNA, 3 end /clone=RKIAM68 /clone_end=3 /gb=AA892127 /gl=3019006 /ug=Rn.3372 /len=528	rc_AA892137 EST195940 Rattus norvegicus cDNA, 3 end /clone=RKIAM79 /clone_end=3 /gb=AA892137 /gi=3019016 /ug=Rn.22737 /len=442
Glutamate oxaloacetate transaminase 2, mitochondrial (aspartate aminotransfer ase 2)	EST (not recognized)	EST (not recognized)	EST (not recognized)	EST (not recognized)	Human DNA sequence from clone RP3-41217 on chromosome	Mus musculus adult male kidney cDNA, RIKEN
26						86.52
5671						5679
P00505	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
929						5678
5669 M22632	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	AL109701
P00507	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
2668	5672	5673	5674	5675	9296	5677
AA8920 5868 P00507	AA8920 49	AA8920 94	AA8920 94	AA8921 20	AA8921 27	AA8921 37

5680 No Rat Protein Found.			No human homolog found.		No Human Protein Found.			EST (not recognised)		rc_AA892149 EST195952 Rattus norvegicus   cDNA, 3 end /clone=RKIAM93 /clone_end=3   cgb=AA892149 /gj=3018028 /ug=Rn.22240   llen=488
5682			NM_0064 54	5683	Q14582	5684	20	Mad4 homolog (human)		rc_AA892154 EST185957 Rattus norvegicus cDNA, 3 end /clone=RKIAN02 /clone_end=3 /gb=AA892154 /gi=3019033 /ug=Rn.3279 /len=386
NP_037 5686 1292			NM_0064 54	5687	Q14582	5688	9	Mad4 homolog (human)		rc_AA892154 EST195957 Rattus norvegicus cDNA, 3 end /clone=RKIAN02 /clone_end=3 /gb=AA892154 /gi=3019033 /ug=Rn.3279 /len=386
No Rat Protein Found.		•	AL050289	5690	043734	5691	91.91	Similar to chromosome 6 open reading frame 5		rc_AA892179 EST195982 Rattus norvegicus cDNA, 3 end /clone=RKIAN31 /clone_end=3 /gb=AA892179 /gl=3019058 /ug=Rn.9031 /len=428
No Rat Protein Found.			No human homolog found.		No Human Protein Found.	****		Rattus norvegicus mitochondrial genome		rc. AA892248 EST198051 Rattus norvegicus CDNA, 3 end /clone=RKIAO18 /clone_end=3 /gb=AA892248 /gl=3019127 /ug=Rn.2277 /len=587
No Rat Protein Found.	2.1.4	<b>~</b>	No human homolog found.		No Human Protein Found.			Rattus norvegicus mitochondrial genome		rc_AA892248 EST196051 Rattus norvegicus cDNA, 3 end /clone=RKIAO18 /clone_end=3 /gb=AA892248 /gl=3019127 /ug=Rn.2277 /len=587
5694 NP_036 5695 N		<u>~</u>	M91196	9899	Q02556	2697	85.31	similar to 100 milar to 100 mil	UM_01259	NM_01259 rc_AA892259 EST186062 Rattus norvegicus cDNA, 3 end /clone=RKIAO29 /clone_end=3 /gb=AA892259 /gi=3019138 /ug=Rn.3765 /len=625
No Rat Protein h Found.	<u> </u>	2 E E	No human homolog found.		No Human Protisin Found.			EST (not recognized)		rc_AA892280 EST198083 Rattus norvegicus cDNA, 3 end /clone=RKIAO30 /clone_end=3 /gb=AA892260 /gj=3019139 /ug=Rn.9526 /len=554

	rc_AA892260 EST196063 Rattus norvegicus cDNA, 3 end /clone=RKIAO30 /clone_end=3 /gb=AA892260 /gi=3019139 /ug=Rn.9526 /len=554	re_AA892268 EST196071 Rattus norvegicus cDNA, 3 end /clone=RKIAO42 /clone_end=3 /gb=AA892268 /gi=3019147 /ug=Rn.14745 /len=433	rc_AA892270 EST196073 Rattus norvegicus cDNA, 3 end /clone=RKIAO44 /clone_end=3 /gb=AA892270 /gi=3019149 /ug=Rn.3290 /len=584	rc_AA892270 EST196073 Rattus norvegicus cDNA, 3 end`rdone=RKIAO44 /clone_end=3 /gb=AA892270 /gj=3019149 /ug=Rn.3290 /len≂584	rc_AA892271 EST196074 Rattus norvegicus cDNA, 3 end /done=RKIAO45 /clone_end=3 /gb=AA892271 /gi=3019150 /ug=Rn.3767 /len=665	rc_AA892273 EST196076 Rattus norvegicus cDNA, 3 end /done=RKIAO47 /clone_end=3 /gb=AA892273 /gi=3019152 /ug=Rn.19941 /len=529	rc_AA892284 EST196087 Rattus norvegicus cDNA, 3 end /done=RKIAO58 /cione_end=3 /gb=AA892284 /gi⇒3019163 /ug=Rn.22719 /len=572	rc_AA892297 EST196100 Rattus norvegicus cDNA, 3 end /clone=RKIAO73 /clone_end=3 /gb=AA892297 /gi=3019176 /ug=Rn.1797 /len=640
	-							AF321130
•	EST (not recognized)	EST(not recognised)	Mus musculus 10 day old male pancreas cDNA, RIKEN	Mus musculus 10 day old male pancreas cDNA, RIKEN	EST (mouse chromosome)	EST(not recognised)	EST(not recognised)	Histone deacetylase 2
		89.73						92.12
		5702			- 1 10 10		•	5711
	No Human Protein Found.	P34925	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q92769
		5701						6710
	No human homolog found.	S59184	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	U31814
		. =						5709
	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	AAK111 83
	5699	5700	6703	5704	5705	5706	5707	5708
I ADIA F	AA8922 5699 No Rat 80 Protein Found.	AA8922 68	AA8922 70	AA8922 70	AA8922 71	AA8922 73	AA8922 84	AA8922 97

rc_AA892298 EST198101 Rattus norvegicus cDNA, 3 end /clone=RKIAO74 /clone_end=3 /gb=AA892298 /gi=3019177 /ug=Rn.14747 /len=601	rc_AA892299 EST196102 Rattus norvegicus cDN4, 3 end /clone=RKIAO75 /clone_end=3 /gb=AA892299 /gi=3019178 /ug=Rn.1708 /len=685	rc_AA892300 EST198103 Rattus norvegicus cDNA, 3 end /done=RKIAO76 /done_end=3 /gb=AA892300 /gi=3019179 /ug=Rn.14316 /len=552	rc_AA892318 EST198121 Rattus novegicus cDNA, 3 end /cione=RKIAO96 /cione_end=3 /gb=AA892318 /gi=3019197 /ug=Rn.3772 /len≂541	rc_AA892318 EST196121 Rattus norvegicus cDNA, 3 end /clone=RKIAO96 /clone_end=3 /gb=AA892318 /gl=3019197 /ug=Rn.3772 /len=541	ନ୍ଦ୍ର AA892318 EST186121 Rattus norvegicus CDNA, 3 end /cione=RKIAO96 /cione_end=3 /gb=AA892318 /gi=3019197 /ug=Rn.3772 /len=541
		-	AB035383	AB035383	AB035383
ESTs, Weakly similar to PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A R. (R.norvegicus)	EST(not recognised)	peroxisome receptor 1 (PXR1)	Mus musculus AB035383 mRNA for SRp25 nuclear protein, complete cds	SRp25 nuclear protein	Mus musculus AB035383 mRNA for SRp25 nuclear protein, complete cds
85.29 8.20		92.45	92.68	92.68	92.68
5715		5719	5723	5727	5731
5714 S64705	No Human Protein Found.	P50542	80-1 801	NP_057 722	XP_038 801
		5718	6722	5726	6730
5713 AF251049	No human homolog found.	U19721	AB035384	AB035384	AB035384
5713			5721	5725	5728
CSRTA	No Rat Protein Found.	No Rat Protein Found.	43 43	BAA947 43	6728 BAA847 43
5712	5716	5717	6720	5724	5728
AA8922 5712 CSRTA 98	AA6922 99	AA8923 00	AA8923 18	AA8923 18	AA8923 18

	AB035383 rc_AA892318 EST196121 Rattus norvegicus cDNA, 3 end /clone=RKIAO96 /clone_end=3 /gb=AA892318 /gi=3019197 /ug=Rn.3772 /len=641	rc_AA892319 EST196122 Rattus norvegicus cDNA, 3 end /clone=RKIAP01 /clone_end=3 /gb=AA892319 /gi=3019198 /ug=Rn.19709 /len=593	rc_AA892325 EST196128 Rattus norvegicus cDNA, 3 end /clons=RKIAP09 /clons_end=3 /gb=AA892325 /gi=3019204 /ug=Rn.2636 /len=818	rc_AA892353 EST196156 Rattus norvegicus cDNA, 3 end /clone=RKIAP42 /clone_end=3 /gb=AA892353 /gi=3019232 /ug=Rn.8133 /len=508	rc_AA892353 EST196156 Rattus norvegicus cDNA, 3 end /done=RKIAP42 /clone_end=3 /gb=AA892353 /gl=3019232 /ug=Rn.8133 /len=508	rc_AA892364 EST196167 Rattus norvegicus cDNA, 3 end /clone=RKIAP55 /clone_end=3 /gb=AA892364 /gi=3019243 /ug=Rn.7741 /len=622
	AB035383		AK007964			NM_02171
		Homo saplens KIAA0781 protein	choline/ethano AK007964 laminephosph otransferase (CEPT1),	ESTs, Weakly similar to T33520 hypothetical protein T10B11.6 - Caenorhabditi s elegans [C.elegans]	ESTs, Weakly similar to T33520 hypothetical protein T10B11.6 - C.elegans (Listed is rat EST; mouse hypothetical protein)	WW domain N binding protein 4 11 (Wbp11),
,	92.68 SRp25 nuclear protein	86.5	29	·		7.3
•	5735					5747
	NP_057 722	XP_041 315	XP_052 194	716 716	716 716	NP_057 396
	5734	5737				5746
	5733 AB035384	AK000386	XM_05219 4	6 6	5743 XM_01671 6	AB028309
	5733		6739	5741	5743	5745
	BAA947 43	No Rat Protein Found.	BAB253 75	BAB243 00	BAB243 00	NP_068 360
	5732	5736	5738	5740	5742	6744
i 000	AA8923 5732 BAA947 18	AA8923 19	AA8923 25	AA8923 63	AA8923 53	AA8923 64

	Syntenin 1 (Syndecan binding protein 1).					
	Mainly membrane- associated .					
	AJ292243 rc_AA892373 EST196176 Rattus norvegicus Mainly cDNA, 3 end /clone=RKIAP65 /clone_end=3 membr /gb=AA892373 /gj=3019252 /ug=Rn.4309 associal /len=727	NM_02298 rc_AA892376 EST196179 Rattus norvegicus 5 cDNA, 3 end /done=RKIAP68 /clone_end=3 /gb=AA892376 /gi=3019255 /ug=Rn.2902 /len=624	rc_AA892378 EST196181 Rattus norvegicus cDNA, 3 end /clone≔RKIAP70 /clone_end≕3 /gb=AA892378 /gi=3019257 /ug=Rn.1298 /len=589	rc_AA882378 EST196181 Rattus norvegicus cDNA, 3 end /done=RKIAP70 /clone_end=3 /gb=AA892378 /gl=3019257 /ug=Rn.1298 /len=589	rc_AA892378 EST186181 Rattus norvegicus cDNA, 3 end /clone=RKIAP70 /clone_end=3 /gb=AA892378 /gi=3019257 /ug=Rn.1298 /len=589	rc_AA892378 EST196181 Rattus novegicus cDNA, 3 end /clone=RKIAP70 /clone_end=3 /gb=AA892378 /gi=3019257 /ug=Rn.1298 /len=589
	AJ292243	NM_02298 5				
	87.13 syntenin-1	protein associated with PRK1 (AWP1)	ESTs, Highly similar to AF151893 1 CGI-135 protein [H.sapiens]	ESTs, Highly similar to AF151893 1 CGI-135 protein [H.sapiens]	ESTs, Highly similar to AF151893 1 CGI-135 protein [H.sapiens]	ESTs, Highly similar to AF151893 1 CGI-135 protein [H.sapiens]
	87.13	93.22	92.68	92.68	92.68	92.68
	5751	5755	5759		5765	
	000560	XP_044 547	AAD341 30	XP_051	AAD341 30	XP_051 242
,	6750	5754	5758	5761	5764	5767
	5749 U83463	AF061739	NM_0160 68	NM_0160 68	NM_0160 68	NM_0160 68
		5753	5757	,	5763	
	Q9J192	5752 NP_075 361	NP_079 838	No Rat Protein Found.	NP_079 838	No Rat Protein Found.
	5748	5752	5756	5760	5762	5766
I ADIO A	AA8923 5748 Q9JI92 73	AA8923 76	AA8923 78	AA8923 78	AA8923 78	AA8923 78

thed to CD59 glycoprotein brane precursor GPI- (Membrane attack complex inhibitiondexector)	(MACIF)										
92.06 Mus musculus AB018002   rc_AA892388 EST196191 Rattus norvegicus Attached to cDNA, 3 end /clone=RKIAP80 /clone_end=3 the /gb=AA892388 /gi=3019267 /ug=Rn.1231 membrane sociated /len=849 archor.		rc_AA892394 EST198197 Rattus norvegicus	cDNA, 3 end /done=RKIAP90 /clone_end=3 /gb=AA692394 /gi=3019273 /ug=Rn.4183 /len=609	rc_AA892394 EST196197 Rattus norvegicus	cDNA, 3 end /clone=RKIAP90 /clone_end=3 /gb=AA892394 /gl=3019273 /ug=Rn.4183 /len=609	rc_AA892400 EST196203 Rattus norvegicus	cDNA, 3 end /done=RKIAQ01 /cione_end=3 /gb=AA892400 /gj=3019279 /ug=Rn.14755 /len=393	rc_AA892400 EST196203 Rattus norvegicus	cDNA, 3 end /done=RKIAQ01 /clone_end=3 /gb=AA892400 /gl=3019279 /ug=Rn.14755 /len=393	rc_AA892414 EST196217 Rattus norvegicus cDNA, 3 end /clone=RKIAQ16 /clone_end=3	/gb=AA892414 /gj=3019293 /ug=Rn.25345 /len=448
AB018002 cd		-	398		<u> </u>		<u>य स्ट</u>		<u> य स्ट</u>	<u> </u>	8/
Mus musculus mRNA for Death- associated protein kinase	4	EST(not	recognised)	EST(not	recognised)	EST (not	recognized)	EST (not	(pezjugosa	sodium bicarbonate	cotransporter 3 (SLC4A7)
92.06		5		8					,		
5771										5781	
NP_055		£	Human Protein Found.	ê	Human Protein Found.	å	Human Protein Found.	S.	Human Protein Found.	AAD383 22	
5770		5773		5775						2780	
5769 AF052941		AK057016		AK057016		No human	homolog found.	No human	homolog found.	AF047033	
5769		,								5779	
P27274		No Rat	Protein Found.	No Rat	Protein Found.	No Rat	Protein Found.	No Rat	Protein Found.	5778 AAF143 45	
5768		5772		5774		5776		5777		5778	
AA8923 5768 P27274		AA8923	8	AA8923	<b>z</b>	AA8924	8	AA8924	8	AA8924 14	

Ephrin-A1 precursor (EPH- related receptor tyrosine kinase ligand 1)(LERK- 1) (Immediate early response protein B61).						
Attached to the						
rc_AA892417 EST196220 Rattus norvegicus Attached to CDNA, 3 end /done=RKIAQ20 /clone_end=3 the /gb=AA892417 /gi=3019296 /ug=Rn.8427 membrane /len=482 anchor .	rc_AA892425 EST196228 Rattus norvegicus cDN4, 3 end /cione=RKIAQ30 /cione_end=3 /gb=AA892425 /gi=3019304 /ug=Rn.8544 /len=498	rc_AA892465 EST196268 Rettus norvegicus cDNA, 3 end /clone=RKIAQ77 /clone_end=3 /gb=AA892465 /gj=3019344 /ug=Rn.19942 /len=446	rc_AA892496 EST198299 Rattus norvegicus cDNA, 3 end /done=RKIAS17 /done_end=3 /gb=AA892496 /gi=3019375 /ug=Rn.3571 /len=596	rc_AA892500 EST196303 Rattus norvegicus cDNA, 3 end /clone=RKIAS21 /clone_end=3 /gb=AA892500 /gi=3019379 /ug=Rn.6300 /len=590	rc_AA892500 EST196303 Rattus norvegicus cDNA, 3 end /clone=RKIAS21 /clone_end=3 /gb=AA892500 /gj=3019379 /ug=Rn.6300 /len=590	rc_AA892505 EST196308 Rattus norvegicus cDNA, 3 end /done=RKIAS26 /clone_end=3 /gb=AA892505 /gj=3019384 /ug=Rn.2595 /len=562
				AB019577	AB019577	
Mus musculus adult male tongue cDNA, RIKEN	Mus musculus 11 days embryo cDNA, RIKEN	Homo sapiens helicase KIAA0054	Weak homology with Homo sapiens chimerin (chimaerin) 2 (CHN2)	UNC-51-like kinase (ULK) 2	UNC-51-like kinase (ULK) 2	Homo saplens divalent cation tolerant protein CUTA
86.39	94.06	86.94	93.46	86.89	86.89	91.22
5785		5790	5793	5797	5801	5808
P20827	No Human Protein Found.	P42694	P52757	XP_008 514	XP_008 514	XP_042 629
5784	5787	5789	5792	5786	2800	5804
6783 M67730	AA411025	D29677	AK028415	AB014523	AB014523	AF230924
5783				5795	5789	5803
P97553	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	5784 BAA773 41	BAA773 41	BAB232 17
5782	5786	5788	5791		5798	5802
AA8924 5782 P97553	AA8924 25	AA8924 65	AA8924 96	AA8925 00	AA8925 00	AA8925 05

_	·		<u></u>					
	rc_AA892507 EST189310 Rattus norvegicus cDNA, 3 end /clone=RKIAS28 /clone_end=3 /gb=AA892507 /gl=3019386 /ug=Rn.22728 /len=541	rc_AA892511 EST198314 Rattus norvegicus cDNA, 3 end /clone=RKIAS32 /clone_end=3 /gb=AA892511 /gi=3019390 /ug=Rn.14758 /len=593	re_AA892511 EST196314 Rattus norvegicus cDNA, 3 end /clone=RKIAS32 /clone_end=3 /gb=AA892511 /gi=3019390 /ug=Rn.14758 /len=593	rc_AA892522 EST198325 Rattus norvegicus cDNA, 3 end /clone=RKIAS45 /clone_end=3 /gb=AA892522 /gi=3019401 /ug=Rn.19440 //en=560	rc_AA892526 EST198329 Rattus norvegicus cDNA, 3 end /clone=RKIAS49 /clone_end=3 /gb=AA892526 /gi=3019405 /ug=Rn.14761 //en=502	rc_AA892531 EST196334 Rattus norvegicus cDNA, 3 end /clone=RKIAS55 /clone_end=3 /gb=AA892531 /gi=3019410 /ug=Rn.23798 /len=559	rc_AA892538 EST186341 Rattus norvegicus cDNA, 3 end /clone=RKIAS62 /clone_end=3 /gb=AA892538 /gi=3019417 /ug=Rn.3573 /len=609	rc_AA892538 EST186341 Rattus norvegicus cDNA, 3 end /clone=RKIAS62 /clone_end=3 /gb=AA892538 /gi=3019417 /ug=Rn.3573 /len=609
		AF234783	AF234783					·
_	ESTS, Moderately similar to DS1_HUMAN DS-1 PROTEI [H.sapiens]	Mus musculus AF234783 tescalcin	Mus musculus AF234783 tescalcin	EST (not recognized)	Mus musculus, done MGC:19168	ESTs, Weakly similar to B39066 proline-rich protein 15 - rat [R.norvegicus]	EST (some homology with mouse chromosomal)	EST (some homology with mouse chromosomal)
.	88. 86. 86.				87.5	94.78		
	808 808 908	5813	5817		5821	5824		
-	014197	Q99653	Q99653	No Human Protein Found.	No Human Protein Found.	AAG155 89	No Human Protein Found.	No Human Protein Found.
	2808	5812	5816		5820	5823		
-	NM_0015	U61538	U61538	No human homolog found.	AB002405	AL136746	No human homolog found.	No human homolog found.
	5807	5811	5815	·-				
-	91 91	AAF404 39	AAF404 39	No Rat Protein Found.	No Rat Protein Found.	B39066	No Rat Protein Found.	No Rat Protein Found.
	2806	5810	5814	5818	5819	5822	5825	5826
T and I	AA8925 5806 BAB226 07	AA8925 11	AA8925 11	AA8925 22	AA8925 26	31 31	AA8925 38	AA8925 38

2 010	1	- :	_		-	_	-	7000	_		-
8825	A8925 5827 No Rat Protein Found.	No Rat Protein Found.		Al827365	9828	25 25	6785 9878		93.61 Home sapiens HSPC161	rc_Awaszer ES 1 195550 Karus novegrus cDNA, 3 end /clone=RKIAS72 /clone_end=3 /gb=AA882547 /gj⊨3018426 /ug=Rn.3269 /len=584	
A8925 8	5830	P02551	5831	X01703	5832	A23035	<u> * </u>	90	Apha-tubulin	rc_AA892548 EST196351 Rattus norvegicus cDNA, 3 end /clone=RKIAS73 /clone_end=3 /gb=AA892548 /gi=3019427 /ug=Rn.14764 /len=618	Tubulin alpha-1 chain.
A8925 9	5833	No Rat Protein Found.		No human homolog found.	•	No Human Protein Found.		<del></del>	EST(not recognised)	rc_AA892549 EST196352 Rattus norvegicus CDNA, 3 end /done=RKIAS74 /done_end=3 /gb=AA892549 /gi=3019428 /ug=Rn.3576 /len=644	
A8925 0	5834	No Rat Protein Found.		AK024048	5835	No Human Protein Found.	5836	95.96	recognised)	rc_AAB92550 EST196353 Rattus norvegicus cDNA, 3 end /done=RKIAS75 /done_end=3 /gb=AA892550 /gj=3019429 /ug=Rn.4284 /len=566	
A8925	5837	No Rat Protein Found.		AK024048	5838	No Human Protein Found.	5839	95.96	EST(not recognised)	rc_AA892550 EST196353 Rattus norvegicus cDNA, 3 end /done=RKIAS75 /done_end=3 /gb=AA892550 /gi=3019429 /ug=Rn.4284 /len=566	
A8925	5840	No Rat Protein Found.		AF070615	5841	QSUNSG	5842	1.38	Homo saplens Ras-GTPase activating protein SH3 domain- binding protein 2 (KIAA0660)	rc, AA892554 EST 196357 Rattus norvegicus cDNA, 3 end /done=RKIAS79 /done_end=3 /gb=AA882554 /gi=3019433 /ug=Rn.22084 /len=549	
A8925 4	5843	No Rat Protein Found.		AF070815	44	Q9UN86	5845	95.1	Homo sapiens acas-GTPase activeting protein SH3 domain- binding protein 2 (KIAA0660)	rc_AA892564 EST196357 Rattus norvegicus cDNA, 3 end /clone=RKIAS79 /clone_end=3 /gb=AA892554 /gi=3019433 /ug=Rn.22084 /len=549	
-	-	•	-	-	_	•	•	•	•		•

rc_AA892554 EST186357 Rattus norvegicus cDNA, 3 end /clone=RKIAS79 /clone_end=3 /gb=AA892554 /gi=3019433 /ug=Rn.22084 /len=549	rc_AA892554 EST196357 Rattus norvegicus cDNA, 3 end /clone=RKIAS79 /clone_end=3 /gb=AA892554 /gi=3019433 /ug=Rn.22084 /len=549	rc_AA892561 EST196364 Rattus norvegicus cDNA, 3 end /clone=RKIAS89 /clone_end=3 /gb=AA892661 /gi=3019440 /ug=Rn.24636 /len=459	rc_AA892835 EST186438 Rattus norvegicus cDNA, 3 end /clone=RKIAV15 /clone_end=3 /gb=AA892835 /gi=3019514 /ug=Rn.12720 /len=478	rc_AA892635 EST196438 Rattus norvegicus cDNA, 3 end /clone=RKIAV15 /clone_end=3 /gb=AA892635 /gi=3019514 /ug=Rn.12720 /len=478	rc_AA892637 EST196440 Rattus norvegicus cDNA, 3 end /clone=RKIAV17 /clone_end=3 /gb=AA892637 /gl=3019516 /ug=Rn.11527 /len=480	rc_AA892642 EST196445 Rattus norvegicus cDNA, 3 end /clone=RKIAV23 /clone_end=3 /gb=AA892642 /gl=3019521 /ug=Rn.14778 /len=506
Homo sapiens Ras-GTPase activating protein SH3 domain- binding protein 2 (KIAA0660)	.1 Homo sapiens Ras-GTPase activating protein SH3 domain- binding protein 2 (KIAA0660)	87.2 EST (not recognized)	94.26 Ras-like protein	94.26 Ras-like protein	EST (not recognized)	83.23 Homo saplens mRNA; cDNA DKFZp434M2 29
	5851 95.1		5857 94.	5861		<u>8</u>
QBUN86	Q9UN86	No Human Protein Found.	P17081	P17081	No Human Protein Found.	No Human Protsin Found.
5847	5850	5853	5856	5860		5884
AF070615	AF070615	NM_0140 39	BC013135	BC013135	No human homolog found.	AL162039
			5855	5859		
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	TVRTR H	TVRTR H	No Rat Protein Found.	No Rat Protein Found.
5846	6849	5852	5854	5858	5862	5863
AA8925 5846 54	AA8926 54	AA8925 61	AA8926 35	AA8926 35	AA8926 37	AA8926 42

			-		·			
					·			Elongation factor 2 (EF-2).
			·					Cytoplasmic. Elongation factor 2 (El
	rc_AA892675 EST196478 Rattus novegicus cDNA, 3 end /clone=RKIAV64 /clone_end=3 /gb=AA892675 /gi=3019554 /ug=Rn.16542 /len=413	rc_AA892680 EST196483 Rattus norvegicus cDNA, 3 end /done=RKIAV69 /done_end=3 /gb=AA892680 /gi=3019559 /ug=Rn.14747 /len=451	rc_AA892754 EST186557 Rattus norvegicus cDNA, 3 end /cions=RKIAW82 /cions_end=3 /gb=AA892754 /gi=3019633 /ug=Rn.14788 /len=382	rc_AA892775 EST196578 Rattus norvegicus cDNA, 3 end /clone=RKIAX18 /clone_end=3 /gb=AA892775 /gi=3019654 /ug=Rn.2283 /len=711	rc_AA892779 EST196582 Rattus norvegicus cDNA, 3 end /clone=RKIAX22 /clone_end=3 /gb=AA892779 /gi=3019658 /ug=Rn.7319 /len≕662	rc_AA892779 EST198582 Rattus norvegicus cDNA, 3 end /clone=RKIAX22 /clone_end=3 /gb=AA892779 /gl=3019658 /ug=Rn.7319 /len=662	rc_AA892780 EST198583 Rattus norvegicus cDNA, 3 end /clone=RKIAX23 /clone_end=3 /gb=AA892780 /gi=3019659 /ug=Rn.14793 /len=558	rc_AA892801 EST195604 Rattus norvegicus cDNA, 3 end /clone=RKIAX44 /clone_end=3 /gb=AA892801 /gi=3019680 /ug=Rn.3610 /len=528
				NM_01277			,	
	GL014 mRNA	ESTs, Weakly similar to PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A [R.norvegicus]	EST(not recognised)	Lysozyme	EST (not recognized)	EST (not recognized)	EST (not recognized)	Eukaryotic translation elongation factor 2
	•	95.29		99	89.32	89.32		8
	5867	5871		5876	5879	5882		5887
	AAG447 27	S64705	No Human Protein Found.	P00695	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	P13639
	5866	5870		5875	5878	5881		5886
	AF267858	AF251049	No human homolog found.	NM_0002 39	AL136667	AL136667	No human homolog found.	M19997
		6989	,	5874				5885
	No Rat Protein Found.	CSRTA	No Rat Protein Found.	NP_036 903	No Rat Protein Found.	5880 No Rat Protein Found.	No Rat Protein Found.	5884 P05197
	5865	2868	5872	5873	5877	5880	5883	
I able 4.	AA8926 5865 No Rat 75 Protein Found.	AA8926 80	AA8927 54	AA8927 75	AA8927 79	AA8927 79	AA8927 80	AA8928 01

	Elongation factor 2 (EF-2).	Elongation factor 2 (EF-2).	Elongation factor 2 (EF-2).		<del></del>		
	Cytoplasmic	Cytopiasmic.	Cytoplasmic.				
	rc_AA892801 EST198604 Rattus norvegicus   Cytoplasmic.   Elongation cDNA, 3 end /done=RKIAX44 /done_end=3 /gb=AA892801 /gi=3019680 /ug=Rn.3610   Inn=528	rc_AA892801 EST196604 Rattus norvegicus Cytopiasmic. Elongation cDNA, 3 end /clone=RKIAX44 /clone_end=3 /gb=AA892801 /gi=3019680 /ug=Rn.3610 /len=528	rc_AA892801 EST196604 Rattus norvegicus Cytopiasmic. Elongation cDNA, 3 end /clone=RKIAX44 /clone_end=3 /gb=AA892801 /gj=3019680 /ug=Rn.3610 /len=528	rc_AA892805 EST196608 Rattus norvegicus cDNA, 3 end /clone=RKIAX50 /clone_end=3 /gb=AA892805 /gl=3019684 /ug=Rn.19944 /len=499	rc_AA892813 EST196616 Rattus norvegicus cDNA, 3 end /clone=RKIAX58 /clone_end=3 /gb=AA892813 /gj=3019692 /ug=Rn.1940 /len=542	rc_AA892818 EST196621 Rattus norvegicus cDNA, 3 end /clone=RKIAX63 /clone_end=3 /gb=AA892818 /gi=3019697 /ug=Rn.14795 /len=543	rc_AA892820 EST186623 Rattus norvegicus cDNA, 3 end /clone=RKIAX65 /clone_end=3 /gb=AA892820 /gi=3018699 /ug=Rn.1761 /len=590
	Eukaryotlc translation elongation factor 2	Eukaryotic translation elongation factor 2	Eukaryotic translation elongation factor 2	Mus musculus adult mals tastis cDNA, RIKEN	99.17 Homo sapiens region containing C3H-type zinc finger protein	EST (not recognised)	ESTs, Weakly similar to S70642 ubiquitin ligase Nedd4 - rat [R.norvegicus]
	8	66	66	81.94	99.17		80
	5891	5895	5899		5904		2800
	5890 P13639	P13639	P13639	No Human Protein Found.	XP_007 221	No Human Protein Found.	11 11
	5880	5894	5898	5901	5903		2807
	M19997	M19997	M19997	BG420645	AF061261	No human homolog found.	AB007899
	5889	5893	5897				
	P05197	P05197	P05197	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	S70842
•	5888	5892	5896	2800	5902	5905	2808
	AA8928 5888 P05197 01	AA8928 01	AA8928 01	AA8928 05	AA8928 13	AA8928 18	AA8928 20

	rc_AA892821 EST198624 Rattus norvegicus cDNA, 3 end /clone=RKIAX66 /clone_end=3 /gb=AA892821 /gj=3019700 /ug=Rn.8548 /len=503	rc_AA892821 EST196624 Rattus norvegicus cDNA, 3 end /clone=RKIAX66 /clone_end=3 /gb=AA892821 /gi=3019700 /ug=Rn.8548 /len=503	rc_AA892828 EST198631 Rattus norvegicus cDNA, 3 end /done=RKIAX75 /done_end=3 /gb=AA892828 /gj=3019707 /ug=Rn.2273 /len=626
	Rattus norvegicus alar mRNA for androgen- inducible aldehyde reductase	Rattus norvegicus alar mRNA for androgen- inducible aldehyde reductase	ESTS, Highly similar to ODPB RAT PYRUVATE DEHYDROGE NASE E1 COMPONENT BETA SUBUNIT, MITOCHOND MITOCHOND RIAL RIAL RIAL RIAL RIAL RIAL RIAL RIAL
	88.43 Rattus norveg alar ml androg inductk aldehy	88.43	96.15
	5912	5916	
	5911 043488	043488	P11177
	5911	5915	6183
	5910   Y16675	Y16675	M34055
	5910	5914 4	818
	BAA803	BAAB03 96	5917 P49432
	2808	5913	5917
Table 2.	AA8928 5909 BAA803	AA8928 21	AA8928 28

AA8928 28	5921	AA8928 5921 P49432 28		5922 M34055	2853	5923 P11177	9854	96.15	98.15 ESTs, Highly similar to ODPB RAT PYRUVATE DEHYDROGE NASE E1 COMPONENT BETA SUBUNIT, MITOCHOND RIAL PRECURSOR [R.norvegicus]	rc_AA892828 EST196631 Rat cDNA, 3 end /clone=RKIAX75 /gb=AA892828 /gi=3019707 /ug /len=626
AA8928 28	5925	5925 P48432	5926	M34055	5927	P11177	9828	96.15	ESTs, Highly similar to ODPB RAT OPPRUNATE DEHYDROGE NASE E1 COMPONENT BETA SUBUNIT, MITOCHOND RIAL PRECURSOR [R.norvegicus]	rc_AA892828 EST196631 Rat cDNA, 3 end /clone=RKIAX75 /gb=AA892828 /g ≕3019707 /u <sub>y</sub> /len≔626

Table 2.				•		•	•		•		
AA8928 28	5929	P49432	ტ ტ	AA8928 5929 P49432 5930 M34055 28	5931	5931 P11177	5932	51.5	96.15 ESTs, Highly similar to ODPB RAT PYRUVATE DEHYDROGE NASE E1 COMPONENT BETA SUBUNIT, MITOCHOND RIAL PRECURSOR [R. norvegicus]	rc_AA892828 EST196631 Raffus nor CDNA, 3 end /clone=RKIAX75 /clone /gb=AA892828 /gl=3019707 /ug=Rn.2 /len=626	fattus noi 75 /clone /ug=Rn.2
AA8928 28	5833	5933 P49432	4563	M34055	89335	P11177	5936	96.15	96.15 ESTs, Highly similar to ODPB RAT PYRUVATE DEHYDROGE NASE E1 COMPONENT BETA SUBUNIT, MITOCHOND RAAL PRECURSOR [R.novegicus]	rc_AA892828 EST196631 Rattus not cDNA, 3 end /done=RKIAX75 /done, /gb=AA892828 /g⊨3019707 /ug=Rn.2 /len=626	autus noi 75 /done /ug=Rn.2

	rc_AA892828 EST196631 Rattus norvegicus cDNA, 3 end /clone=RKIAX75 /clone_end=3 /gb=AA892828 /gi=3019707 /ug=Rn.2273 /len=628	Mus musculus NM_01186 rc_A8892829 EST196632 Rattus norvegicus 3 cDNA, 3 end /clone=RKIAX76 /clone_end=3 phosphoaden	rc_AA892832 EST196635 Rattus norvegicus cDNA, 3 end /clone=RKIAX79 /clone_end=3 /gb=AA892832 /gi=3019711 /ug=Rn.4243 /en=605	rc_AA892835 EST196638 Rattus norvegicus cDNA, 3 end /clone=RKIAX82 /clone_end=3 /gb=AA892835 /gi=3019714 /ug=Rn.3613 /len=570	rc_AA892842 EST198645 Rattus norvegicus cDNA, 3 end /clone=RKIAX90 /clone_end=3 /gb=AA892842 /gi=3019721 /ug=Rn.3847 /len=544
		3 3			
	98.15 ESTs, Highly similar to ODPB RAT PYRUVATE DEHYDROGE NASE E1 COMPONENT BETA SUBUNIT, MITOCHOND RIAL PRECURSOR [R.norvegicus]	Mus musculus 3 phosphoaden osine 5'- phosphosulfat e synthase 1	Mus musculus 18 days embryo cDNA, RIKEN	ESTs, Moderately similar to BTF3 MOUSE TRANSCRIPT ION FACTOR BTF3 [M.musculus]	Rattus norvegicus clone RP31- 188L2
	8.6.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1	86.44	,	93.82	96.85
	5840	5944			5950
	5939 P1177	043252	No Human Protein Found.	JC1236	P47755
	8888	5943		5947	5949
	6938 M34055	Y10387	No human homolog found.	AK027582	U03851
	9889	5942			
	P49432	NP_035 893	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
	6937	5941	5945	5946	5948
lable 4	AA6928 5937 P49432 28	AA8928 29	AA8928 32	AA8928 35	AA8928 42

•	rc_AA892843 EST196646 Rattus norvegicus cDNA, 3 end /clone=RKIAX91 /clone_end=3 /gb=AA892843 /gi=3019722 /ug=Rn.3728 /len=600	rc_AA892847 EST196650 Rattus norvegicus CDNA, 3 end /clone=RKIAX96 /clone_end=3 /gb=AA892847 /gl=3019726 /ug=Rn.25171 /len=537	rc_AA892849 EST196652 Rattus norvegicus CDNA, 3 end /clone=RKIAY06 /clone_end=3 /gb=AA892849 /gi=3019728 /ug=Rn.3615 /len=593	nc_AA892851 EST196654 Rattus norvegicus cDNA, 3 end /clone=RKIAY09 /clone_end=3 /gb=AA892851 /gi=3019730 /ug=Rn.3616 /len=586	rc_AA892851 EST198654 Rattus norvegicus cDNA, 3 end /done=RKIAY09 /clone_end=3 /gb=AA892851 /gi=3019730 /ug=Rn.3616 /len=586	rc_AA892851 EST196654 Rattus norvegicus cDNA, 3 end /clone=RKIAY09 /clone_end=3 /gb=AA892851 /gt=3019730 /ug=Rn.3616 /len=586	rc_AA892851 EST198654 Rattus norvegicus cDNA, 3 end /clone=RKIAY09 /clone_end=3 /gb=AA892851 /gl=3019730 /ug=Rn.3616 /len=586
		AJ223966					
	Mus musculus, RIKEN CDNA 2010005E08	alpha-N- acetylgalactos aminidase	Mus musculus 10 day old male pancreas cDNA, RIKEN	EST, weakly similar to Human protein tyrosine tkinase kinase	EST, weakly similar to Human protein tyrosine kinase	EST, weakly similar to Human protein tyrosine kinase	EST, weakly similar to Human protein tyrosine kinase
,	87.57	82	96.15	90.18	90.18	90.18	90.18
•							
	6953	5957	2960	5963	5966	5969	5972
	nan riein md.	P17050 5957	Q14582 5960	AAC500 5963	AAC500 5966 62	AAC500 5969	AAC500 5972 62
			<del></del>				
	5952 No Human Protein Found.	5956 P17050	Q14582	AAC500 62	AAC500 62	AAC500 62	AAC500 62
	No Human Protein Found.	P17050	5959 Q14582	5962 AAC500 62	5965 AAC500 62	5968 AAC500 62	5971 AAC500 62
	AK024570 5952 No Human Protein Found.	5955 NM_0002 5956 P17050 62	BC002713 5959 Q14582	5962 AAC500 62	No Rat BE139189 5965 AAC500 Protein Found.	5968 AAC500 62	No Rat BE139189 5971 AAC500 Protein 62 Found.
	5952 No Human Protein Found.	11 5955 NM_0002 5956 P17050 62	BC002713 5959 Q14582	BE139189 5962 AAC500 62	BE139189 5965 AAC500	BE139189 5968 AAC500 62	BE139189 5971 AAC500 62

	<u></u> -						
_			_				40S ribosomal protein S15 (RIG protein).
_							
	NM_01886   7c_AA882854 ES   18655/ Katus norvegicus cDNA, 3 end /clone=RKIAY12 /clone_end=3 /gb=AA882854 /gl=3019733 /ug=Rn.6917 /len=591	rc_AA892860 EST196663 Rattus norvegicus cDNA, 3 end /done=RKIAY20 /clone_end=3 /gb=AA892860 /gi=3019739 /ug=Rn.21424 /len=436	rc_AA892860 EST196663 Rattus norvegicus cDNA, 3 end /done=RKIAY20 /clone_end=3 /gb=AA892860 /gb=3019739 /ug=Rn.21424 /len=436	rc_AA892863 EST196666 Rattus norvegicus cDNA, 3 end /done=RKIAY23 /clone_end=3/gb=AA892863 /gl=3019742 /ug=Rn.1076 /len=534	Monoglyceride NM_01184 rc_AA892864 EST196687 Rattus norvegicus abnase	rc_AA692888 EST196691 Rattus norvegicus cDNA, 3 end /clone=RKIAY54 /clone_end=3 /gb=AA892888 /gi=3019767 /ug=Rn.14801 /len=508	rc_AA892895 EST196698 Rattus norvegicus cDNA, 3 end /clone=RKIAY64 /clone_end=3 /gb=AA892895 /gl=3019774 /ug=Rn.3391 //en=508
•	rc_Aves cDNA, 3 /gb=AA8 /len=591	5 G 49 6	500 Jel	588 F	5.8 P P	5 8 g g	5.02 (4.6) 2.1.0 (1.0)
	MM 6				NM_01184		
,	small inducible cytokine subfamily B (Cys-X-Cys), member 13 (Scyb13),	EST(not recognised)	EST(not recognised)	EST (not recognized)	Monoglyceride Ilpase	EST (not recognized)	Ribosomal protein S15
	4	94.37	94.37		\$		93.45
-	9/60	5979	2882				2980
-	043827	Q07889	Q07889	No Human Protein Found.	XP_042 685	No Human Protein Found.	<b>кзн</b> U15
_	5/89	5978	5981	_ = =	·············		5989
-	5974 NM_0064	AA032215	AA032215	No human homolog found.	XM_04258 5	No human homolog found.	AA434279
-	5874				5985		2988
•	354 354	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_035 974	No Rat Protein Found.	P11174
•	6973	5977	5980	5983	5984	5986	5987
i -	AA8928 5973 NP_061 54 354	AA8928 60	AA8928 60	AA8928 63	AA8928 64	AA8928 88	AA8928 95

SHUTTLES Nucleolar ON CURVILINEA pt30 (Nucleolar R TRACKS 130 kDa BETWEEN 130 kDa NUCLEOLU KDanucleolar S AND phosphoprotein) CYTOPLAS (Nopp140) M. THESE (Nucleolar and CYTOPLAS (Nopp140) M. THESE (Nucleolar and EXTEND bodyphosphopr FROM THE dein 1). DENSE FIBRILLAR COMPONEN T OF THE NUCLEOLU S ACROSS S ACRO
rc_AA892919 EST198722 Rattus norvegicus SHUTTLES cDNA, 3 end /done=RKIAY91 /done_end=3 ON /gb=AA892919 /gi=3019798 /ug=Rn.9517 /len=574 RTRACKS BETWEEN NUCLEOLU S AND CYTOPLAS RTRACKS EXTEND FROM THE DENSE FIBRILLAR COMPONEI T OF THE NUCLEOLU S ACROSS THE NUMBER O NUCLEAR PORE
M94288
Nucleolar phosphoprotei n of 140kD
Human Protein Found.
·
No human homolog found.
2086
5995 P41777
AA8929 19

19		LECON_MX SEEC	_	- 650-F	_	74		M94288	_	23711000	Mucieolai	
_		60		918		<u> </u>	phosphoprotei of 140kD.	<del></del>	cDNA, 3 end /clone=RKIAY91 /clone_end=3   /ab=AA892919 /aj=3019798 /ua=Rn.9517	ON CURVILINEA	ON phosphoprotein CURVILINEA p130 (Nucleolar	
_						<u>. Z</u>	Nopp140		/Jen=574	R TRACKS	130 kDa	
		_								BETWEEN	protein) (140	
										NUCLEOLU	kDanucleolar	
_											(Mospilopiotelli)	
										M THESE	(Nucleolar and	
					•					TRACKS	coiled-	
										EXTEND	bodyphosphopr	
										FROM THE	oteln 1).	
										DENSE		
					_					FIBRILLAR		
					-					COMPONEN		
·										5		
										NUCLEOLU		
								_		S ACROSS		
										뿔		
										NUCLEOPLA		
										SM TO A		
										LIMITED		
										NUMBER OF		
	_									NUCLEAR		
										PORE		
						-				COMPL		
AA8929 5999	No Rat	No human		2		<u> </u>	RIKEN full-	AK018158	rc_AA892987 EST196770 Rattus norvegicus		-	
		homolog		Human		<u> </u>	length cDNA		cDNA, 3 and /clone=RKIBA44 /clone_end=3			
	Found.	 found.	<u></u>	Protein		<u> </u>	esnow		/gb=AA892967 /gl=3019846 /ug=Rn.1936			
0000	100	 No brimon					EST(not		re AA892899 EST196802 Rathus norvedicus			
00	Detein	homolog		Human		<u>. c</u>	mcognised)		cDNA. 3 and /clone=RKIBA90 /clone end=3			
	Form	 E POLICE		Profein			<b>(</b>		/ab=AA892999 /al=3019878 /ua=Rn.13463			
	<u>.</u>	 <u> </u>	<del></del> -	Found.			-		/en=465			
AA8930 6001		BG261086	6002	9		92.24 E	EST (not		rc_AA893002 EST196805 Rattus norvegicus			
	Protein	 		Human		_	recognized)	•	cDNA, 3 end /clone=RKIBA94 /clone_end=3			
	Found.			Protein	-			,	/gb=AA893002 /gl=3019881 /ug=Kn.13454			
	_	_	_	Found.	_	_	_	_	807-119J	_	_	_

rc_AA893011 EST198814 Rattus norvegicus cDNA, 3 end /clone=RKIBB08 /clone_end=3 /gb=AA893011 /gi=3019890 /ug=Rn.22720 //en=365	rc_AA893032 EST199835 Raitus norvegicus cDNA, 3 end /clone=RKIBB31 /clone_end=3 /gb=AA893032 /gi=3019911 /ug=Rn.12640 /len=367	NM_01931 rc_AA893082 EST198885 Rattus norvegicus CDNA, 3 end /clone=RKIBB88 /clone_end=3 /gb=AA893082 /gi=3019981 /ug=Rn.6545 /len=479	rc_AA893088 EST196891 Rattus norvegicus cDNA, 3 end /clone=RKIBB94 /clone_end=3 /gb=AA893088 /gi=3019967 /ug=Rn.3649 /len=479	rc_AA893172 EST196975 Rattus norvegicus cDNA, 3 end /clone=RKIBD10 /clone_end=3 /gb=AA893172 /gl=3020051 /ug=Rn.22629 /len=634	rc_AA893183 EST198988 Rattus norvegicus cDNA, 3 end /clone=RKIBD25 /clone_end<3 /gb=AA893183 /gl=3020062 /ug=Rn.24460 /len=491	rc_AA883183 EST196986 Rattus norvegicus cDNA, 3 end /clone=RKIBD25 /clone_end=3 /gb=AA883183 /gi=3020062 /ug=Rn.24460 /len=491
		NM_01931 8				
EST (not recognized)	EST (not recognized)	v-maf N musculoapone 8 urotic fibrosarcoma	EST (not recognized)	EST (not recognized)	ESTs, Weakly similar to S57447 HPBRII-7 protein [H.sapiens]	ESTs, Weakly similar to S57447 HPBRIL-7 protein [H.sapiens]
		97.47		93.39		8
		8009				4109
No Human Protein Found.	No Human Protein Found.	XP_035 579	No Kuman Protein Found.	No Human Protein Found.	XP_017 866	S57447
		6007		6011		-
No human homolog found.	No human homolog found.	AF055376	No human homolog found.	AK023165	XM_01786 6	No human homolog found.
		9009		<del>-</del>		<del></del>
No Rat Protein Found.	6004 No Rat Protein Found.	NP_062 191	No Rat Protein Found.	No Rat Protein Found.	6012 No Rat Protein Found.	No Rat Protein Found.
8003	6004	6005	6009	6010	6012	6013
AA8930 6003 No Rat 11 Found.	AA8930 32	AA8930 82	AA8930 88	AA8931 72	AA8931 83	AA8931 83

						•	
rc_AA893183 EST196986 Rattus norvegicus cDNA, 3 end /clone=RKIBD25 /clone_end=3 /gb=AA893183 /gi=3020062 /ug=Rn.24460 /len=491	rc_AA883183 EST196986 Rattus norvegicus cDNA, 3 end /done=RKIBD25 /clone_end=3 /gb=AA883183 /gj=3020062 /ug=Rn.24460 /len=491	rc_AA893184 EST196987 Rattus norvegicus cDNA, 3 end /done=RKIBD26 /done_end=3 /gb=AA893184 /gi=3020063 /ug=Rn.19819 /len=643	rc_AA893193 EST198996 Rattus norvegicus cDNA, 3 end /cions=RKIBD37 /cions_end=3 /gb=AA893193 /gi=3020072 /ug=Rn.1779 /len=646	rc_AA893217 EST197020 Rattus norvegicus CDNA, 3 end /clone=RKIBD65 /clone_end=3 /gb=AA893217 /gi=3020096 /ug=Rn.1431 /len=663	rc_AA893230 EST197033 Rattus norvegicus cDNA, 3 end /clone=RKIBD83 /clone_end=3 /gb=AA893230 /gj=3020109 /ug=Rn.13485 /len=646	rc_AA883260 EST197063 Rattus norvegicus cDNA, 3 end /clone=RKIBE21 /clone_end=3 /gb=AA883260 /gi=3020139 /ug=Rn.3550 /len=512	rc_AA893289 EST197092 Rattus norvegicus cDNA, 3 end /cione=RKIBE56 /cione_end=3 /gb=AA883289 /gj=3020168 /ug=Rn.13493 /len=286
ESTs, Weakly similar to S5747 HPBRII-7 protein H-saplens!	ESTs, Weakly similar to S57447 HPBRII-7 protein [H-saplens]	Pyruvate dehydrogenas e	EST(not recognised)	Homo sapiens, clone IMAGE:46408 16	Mus musculus adult male tongue cDNA, RIKEN	long interspersed repeated element LINE	EST(not recognised)
	8		98.06		85.23		
	6017						
XP_017 866	S57447	XP_006 094	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
			6020		6023		
XM_01786 6	No human homolog found.	XM_00609 4	AA904277	No human homolog found.	AF308287	No human homolog found.	No human homolog found.
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
6015	6016	6018	6019	6021	6022	6024	6025
AA8931 83	AA8931 83	AA8931 84	AA8931 93	AA8932 17	AA8932 30	AA8932 60	AA8932 89

									•
	rc_Avass320 ES 11971.62 Natus novegrous cDNA, 3 end /done=RKIBF04 /clone_end=3 /gb=AA883320 /gi=3020199 /ug=Rn.13340 /len=370	rc_AA893328 EST197131 Rattus norvegicus cDNA, 3 end /clone=RKIBF14 /clone_end=3 /gb=AA893328 /gi=3020207 /ug=Rn.22887 /len=362	rc_AA893338 EST197141 Rattus norvegicus cDNA, 3 end /done=RKIBF24 /clone_end=3 /gb=AA893338 /gi=3020217 /ug=Rn.25105 /len=519	rc_AA893408 EST197209 Rattus norvegicus cDNA, 3 end /clone=RLIAB05 /clone_end=3 /gb=AA893406 /gi=3020285 /ug=Rn.8150 /len=493	rc_AA893443 EST197246 Rattus norvegicus cDNA, 3 end /done=RLIAB52 /done_end=3 /gb=AA893443 /gi=3020322 /ug=Rn.4992 /len=548	rc_AA893454 EST197257 Rattus norvegicus cDNA, 3 end /clone=RLIAB64 /clone_end=3 /gb=AA893454 /gi=3020333 /ug=Rn.7329 /len=387	rc_AA893471 EST197274 Rattus norvegicus cDNA, 3 end /clone=RLIAB84 /clone_end=3 /gb=AA883471 /gi=3020350 /ug=Rn.11927 /len=354	rc_AA893532 EST197335 Rattus norvegicus cDNA, 3 end /clone=RLIAD60 /clone_end=3 /gb=AA893532 /gi=3020411 /ug=Rn.12953 /len=598	rc_AA893569 EST197372 Rattus norvegicus cDNA, 3 end /done=RPLAC07 /done_end=3 /gb=AA893569 /gi=3020448 /ug=Rn.12954 /len=461
		•					NM_01126 1		
ì	recognised)	ESTs, Highly similar to CALX RAT CALNEXIN PRECURSOR [R.norvegicus]	Mus musculus adult male lung cDNA, RIKEN	EST(not recognised)	Rap1B	EST(not recognised)	reelin (Rein),	EST (mouse Riken protein)	EST (not recognized)
_		8	95.18		88		83		
_		9030	6033		6038	,	6043		
-	No Human Protein Found.	P27824	No Human Protein Found.	No Human Protein Found.	P09526	No Human Protein Found.	P78509	No Human Protein Found.	No Human Protein Found.
_		6029	6032		6037		6042		
-	No numan homolog found.	L10284	BC008045	No human homolog found.	NM_0156 46	No human homolog found.	NM_0050 45	No human homolog found.	No human homolog found.
		6028					6041		
	Protein Found.	P35565	No Rat Protein Found.	No Rat Protein Found.	AAA927 87	No Rat Protein Found.	NP_035 391	AK0140 63	No Rat Protein Found.
3	9709	6027	6031	6034	6035	6039	6040	6044	6045
	20	AA8933 28	AA8933 38	AA8934 06	AA8934 43	AA8934 54	AA8934 71	AA8935 32	AA8935 69

rc_AA883596 EST197399 Rattus norvegicus cDNA, 3 end /done=RPLAC38 /done_end=3 /gb=AA883596 /gj=3020475 /ug=Rn.22237 /len=564	rc_AA893596 EST197399 Rattus norvegicus cDNA, 3 end /clone=RPLAC38 /clone_end=3 /gb=AA893596 /gi=3020475 /ug=Rn.22237 /len=564	rc_AA893603 EST197406 Rattus norvegicus cDNA, 3 end /done=RPLAC46 /clone_end=3 /gb=AA893603 /g⊨3020482 /ug=Rn.14813 /len=511	rc_AA893603 EST197406 Rattus norvegicus cDNA, 3 end /dons=RPLAC46 /cions_and=3 /gb=AA893603 /gi=3020482 /ug=Rn.14813 /len=511	rc_AA893612 EST197415 Rattus norvegicus cDNA, 3 end /cione=RPLAC57 /cione_end=3 /gb=AA883612 /gi=3020491 /ug=Rn.14814 /len=265	rc_AA893612 EST197415 Rattus norvegicus cDNA, 3 end /clone=RPLAC57 /clone_end=3 /gb=AA893612 /gi=3020491 /ug=Rn.14814 /len=265	rc_AA893621 EST197424 Rattus norvegicus cDNA, 3 end /clone=RPLAC68 /clone_end=3 /gb=AA893621 /gi=3020500 /ug=Rn.3697 /len=607	rc_AA893641 EST197444 Rattus norvegicus cDNA, 3 end /clone=RPLAC90 /clone_end=3 /gb=AA893641 /gi=3020520 /ug=Rn.3699 /len=508
				AF057285	AF057285	AB035381	
Mouse RIKEN full-length cDNA	Mouse RIKEN full-length cDNA	EST (not recognized)	EST (not recognized)	Intersectin-EH AF057285 binding protein lbp1	Intersectin-EH AF057285 binding protein Ibp1	Mus musculus AB035381 cato mRNA for cation- transporting atpase	ESTs, Highly similar to WN5A_RAT WNT-5A PROTEIN PRECURSOR [R. novegicus]
				98	98	89.68	89.05
6049	6053					6063	6067
AAH035 42	AAH035 42	No Human Protein Found.	No Human Protein Found.	XP_034 403	XP_034 403	Q9HD20	P41221
6048	6052					6062	9809
8047 BC003542	BC003542	No human homolog found.	No human homolog found.	XM_03440 3	XM_03440	NM_0204 10	AL390088
-	6051			6057	6029	6061	8065
AK0160 67	AK0160 67	No Rat Protein Found.	No Rat Protein Found.	AAC97 475	AAC97 475	6050 BAB200 95	6084 Q9QXQ
6046	6050	6054	6055	6058	6058	0909	9084
AA8835 6046 AK0160 96 67	AA8835 96	AA8836 03	AA8936 03	AA8936 12	AA8936 12	AA8936 21	AA8936 41

	rc_AA893641 EST197444 Rattus norvegicus cDNA, 3 end /clone=RPLAC90 /clone_end=3 /gb=AA893641 /gi=3020520 /ug=Rn.3699 //en=508	nc_AA893662 EST197465 Rattus norvegicus cDNA, 3 end /clone=RPLA116 /clone_end=3 /gb=AA893662 /gi=3020541 /ug=Rn.14817 /len=457	Inc_AA893663 EST197466 Rattus norvegicus cDNA, 3 end /ctone=RPLA118 /ctone_end=3 /gb=AA893663 /gi=3020542 /ug=Rn.13170 /len=520	nc_AA893664 EST197467 Rattus norvegicus cDNA, 3 end /ctone=RPLA119 /ctone_end=3 /gb=AA893664 /gi=3020543 /ug=Rn.14818 /len=409	rc_AA893667 EST197470 Rattus norvegicus cDNA, 3 end /clone=RPLAI23 /clone_end=3 /gb=AA893667 /gi=3020546 /ug=Rn.4237 /len=485	rc_AA893667 EST197470 Rattus norvegicus cDNA, 3 end /done=RPLAI23 /done_end=3 /gb=AA893667 /gi=3020546 /ug=Rn.4237 /len=485	rc_AA893667 EST197470 Rattus norvegicus cDNA, 3 end /clone=RPLAI23 /clone_end=3 /gb=AA893667 /gi=3020546 /ug=Rn.4237 /len=485	rc_AA893667 EST197470 Rattus norvegicus cDNA, 3 end /done=RPLAI23 /clone_end=3 /gb=AA893667 /gi=3020546 /ug=Rn.4237 /len=485	rc_AA893667 EST197470 Rattus norvegicus cDNA, 3 end /clone=RPLAI23 /clone_end=3 /gb=AA893667 /gi=3020546 /ug=Rn.4237 /len=485
			NM_00918 3		AF378525	AF378525	AF378525	AF378525	AF378525
,	89.05 ESTs, Highly similar to WN54_RAT WNT-5A PROTEIN PRECURSOR [R.norvegicus]	EST(not recognised)	sialyltransfera se 8	Homo saplens BAC clone RP11-334F17 from 2	Mus musculus AF378525 nin283 mRNA	Mus musculus AF378525 nin283 mRNA	Mus musculus AF378525 nin283 mRNA	Mus musculus AF378525 nin283 mRNA	Mus musculus AF378525 nin283 mRNA
	89.05		84.35	90.91	92.26	92.26	92.26	92.26	92.26
	6071		6076		6082	6086	0609	6094	8609
	6070 P41221	No Human Protein Found.	NP_005 659	No Human Protein Found.	AF3786 24	AF3785 24	AF3785 24	AF3785 24	AF3785 24
	6070		6075	6078	6081	6085	6809	6083	6097
	6069 AL390088	No human homolog found.	AAB33803	D38521	BC007235	BC007235	BC007235	BC007235	BC007235
	6909		6074		6080	6084	6088	6092	9609
	AA8936 6068 Q9QXQ	No Rat Protein Found.	NP_033 209	No Rat Protein Found.	AAK697 54	AAK697 54	AAK697 54	AAK697 54	AAK697 54
	8909	6072	6073	6077	6079	6083	6087	6091	6095
able 4.	41 41	AA8936 62	AA8936 63	AAB936 64	AA8936 67	AA8936 67	AA8936 67	AA8936 67	AA8936 67

rc_AA893667 EST197470 Rattus novegicus cDNA, 3 end /clone=RPLAI23 /clone_end=3 /gb=AA893667 /gi=3020546 /ug=Rn.4237 /len=485	rc_AA893670 EST197473 Rattus norvegicus cDNA, 3 end /clone=RPLAI26 /clone_end=3 /gb=AA893670 /gi=3020549 /ug=Rn.22753 /len=461	rc_AA893683 EST197486 Rattus norvegicus cDNA, 3 end /clone=RPLA40 /clone_end=3 /gb=AA893683 /gi=3020562 /ug=Rn.14820 /len=497	Mus musculus NM_01943 rc_AA893690 EST197493 Rattus norvegicus neuronal 5 cDNA, 3 end /clone=RPLAI47 /clone_end=3 protein 15.6 /gb=AA893690 /gi=3020569 /ug=Rn.3377 (Np15.6-pending)	rc_AA883717 EST197520 Rattus norvegicus cDNA, 3 end /clone=RPLA179 /clone_end=3 /gb=AA883717 /gl=3020596 /ug=Rn.19950 /len=472	rc_AA893733 EST197536 Rattus norvegicus cDNA, 3 end /clone=RPLAK02 /clone_end=3 /gb=AA893733 /gi=3020612 /ug=Rn.14827 /len=400
AF378525		NM_01881	NM_01943 5	BC010715	, .
92.26 Mus musculus AF378525 nin283 mRNA	EST (not recognized)	Mus musculus NM_01881 cleavage and 3 polyadenylatio n specificity factor 3	Mus musculus neuronal protein 15.6 (Np15.6- pending)	Mus musculus, Rac GTPase- activating protein 1 (LOW HOMOLOGY)	ESTs, Weakly similar to S40148 integrin alpha-7A chain - rat [R.norvegicus]
92.26		87.11	87.5		86.86
6102		6107	6111	6115	6118
AF3785 24	No Human Protein Found.	Q9UKF6	AAH106 65	CAB667 28	P08514
6101		6106	6110	4114	6117
BC007235	No human homolog found.	NM_0162 07	AA286860	AL136794	M34480
9100		6105	6109	6113	
AA8936 6099 AAK697 67 54	No Rat Protein Found.	NP_061 283	NP_062 308	AAH10 715	S40148
6609	6103	<b>4019</b>	8019	6112	6116
AA8936 67	AA8936 70	AA8836 83	AA8936 90	AA8937 17	AA8837 33

1 anne 1	•									•	•
AA8937 6119 NP_038 42 944	6119	NP_038	6120	6120 AI377110	6121	No Human Protein Found.		95.28	Mus musculus N Hoxa1 regulated gene (Ha1r- pending), mRNA	O 1391	95.28 Mus musculus NM_01391 rc_AA893742 EST197545 Rattus norvegicus Hoxa1 6 cDNA, 3 end /clone=RPLAK13 /clone_end=3 regulated /gb=AA893742 /gi=3020621 /ug=Rn.13504 gene (Ha1r-pending), mRNA
AA8937 43	6122	No Rat Protein Found.		A1092788	6123	P04541	6124	89.32	EST (not recognised)		rc_AA893743 EST197546 Rattus norvegicus CDNA, 3 end /done=RPLAK14 /done_end=3 /gb=AA893743 /gi=3020622 /ug=Rn.8002 /len=520
AA8937 43	6125	No Rat Protein Found.		A1092788	6126	P04541	6127	89.32	EST (not recognised)		rc_AA893743 EST197546 Rattus norvegibus cDNA, 3 end /clone=RPLAK14 /clone_end=3 (gb=AA893743 /gj=3020622 /ug=Rn.8002 /len=520
AA8938 21	6128	BAB261 37	6129	XM_01584 6	6130	XP_015 846	6131		Hypothetical proteins		rc_AA893821 EST197624 Rattus norvegicus CDNA, 3 end /clone=RPLAM01 /clone_end=3 /gb=AA893821 /gi=3020700 /ug=Rn.12544 /len=422
AA8938 70	6132	No Rat Protein Found.		M11167	6133	No Human Protein Found.		<u> </u>	28S ribosomal RNA gene		rc_AA893870 EST197673 Rattus norvegicus cDNA, 3 end /clone=RPLAM86 /clone_end=3 /gb=AA893870 /gi=3020749 /ug=Rn.11229 /len=417
AA8938 70	£ 24 24 24 24 24 24 24 24 24 24 24 24 24	No Rat Protein Found.		M11167	6135	No Human Protein Found.			28S ribosomal V01270 RNA gene	V01270	rc_AA893870 EST197673 Rattus norvegicus cDNA, 3 end /clone=RPLAM86 /clone_end=3/gb=AA893870 /gj=3020749 /ug=Rn.11229/len=417
AA8938 70	6136	No Rat Protein Found.		M11167	6137	No Human Protein Found.			28S rbosomal RNA gene		rc_AA893870 EST197673 Rattus norvegicus cDNA, 3 end /clone=RPLAM86 /clone_end=3 /gb=AA893870 /gi=3020749 /ug=Rn.11229 /len=417
AA8938 70	6138	No Rat Protein Found.		M11167	6139	No Human Protein Found.			28S ribosomal V01270 RNA gene	V01270	rc_AA893870 EST197673 Rattus norvegicus cDNA, 3 end /clone=RPLAM86 /clone_end=3 /gb=AA893870 /gl∺3020749 /ug=Rn.11229 /len=417

_							
	rc_AA893871 EST197674 Rattus norvegicus cDNA, 3 end /done=RPLAM87 /done_end=3 /gb=AA893871 /gi=3020750 /ug=Rn.8155 /len=510	rc_AA893924 EST197727 Rattus norvegicus cDNA, 3 end /clone=RPLAN55 /clone_end=3 /gb=AA893924 /gl=3020803 /ug=Rn.7654 /len=428	Mus musculus NM_00916 rc_AA893939 EST197742 Rattus norvegicus split hand/foot 9 cDNA, 3 end /clone=RPLAN70 /clone_end=3 /gb=AA893939 /gi=3020818 /ug=Rn.8472 /len=416	rc_AA883946 EST197749 Rattus norvegicus cDNA, 3 end /clone=RPLAN77 /clone_end=3 /gb=AA893946 /gj=3020825 /ug=Rn.4227 /len=421	rc_AA893946 EST197749 Rattus norvegicus cDNA, 3 end /clone=RPLAN77 /clone_end=3 /gb=AA893946 /gi=3020825 /ug=Rn.4227 /len=421	rc_AA893970 EST19773 Rattus norvegicus cDNA, 3 end /cione=RPLAO08 /cione_end=3 /gb=AA883970 /gj≈3020849 /ug=Rn.12958 /len=520	rc_AA893980 EST197783 Rattus norvegicus cDNA, 3 end /done=RPLAO19 /clone_end=3 /gb=AA893980 /gi=3020659 /ug=Rn.7498 /len=484
_		AF251796	NM_00916		·		
	EST(not recognised)	Mus musculus AF251796 erythroid transcription factor FKLF-2	Mus musculus split hand/foot deletsd gene 1	EST (not recognized)	EST (not recognized)	Homo saplens cDNA FLJ14265 fis, clone PLACE10022 56	EST(not recognised)
•						92.88	90.59
•		6144					
•	No Human Protein Found.	Q9Y2Y9	XP_044 488	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
ļ		6143				6150	6152
•	No human homolog found.	BC013946	XM_04448	No human homolog found.	No human homolog found.	AK024327	AL050155
,		6142	6146				
	No Rat Protein Found.	6141 AAF739 64	6145 NP_033	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
	6140	6141	6145	6147	6148	6149	6151
	AA8938 6140 No Rat 71 Protein Found.	AA8939 24	AA8939 39	AA8939 46	AA8838 46	AA8939 70	AA8939 80

_								
inc AA893980 EST197783 Rattus norvegicus	cDNA, 3 end /clone=RPLAO19 /clone_end=3 /gb=AA893980 /gi=3020859 /ug=Rn.7498 /len=484	rc_AA893980 EST197783 Rattus norvegicus cDNA, 3 end /clone=RPLAO19 /clone_end=3 /gb=AA893980 /gi=3020859 /ug=Rn.7498 /len=484	rc_AA893980 EST197783 Rattus norvegicus cDNA, 3 end /clone=RPLAO19 /clone_end=3 /gb=AA893980 /gi=3020859 /ug=Rn.7498 /len=484	re_AA893984 EST197787 Rattus norvegicus cDNA, 3 end /clone=RPLAO23 /clone_end=3 /gb=AA893984 /gl=3020863 /ug=Rn.21426 /len=443	rc_AA894029 EST197832 Rattus norvegicus CDNA, 3 end /cione=RPLAO74 /cione_end=3 /gb=AA894029 /gi=3020908 /ug=Rn.13512 /len=498	rc_AA894084 EST197887 Rattus norvegicus cDNA, 3 end /done=RSPAQ55 /dons_end=3 /gb=AA894084 /gi=3020963 /ug=Rn.14852 /len=621	rc_AA894088 EST197891 Rattus norvegicus cDNA, 3 end /done=RSPAQ62 /clone_end=3 /gb=AA894088 /gi=3020967 /ug=Rn.14853 /len=647	rc_AA894099 EST197902 Rattus norvegicus CDNA, 3 end /clone=RSPAQ77 /clone_end=3 /gb=AA894099 /gi=3020978 /ug=Rn.12477 /len=580
EST (not	recognised)	EST(not recognised)	EST (not recognised)	Homo Sapiens hypothetical protein PRO1331	EST(not recognised)	EST(not recognised)	EST (not recognized)	Vacuolar sorting protein 4
90 59		90.59	90.59	93.8				93.75
				6161				6168
- N	Human Protein Found.	No Human Protein Found.	No Human Protein Found.	XP_029 757	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q99538
6154		6156	6158	6160				6167
AI 050155		AL050155	AL050155	NIM_0307 78	No human homolog found.	No human homolog found.	No human homolog found.	NM_0056 06
								6166
1 to o o	Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	BAB318 73
ates INc Det	3	6155	6157	6159	6162	6183	6164	6165
	8	AA8939 80	AA8939 80	AA8939 84	AA8940 29	AA8940 84	AA8940 88	AA8940 99

											•	
	6169	AA8941 6169 BAB620 04 16	6170	6170 XM_02760 6		XP_027 606			Mus musculus A peas mRNA for Intercellular mediator	B053465	Mus musculus AB053465 rc_AA894104 EST197907 Rattus norvegicus peas mRNA cDNA, 3 end /clone=RSPAQ82 /clone_end=3 /gb=AA894104 /gi=3020983 /ug=Rn.3260 /len=350	
AA8941	6171	No Rat Protein Found.		AF070615	6172	OBUN86	6173	1.38	Ras-GTPase activating protein SH3 domain- binding protein		rc_AA694119 EST197922 Rattus norvegicus cDNA, 3 end /done=RSPAR07 /done_end=3 /gb=AA894119 /gj=3020998 /ug=Rn.22084 /len=362	
AA8941 30	6174	AAD22 174	6175	U78095	6176	043291	6177	83.45	hepatocyte A growth factor activator inhibitor type 2	AF098020	rc_AA894130 EST197933 Rattus norvegicus cDNA, 3 end /done=RSPAR25 /done_end=3/gb=AA894130 /gi=3021009 /ug=Rn.3857/len=494	
AA8941 31	6178	No Rat Protein Found.		U78082	6179	No Human Protein Found.	6180	96.85	Mus musculus adult male cerebellum cDNA, RIKEN		rc_AA894131 EST197934 Rattus norvegicus cDNA, 3 end /cione=RSPAR26 /cione_end=3 /gb=AA894131 /gl=3021010 /ug=Rn.12980 /len=455	
AA8941 48	6181	AAA407 48	6182	M14642	6183	P06727	<del>28</del>	9	Rat apolipoprotein A-IV gene (NB double cDNA with ribosomal)	M13508	rc_AA894148 EST197951 Rattus norvegicus cDNA, 3 end /done=RSPAR57 /done_end=3 /gb=AA894148 /gi=3021027 /ug=Rn.15739 /len=447	
AA8941 60	6185	AAK770 01	6186	U78971	6187	NP_006 550	6188	91.58	src associated AF393783 in mitosis SAM68	VF393783	rc_AA894160 EST187863 Rattus norvegicus cDNA, 3 end /done=RSPAR74 /clone_end=3 /gb=AA894160 /gi=3021039 /ug=Rn.22762 /len=441	
AA8941 74	6189	90 30 30	6190	BE535809	6191	P13804	6192	97.06	Rat electron transfer flavoprotein (ETF) alpha- subunit DNA,		rc_AA894174 EST197977 Rattus norvegicus CDNA, 3 end /clone=RSPAS05 /clone_end=3 /gb=AA894174 /gi=3021053 /ug=Rn.1158 /len=639	

7	6103 1000	1000441	707	Incaseanol	A105 ID13804	D13804	8108	97.06	o7 OS   Bet electron	m AA894174 EST197977 Battlis novadicits	
74	<u></u>	8	<u>.</u>					3	transfer flavoprotein (ETF) alpha- subunit DNA,	CDNA, 3 end /clone=RSPAS05 /clone_end=3 /db=AA894174 /gl=3021053 /ug=Rn.1158 /len=639	
AA8941 74	6197	AAA411 30	6198	BE535809	6199	P13804	6200	97.06	Rat electron transfer flavoprotein (ETF) alpha- subunit DNA,	rc_AA894174 EST197977 Rattus nowegicus cDNA, 3 end /done=RSPAS05 /clone_end=3 /gb=AA894174 /gi=3021053 /ug=Rn.1158 /len=639	
AA8941 74	6201	AAA411 30	6202	BE535809	6203	P13804	6204	97.06	Rat electron transfer flavoprotein (ETF) alpha- subunit DNA,	rc_AA894174 EST197977 Rattus norvegicus cDNA, 3 end /clone=RSPASO5 /clone_end=3 /gb=AA894174 /gi=3021053 /ug=Rn.1158 /len=639	
AA8941 74	6205	30 30	9029	BE535809	6207	P13804	6208	97.06	Rat electron transfer flavoprotein (ETF) alpha- subunit DNA,	rc_AA894174 EST187977 Rattus norvegicus cDNA, 3 end /clone=RSPAS05 /clone_end=3 /gb=AA894174 /gj=3021053 /ug=Rn.1158 /len=639	
AA8941 74	6209	AAA411 30	6210	BE535809	6211	P13804	6212	97.06	Rat electron transfer flavoprotein (ETF) alpha- subunit DNA,	rc_AA894174 EST187977 Rattus norvegicus cDNA, 3 end /done=RSPAS05 /done_end=3 /gb=AA894174 /gb=3021053 /ug=Rn.1158 /len=639	
AA8941 89	6213	No Rat Protein Found.		AL137665	6214	Q96RT7	6215	86.38	recognized)	rc_AA894189 EST197992 Rattus norvegicus cDNA, 3 end /done=RSPAS35 /done_end=3 /gb=AA894189 /gl=3021068 /ug=Rn.3748 /len=644	
AA8941 93	6216	No Rat Protein Found.		No human homolog found.		No Human Protein Found.			EST(not recognised)	rc_AA894193 EST197996 Rattus norvegicus CDNA, 3 end /clone=RSPAS42 /clone_end=3 /gb=AA894193 /gl=3021072 /ug=Rn.11542 /len=584	

	rc_AA894199 EST198002 Rattus novegicus cDNA, 3 end /dons=RSPAS58 /dons_end=3 /gb=AA894199 /gj=3021078 /ug=Rn.22765 /len=555	rc_A4894207 EST198010 Rattus norvegicus cDNA, 3 end /done=RSPAS77 /done_end=3 /gb=A4894207 /gj=3021086 /ug=Rn.806 /len=630
		AF202453
	EST(not recognised)	Moderately similar to UBPL MOUSE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 18 (UBIQUITIN-SPECIFIC PROCESSIN G PROTEASE 18) (UBIQUITIN-SPECIFIC PROCESSIN G PROTEASE 18) (43 KDA UBIQUITIN-SPECIFIC PROCESSIN OF PROTEASE) (43 KDA UBIQUITIN-SPECIFIC PROTEASE) (M. muscullus) [M. muscullus]
		92.85
		6221
	No Human Protein Found.	075718
		9250
	No human homolog found.	AJ006470
		6218
	No Rat Protein Found.	AAF175
	6217	6218
Table 2.	AA8941 6217 No Rat 99 Frotein Found.	AA8942 07

•
AF202453 rc_AA894207 EST198010 Raftus norvegicus cDNA, 3 end /done=RSPAS77 /clone_end=3 /gb=AA894207 /gi=3021086 /ug=Rn.806 /len=630
AF202453
ately to MOUSE MOUSE ITTIN OXYL-INAL OLASE
Modern similar UBPL UBPL UBPL UBIQU CARB(CARB(CUBIQU CARB(CUBIQU CARB(CUBICU))) A CORB(CUBICU) CARB(CUBICU) CARB(CU
6225
6224 075718
AJ006470
6223
AA8842 6222 AAF175 6223 AJ00 07
6222
07 07

AF202453   rc_AA894207 EST198010 Rattus norvegicus	cDNA, 3 end /clone=RSPAS77 /clone_end=3	/gb=AA894207 /gi=3021086 /ug=Rn.808	/len=630																				-		
AF202453																									
•	Moderately	similar to	UBPI_MOUSE	UBIQUITIN	CARBOXYL-	TERMINAL	HYDROLASE	92	(UBIQUITIN	THIOLESTER	ASE 18)	(UBIQUITIN-	SPECIFIC	PROCESSIN	<b>G PROTEASE</b>	18)	(DEUBIQUITI	NATING	ENZYME 18)	(43 KDA	UBIQUITIN	SPECIFIC	PROTEASE)	[M.musculus]	
92.65 EST8,						_																			
6229						,																			
6228  075718																									
6228		•																							
AJ006470																									
6227				_																					
AA8842   6226   AAF175   6227	74	_																							
6226																									
AA8942	77												_							-					

-			Ubtquitin- conjugating enzyme E2-17 kDa 3 (EC 8.3.2.19) (Ubtquitin- protein ligase) (Ublquitin carrier protein)
	AF202453 rc_AA894207 EST198010 Rattus norvegicus cDNA, 3 end /clone=RSPAS77 /clone_end=3 /gb=AA884207 /gi=3021086 /ug=Rn.806 /len=630 /len=630 rc_AA894234 EST198037 Rattus norvegicus		ro_AA894256 EST198061 Rattus norvegicus cDNA, 3 end /clone=RSPAU08 /clone_end=3 /gb=AA894258 /gl=3021137 /ug=Rn.6130 /len=672
			NM_01942
	Moderately similar to UBPL_MOUSE UBRQUITIN CARBOXIL- TERMINAL HYDROLASE 18 (UBIQUITIN THIOLESTER ASE 18) (UBIQUITIN- SPECIFIC PROCESSIN G PROTEASE 18) (DEUBIQUITIN- SPECIFIC PROTEASE 18) (A3 KDA UBIQUITIN- SPECIFIC PROTEASE (M.musculus)	10 days embryo cDNA RIKEN	expressed in high- metastatic cells (ehm gene)
	92.65 ESTs, Moder similar with the part of		97.74
	633		<b>.</b> 6239
,	No.	Protein Found.	P47986
	6235		<b>9 2 3 8 2 3 9 3 9 1 1 1 1 1 1 1 1 1 1</b>
,	AA8942 6230 AAF175 6231 AJ006470 07 74 AA8942 6234 No Ret BG715448		U39318
			6237
	No Rat	Protein Found.	P47986
	6234		6236
anio 6.	AA8942	 ਲੋ	AA8942 58

I abie Z.	AA8942 6240 008557 73	AA8942 77	AA8942 77	AA8942 82	AA8943 04	05 05
•	6240	6244	6246	6248	6249	6252
		BAB256 13	BAB256 13	No Ret Protein Found.	No Rat Protein Found.	No Rat Protein Found.
	- 6241	6245	6247	-		
•	AK001459	No human homolog found.	No human homolog found.	No human homolog found.	M80899	AI221059
	6242				6250	6253
•	Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q09666	No Human Protein Found.
_	6243	,			6251	
	99.01			-	83.44	86
•	Rat endogenous retroviral sequence, 5' and 3' LTR	RIKEN full- length cDNA (mouse)	RIKEN full- length cDNA (mouse)	EST(not recognised)	Mus musculus 18 days embryo cDNA, RIKEN	Mus musculus 13 days embryo head cDNA, RIKEN
	.,	AK008338	AK008338		<u>, v</u>	
	rc_AA8942/3 ES i 1980/o karus norvegicus cDN4, 3 end /clone=RSPAU42 /clone_end=3 /gb=AA894273 /gi=3021152 /ug=Rn.6477 /len=573	rc_AA894277 EST198080 Rattus norvegicus cDNA, 3 end /cione=RSPAU53 /cione_end=3 /gb=AA894277 /gi=3021156 /ug=Rn.3681 /len=572	rc_AA894277 EST198080 Rattus norvegicus cDNA, 3 end /clone=RSPAU53 /clone_end=3 /gb=AA894277 /gi=3021156 /ug=Rn.3681 /len=572	rc_AA894282 EST198085 Rettus norvegicus cDNA, 3 end /clone=RSPAU66 /clone_end=3 /gb=AA894282 /gi=3021161 /ug=Rn.3985 /len=552	rc_AA894304 EST198107 Rattus norvegicus cDNA, 3 end /clone=RSPAW33 /clone_end=3 /gb=AA894304 /gi=3021183 /ug=Rn.90 /len=530	rc_AA894305 EST198108 Rattus norvegicus cDNA, 3 end /done=RSPAW34 /clone_end=3 /gb=AA894305/gl=3021184 /ug=Rn.8173 /len=621
	dimethylarginine dimethylarginine dimethylarginine dimethylarginine (a.5.3.18)(Dimethylargininase 1) (Dimethylargininase dimethylarginine dimethylargininh ydrolase 1)(DDAHI)."					

AA8993 20	AA8943 45	AA8943 40	AA8943 30	AA8943 18	Table 2.  AA8943 16
9 6266	3 6262	3 6261	3 6267	6255	6254
No Rat Protein Found.	CAB51 573	No Rat Protein Found.	P15791	No Rat Protein Found.	Table 2.  AA8943 6254 No Rat 16 Protein Found.
	6263		6258		
XM_02931	L37386	No human homolog found.	AF071569	AB040972	No human homolog found.
6267	6264		6259	6256	
XP_029 314	Q15121	No Human Protein Found.	Q13557	No Human Protein Found.	No Human Protein Found.
6268	6265		6260		
	92.56		92.9	95.57	
Homo sapiens NADH dehydrogenas e	astrocytic phosphoprotei n	EST(not recognised)	Ca++/calmodu iin-dependent protein kinase II, delta subunit	Mouse BAC CitbCJ7 (219m7, genomic sequence	EST (not recognized)
	AJ243949				
rc_AA899320 UI-R-E0-cz-b-11-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E0-cz-b-11-0-UI /clone_end=3 /gb=AA889320 /gi=3034674 /ug=Rn,13584 /len=428	rc_AA894345 EST198148 Rattus norvegicus cDNA, 3 end /cione=RSPAZ21 /cione_end=3 /gb=AA884345 /gi=3021224 /ug=Rn.13530 /len=510	rc_AA894340 EST198143 Rettus norvegicus cDNA, 3 end /clone=RSPAZ08 /clone_end=3 /gb=AA894340 /gi=3021219 /ug=Rn.7359 /len=580	rc_AA894330 EST198133 Rattus norvegicus cDNA, 3 end /clone=RSPAW76 /clone_end=3 /gb=AA894330 /gi=3021209 /ug=Rn.122 /len=501	rc_AA894318 EST198121 Rattus norvegicus cDNA, 3 end /clone=RSPAW53 /clone_end=3 /gb=AA894318 /gl=3021197 /ug=Rn.4127 /len=569	rc_AA894316 EST198119 Rattus norvegicus cDNA, 3 end /clone=RSPAW50 /clone_end=3 /gb=AA894316 /gj=3021195 /ug=Rn.22923 /len=479
			Calcium/calmod ulin-dependent protein kinase type II delta chain (EC2.7.1.123) (CaM-kinase II delta chain) (CaM kinase II delta subunit) (CaM-kinase II delt		

AA9001 6269 99 Table 2. AA9005 82 AA9005 03 AA9004 76 AA8004 76 AA9004 13 6283 6279 6275 6272 6287 No Rat Protein Found. AAK306 21 AAH05 796 AAK306 21 P06238 Q83722 6284 6288 6280 6273 6276 AW50076 AF035840 NM\_0002 U65093 14 U65093 XM\_00692 6270 6285 6281 6277 6274 6289 137287 095139 XP\_006 925 P78504 Q99967 Q99967 6271 6290 6286 6282 6278 89.91 91.94 96.64 96.64 7 8 Rattus Similar to DYR MOUSE DIHYDROFOL Jagged 1 transcription factor MRG1 Alpha-2-AH norvegicus REDUCTASE mRNA, partial macroglobulin transcription ESTs, Highly [M.musculus] HOMOLOGY) sequence factor MRG1 NM\_01914 BC005796 AF361476 NM\_01248 AF361476 AA900199 | rc\_AA900199 UI-R-A0-bh-h-06-0-UI.s4 rc\_AA900582 UI-R-E0-dn-b-10-0-UI.s1 rc\_AA900503 UI-R-E0-dLb-05-0-UI.s1 Rattus rc\_AA900476 UI-R-E0-bw-c-12-0-UI.s2 E0-bw-c-12-0-UI /clone\_end=3 | rc\_AA900413 UI-R-E0-dI-e-12-0-UI.s1 Rattus A0-bh-h-06-0-UI /clone\_end=3 Rattus norvegicus cDNA, 3 end /clone=UI-R-Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-dn-b-10-0-UI /clone\_end=3 norvegicus cDNA, 3 end /clone=UI-R-E0-dI-b-membrane 05-0-UI /clone\_end=3 /gb=AA800503 protein. /gi=3035857 /ug=Rn.11254 /len=495 E0-bw-o-12-0-UI /clone\_end=3 /gb=AA900476 /gl=3035830 /ug=Rn.221 Rattus norvegicus cDNA, 3 end /clone=UI-Rrc\_AA900476 UI-R-E0-bw-o-12-0-UI.s2 norvegicus cDNA, 3 end /cione=Ui-R-E0-di-e-12-0-Ui /cione\_end=3 /gb=AA900413 /gb=AA900199 /gl=3035553 /ug=Rn.22932 /gb=AA900582 /gi=3035936 /ug=Rn.780 /gb=AA900476 /gl=3035830 /ug=Rn.221 Rattus norvegicus cDNA, 3 end /clone=UI-R-/gl≔3035767 /ug≔Rn.15056 /len=449 /len=375 /len=495 /len=463 /len=463 Type Jagged 1 precursor (Jagged1). Alpha-2precursor macroglobulin (Alpha-2-M)

ŧ03

AA8008 6281 P15800 48 6281 P15800 AA8240 6285 P35213 84 6287 P37361 72 6287 P37361 72 6289 P25094 09 6289 P25094
6291 6295 6297 6298
6298 6298 6298 6308
6292 X79683 6298 No human homolog found. 6298 No human homolog found. 6300 M94048 6300 M94048
6293 6309
No Human Protein Found. Q01453
83 83 83 83 83 83 83 83 83 83 83 83 83 8
81 91.3 87.86
laminin chain beta 2  EST(not recognised)  Growth inhibitory factor=metallo thionelin homolog Peripheral myelin protein K  Cathepsin K  Cathepsin K
NM_01297 4 S65838 NM_03156 0
laminin chain         NM_01287         rc_AA900948 UI-R-E0-dix-a-04-0-UI.s1           beta 2         4         Rattus norvegicus cDNA, 3 end /clone=UI-R-E0-dix-a-04-0-UI.clone_end=3 /(gb=AA900848 /gi=3036202 /ug=Rn.850 /len=504           EST(not         rc_AA924084 UI-R-A1-diu-g-05-0-UI.s1 recognised)         Rattus norvegicus cDNA, 3 end /clone=UI-R-A1-du-g-05-0-UI /clone_end=3 /(gb=AA924084 /gi=3071220 /ug=Rn.8653 /len=440           Growth recognised)         S65838         rc_AA924084 /gi=3071220 /ug=Rn.8653 /len=440           Growth factor=metallo thionein homolog         S65838         rc_AA924772 UI-R-A1-eb-f-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A1-eb-f-02-0-UI.s1 recyb-11-0-UI.s1 regicus cDNA, 3 end /clone=UI-R-A1-eb-f-02-0-UI.s1 regicus cDNA, 3 end /clone=UI-R-A1-eb-f-03-0-UI.s1 regicus cDNA, 3 end /clone=UI-R-A1-eh-h-06-0-UI.s1 regicus cDNA, 3 end /clone=UI-R-A1-eh-h-08-0-UI.s1 regicus cDNA, 3 end /clone=UI-R-A1-eh-h-08-0-U
Extracellular. Laminin beta-2 (S-laminin) (S-laminin) (Laminin chain grecursor (S-laminin) (Laminin chain B3).  Cytoplasmic. 14-3-3 protein beta/sipha (Protein kinase C inhibitor protein-1)(KCIP-1) (Prepronerve growth factor RNH-1).  Metallothlonein-III (MT-III) (Growth inhibitory factor) (GIF). Integral myelin protein myelin protein. (CD25 protein) (SR13 myelinprotein). Cathepsin K precursor (EC 3.4.22.38).

AA9257 52	AA9255 06	AA9254 73	AA9264 73	AA9253 00
6323	6319	6316	6313	6311
207969	P43425	AAF155 38	AAF155 38	Table 2.  AA9253 6311 AAB035 6312 00 35
6324	6320	6317	8314	
BC008406	BC014466	BG180991	BG180991	XM_04437
6325	6321	6318	6315	
P16671	060262	XP_032 919	XF_032 919	XP_044 378
6326	6322			
84.46	87.25	99.06	99.06	96
CD36 antigen	Guanine nucleotide binding protein), (G protein), gamma 7 subunit	cell division cycle 42	cell division cycle 42	Mus musculus U43187 MEK kinase 3
NM_03156		AF205635	AF205635	U43187
rc_AA925752 UI-R-A1-ep-f-07-0-UI.s1 Rattus integral norvegicus cDNA, 3 end /clone=UI-R-A1-ep-f-membrane 07-0-UI /clone_end=3 /gb=AA925752 protein. /gi=3072888 /ug=Rn.3790 /len=484	rc_AA925506 UI-R-A1-ep-d-03-0-UI.\$1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A1-ep-d-03-0-UI /clone_end=3 /gb=AA925506 /gl=3072642 /ug=Rn.11335 /len=415	rc_AA925473 UI-R-A1-ep-a-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- A1-ep-a-02-0-UI /clone_end=3 /gb=AA925473 /gi=3072609 /ug=Rn.8112 /len=519	rc_AA925473 UI-R-A1-ep-a-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UHR- A1-ep-a-02-0-UI /cione_end=3 /gb=AA925473 /gi=3072609 /ug=Rn.8112 /len=519	rc_AA925300 UI-R-A1-ek-e-06-0-UI.s1 UI-R-A1 Rattus norvegicus cDNA clone UI-R-A1-ek-e-08-0-UI 3 similar to gi[1223901[gb]U43187[MMU43187 Musmusculus MEK kinase 3, mRNA, partial cds, mRNA sequence [Rattus norvegicus]
Platelet glycoprotein IV (GPIV) (GPIIIB) (CD36 antigen) (PAS IV) (PAS-4 protein) (Fatty acid transport protein) (Fatty acid translocase)(Adi pocyte membrans protein).	Guanine nucleotide-binding protein G(I)/G(S)/G(O) gamma-7 subunit.			

AA8331 58	AA9282 42	AA8261 49	AA9261 37	AA9257 62	<b>Table 2.</b> AA8257 62
6344	6340	6336	6335	6331	6327
NP_067 312	P19814	P04762	No Rat Protein Found.	P30009	Fable 2. AA9257 6327 P30009 62
6345	6341	6337		6332	6328
XM_04238	BC008461	X04076	No human homolog found.	AU141403	AU141403
	6342	6338		6333	6329
XP_042 395	043493	P04040	No Human Protein Found.	P50458	P50458
	6343	6339		6334	6330
	82.29	86.48		97.14	97.14
Mus musculus NM_02133 superkiller 7 viralicidic activity 2-like	Rat mRNA for trans-Golgl network integral membrane protein TGN38	Catalase	EST (not recognized)	Myristoylated alanine-rich protein kinase C substrate	97.14 Myristoyiated alanine-rich protein kinase C substrate
NM_02133		NM_01252			
rc_AA833158 UI-R-EO-bp-g-09-0-UI.s2 Rattus norvegicus cDNA, 3 end /cione=UI-R-EO-bp-g-09-0-UI /cione_end=3 /gb=AA833158 /gi=3087512 /ug=Rn.7122 /len=383	rc_AA926242 UI-R-A1-eq-d-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- GOLGI A1-eq-d-09-0-UI /clone_end=3 /gb=AA926242 /gi=3073378 /ug=Rn.11349 /len=394	rc_AA926149 UI-R-A1-eq-h-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-A1-eq-h-04-0-UI /clone_end=3 /gb=AA926149 /gi=3073285 /ug=Rn.3001 /lsn=449	rc_AA926137 UI-R-A1-eq-g-04-0-UI.s1 UI-R-A1-eq-g-04-0-UI s similar to gli2317645[db] D55636 D55636 Homo saplens mRNA for smallest subunit of ubiquinol-cytochrome c reductase, complete cds, mRNA sequence [Rattus norv	rc_AA925762 UI-R-A1-ep-g-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- A1-ep-g-08-0-UI /clone_end=3 /gb=AA925762 /gi=3072898 /ug=Rn.9560 /len=384	rc_AA925762 UI-R-A1-ep-g-08-0-UI.s1 Rattus nonvegicus cDNA, 3 end /cione=UI-R-A1-ep-g-08-0-UI /cione_end=3 /gb=AA925762 /gi=3072898 /ug=Rn.8560 /len=384
	TRANS- GOLGI NETWORK	Peroxisomal.			
	Trans-golgi network integral membrane protein TGN38 precursor.	Catalase (EC 1.11.1.6).		Myristoylated alanine-rich C-kinase substrate (MARCKS).	Myristoylated alanine-rich C-kinase substrate (MARCKS).

AA8443 24		AA9441 77	AA9436 77	AA9435 55
6357		6353	6350	6346
P26438		P07155	g17633 06	6346  P50745
6358		6354		6347
M57763		AV701053	AK054981	NM_0054 75
6359	,	6355	6351	6348
P26438		P09429	g243200 0	29000 2
6360		6356	6352	6349
94.88		100	88.82	71
ADP- ribosylation factor 6		High mobility group 1 (Hmg1)	Rattus norvegicus Munc13-3 mRNA, complete cds	Linker of T- cell receptor pathways (Lnk)
NM_02415 2			`	NM_03162
rc_AA944324 EST199823 Rattus norvegicus cDNA, 3 end /clone=REMAF41 /clone_end=3 /gb=AA944324 /gi=3104240 /ug=Rn.6993 /len=559		rc_AA944177 EST199676 Rattus norvegicus cDNA, 3 end /clone=REMAD31 /clone_end=3 /gb=AA944177 /gi=3104093 /ug=Rn.4121 /len=596	rc_AA943677 EST199176 Rattus norvegicus cDNA, 3 end /clone=RBRAN48 /clone_end=3 /gb=AA943677 /gi=3103593 /ug=Rn.11278 /len=520	NM_03162 rc_AA943555 EST198054 Rattus norvegicus cDNA, 3 end /clone=RBRAL44 /clone_end=3 /gb=AA943555 /gi=3103471 /ug=Rn.11228 /len=435
	PROCESS- GROWING CELLS, AND ALSO DEPOSITED INTO THE SUBSTRATE ATTACHED MATERIAL"	"NUCLEAR AND ALSO CYTOPLAS MIC, ASSOCIATE PLASMA MEMBRANE OF FILIPODIA	·	
ADP- ribosylation factor 6.		High mobility group protein 1 (HMG-1) (Amphoterin) (Heparin-bindingprotein p30).	-	Lymphocyte specific adapter protein Lnk (Signal transduction proteinLnk) (Lymphocyte adapter protein).

AA8450 54	AA9450 54	AA9443 97	AA9443 87
6371	6369	6365	6361
P00173	P00173	NP_034 610	AA9443 6361 NP_034 97 610
6372	6370	<b>63</b> 66	6362
XM_04847 3	XM_00881	BE786120	BE786120
		6367	6363
XP_048 473	1803548 A	CAA302 55	CAA302 55
		6368	6364
8	88	96.85	96.85
Cytochrome b5	Cytochrome b5	Mus musculus NM_01048 heat shock protein, 86 kDa 1 (Hsp86- 1), mRNA	Mus musculus heat shock protein, 86 kDa 1 (Hsp86- 1), mRNA
NM_02224 5		NM_01048	NM_01048
rc_AA845054 EST200553 Rattus norvegicus MICROSOM Cytochrome b5. cDNA, 3 end /clone=RLLAF82 /clone_end=3 AL /gb=AA845054 /ug=Rn.1055 /len=565 HOUND TO THE CYTOPLAS MIC SIDE OF THE ENDOPLAS MIC RETICULUM	rc_AA945054 EST200553 Rattus norvegicus MICROSOM Cytochrome b5. cDNA, 3 end /clone=RLIAF82 /clone_end=3 AL /gb=AA945054 /ug=Rn.1055 /len=565 BOUND TO THE CYTOPLAS MIC SIDE OF THE ENDOPLAS MIC RETICULUM	rc_AA844397 EST199896 Rattus norvegicus cDNA, 3 end /clone=REMAG54 /clone_end=3 /gb=AA844397/gl=3104313 /ug=Rn.5916 /len=542	Mus musculus NM_01048   rc_AA944397 EST199896 Rattus norvegicus heat shock   0   cDNA, 3 end /clone=REMAG54   /clone_end=3 /gb=AA944397 /gi=3104313 kDa 1 (Hsp86-   /ug=Rn.5916 /len=542   /ug=Rn.5916 /len=54
MICROSOM AL MEMBRANE. BOUND TO THE CYTOPLAS MIC SIDE OF THE ENDOPLAS MIC RETICULUM	MICROSOM AL MEMBRANE. BOUND TO THE CYTOPLAS MIC SIDE OF THE ENDOPLAS MIC RETICULUM		
Cytochrome b5.	Cytochrome b5.		

AA9455 83		AA9455 83	AA9457 04	AA9460 40	AA9460 40
5 6373		6 6377	6381	6383	6386
Fable 2. AA9455   6373  070351 83		070351	BAA956 72	P56391	P56391
6374		6378	6382	6384	6387
BC008708	·	BC008708	XM_03125 9	AL528775	AL528775
6375		6379		6385	6388
Q99714		Q99714	XP_031 259	XP_049 224	XP_049
6376		6380			
87.5		87.5	- · · · · · · · · · · · · · · · · · · ·	94.39	94.39
Hydroxyacyl- Coenzyme A dehydrogenas e, type II		Hydroxyacyl- Coenzyme A dehydrogenas e, type II	Heat shock protein 40	Cytochrome c oxidase subunit VIb	Cytochrome c oxidase subunit Vib
			AB028273		
rc_AA945583 EST201082 Rattus norvegicus   Mitochondrial   3-hydroxyacyl- cDNA, 3 end /clone=RLIAP30 /clone_end=3 .   CoA /gb=AA945583 /ug=Rn.2700 /len=537   type II (EC 1.1.1.35) (Type II   HADH)(Endopti		rc_AA945583 EST201092 Rattus norvegicus Mitochondrial 3-hydroxyacyl-COAA, 3 end /clone=RLIAP30 /clone_end=3 .	rc_AA945704 EST201203 Rattus norvegicus cDNA, 3 end /cione=RLUAS15 /cione_end=3 /gb=AA945704 /gi=3105620 /ug=Rn.7896 /len=520	rc_AA946040 EST201539 Rattus norvegicus cDNA, 3 end /clone=RLUBA46 /clone_end=3 /gb=AA946040 /ug=Rn.6009 /len=519	rc_AA946040 EST201539 Rattus norvegicus cDNA, 3 end /clone=RLUBA46 /clone_end=3 /gb=AA946040 /ug=Rn.6009 /len=519
Mitochondrial					
3-hydroxyacyl- CoA dehydrogenase type II (EC 1.1.1.35) (Type III HADH)(Endopta smic reticulum-	HADH)(Endopia smic reticulum-associated amyloid betapetide bindingprotein).	3-hydroxyacyl- CoA dehydrogenase type II (EC 1.1.1.35) (Type II HADH)(Endopia smic reticulum- associated amyloid beta- peptide bindingprotein).			

able z.	68	AA9464 39	AA8465 32	AA9551 87
:		6393	6397	6401
	o e	P02304	P16970	6401 P30009
		6394	6398	6402
		NM_0035 39	BC009712	AU141403
;		6395	6399	6403
		P02304	P28288	XP_039 759
}		6396	6400	
3		88.28	93.07	97.14
		Rat H4 gene for somatic histone H4	ATP-binding cassette, subfamily D (ALD), member 3	Mus musculus NM_00853 myristoylated 8 alanine rich: protein kinase C substrate
1.11	•		· · · · · · · · · · · · · · · · · · ·	8 NM_00853
	cDNA, 3 end /clone=RLUBH29 /clone_end=3   membrane /gb=AA946368 /gi=3106284 /ug=Rn.3790   protein. /len=750	rc_AA946439 ESTZ01938 Rettus norvegicus cDNA, 3 end /clone=ROVAR17 /clone_end=3 /gb=AA946439 /ug=Rn.10465 /len=663	rc_AA946532 ESTZ02031 Rattus norvegicus Integral cDNA, 3 end /clone=RSPAZ56 /clone_end=3 membrane /gb=AA946532 /gi=3106448 /ug=Rn.7024 protein. /len=535	rc_AA955167 UHR-A1-du-a-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- A1-du-a-08-0-UI /clone_end=3 /gb=AA955167 /ug=Rn.9560 /len=443
	. 200		Integral membrane protein. Peroxisomal.	,
	glycoprotein IV (GPIV) (GPIIIB) (CD36 antigen) (PAS IV) (PAS- 4 protein) (Fatty acid transport protein) (Fatty acid translocase)(Adi pocyte membrane protein).		"ATP-binding cassette, subfamily D, member 3 (70 kDa peroxisomalme mbrane protein) (PMP70)."	Myristoylated alanine-rich C-kinase substrate (MARCKS).

011

	AA9570 03	AA9558 08	AA9558 08	77   6404   CAA54
	6416	6412	6408	6404
	P50115	Q64620	Q64620	CAA54 183
	6417	6413	6409	6405
	X06234	BC006990	BC006990	U09578
	6418	6414	6410	6406
	P05109	000743	000743	07 07
	6419	6415	6411	6407
	62	91.08	91.08	92.08
complete cds	Rattus norvegicus intercellular calclum- binding protein (MRP8)	R.norvegicus mRNA for protein phosphatase V	R.norvegicus mRNA for protein phosphatase V	ESTs, Moderately similar to S78100 MAPK activated protein kinase (EC 2.7.1) 2- mouse (fragment) [M.musculus]
	L18891			
	rc_AA957003 Ui-R-E1-fq-d-09-0-Ui.s1 Rattus norvegicus cDNA, 3 end /clone=Ui-R-E1-fq-d- 09-0-Ui /clone_end=3 /gb=AA957003 /ug=Rn.9156 /len=369	rc_AA955808 UI-R-E1-fg-h-05-0-UI.s1 Rattus Cytoplasmic . Serine/threonine norvegicus cDNA, 3 end /clone=UI-R-E1-fg-h- protein 05-0-UI /clone_end=3 /gb=AA955808 (EC 3.1.3.16) /ug=Rn.9573 /len=536 (PP6) (PP6) (PP6) tase V) (PP-V).	rc_AA955808 UI-R-E1-fg-h-05-0-UI.s1 Rattus Cytopiasmic norvegicus cDNA, 3 end /cione=UI-R-E1-fg-h- 05-0-UI /cione_end=3 /gb=AA955808 /ug=Rn.9573 /len=536	rc_AA955477 UI-R-A1-ex-f-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-A1-ex-f- 01-0-UI /cione_end=3 /gb=AA955477 /ug=Rn.8789 /len=394
	Calgranulin A (Migration inhibitory factor-related protein 8) (MRP-8)(p8).	rilc . Serine/threonine protein phosphatase 6 (EC 3.1.3.16) (PP6) (PPoteinphosphatase V) (PP-V).	nic . Serine/threonine protein protein phosphatase 6 (EC 3.1.3.16) (PP6) (Proteinphosphatase V) (PP-V).	

AA9576 6420 P06766 Table 2. AA9579 17 6424 P30823 6421 M13140 6425 X59155 **6422** 6426 P06746 P30825 6423 6427 89.55 86.92 polymerase beta (Polb) Solute carrier family 7 member A1 (amino acid transporter cationic 1) NM\_01714 c\_AA957640 UI-R-E1-gf-b-02-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-E1-gf-b-02-0-UI /clone\_end=3 /gb=AA957640 /ug=Rn.9346 /len=360 05-0-UI /clone\_end=3 /gb=AA957917 /ug=Rn.9439 /len=402 rc\_AA857917 UI-R-E1-fv-c-05-0-UI.s1 Rattus Integral norvegicus cDNA, 3 end /clone=UI-R-E1-fv-c- membrane 05-0-UI /clone\_end=3 /gb=AA857917 protein. High-affinity cationic amino acid transporter-1 (CAT-1) (CAT-1) (SystemY+basic amino acid transporter) (Ecotropic retroviral leukemiarecepto r) (ERR) (Ecotropic retrovirus receptor). DNA
polymerase
beta (EC
2.7.7.7).

AA9579 61 AA9636 82 AA9579 6428 P30823 6429 Table 2. AA9634 47 6440 6432 6436 NP\_113 784 P97570 P18395 6<u>44</u> 6433 6437 X59155 AL136710 AY049788 B1823499 6430 6434 4 6442 6438 NP\_000 P30825 A55575 075534 6431 6443 6435 6439 86.92 95.77 94.37 93.5 norvegicus 190 kDa ankyrin isoform mRNA, Solute carrier NM\_01311 rc\_AA957917 UI-R-E1-fv-c-05-0-UI.s1 Rattus Integral transporter cationic 1) and tensin homolog family 7 Rattus Rat unr mRNA phosphatase function with unknown for unr protein (amino acid member A1 complete cds NM\_03160 05-0-UI /clone\_end=3 /gb=AA957917 Rattus norvegicus cDNA, 3 end /clone=UI-R-E1-gg-h-11-0-UI /clone\_end=3 rc\_AA963447 UI-R-E1-gj-e-06-0-UI.s1 Rattus 08-0-UI /clone\_end=3 /gb=AA957961 /gb=AA963682 /ug=Rn.236 /len=376 rc\_AA963682 UI-R-E1-gg-h-11-0-UI.s1 /ug=Rn.22158 /len=456 norvegicus cDNA, 3 end /cione=UI-R-E1-gj-e-06-0-Ui /cione\_end=3 /gb=AA963447 /ug=Rn.3562 /len=462 norvegicus cDNA, 3 end /clone=UI-R-E1-fz-g-/ug=Rn.9439 /len=402 norvegicus cDNA, 3 end /clone=Ui-R-E1-fv-c-|membrane rc\_AA957961 UI-R-E1-fz-g-08-0-UI.91 Rattus protein. Cytoplasmic. acid transporter-1 (CAT-1) (Ecotropic retroviral leukemiarecepto r) (ERR) (Ecotropic retrovirus receptor). (SystemY+ basic amino UNR protein. (CAT1) acid transporter cationic amino High-affinity

**£1**13

AA9976 6456 14	AA9651 54	AA9638 57	AA9636 82
6456	6452	6448	6444
Q64854	P42655	P13265	AA9638 6444 P97570 82
6457	6453	6449	6445
BG567904	BC000179	L47125	AL136710
6458	6454	6450	6446
Q16850	P42655	P51654	6446   A55576
8459	6455	6451	8447
93.38	99.41	89.19	93.5
Cytochrom P450 Lanosteroi 14 alpha- demethylase	Tyrosine 3- monooxygena se/typtophan 5- monooxygena monooxygena se activatioprotel n, epsilon polypeptide	Glypican 3	Rattus norvegicus 190 kDa ankyrin isoform mRNA, complete cds
	NM_03160 3		
rc_AA997614 UI-R-C0-hy-g-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- C0-hy-g-09-0-UI /clone_end=3 /gb=AA997614 /ug=Rn.6150 /len=348	NM_03160 rc_AA965154 UI-R-CO-hc-h-09-0-UI.s1 Rettus norvegicus cDNA, 3 end /clone=UI-R- CO-hc-h-09-0-UI /clone_end=3 /gb=AA965154 /ug=Rn.4225 /len=437	rc_AA963857 UI-R-E1-gk-a-07-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- E1-gk-a-07-0-UI /clone_end=3 /gb=AA963857 /ug=Rn.9717 /ten=408	rc_AA963682 UI-R-E1-gg-h-11-0-UI.s1 Raftus norvegicus cDNA, 3 end /clone=UI-R- E1-gg-h-11-0-UI /clone_end=3 /gb=AA963682 /ug=Rn.236 /len=376
Microsomal .	Cytoplasmic.	Attached to the membrane by a GPI-anchor.	
Cytochrome P450 51 (EC 1.14.14) (CYPL1) (P450L1) (Sterol 14- alphademethyla se) (Lanosterol 14-alpha demethylase) (LDM) (P450- 14DM).	14-3-3 protein epsilon (Mitochondrial import stimulation factor Lsubunit) (Protein kinase C inhibitor protein-1) (XCIP-1) (14-3-3E).	Glypican-3 precursor (Intestinal protein OCI-5).	

•	AI0078 35	AJ0078 24	AI0078 24	AI0076 14	AA9978 86	AA9978
	6473	6471	6469	6468	6464	6460
	O08875	CAA49 804	CAA49 904	No Rat Protein Found.	6464 Q64680	AA9978 6460 P15129 06
	6474	6472	6470		6465	6461
	AB002367	XM_00169	XM_00169	No human homolog found.	M33388	6461 X16699
	6475				6466	6462
	015075	XP_001 691	XP_001	No Human Protein Found.	AAA535 00	P13584
	6476				6467	6463
	86	91	9		76	87.3
	Rattus norvegicus protein serine/threoni ne kinase CPG16 (cpg16)	R. norvegicus mRNA for Mss4 protein	R. norvegicus mRNA for Mss4 protein	EST (not recognized)	Rattus norvegicus mRNA for CYP2D4, complete cds	Cytochrome P450, subfamily IVB, polypeptide 1
	U78857	X70496	X70496		AB008425	NM_01699
	rc_Al007835 EST202286 Rattus norvegicus cDNA, 3 end /clone=RBRAV51 /clone_end=3 /gb=Al007835 /ug=Rn.11405 /len=540	rc_Al007824 EST202275 Rattus norvegicus cDNA, 3 end /clone=RBRAV39 /clone_end=3 /gb=Al007824 /ug=Rn.11302 /len=569	rc_Al007824 EST202275 Rattus norvegicus cDNA, 3 end /clone=RBRAV39 /clone_end=3 /gb=Al007824 /ug=Rn.11302 /len=569	rc_Al007614 EST202065 Rattus norvegicus cDNA, 3 end /clone=RBRAS22 /clone_end=3 /gb=Al007614 /ug=Rn.221 /len=522	rc_AA997886 UJ-R-C0-hu-h-10-0-UJ.s1 Rettus norvegicus cDNA, 3 end /clone=UJ-R- C0-hu-h-10-0-UJ /clone_end=3 /gb=AA997886 /ug=Rn.11043 /len=525	NM_01699 rc_AA997806 Ul-R-C0-hv-e-08-0-Ul.s1 Membi 9 Rattus norvegicus cDNA, 3 end /cione=Ul-R- bound. C0-hv-e-08-0-Ul /cione_end=3 /gb=AA997806 /ug=Rn.5721 /len=349 reticult
					Membrane- bound. Endoplasmic reticulum.	rane- lasmic
	Serine/threonine protein kinase DCAMKL1 (EC 2.7.1) (Doublecortin-like and CAM kinase-like 1) (Calcium/calmo dulin-dependent proteinkinase type 1-like CPG16).				Cytochrome P450 2D18 (EC 1.14.14.1) (CYPIID18) (P450 2D-29/2D- 35).	Cytochrome P450 481 (EC 1.14.14.1) (CYPIVB1) (P450-Isozyme 5).

SIÞ

A10084 23	A10081	A10081 31
6485	6481	6477
AAB939 32	6481 P17708	6477 P17708
6486	6482	6478
AF077038	BC000171	BC000171
6487	6483	6479
AAD277 71	P17707	6479   P17707
6488	6484	6480
91	97	
Rattus norvegicus unc-50 related protein	S- adenosylmethi onine decarboxylase	S- adenosylmethi onine decarboxylase
U96638	M34464	M34464
rc_Al008423 EST202874 Rattus norvegicus cDNA, 3 end /clone=REMAX14 /clone_end=3 /gb=Al008423 /ug=Rn.3446 /len=512	rc_Al008131 EST202582 Rattus norvegicus cDNA, 3 end /clone=REMAT31 /clone_end=3 /gb=Al008131 /ug=Rn.1909 /len=496	rc_Al008131 EST202582 Rattus norvegicus cDNA, 3 end /cione=REMAT31 /cione_end=3 /gb=Al008131 /ug=Rn.1909 /len=498
	S- adenosylmethio nine decarboxylase proenzyme (EC 4.1.1.50) (AdoMetDC)(Sa mDC) [Contains: S- adenosylmethio nine decarboxylase alpha chain; S- adenosylmethio nine decarboxylase alpha chain; S- adenosylmethio nine decarboxylase beta chain].	adenosylmethio nine decarboxylase proenzyme (EC 4.1.1.50) (AdoMetDC)(Sa mDC) [Contains: Sadenosylmethio nine decarboxylase alpha chain; Sadenosylmethio nine

A10086 38	-	A10086 39	A10088 36	A10088 52
6489		6483	6496	6500
6489 P70490		070437	6496 P52925	P20001
6490		6484	6497	6501
U58516		N74105	Z17240	AA076035
6491		6495	6498	. 6602
Q08431		XP_030 100	P26583	P04720
6492			6499	6503
85.71		90.38	91.27	98.36
O- acetyltransfera se Milk fat gloibule membrane protein		Rattus norvegicus MAD homolog 4	high mobility group protein	Eukaryotic translation elongation factor 1 alpha
		NM_01927 5	NM_01718 7	
rc_Al008638 EST203089 Rattus norvegicus cDNA, 3 end /clone=REMBB06 /clone_end=3 /gb=Al008638 /ug=Rn.3742 /len=607		rc_Al008639 EST203090 Rattus norvegicus cDNA, 3 end /cione=REMBB09 /cione_end=3 /gb=Al008639 /ug=Rn.9774 /len=496	NM_01718 rc_Al008836 EST203287 Rattus norvegicus cDNA, 3 end /clone=REMBE03 /clone_end=3 /gb=Al008836 /ug=Rn.2874 /len=460	rc_Al008852 EST203303 Rattus norvegicus cDNA, 3 end /cione=REMBE33 /cione_end=3 AT THE /gb=Al008852 /ug=Rn.965 /len=531
PERIPHERA Lactadherin L MEMBRANE fat globule-E PROTEIN. factor 8) (Mi E8) (O-acet) GD3		IN THE CYTOPLAS M IN THE ABSENCE OF LIGAND; MIGRATION TO THE NUCLEUS WHEN COMPLEXE SMAD.	Nuclear.	ANCHORED Elor AT THE facts ENDOPLAS (EF- MIC (Elor MEMBRANE 1)(a) BY (Elor PHOSPHATI facts DYLINOSITO Tu). L VIA ETHANOLA BRIDGING.
Lactadherin precursor (Milk fat globule-EGF factor 8) (MFG- E8) (O-acetyl GD3 GD3 GBCGTIONING	ganglioside synthase) (AGS) (MFGM).	Mothers against decapentaplegic homolog 4 (SMAD 4) (Mothers againstDPP homolog 4) (Smad4).	High mobility group protein 2 (HMG-2).	ANCHORED Elongation AT THE factor 1-alpha 1 ENDOPLAS (EF-1-alpha-1) MIC (Elongation RETICULUM factor 1 A- MEMBRANE 1)(eEF-1A-1) BY (Elongation PHOSPHATI factor Tu) (EF- DYLINOSITO Tu). L VIA ETHANOLA MINE BRIDGING.

LIÞ

A10093 90	A10092 68	A10091 47	AI0091	A10088 88	A10088 88
6521	6517	6514	6512	6508	
AAH02 183	P15791		No Rat Protein Found.	P01041	6504 P01041
6522				6509	6505
AF020352	AF071569	AJ24980	AW97835 6	AW45114	AW45114
6523	65 65	6515	6513	6510	6506
043920	Q1355/	CAB965 37	No Human Protein Found.	P04080	P04080
6524	920	6516		6511	6507
85.1 5	A7.8	8	84.4	89.36	89.36
Mus musculus, Similar to NADH dehydrogenas	IIn-dependent protein kinase III, detta subunit	EST (human hypothetical protein)	M.musculus mRNA for M31 protein, exon 9	Cystatin beta	89.36 Cystatin beta
BC002163			X95399		
rc_Al009390 EST203841 Rattus norvegicus cDNA, 3 end /clone=RHEBJ41 /clone_end=3 /gb=Al009380 /ug=Rn.3392 /len=472	cDNA, 3 end /clone=RHEAB12 /clone_end=3 /gb=AI009268 /ug=Rn.122 /len=382	CDNA, 3 end /clone=REMBJ52 /clone_end=3 /gb=A1009147 /ug=Rn.221 /len=428	rc_Al009141 EST203592 Rattus norvegicus cDNA, 3 end /clone=REMBJ39 /clone_end=3 /gb=Al009141 /ug=Rn.221 /len=608	rc_Al008888 EST203339 Rattus norvegicus CcDNA, 3 end /cione=REMBE86 /cione_end=3 /gb=Al008888 /ug=Rn.1233 /len=528	rc_Ai008888 EST203339 Rattus norvegicus   C; cDNA, 3 end /clone=REMBE86 /clone_end=3 /gb=Ai008888 /ug=Rn.1233 /len=528
				Cytoplasmic.	Cytoplasmic.
	ulin-dependent protein kinase type II delta chain (EC2.7.1.123) (CaM-kinase II delta chain) (CaM kinase II delta subunit)(CaMK-III delta subunit)	Calcium/calmod		Cystatin B (Liver thiol proteinase inhibitor) (Stefin B) (Cystatinbeta).	Cystatin B (Liver thiol proteinase inhibitor) (Stefin B) (Cystatinbeta).

A10104 53	A10102 93	Al0102 93	A10098 01	A10094 05
6539	6535	6532	6528	6525
6539 P17475	BAA766 07	6532 B39066	6528 P30904	6525 P15473 6526
6540	6536		6529	
XM_02835 8	BC003133	BC003133	NM_0024 15	BF196063
6541	6537	6533	6530	6527
XP_028 358	P46379	P46379	P14174	XP_038 124
6542	6538	6534	6531	
	100	100	90	90.85
Aipha-1- protease inhibitor	Rattus norvegicus mRNA for BAT3, complete cds	Rattus norvegicus mRNA for BAT3, complete cds	Rattus norvegicus macrophage migration inhibitory factor	insulin-like growth factor- binding protein (IGF-BP3
NM_02251 9	AB018791		NM_03105 1	NM_01258
rc_Al010453 EST204904 Rattus norvegicus cDNA, 3 end /clone=RLUBZ64 /clone_end=3 /gb=Al010453 /ug=Rn.1419 /lsn=612	rc_Al010283 EST204744 Rattus norvegicus cDNA, 3 end /clone=RLUBW57 /clone_end=3 /gb=Al010293 /ug=Rn.221 /len=546	rc_Al010293 EST204744 Rattus norvegicus cDNA, 3 end /clone=RLUBW57 /clone_end=3 /gb=Al010293 /ug=Rn.221 /len=546	NM_03105 rc_Al009801 EST204252 Rattus norvegicus cDNA, 3 end /clone=RLUBO63 /clone_end=3 /gb=Al009801 /ug=Rn.2661 /len=635	NM_01258   rc_Al009405 EST203856 Rattus norvegicus   Se cDNA, 3 end /clone=RHEBJ56 /clone_end=3 /gb=Al009405 /ug=Rn.1710 /len=501
Extracellular. Alpha-1- antiprota precurso (Alpha-1- antitryps) (Alpha-1- protainas inhibitor)				Secreted.
Alpha-1- antiproteinase precursor (Alpha-1- antitrypsin) (Alpha-1- proteinase inhibitor).			Macrophage migration inhibitory factor (MIF) (Phenylpyruvate tautomerase) (Glutathione-binding 13 kDa protein).	Insulin-like growth factor binding protein 3 precursor (IGFBP-3)(IBP- 3) (IGF-binding protein 3).

	80 51	AI0104 80		A10105 80	AI0105 81	AI0105 81
_	60	6547		6551	6552	
- - -	Cito	6547 P04636	) 	No Rat Protein Found.	P11030	6556 P11030
	<b>9</b>	6548			6553	6557
	18	NM_0059		No human homolog found.	BC000920	BC000920
	Š	6549			6554	6558
		P40926		No Human Protein Found.	NZHU	NZHU
;		6550			6555	6559
3		89			87.38	87.38
F	norvegicus malate dehydrogenas	mitochondnari Rattus norvegicus malate dehydrogenas	mitochondrial	Mus musculus L34078 DNA repair protein (XRCC1) gene	Diazapam binding inhibitor (GABA receptor modulator, acyl- Coenxyme A binding protein)	Diazepam binding inhibitor (GABA receptor modulator, acyl- Coenxyme A binding protein)
2448	-A	NM_03115	34078	L34078		NM_03185 3
Nika 02445 - AIO10490 ECT204031 Bethis provenity is   Mitochondrial   Walate	cDNA, 3 end /cione=RLUBZ96 /cione_end=3  matrix. /gb=Al010480 /ug=Rn.1011 /len=590	rc_Ai010480 EST204931 Rattus norvegicus cDNA, 3 end /clone=RLUBZ96 /clone_end=3 /gb=Ai010460 /ug=Rn.1011 /len=590	TO AIN10580 ESTY05031 Raffits norvedicus	rc_Al010580 EST205031 Kamus norvegicus cDNA, 3 end /clone=RMUAO68 /clone_end=3 /gb=Al010580 /ug=Rn.13632 /len=377	rc_Al010581 EST205032 Rattus norvegicus cDNA, 3 end /clone=RMUAO69 /clone_end=3 /gb=Al010581 /ug=Rn.3285 /len=543	rc_Al010581 EST205032 Rattus norvegicus cDNA, 3 end /cione=RMUAO69 /cione_end=3 /gb=Al010581 /ug=Rn.3285 /len=543
l Mitochondrial i	matrix.	Mitochondriai matrix.				
"Malate	dehydrogenase, mitochondrial precursor (EC 1.1.1.37)."	"Malate dehydrogenase, mitochondrial precursor (EC 1.1.1.37)."			Acyl-CoA- binding protein (ACBP) (Diazepam binding inhibitor) (DBI)(Endozepi ne) (EP).	Acyl-CoA- binding protein (ACBP) (Diazepam binding inhibitor) (DBI)(Endozepi ne) (EP).

83	ω ≽	98	56 ≥	Tal
AJ0121 83	A10120 30	AI0119 98	A10115 56	ble 2
6574	6570	6566	6564	6560
6574 009018	6570 P08494	P97554	No Rat Protein Found.	6560 BAA241 6561
6575	6571	6567		
BC014664	00 NIM_0009	NM_0123 28	X03205	BC018953
6576	6572	6568	6565	6562
P24468	P08493	Q9UBS3	No Human Protein Found.	XP_008
6577	6573	6569		6563
95.03	69	80.25		95.67
ovalbumin upstream promoter beta nuclear receptor rCOUPb	Matrix Gla protein (Mgp)	microvascular NM_01269 endothelial 9 differentiation gene 1	18S rRNA gene	95.67 BAF60b
AF003944	NM_01286		M11188	AB003505
rc_Al012183 EST206634 Rattus norvegicus   N cDNA, 3 end /clone=RPLAT70 /clone_end=3 /gb=Al012183 /ug=Rn.17815 /len=547	NM_01286 rc_Al012030 EST208481 Rattus norvegicus EcDNA, 3 end /clone=RPLAR80 /clone_end=3 /gb=Al012030 /ug=Rn.2379 /len=549	rc_Al011998 EST206449 Rettus norvegicus Cytopli cDNA, 3 end /clone=RPLAR43 /clone_end=3 Stress /gb=Al011998 /ug=Rn.11296 /len=495 translo to the	rc_Al011556 EST206007 Rattus norvegicus cDNA, 3 end /clone=ROVAW63 /clone_end=3 /gb=Al011556/ug=Rn.17740 /len=405	rc_Al011498 EST205949 Rattus norvegicus cDNA, 3 end /clone=ROVAV73 /clone_end=3/ /gb=Al011498 /ug=Rn.3053 /len=644
Nuclear	Extracellular. Matrix Gla- protein precursor (MGP).	asmic. s its cation s.		
COUP transcription factor 2 (COUP-TF III) (Apolipoprotein Alregulatory protein-1) (ARP- 1) (Ovelbumin upstream promoter betanuclear receptor) (COUPB).	Matrix Gia- protein precursor (MGP).	DnaJ homolog subfamily B member 9 (Microvascular endothelialdiffer entiation gene-1 protein) (Mdg-1).	-	

Table 2. AJ0132 97 A10125 89 AI0125 89 AI0122 | 6578 |g31010 | 75 AI0131 94 A10126 04 6596 6584 6588 6580 6592 NP\_035 017 Q07205 207205 P04906 P04906 6581 6597 6585 6593 6589 NM\_0019 NM\_0019 U30897 AK026295 |U30897 BC005270 6579 6582 6598 6586 6590 6594 |g329418| 043181 P55010 P09211 P09211 P55010 6591 6599 6587 6583 6595 85.83 92.86 සු 8 ဇ္ဗ ෂ transferase, pi 2 dehydrogenas e (ubiquinone) Eukaryotic Ni Initiation factor 5 5 (eIF-5) Initiation factor 5 (eIF-5) norvegicus developmental Rattus mRNA, (18 kDa) (Ndufs4 Glutathione Scomplete cds NADH Mus musculus NM\_01088 eukaryotic Glutathlone Stransferase, pi protein ly regulated Fe-S protein 4 NM\_02007 NM\_02007 rc\_Al012275 EST206726 Rattus norvegicus cDNA, 3 end /clone=RPLAU85 /clone\_end=3 /gb=Al012275 /ug=Rn.4099 /len=686 rc\_Al012604 EST207055 Rattus norvegicus cDNA, 3 end /clone=RPLAZ45 /clone\_end=3 /gb=Al012604 /ug=Rn.3506 /len=614 cDNA, 3 end /clone=RPLAZ28 /clone\_end=3 cDNA, 3 end /clone=RSPBH90 /clone\_end=3 /gb=AI013194 /ug=Rn.3506 /len=464 /gb=AI012589 /ug=Rn.5985 /ien=660 rc\_Al013297 EST207972 Rattus norvegicus rc\_Al013194 EST207869 Rattus norvegicus /gb=AI012589 /ug=Rn.5985 /len=660 rc\_AI012589 EST207040 Rattus norvegicus cDNA, 3 end /clone=RPLAZ28 /clone\_end=3 /gb=AI013297 /ug=Rn.6543 /len=48i cDNA, 3 end /clone=RSPBJ19 /clone\_end=3 rc\_Al012589 EST207040 Rattus norvegicus transferase P (EC 2.5.1.18) Glutathione S-transferase P (eIF-5). (eIF-5). class-pl). translation (GST 7-7) (EC 2.5.1.18) Initiation factor 5 translation Eukaryotic initiation factor 5 Eukaryotic (Chain 7)(GST (GST 7-7) Glutathione Sclass-pi). (Chain 7)(GST

AI0141 35	AI0140 87	AI0134 72	AI0132 97	A10132 97	Table 2  AI0132  97
					<u>32</u> 8.2
6619	6616	6612	6608	6804	6600
No Rat Protein Found.	P02383	CAA69 106	NP_035 017	NP_035 017	NP_035 017
	6617	6613	6609	6605	6601
L22009	AW02250 6	NM_0037	BC005270	BC005270	BC005270
6620	6618	6614	6610	6606	6602
P31943	XP_015 318	NP_003 704	043181	043181	043181
6821		6615	66 1	6607	6603
100	89.08	91	92.86	92.86	92.86
mRNA	ribosomal protein S26	R.norvegicus mRNA for ER transmembran e protein	Mus musculus NM_01088 NADH 7 dehydrogenas e (ubiquinone) Fe-S protein 4 (18 kDa) (Ndufs4	Mus musculus NM_01088 NADH 7 dehydrogenas e (ubiquinone) Fe-S protein 4. (18 kDa) (Ndufs4	Mus musculus NADH dehydrogenas e (ublquinone) Fe-S protein 4 (18 kDa) (Ndufs4
Y17322	X02414	Y07783	NM_01088	NM_01088	NM_01088
rc_Al014135 EST207690 Rattus norvegicus cDNA, 3 end /clone=RSPBF48 /clone_end=3 /gb=Al014135 /ug=Rn.4229 /len=410	rc_Al014087 EST207642 Rattus norvegicus cDNA, 3 end /clone=RSPBE69 /clone_end=3 /gb=Al014087 /ug=Rn.1059 /len=517	rc_Al013472 EST208147 Rattus norvegicus cDNA, 3 end /clone=RSPBL95 /clone_end=3 /gb=Al013472 /ug=Rn.7178 /len=526	rc_Al013297 EST207972 Rattus norvegicus cDNA, 3 end /clone=RSPBJ19 /clone_end=3 /gb=Al013297 /ug=Rn.6543 /len=487	rc_Al013297 EST207972 Rattus norvegicus cDNA, 3 end /clone=RSPBJ19 /clone_end=3 /gb=Al013297 /ug=Rn.6543 /len=487	Mus musculus NM_01088 rc_Al013297 EST207972 Rattus norvegicus cDNA, 3 end /clone=RSPBJ19 /clone_end=3 /gb=Al013297 /ug=Rn.6543 /len=487 re-S protein 4 (18 kDa) (Ndufs4
	40S ribosomal protein S26.		-		

473

AD1741   6622   No. Ret   Cu22009   6622   P31943   6627   Too   Chryslous
L22009   6623   P31943   8624   100   Rattus   CDK/103
C22009   6622   P31943   6624   100   Rattus   CDK103   CDK104
6823   P31943   6824   100   Rattus
P31943   6624   100   Rattus   1717322   rc_Al014135 ESTZ07690 Rattus norvegicus   cDNA_3 end /clone=RSPBF43 /clone_end=3   cDNA_3 end /clone=RSPBF82 /clone_end=3   cDNA_3 end /clone=RSPBF82 /clone_end=3   cDNA_3 end /clone=RSPBF82 /clone_end=3   cDNA_3 end /clone=RSPBF82 /clone_end=3   cDRA_3 end/4135 /clone=RSPBF82 /clone_end=3   cDRA_3 end/4135 /clone=RSPBF82 /clone_end=3   cDRA_2 end/4135 /clone=RSPBF82 /clone_end=3   cDRA_2 end/4135 /clone=RSPBF82 /clone_end=3   cDRA_2 end/4135 /clone=RSPBF82 /clone_end=3   cDRA_2 end/4135 /clone=RSPBF82 /clone=end=3   cDRA_2 end/4135 /clone=RSPBF82 /clone=end=3   cDRA_2 end/4135 /clone=End/435   cDRA_2 end/4135 /clone=end=3   cDRA_2 en
100   Rattus
100   Rattus
Rattus
Cus cDNA, 3 and /clone=RSPBF48 /clone_end=3 /gb=Al014135 /ug=Rn.4229 /len=410  3 Y17322 rc_Al014135 EST207690 Rattus norvegicus cDNA, 3 and /clone=RSPBF48 /clone_end=3 /gb=Al014135 /ug=Rn.4229 /len=410  Y17322 rc_Al014135 /ug=Rn.4229 /len=410  NM_01924 rc_Al014135 /ug=Rn.4229 /len=410  NM_01924 rc_Al014135 /ug=Rn.3723 /len=550  CDNA, 3 and /clone=RSPBF48 /clone_end=3 /gb=Al014163 /ug=Rn.3723 /len=550  TPRESENTS OEPENDEN OF AN OF ANTIERN OEPHAS ALSO ALSO LOCALIZATI ON THE CHARACTER OEPHAS ALSO LOCALIZATI OEPHAS
Y17322 rc_Al014135 ESTZ07690 Rattus norvegicus cDNA, 3 end /clone=RSPBF48 /clone_end=3 /gb=Al014135 /ug=Rn.4229 /len=410  Y17322 rc_Al014135 ESTZ07690 Rattus norvegicus cDNA, 3 end /clone=RSPBF48 /clone_end=3 /gb=Al014135 /ug=Rn.4229 /len=410  NIM_01924 rc_Al014135 STZ07718 Rattus norvegicus cDNA, 3 end /clone=RSPBF82 /clone_end=3 /gb=Al014163 /ug=Rn.3723 /len=550  PRESENTS OF RESENTS OF RESENTS OF RESENTS OF NGF-DEPENDEN INCREASIN GANOUNTS OF NGF-BILDES BEING EXPRESSE D IN THE CYTOPLAS M, IT IS ALSO LOCALIZED IN THE PLASMA MEMBRANIE (INNER SIDE) AT" SIDE) AT"
c_Ai014135 EST207680 Rattus norvegicus cDNA, 3 end /cione=RSPBF48 /cione_end=3 /gb=Ai014135 /ug=Rn.4229 /len=410  rc_Ai014135 EST207690 Rattus norvegicus cDNA, 3 end /cione=RSPBF48 /cione_end=3 /gb=Ai014135 /ug=Rn.4229 /len=410  rc_Ai014135 /ug=Rn.4229 /len=410  rc_Ai014135 /ug=Rn.4229 /len=410  rc_Ai014163 EST20778 Rattus norvegicus cDNA, 3 end /cione=RSPBF82 /cione_end=3 /gb=Ai014163 /ug=Rn.3723 /len=550  rc_Ai014163 /ug=Rn.3723 /len=550  rc_Ai014163 /ug=Rn.3723 /len=650  rc_Ai014163 /ug=Rn.3723 /len=650  rc_Ai014163 /ug=Rn.3723 /len=650  rc_Ai014163 /ug=Rn.4229 /len=410  rc_Ai014163 /ug=Rn.4229 /ug=Rn.4229 /len=410  rc_Ai014163 /ug=Rn.4229
THE ERN SIN SIN SIN SIN SIN SIN SIN SIN SIN SI

**†**7†

	<u>@ ≥</u>	8 ≥	Ta
	AI0298 05	0141	Table 2.
	6637	6635	•
	6637 P07155	6635 No Rat Protein Found.	
	6638		
	AV701053	AW60196 3	
	6639	6636	
	P09429	No Human Protein Found.	•
	6640		
	é	90.78	-
	High mobility group 1	90.78 clone N27	-
		U30789	
7 / // // // // // // // // // // // //	novegicus cDNA, 3 end /cione=UI-R-CO-jn-b- AND ALSO	rc_Al014169 ES I 20 / / 24 Kattus norvegicus cDNA, 3 end /clone=RSPBF88 /clone_end=3 /gb=Al014169 /ug=Rn.2758 /len=553	
	•		
MIC, (Amphotenn) ASSOCIATE (Heparin- D WITH THE bindingprotein PLASMA p30). MEMBRANE OF FILIPODIA IN PROCESS- GROWING CELLS, AND ALSO DEPOSITED INTO THE SUBSTRATE ATTACHED MATERIAL."	group protein 1		-

05 And 290	Table 2.
9	_ <b>?</b> .
05 P0/195	
98	66 43 3
V/01030	100704063
9	6643
CONTRACTOR	leneaze l
	6644
	<b>1</b>
group 1	High mobility (
norvegicus cDNA, 3 end /clone=UI-R-CO-Jn-b- AND ALSO (HMG-1) (1-0-UI /clone_end=3 /gb=Al029805 (CYTOPLAS (HMG-1) / (Amphoteri ASSOCIATE (Heparin-D WITH THE bindingprotent PIASMA (MEMBRANE OF FILIPODIA IN PROCESS-GROWING CELLS, AND ALSO DEPOSITED INTO THE SUBSTRATE ATTACHED MATERIAL."	rc Ai029805 ULR-CO-in-b-01-0-ULS1 Rattus   "NUCLEAR
AND ALSO CYTOPLAS MIC, ASSOCIATE D WITH THE PLASMA MEMBRANE OF FILIPODIA IN PROCESS- GROWING CELLS, AND ALSO DEPOSITED INTO THE SUBSTRATE SUBSTRATE MATTERIAL."	High mobility

AIC OO I	16 AC	31 <u>A</u>	3 ≥	<b>Ta</b>
A10449 00	AI0447 16	AJ0436 31	AI0436	bie 2
6671		6663	6659	6655
P18163	P47971	Q63764	Q63764	6655 P23363
6672	66 68	6664	. 6660	6656 X60201
D10040	U61849	D88674	D88674	X60201
6673	6669	6665	6661	6657
P33121	Q15818	014977	014977	P23560
6874	. 6670	6666	6662	6658
85	90.86	95.34	95.34	92.86
Acyl CoA synthetase, long chain	Rattus norvegicus neuronal pentraxin precursor intRNA, complete cds	Omithine decarboxylase antizyme inhibitor	Omithine N decarboxylase 5 antizyme inhibitor	Brain derived neurothrophic factor
		NM_02258 5	M_02258	NM_01251
rc_Al044900 UI-R-C1-kk-c-05-0-UI.s1 Rattus "MICROSOM"    Long-chain-norvegicus cDNA, 3 end /cione=UI-R-C1-kk-c    ES, OUTER   fatty-acidCc   05-0-UI /cione_end=3 /gb=Al044900   MITOCHON   ligase, liver   04-0-UI /cione_end=3 /gb=Al044900   DRIAL   lsozyme (EC   05-0-UI /cione_end=3 /gb=Al044900   MITOCHON   ligase, liver   05-0-UI /cione_end=3 /gb=Al044900   DRIAL   lsozyme (EC   05-0-UI /cione_end=3 /gb=Al044900   MITOCHON   ligase, liver   05-0-UI /cione_end=3 /gb=Al044900   DRIAL   lsozyme (EC   05-0-UI /cione_end=3 /gb=Al04490	rc_Al044716 U-R-C1-k-a-09-0-UI.s1 Rattus SECRETOR Neuronal nonvegicus cDNA, 3 end /clone=UI-R-C1-k-a-Y VESICLES pentraxin 09-0-UI /clone_end=3 /gb=Al044716 . (NP1) (47 /ug=Rn.10233 /len=363 talpoxin-bindingpr	rc_Al043631 UI-R-CO-JI-b-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-CO-JI-b- 09-0-UI /clone_end=3 /gb=Al043631 /ug=Rn.6290 /len=631	rc_Al043631 UI-R-CO-JI-b-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-CO-JI-b- 09-0-UI /clone_end=3 /gb=Al043631 /ug=Rn.6280 /len=631	92.86 Brain derived NM_01251 rc_Al030286 UI-R-C0-jb-c-02-0-UI.s1 Rattus Secreted. neurothrophic 3 norvegicus cDNA, 3 end /cione=UI-R-C0-jb-c-factor 02-0-UI /cione_end=3 /gb=Al030286 /ug=Rn.11266 /len=367
	SECRETOR Neuronal Y VESICLES pentraxin i precursor (NP1) (47 talpoxin- bindingpro			
"Long-chain- fatty-acid—CoA ligase, liver Isozyme (EC 6.2.1.3)(Long- chain acyl-CoA Isynthetase 2) (LACS 2)."	Neuronal pentraxin i precursor (NP-I) (NP1) (47 kDa talpoxin- bindingprotein).	Omithine decarboxylase antizyme inhibitor.	Omithine decarboxylase antizyme inhibitor.	Brain-derived neurotrophic factor precursor (BDNF).

	A10702 95	A10701 08	AI0592 91	AI0449 00
	6687	6683	6679	6875
	6687 P48317	AAH03 446	P12368	AI0449 6875 P18163 6676 D10040
	6688	6684	6680	6676
	M60974	NM_0070 70	X14968	D10040
	6689	6685	6681	6677
	P24522	Q92990	P13861	6677 P33121
	6690	6686	6682	6678
	95	92.13	87	85
	DNA-damage- inducible transcript 1	FKBP- associated protein	Protein kinase, cAMP dependent regulatory, type II alpha	Acyl CoA synthetase, long chain
		BC003446		
	rc_Al070295 UI-R-YO-lt-d-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-YO-lt-d- 01-0-UI /clone_end=3 /gb=Al070295 /ug=Rn.10250 /len=545	rc_Al070108 UI-R-Y0-Iu-a-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-Y0-Iu-a- 09-0-UI /cione_end=3 /gb=Al070108 /ug=Rn.16863 /len=529	rc_Al059291 Ui-R-C1-lb-h-03-0-Ul.s1 Rattus norvegicus cDNA, 3 end /cione=Ui-R-C1-lb-h- 03-0-Ul /cione_end=3 /gb=Al059291 /ug=Rn.9742 /len=384	rc_Al044900 UI-R-C1-kk-c-05-0-UI.s1 Rattus "MICROSOM "Long-chain-norvegicus cDNA, 3 end /clone=UI-R-C1-kk-c ES, OUTER fatty-acid—CoA 05-0-UI /clone_end=3 /gb=Al044900 MITOCHON ligase, liver laczyme (EC MEMBRANE chain acyl-CoA PEROXISOM synthetase 2) AL (LACS 2)."
				"MICROSOM "Long-chain- ES, OUTER fatty-acid—Co MITOCHON ligase, liver lasozyme (EC MEMBRANE 6.2.1.3)(Long- AND chain acyl-Co PEROXISOM synthetase 2) AL (LACS 2)."
(DNA-damage inducible transcript 1) (DDIT-1).	Growth arrest and DNA-damage-inducible protein GADD45 alpha		cAMP- dependent protein kinese type Il-alpha regulatory chain(Fragment)	"Long-chain- fatty-acid—CoA ligase, liver isozyme (EC 6.2.1.3)(Long- chain acyl-CoA synthetase 2) (LACS 2)."

6**7**†

A10702	85	A10702 95	A10702 95	A10705 21
6691		6695	6699	6703
6691 [P48317]		P48317	P48317	P18395
6692  M60974		6696	6700	6704
M60974		M60974	M60974	AY049788
6693		6697	6701	6705
P24522		P24522	P24522	075534
6694		66 98	6702	6706
95		95	<b>G</b>	94.37
DNA-damage-	transcript 1	DNA-damage- inducible transcript 1	DNA-damage- inducible transcript 1	Rat unr mRNA for unr protein with unknown function
		,	,	
rc_Al070295 UI-R-Y0-lt-d-01-0-UI.s1 Rattus	norvegicus curv4, 3 end /doine=U-K-7 (-ik-d-) 01-0-Ul /clone_end=3 /gb=Al070295 /ug=Rn.10250 /len=545	rc_Al070295 UI-R-YO-It-d-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-YO-It-d- 01-0-UI /clone_end=3 /gb=Al070295 /ug=Rn.10250 /len=545	rc_Al070295 Ui-R-Y0-It-d-01-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=Ui-R-Y0-It-d- 01-0-Ui /clone_end=3 /gb=Al070295 /ug=Rn.10250 /len=545	rc_Al070521 UI-R-Y0-Iv-f-09-0-UI.s1 Rattus C norvegicus cDNA, 3 end /cione=UI-R-Y0-Iv-f- 09-0-UI /clone_end=3 /gb=Al070521 /ug=Rn.3562 /len=561
			·	>ytopiasmic.
Growth arrest	dana Driver damage- inducible protein GADD45 alpha (DNA-damage Inducible transcript 1) (DDIT1).	Growth arrest and DNA-damage-inducible protein GADD45 alpha (DNA-damage inducible transcript 1) (DDIT1).	Growth arrest and DNA-damage-inducible protein GADD45 sipha (DNA-damage inducible transcript 1) (DDIT1).	Cytopiasmic. UNR protein.

Table 2.

A10712 99	AI0709 67	A10709 67	A10707 21	A10705 21
6723	6719	8715	6711	6707
008876	P49911	P49911	Q62997	6707 P18395
6724	6720	6716	6712	6708
S81439	X75090	X75090	AF042080	AY049788
6725	6721	6717	6713	6709
Q13118 ·	P39687	P39687	P56159	075534
6726	6722	6718	6714	6710
87.11	' 88	88	90.19	94.37
TGFB Inducible early growth response	Acid nuclear phosphoprotei n 32 (leucine rich)	Acid nuclear phosphoprotein 32 (leucine rich)	Glial cell line- derived neurotrophic factor receptor alpha	Rat unr mRNA for unr protein with unknown function
			NM_01295	
rc_Al071299 UI-R-C1-ko-d-03-0-UI.s2 Rattus Nuclear. norvegicus cDNA, 3 end /clone=UI-R-C1-ko-d-03-0-UI /clone_end=3 /gb=Al071299 /ug=Rn.2398 /len=465	rc_Al070967 UI-R-C2-na-d-08-0-UI.s1 Rattus Nuclear. norvegicus cDNA, 3 end /clone=UI-R-C2-na- d-08-0-UI /done_end=3 /gb=Al070967 /ug=Rn.10123 /len=448	rc_Al070867 UI-R-C2-na-d-08-0-UI.81 Rattus Nuclear. norvegicus cDNA, 3 end /clone=UI-R-C2-na- d-08-0-UI /clone_end=3 /gb=Al070867 /ug=Rn.10123 /len=448	rc_Al070721 UI-R-C2-mx-h-07-0-UI.81 Rattus nonvegicus cDNA, 3 end /cione=UI-R-C2-mx-h-07-0-UI /cione_end=3 /gb=Al070721 /ug=Rn.6281 /len=366	rc_Al070521 UI-R-Y0-lv-f-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-Y0-lv-f- 09-0-UI /clone_end=3 /gb=Al070521 /ug=Rn.3562 /len=561
Nuclear .	Nuclear.	Nudear.	Attached to the membrane by a GPI-anchor.	Cytoplasmic. UNR protein.
Transforming growth factor-beta-inducible early growth responseprotein 1 (TGFB-inducible early growth response protein 1) (TIEG-1)(Krueppel-like factor 10) (Zinc finger transcription factor f	Leucine-rich acidic nuclear protein.	Leucine-rich acidic nuclear protein.	GDNF receptor alpha precursor (GDNFR-alpha) (TGF-beta related neurotrop hic factor receptor 1) (RET ilgand 1).	UNR protein.

	AI0/14 35		A10729 43	A10731 64	A10732 04
	6/2/ No Kat Protein		6728	6732	6738
  -	Protein		P47971	P56603	P42655
_			6729	6733	6737
-	No numan homolog		U61849	NM_0048	BC000179
			6730	6734	6738
<del>.</del>	Human	Found.	Q15818	015126	P42655
_			6731	6735	6739
_			90.86	<b>ಹಿ</b>	99.41
<u> </u>	norvegicus	A intergenic region, haplotype RT1n and partial RT1A gene for MHC Class I antigen	Rattus norvegicus neuronal pentraxin precursor mRNA, complete cds	SCAMP	Tyrosine 3- monooxygena se/typtophan 5- monooxygena se sectivatioprotei n, epsilin polypeptide
	200			L22079	
	novegicus cDNA, 3 end /clone=Ui-R-C1-ku-		rc_Al072943 UI-R-Y0-mc-h-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- Y0-mc-h-09-0-UI /clone_end=3 /gb=Al072943 /ug=Rn.10233 /len=364	rc_Al073164 UI-R-Y0-mi-e-03-0-UI.s1 Rattus Integral norvegicus cDNA, 3 end /clone=UI-R-Y0-mi-e membrane 03-0-UI /clone_end=3 /gb=Al073164 protein. /ug=Rn.20374 /len=447	rc_Al073204 UI-R-Y0-k-a-09-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R-Y0-k-a- 09-0-UI /clone_end=3 /gb=Al073204 /ug=Rn.4225 /len=356
			SECRETOR Neuronal Y VESICLES pentraxin precursor (NP1) (47 taipoxin- bindingpr	Integral membrane protein.	Cytoplasmic
_			Neuronal pentraxin I precursor (NP-I) (NP1) (47 kDa taipoxin- bindingprotein).	Secretory carrier- associated membrane protein 1 (SCAMP 37).	14-3-3 protein epsilon (Mitochondrial import stimulation factor Lsubunit) (Protein kinase C inhibitor protein-1) (KCIP-1) (14-3-3E).

AI 1020 31	A)1020	Al1017 43	AI1013 20	Al1011 03
6756	6752	6748	6744	6740
О08839	008839	NP_077 368	P97607	6740 Q84357
6757	6753	6749	6745	6741
U68485	U68485	NM_0004	AF029779	AF135372
6758	6754	6750	6746	6742
Q99688	Q99688	P51659	Q9Y219	P19065
6759	6755	6751	6747	6743
93.72	93.72	8	92.08	8.
Rattus norvegicus mRNA for amphiphysin, amph2	Rattus norvegicus mRNA for amphiphysin, amph2	peroxisomal multifunctional enzyme type II	Jagged2	Vesicle- associated membrane protein (synaptobrevin
		NM_02439 2	AF038572	
rc_Ai102031 EST211320 Rattus norvegicus cDNA, 3 end /clone=RBRBY15 /clone_end=3 /gb=Ai102031 /gi=3706866 /ug=Rn.17098 /len=583	rc_Al102031 EST211320 Rattus norvegicus cDNA, 3 end /clone=RBRBY15 /clone_end=3 /gb=Al102031 /gi=3706866 /ug=Rn.17098 /lsn=583	rc_Al101743 EST211032 Rattus norvegicus cDNA, 3 end /clone=RBRBU51 /clone_end=3 /gb=Al101743 /gl=3706605 /ug=Rn.2082 /len=512	rc_Al101320 EST210609 Rattus norvegicus cDNA, 3 end /cione=RBRBL38 /cione_end=3 /gb=Al101320 /ug=Rn.22459 /len=616	rc_Al101103 ESTZ10392 Rattus norvegicus   TYPE II cDNA, 3 end /clone=RBRBF53 /clone_end=3   MEMBRANE /gb=Al101103 /gl=3706076 /ug=Rn.11289   PROTEIN. /len=364   VESICLES.
Nuclear and cytoplasmic .	•	·	Type I membrane protein.	
Myc box dependent interacting protein 1 (Bridging integrator 1)(Amphiphysin- like protein) (Amphiphysin (Amphiphysin	Myc box dependent interacting protein 1 (Bridging integrator 1)(Amphiphysin- like protein) (Amphiphysin (Amphiphysin		Jagged 2 (Jagged2) (Fragment).	Vesicle- associated mernbrane protein 2 (VAMP 2) (Synaptobrevin 2).
	6756 C08839 6757 U68485 6758 C98888 6759 93.72 Rattus norvegicus mRNA for amphiphysin, amph2  6758 C98888 6759 93.72 Rattus rc_Al102031 ESTZ11320 Rattus norvegicus cDNA, 3 end /clone=RBRBY15 /clone_end=3 cytoplasmic of physin, amphi2	6752 O08839 6763 U68485 6764 Q99688 6755 93.72 Rattus cDNA, 3 end /cione=RBRBY15 /cione_end=3 cytoplasmic. [gb=A1102031 /gj=3706866 /ug=Rn.17098 amphh2]  6756 O08839 6757 U68485 6758 Q89688 6759 93.72 Rattus norvegicus cDNA, 3 end /cione=RBRBY15 /cione_end=3 cytoplasmic. [gh=A1102031 /gj=3706866 /ug=Rn.17098]  6758 O08839 6757 U68485 6758 Q89688 6759 93.72 Rattus cDNA, 3 end /cione=RBRBY15 /cione_end=3 cytoplasmic. [gh=A1102031 /gj=3706866 /ug=Rn.17098]  6758 O08839 6757 U68485 6758 Q89688 6759 93.72 Rattus cDNA, 3 end /cione=RBRBY15 /cione_end=3 cytoplasmic. [gh=A1102031 /gj=3706866 /ug=Rn.17098]  6758 O08839 6757 U68485 6758 Q89688 6759 93.72 Rattus norvegicus end=3 cytoplasmic. [gh=A1102031 /gj=3706866 /ug=Rn.17098]	8748 NP_077 6749 NM_0004 6750 P51659 6751 81 peroxisomal NM_02439 rc_Al101743 EST211032 Rattus norvegicus multifunctional 2 dph_A1 3 end /done=RRRBUS1 /done_end=3 dph_A101743 /gl=3706605 /ug=Rn.2082 /gb=Al101743 /gl=3706605 /ug=Rn.2082 /gb=Al101743 /gl=3706605 /ug=Rn.2082 /gb=Al101743 /gl=3706605 /ug=Rn.2082 /gb=Al102031 /gl=3706605 /ug=Rn.2082 /gb=Al102031 /gl=3706805 /ug=Rn.17098 /gb=Al102031 /gl=3706805 /ug=Rn.17098 /gb=Al102031 /gl=3706865 /ug=Rn.17098 /gb=Al102031 /gl=3706865 /ug=Rn.17098 /gb=Al102031 /gl=3706865 /ug=Rn.17098 /gb=Al102031 /gl=3706865 /ug=Rn.17088 /gb=Al102031 /gl=3706865 /u	6744 P97607 6745 AF029778 6746 Q9Y219 6747 92.08 Jagged2 AF038572 rc_Al101320 ESTZ10609 Rattus norvegicus Type i cDNA, 3 end /cione-RBRBL93 /cione, end=3 protein.  6749 NP_O77 6749 NM_0004 6750 P51658 6751 81 peroxisomal nulliflunctional 2 cDNA, 3 end /cione-RBRBL95 /cione, end=3 protein.  6752 Q08839 6753 U88485 6764 Q98888 6755 93.72 Rattus norvegicus amphiphyslin, amphi2 cDNA, 3 end /cione-RBRBUS1 /cione, end=3 protein.  6766 Q08839 6757 U88485 6758 Q98888 6759 93.72 Rattus norvegicus amphiphyslin, amphi2 cDNA, 3 end /cione-RBRBY15 /cione, end=3 cytoplasmic rg-Al102031 ESTZ11320 Rattus norvegicus Nuclear and norvegicus amphiphyslin, amphiz cDNA, 3 end /cione-RBRBY15 /cione, end=3 cytoplasmic rg-Al102031 ESTZ11320 Rattus norvegicus Nuclear and norvegicus amphiphyslin, amphiz cDNA, 3 end /cione-RBRBY15 /cione, end=3 cytoplasmic rg-Al102031 ESTZ11320 Rattus norvegicus Nuclear and norvegicus amphiphyslin, amphiz lone-583 lene-583 lene-

Al1025 62	AJ1021 03	Al1021 03	Al1020	AI1020 31	Al1020 31
6779	6775	6771	6768	6784	
P02803	BAA189 69	BAA189 69	No Rat Protein Found.	008839	6760   008839
6780	6776	6772		6765	6761
BG260238	AI205643	AI205643	L22009	U68485	U68485
6781	6777	6773	6769	6766	6762
SMHU1	BAA216 61	BAA216 61	P31943	Q99688	Q99688
	6778	6774	6770	6767	6763
93.1	92.91	92.91	100	93.72	93.72
metallothlonei n-l (mt-1)	Phosphatidylin ositol 4-kinase	Phosphatidylin ositol 4-kinase	Rattus norvegicus CDK109 mRNA (mitochondrial	Rattus norvegicus mRNA for amphiphysin, amph2	Rettus norvegicus mRNA for amphiphysin, amph2
rc_Al102562 EST211851 Rattus norvegicus cDNA, 3 end /clone=REMBP28 /clone_end=3 /gb=Al102562 /gl=3707306 /ug=Rn.2714 /len=405	rc_Al102103 EST211392 Rattus norvegicus cDNA, 3 end /clone=RBRBY91 /clone_end=3 /gb=Al102103 /gi=3706936 /ug=Rn.14991 /len=611	rc_Al102103 EST211392 Rattus norvegicus cDNA, 3 end /clone=RBRBY91 /clone_end=3 /gb=Al102103 /gi=3706936 /ug=Rn.14991 /len=811	rc_Al102044 EST211333 Rattus norvegicus cDNA, 3 end /clone=RBRBY28 /clone_end=3 /gb=Al102044 /gi≒3706879 /ug=Rn.4229 /len=549	rc_Al102031 ESTZ11320 Rattus norvegicus   Nuclear and cDNA, 3 end /clone=RBRBY15 /clone_end=3 cytoplasmic . /gb=Al102031 /gl=3706866 /ug=Rn.17098 /len=583	rc_Al102031 EST211320 Rattus norvegicus   Nuclear and cDNA, 3 end /clone=RBRBY15 /clone_end=3 cytoplasmic./gb=Al102031 /gl=3706866 /ug=Rn.17098 /len=583
				Nuclear and cytoplasmic .	
Metallothlonein-l (MT-I).				Myc box dependent Interacting protein 1 (Bridging Integrator 1)(Amphiphysin- like protein) (Amphiphysin) (Amphiphysin)	Myc box dependent Interacting protein 1 (Bridging Integrator 1)(Amphiphysin- Ilike protein) (Amphiphysin Ilike protein)

AJ1038 74 AI 1028 38 Al1026 20 AI1030 74 AI1028 38 6782 6797 6794 6790 6786 AAD25 AAH02 122 P09388 P12007 P12007 249 6783 6798 6795 6791 6787 AA834992 AW13825 M96256 AK022777 AK022777 - 6796 6784 6792 6788 6799 Q00588 XP\_017 626 Q13233 P26440 P26440 6785 6800 6793 6789 92.93 90.77 97.01 90.77 97.12 1 (Mekk1) MAP kinase ribosomal protein S12 FK508-BINDING PROTEIN similar to FKB1 RAT ESTs, Weakly dehydrogenas dehydrogenas Isovaleryi kinase kinase Coenzyme A Isovaleryi Coenzyme A [R.norvegicus] NM\_03170 BC002122 NM\_01259 AF117340 NM\_01259 rc\_Al103874 EST213163 Rettus norvegicus cDNA, 3 end /clone=RHEBU32 /clone\_end=3 /gb=Al103874 /gi=3708352 /ug=Rn.1464 rc\_Al102838 EST212127 Rattus norvegicus | Mitochc cDNA, 3 end /clone=REMBT53 /clone\_end=3 metrix. /gb=Al102838 /ug=Rn.147 /len=458 rc\_Al102838 EST212127 Rattus norvegicus rc\_Al102620 EST211909 Rattus norvegicus cDNA, 3 end /clone=REMBQ09 rc\_Al103074 EST212363 Rattus norvegicus cDNA, 3 end /clone=REMBW89 cDNA, 3 end /clone=REMBT53 /clone\_end=3 matrix. /gb=Al102838 /ug=Rn.147 /len=458 /clone\_end=3 /gb=Al102620 /gl=3707344 /ug=Rn.9056 /len=522 /cione\_end=3 /gb=Al103074/gi=3707671 /ug=Rn.3379 /len=528 /len=437 Mitochondrial Mitochondrial Cytoplasmic. dehydrogenase, mitochondrial 40S ribosomal 1.3.99.10)(IVD) "IsovaleryI-CoA dehydrogenase "Isovaleryl-CoA protein S12. precursor (EC mitochondrial precursor (EC 1.3.99.10)(IVD)

**SE**†

Table 2. AI1043 89 AI1039 57 AI1039 57 A11040 35 AI1038 6801 AAH02 74 122 6816 6809 6805 6813 Q62745 P04177 NP\_079 Q62745 8 6817 6802 6810 6806 6814 M96256 NM\_0043 NM\_0043 AK022876 AL528775 6803 6818 6815 68 1 6807 Q00688 XP\_032 531 P18582 Protein Found. Human ö P18582 6804 6812 **6808** 6819 92.93 92.57 94.39 89 89 ESTs, Weakly BC002122 rc\_Al103874 EST213163 Rattus norvegicus similar to cDNA, 3 end /clone=RHEBU32 /clone\_end=3 target of the antiproliferativ FK506-BINDING nietord Mus musculus Al104389 protein) target of the [R.norvegicus PROTEIN family A ankyrin-repeat hypothetical EST (mouse e antibody e antibody antiproliferativ FKB1 RAT U19894 U19894 cDNA, 3 end /clone=RHEBV58 /clone\_end=3 /gb=Al103874 /gl=3708352 /ug=Rn.1484 /gb=Ai104389 /gi=3708757 /ug=Rn.11082 cDNA, 3 end /clone=RHECC67 /clone\_end=3 cDNA, 3 end /clone=RHEBW48 /gb=Al103957 /gi=3708419 /ug=Rn.1975 cDNA, 3 end /clone=RHEBV58 /clone\_end=3 membrane /gb=Al103957 /gi=3708419 /ug=Rn.1975 /len=488 rc\_Al104389 EST213678 Rattus norvegicus /ug=Rn.6009 /len=315 /clone\_end=3 /gb=A1104035 /gi=3708471 /len=652 rc\_Al103957 EST213246 Rattus norvegicus /len=652 rc\_Al103957 EST213246 Rattus norvegicus /en=437 rc\_Al104035 EST213324 Rattus norvegicus protein. Integral protein. Integral membrane CD81 antigen (26 kDa cell surface protein TAPA-1) (Target CD81 antigen (26 kDa cell hydroxylase) (TH). ve antibody 1). TAPA-1) (Targe surface protein ve antibody 1). theantiproliferat (Tyrosine 3-(EC 1.14.16.2) monooxygenase theantiproliferat Tyrosine 3-

				_		
Al1046 79	AI1046 79	A)1045 24	Al1045 20	Al1045 13	Al1045 13	Al1043 89
6840	6838	6834	6832	6828	6824	6820
NP_079 799	NP_079 799	NP_112 620	6832 P10818	P11240	P11240	6820 P04177
6841	6839	6835	6833	6829	6825	6821
XP_04074 7	XP_04074 7	BF000687	XM_01226 5	M22760	M22760	AK022876
		6836		6830	6826	6822
XM_040 747	XM_040 747	Q9Y2D1	XP_012 265	P20674	P20674	155282
		6837		6831	6827	6823
		93.14		91.57	91.57	92.57
NADH dehydrogenas e	NADH dehydrogenas e	heterogeneou NM_03133 s nuclear 0 ribonucleoprot ein A/B	Rat mRNA for X12553 liver cytochrome c oxidase subunit VIa	Rat CoxVa mRNA for mitochondrial cytochrome c oxidase subunit Va	Rat CoxVa mRNA for mitochondrial cytochrome c oxddase subunit Va	Tyrosine hydroxylase
NM_02552 3		NM_03133 0	X12553			
rc_Al104679 EST213968 Rattus norvegicus cDNA, 3 end /clone=RHECH53 /clone_end=3 /gb=Al104679 /gl=3708988 /ug=Rn.8096 /len=479	NM_02552 rc_Al104679 EST213968 Rattus norvegicus cDNA, 3 end /clone=RHECH53 /clone_end=3 /gb=Al104679 /gi=3708988 /ug=Rn.8096 /len=479	rc_Al104524 EST213813 Rattus norvegicus cDNA, 3 end /cione=RHECE63 /cione_end=3 /gb=Al104524 /gt=3708866 /ug=Rn.3385 /len=613	rc_Al104520 EST213809 Rattus norvegicus   Mitoc cDNA, 3 end /clone=RHECE58 /clone_end=3  Inner /gb=Al104520 /gi=3708862 /ug=Rn.880   memi /len=532	rc_Al104513 EST213802 Rattus norvegicus   Mitoc cDNA, 3 end /clone=RHECE50 /clone_end=3 inner /gb=Al104513 /gi=3708857 /ug=Rn.11077   mem /len=585	rc_Al104513 EST213802 Rettus norvegicus Mitoc cDNA, 3 end /clone=RHECE50 /clone_end=3 inner /gb=Al104513 /gi=3708857 /ug=Rn.11077 memi /len=585	rc_Al104389 EST213678 Rattus norvegicus cDNA, 3 end /clone=RHECC67 /clone_end=3 /gb=Al104389 /gi=3708757 /ug=Rn.11082 /len=488
			hondrial brane.	hondrial brane.	hondrial	101 <u></u>
			"Cytochrome c oxidase polypeptide Vla-liver, mitochondrial precursor(EC 1.9.3.1)."	"Cytochrome c oxidase polypeptide Va, mitochondrial precursor(EC 1.9.3.1)."	Mitochondrial "Cytochrome c inner oxidese polypeptide Va, mitochondrial precursor(EC 1.9.3.1)."	Tyrosine 3- monoxygenase (EC 1.14.16.2) (Tyrosine 3- hydroxylase) (TH).

			·
07 07		AI1050 44	A11050 54
6842		6846	6848
6842 P51638		AAC13 319	6848 P23514
6843		6847	6849
AF043101		No human homolog found.	AK001203
6844			· 6850
P56538		No Human Protein Found.	P53618
6845			685 <b>1</b>
			91.09
89.84 Caveolin 3		250 kDa estrous- specific protein mRNA, partial cds	beta COP
		U53183	X57228
rc_Al104707 ES1213986 Rattus norvegicus de MEMBRAI CDNA, 3 end /clone=RHECH96 /clone_end=3 PROTEIN /gb=Al104707 /gl=3709005 /ug=Rn.10175 OF COPENTIA /len=331 POTENTIA HAIRPIN-LIKE STRUCTU E IN THE MEMBRAI		rc_Al105044 EST214333 Rettus norvegicus cDNA, 3 end /cione=RHECM89 /cione_end=3 /gb=Al105044 /ug=Rn.1338 /len=572	rc_Al105054 ESTZ14343 Rattus norvegicus cDNA, 3 end /cione=RHECN06 /cione_end=3 COATOMER   subunit (Beta-/105054 /gi=3709235 /ug=Rn.4327   CYTOPLAS   CYTOPLAS   CYTOPLAS   CYTOPLAS   CYTOPLAS   CYTOPLAS   MIC OR   CYTOPLAS   MIC SIDE   OF THE   GOLGI, AS   WELL AS   ON THE   VESICLES/B   UDS   ORIGINATIN   G FROM IT
PROTEIN OF CAVEOLAE. POTENTIAL HAIRPIN- LIKE STRUCTUR E IN THE MEMBRANE	•	,	"THE COATOMER IS IS CYTOPLAS MIC OR POLYMERIZ ED ON THE CYTOPLAS MIC SIDE OF THE GOLGI, AS WELL AS ON THE GOLGI, AS WELL AS ON THE OF T
Cayeoun-3.			Coatomer beta subunit (Beta-coat protein) (Beta-COP).

Al1361 75	<del> </del>	AI1132 89	Table 2. A11054 48
6860		6856	4 6852
00 AAA420		) P20417	P16232
20 6861		7 6857	2 6853
1 AF235022		AI803199	25 25
6862		6858	6854
P57729		NP_002 818	P28845
6863		6859	6855
91.24		88.5	82.49
Rat rab- related GTP- binding protein mRNA, complete cds		protein tyrosine phosphatase	Hydroxysterol d dehydrogenas e, 11 beta type 1
3		NM_01263 7	NM_01708 0
rc_Al136175 UI-R-C2p-ns-a-04-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- C2p-ns-a-04-0-UI /clone_end=3 /gb=Al136175 /ug=Rn.9824 /len=295		rc_All13289 Ul-R-C2p-nt-h-07-0-Ul.s1 Rattus norvegicus cDNA, 3 end /clone=Ul-R- C2p-nt-h-07-0-Ul /clone_end=3 /gb=All13289 /ug=Rn.11317 /len=332 MIC RETICULU VIA ITS C- TERMINAL DOMAIN WITH ITS PHOSPHA	82.49 Hydroxysterol NM_01708 rc_Al105448 EST214737 Rattus norvegicus cDNA, 3 end /clone=RKIBK51 /clone_end=3 /gb=Al105448 /gi=3708527 /ug=Rn.888 type 1
	ASE DOMAIN ORIENTED TOWARDS THE CYTOPLAS M.	4 · ≥ ∞ m	Microsomal.
		"Protein-tyrosine phosphatase, non-receptor type 1 (EC 3.1.3.48)(Protei n-tyrosine phosphatase 1B) (PTP-1B)."	"Corticosteroid 11-beta- dehydrogenase, isozyme 1 (EC 1.1.1.146) (11- DH)(11-beta- hydroxysteroid dehydrogenase 1) (11-beta- HSD1)."

AI1363 | 6864 | Q02293 | 96 AI1369 77 AJ1368 91 Table 2. A11369 77 AI1369 77 Al1369 Al1369 6881 6875 6872 6884 6878 6868 S14538 S14538 S14538 P17431 S14538 JN0873 6865 6869 AK024087 M88279 AI902540 M88279 M88279 M88279 M88279 6866 6870 6882 6876 6873 6885 6879 000411 019 NP\_002 Q02790 Q02790 Q02790 Q02790 Q02790 6867 6886 6877 6874 6871 6883 6880 92.24 96.18 97.14 96.18 96.18 96.18 96.18 rase beta farmesyltransfe|M69056 response factor 1 Butyrate ESTs, Highly ESTs, Highly [M.musculus] ESTs, Highly ESTs, Highly [M.musculus] PROTEIN [M.musculus] p59 - mouse [M.musculus] PROTEIN ESTs, Highly subunit PROTEIN [M.musculus] PROTEIN immunophilin similar to P59 similar to P59 JN0873 similar to P59 similar to P59 similar to X70887 Rattus norvegicus cDNA, 3 end /clone=Ui-R-C2p-od-e-12-0-UI /clone\_end=3 Rattus norvegicus cDNA, 3 end /clone=Ul-R-/gb=A1136396 /ug=Rn.8873 /len=435 rc\_Al136396 UI-R-C2p-od-e-12-0-UI.s1 /gb=Al136977 /ug=Rn.23741 /len=376 Rattus norvegicus cDNA, 3 end /clone=UI-R-C2p-nz-f-10-0-UI /cione\_end=3 Rattus norvegicus cDNA, 3 end /clone=UI-R-/gb=Al136977 /ug=Rn.23741 /len=376 C2p-nz-f-10-0-UI /clone\_end=3 Rattus norvegicus cDNA, 3 end /clone=UI-R-/gb=A1136977 /ug=Rn.23741 /len=376 C2p-nz-f-10-0-UI /clone\_end=3 Rattus norvegicus cDNA, 3 end /clone=UI-R-/gb=Al136977 /ug=Rn.23741 /len=376 C2p-nz-f-10-0-UI /clone\_end=3 f-12-0-UI /clone\_end=3 /gb=Ai136891 norvegicus cDNA, 3 end /clone=UI-R-C2p-ofrc\_Al136891 UI-R-C2p-of-f-12-0-UI.s1 Rattus Nuclear. C2p-nz-f-10-0-UI /clone\_end=3 /gb=Al136977 /ug=Rn.23741 /len=376 rc\_Al136977 UI-R-C2p-nz-f-10-0-UI.s1 rc\_Al136977 Ul-R-C2p-nz-f-10-0-Ul.s1 rc\_Al136977 UI-R-C2p-nz-f-10-0-UI.s1 'ug=Rn.6142 /len≃449 rc\_Al136977 Ul-R-C2p-nz-f-10-0-Ul.s1 rc\_AI136977 UI-R-C2p-nz-f-10-0-UI.s1 response factor farnesyltransfer ase beta subunit protein) (EGFbeta). Butyrate ebeta) (FTaseproteinCMG1). inducible prenyltransferas proteins subunit) (RAS ansferase beta (CAAXfamesyiti (EC 2.5.1.-) Protein

A11693 70	A11690 05	A!1461 95	Ai1447 67	AI1377 90	AJ1369 77
6906	6902	6898	6894	6890	6887
P02551	Q04753	Q62847	Q63582	Q05310	9887 JN0873
6907	6903	6899	<b>6</b> 895	6891	
BC006379	AA832121	NM_0168 24	X03541	NM_0140 47	M88279
6908	6904	6900	6896	6892	6888
P05209	NP_001 284	оэлех8	P04629	AAD444 84	Q02790
6909	6905	6901	6897	6893	6889
100	94.77	78	8	87.66	96.18
Rat mRNA for V01226 alpha-tubulin	chloride channel current inducer (Clani),	Adducin 3, gamma	brain alpha- tropomyosin	R.norvegicus mRNA from Leydig celi hypercalcemic tumour H-500	ESTs, Highly similar to JN0873 immunophilin p59 - mouse [M.musculus]
V01226	NM_03171	NM_03155	M34136		X70887
rc_Al169370 EST215214 Rattus norvegicus cDNA, 3 end /clone=RKIBR40 /clone_end=3 /gb=Al169370 /gl=3705678 /ug=Rn.3389 /len=581	rc_Al169005 EST214833 Rattus norvegicus cDNA, 3 end /clone=RKIBL76 /clone_end=3 /gb=Al169005 /gl=3705313 /ug=Rn.4089 /len=601	rc_Al146195 Ul-R-A1-ew-e-07-0-Ul.s1 Rattus norvegicus cDNA, 3 end /cione=Ul-R-A1-ew- e-07-0-Ul /cione_end=3 /gb=Al146195 /ug=Rn.9416 /len=403	rc_Al144767 UI-R-BT0-pr-c-03-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- BT0-pr-c-03-0-UI /clone_end=3 /gb=Al144767 /ug=Rn.1033 /len=475	rc_Al137790 UI-R-E1-go-a-08-0-UI.s1 Rattus norvegicus cDNA, 3 end /cione=UI-R-E1-go-a 08-0-UI /cione_end=3 /gb=Al137790 /ug=Rn.11148 /len=590	rc_Al136977 UI-R-C2p-nz-f-10-0-UI.s1 Rattus norvegicus cDNA, 3 end /clone=UI-R- C2p-nz-f-10-0-UI /clone_end=3 /gb=Al136977 /ug=Rn.23741 /len=376
	Cytoplasmic.				
Tubulin alpha-1 chain.	"Chloride conductance regulatory protein ICIn (I(Cin)) (Chloridechanne I, nucleotide sensitive 1A)."	Gamma adducin (Adducin-like protein 70) (Protein kinase C bindingprotein 35H).	Tropomyosin 1 alpha chain (Alpha- tropomyosin).	Leydig cell tumor 10 kDa protein.	

_					
labie Z.		AI1706 13	A11706 13	Al1708 13	AI1706 13
2010		6914	6918	6922	6926
6010   67777		P26772	6918   P26772	6922 P26772	P26772
6011 X75821		6915	6919	6923	6927
Y75931		X75821	X75821	X75821	X75821
813		6916	6920	6924	6928
		Q04984	Q04984	Q04984	204984
6913 -		6917	6921	6925	6929
90.29		90.29	90.29	90.29	90.29
Heat shock 10	kD protein 1 (chaperonin 10)	Heat shock 10 kD protein 1 (Chaperonin 10)	Heat shock 10 kD protein 1 (chaperonin 10)	Heat shock 10 kD protein 1 (chaperonin 10)	Heat shock 10 kD protein 1 (chaperonin 10)
_					
│ rc. Al170613 EST216547 Rattus norvegicus │Mitochondriai│"10 kDa heat	cDNA, 3 end /clone=RMUAZ03 /done_end=3 matrix /gb=Al170613 /gi=3710653 /ug=Rn.1540 /len=542	rc_Al170613 ESTZ16547 Rattus norvegicus   Mitoch cDNA, 3 end /clone=RMUAZ03 /cdone_end=3   matrix. /gb=Al170613 /gl=3710653 /ug=Rn.1540 /len=542	rc_Al170613 EST216547 Rattus norvegicus   Mitoch cDNA, 3 end /cione=RMUAZ03 /cione_end=3 matrix /gb=Al170613 /gi=3710653 /ug=Rn.1540 /len=542	rc_Al170613 EST216547 Rattus norvegicus   Mitoch cDNA, 3 end /cione=RMUAZ03 /cione_end=3  matrix. /gb=Al170613 /g =3710653 /ug=Rn.1540 /len=542	rc_Al170613 ESTZ16547 Rattus norvegicus   Mitoch cDNA, 3 end /cione=RMUAZ03 /cione_end=3   matrix. /gb=Al170613 /gi=3710653 /ug=Rn.1540 /len=542
Mitochondrai		ondrial	ondrial	ondrial	ondrial
"10 kDa heat	shock protein, mitochondrial (Hsp10) (10 kDa chaperonin)(CP N10)."	"10 kDa heat shock protein, mitochondrial (Hsp10) (10 kDa chaperonin)(CP N10)."	"10 kDa heat shock protein, mitochondrial (Hsp10) (10 kDa chaperonin)(CP N10)."	"10 kDa heat shock protein, mitochondrial (Hsp10) (10 kDa chaperonin)(CP N10)."	"10 kDa heat shock protein, mitochondrial (Hsp10) (10 kDa chaperonin)(CP N10)."

A11712 43 AI1706 6930 13 AI1712 43 A11711 67 A11706 85 Table 2. 6946 6942 6938 6934 Q62728 Q62728 P55260 P26772 035824 6947 6943 6939 6935 6931 X75821 AF069072 AF069072 M82809 8 NM\_0058 6948 6944 6932 6940 6936 Q9Y2J2 Q9Y2J2 060884 P09525 Q04984 6933 6949 6945 6937 6941 89.23 86.94 90.29 89.23 86 Rattus norvegicus mRNA for kD protein 1 (chaperonin 10) norvegicus mRNA for annexin iV complete cds Rattus isoform, mDJ3 4.1 minor complete cds Heat shock 10 isoform, type II brain 4.1 minor type II brain NM\_02415 AB028853 /gb=A1171243 /gi=3711283 /ug=Rn.8686 rc\_Al171243 EST217198 Rattus norvegicus cDNA, 3 end /clone=RMUBI06 /clone\_end=3 /len=631 rc\_Al171243 EST217198 Rattus norvegicus cDNA, 3 end /clone=RMUBI06 /clone\_end=3 rc\_Al170685 EST216621 Rattus norvegicus rc\_Al170613 EST216547 Rettus norvegicus Mitochondrial | °10 kDa heat cDNA, 3 end /clone=RMUAZ03 /clone\_end=3 | matrix. | shock protein /gb=Al170613 /gj=3710653 /ug=Rn.1540 | mitochondrial /len=631 /gb=A1171243 /gi=3711283 /ug=Rn.8686 rc\_Al171167 EST217116 Rattus norvegicus cDNA, 3 end /clone=RMUAZ92 /clone\_end=3 bound . /gb=A1170685 /gi=3710725 /ug=Rn.3904 /ug=Rn.19270 /ien=596 /cione\_end=3 /gb=AI171167 /gl=3711207 cDNA, 3 end /clone=RMUBH06 len=648 /len=542 Membraneprotein) (ZAP36). subfamily A member 2 (RDJ2). N10)." shock protein, mitochondrial (36 kDa DnaJ homolog chaperonin)(CP ne associated granuiemembra zymogen (Annexin IV) (Hsp10) (10 kDs (Lipocortin IV) Annexin A4

A11719 66	Al1716 30	Al1714 62	Al1714 62	Al1712   68
6964	6980	6957	6954	6950
CAA89 832	6960 P70618	Q07490	Q07490	6950 P41138
6965	6961	6958	. 6955	6951
U15085	L36263	A1860750	A1860750	X66924
6966	6962	6959	6956	6952
P28068	Q16539	A48996	A48996	002535
6967	6963			6953
85.8	91.28	84.52	84.52	88.38
RT1.Mb	p38 mitogen activated protein kinase (Mapk14)	CD24 antigen Z11663	CD24 antigen Z11663	88.38 Inhibitor of NONA binding 3 1 (Idb3),
Z49762		Z11663	Z11663	NM_00832
rc_A1171966 EST217960 Rattus norvegicus cDNA, 3 end /ctone=RMUBTZ5 /ctone_end=3 /gb=A1171966 /gl=3712006 /ug=Rn.5892 /len=663	NM_03102 rc_A1171630 EST217602 Rattus norvegicus 0 cDNA, 3 end /done=RMUBN50 /clone_end=3 /gb=A1171630 /gi=3711670 / ug=Rn.3293 /len=708	rc_Al171462 EST217424 Rattus norvegicus AttacDNA, 3 end /ctone=RMUBL26 /ctone_end=3 the /gb=Al171462 /gi=3711502 /ug=Rn.6007 ms/len=490 and	rc_Al171462 EST217424 Rattus norvegicus Atta cDNA, 3 end /ctone=RMUBL26 /ctone_end=3 the /gb=Al171462 /gi=3711502 /ug=Rn.6007 hy / /len=490 and	NM_00832 rc_AI171268 EST217223 Rattus norvegicus   Nuclear. 1 cDNA, 3 end /clone=RMUBI34 /clone_end=3   1/gb=AI171268 /gj=3711308 /ug=Rn.2760   /len=589
		Attached to the membrane by a GPI-anchor.	Attached to the membrane by a GPI-anchor.	Nuclear.
	Mitogen- activated protein kinase 14 (EC 2.7.1) (Mitogen activated protein kinase p38) (MAP kinase p38).	Signal transducer transducer (CD24 precursor (Heat stable antigen) (HSA)(Nectadrin ).	Signal transducer CD24 precursor (Heat stable antigen) (HSA)(Nectadrin).	DNA-binding protein inhibitor ID-3.

AI1720 AI1720 17 Table 2. AJ1722 47 Al1724 6972 6968 P11884 6976 6980 P11884 P22985 P23764 6969 6977 6973 6981 K03001 D11456 K03001 AI245240 6970 6978 6974 6982 P05091 P05091 P47989 P22352 6971 6975 6979 6983 88.77 88.77 <u>გ</u> 89 Aldehyde xanthine glutathione peroxidase precursor e (Xdh), 92 dehydrogenas mitochondrial mitochondrial dehydrogenas dehydrogenas Aldehyde Plasma NM\_03241 rc\_Al172017 EST218012 Rattus norvegicus | Mitochondrial "Aldehyde | cDNA, 3 end /clone=RMUBT91 /clone\_end=3 matrix. | dehydrogei | /gb=Al172017 /gl=3712057 /ug=Rn.2300 | mitochondr NM\_03241 NM\_01715 rc\_Al172017 EST218012 Rattus norvegicus Mitochondrial cDNA, 3 end /clone=RMUBT91 /clone\_end=3 matrix. /gb=Al172017 /gi=3712057 /ug=Rn.2300 /Jen=617 /ug=Rn.7324 /len=471 rc\_Al172247 EST218247 Rattus norvegicus cDNA, 3 end /clone=RMUBW79 /len=550 cDNA, 3 end /clone=RMUBZ17 /clone\_end=3 /gb=A1172411 /gi=3712451 /ug=Rn.1491 /clone\_end=3 /gb=Al172247 /gi=3712287 /len=550 rc\_Al172411 EST218418 Rattus norvegicus Peroxisomal. Extracellular. precursor (EC 1.2.1.3) (ALDH1) (ALDH-E2)." dehydrogenase, mitochondrial (ALDH1) (ALDH-E2)." peroxidase precursor (EC Plasma glutathione oxidase (EC 1.1.3.22) (XO) dehydrogenase EC 1.1.1.204) [includes: Xanthine Xanthine "Aldehyde precursor (EC mitochondrial dehydrogenase 1.2.1.3) (GSHPx-P). (XD); Xanthine dehydrogenase (ALDHclass 2) (ALDHclass 2) 1.11.1.9) oxidase eductase)]. (Xanthineoxidor

A11760 52 A11760 21 AI1759 35 A11757 84 A11761 70 6984 P07308 6996 6992 6989 6988 NP\_032 986 No Rat Protein Found. Q62658 P29411 6985 AF097514 6997 6993 6990 No human homolog found. AB021870 B1823499 XM\_01666 6986 6994 6991 000767 XP\_016 XM\_034 Q9UIJ7 Human Protein Found. 8 6987 6995 95.77 85 89 COCUM CDNA, RIKEN Adenylate kinase 3 stearyl-CoA desaturase Rat liver Mus musculus NM\_00896 mRNA, complete cds protein 1a FK508 binding Mus and tensin phosphatase musculus, homolog adult male Mus musculus BC004671 rc\_Al176170 EST219751 Rattus norvegicus cDNA, 3 end /clone=ROVBL77 /clone\_end=3 rc\_Al176021 EST219597 Rattus norvegicus cDNA, 3 end /clone=ROVBJ53 /clone\_end=3 /gb=Al176021 /ug=Rn.22158 /len=586 cDNA, 3 end /clone=ROVBH40 /clone\_end=3 c\_NA, 3 end /clone=ROVBF01 /clone\_end=3 membrane /gb=AI175935 /ug=Rn.8737 /len=448 /gb=Al175764 /ug=Rn.10982 /len=441 /gb=AI176170 /ug=Rn.1740 /ien=469 /gb=AI176052 /ug=Rn.60 /len=587 cDNA, 3 end /clone=ROVBJ90 /clone\_end=3 |matrix. rc\_Al176052 EST219628 Rattus norvegicus | Mitochondrial rc\_Al175935 EST219508 Rattus norvegicus Cytoplasmic. reticulum . protein. (1.14.99.5) Endoplasmic (Stearoyi-CoA Acyl-CoA desaturase (EC 1.14.99.5) isomerase)(EC 5.2.1.8) desaturase) (Fattyacid FK506-binding protein (FKBP-(Immunophilin FKBP12). (PPlase) GTP:AMP **88**6 desaturase) (Delta(9)desaturase) (Rotamase) prolyl cis-trans **Σ** (EC 2.7.4.10) phosphotransfer 12) (Peptidylmitochondrial

10010 4.	51 /63	AI1763 51	AI1764 22	A11764 22
	0998	7002	7006	7009
	0998 C04500 0999	Q84580	No Rat Protein Found.	No Rat Protein Found.
		7003		
	BF9118/4 /000 FZ8144	BF511874	BE172552	BE172552
í ! !		7004	7007	7010
	F28144	P28144	NP_004 444	NP_004 444
-	9	7005	7008	7011
- ! }		91.62	95.07	95.07
	idase II	Tripeptidylpept idase II	ESTs, Highly similar to 2006241A flavoprotein ubiquinone oxidoreductas e [H.sapiens]	ESTs, Highly similar to 2006241A flavoprotein ubiquinone oxidoreductas e [H.saplens]
_				
	/CDNA, 3 end /clone=ROVBQ51 /ug=Rn.11265   Cyuphasmic   peptidase    /clone_end=3 /gb=Al176351 /ug=Rn.11265   II)   /len=540   (Tripeptidyl-opeptidase)   (Cholecysta   // (Cholecysta   // (Den=540   Cholecysta   Cholecysta   // (Den=540	rc_Al176351 ESTZ19934 Rattus norvegicus cDNA, 3 end /clone=ROVBQ51 /clone_end=3 /gb=Al176351 /ug=Rn.11265 /len=540	rc_Al176422 ESTZ20006 Rattus norvegicus cDNA, 3_end /clone=ROVBR53 /clone_end=3 /gb=Al176422 /ug=Rn.4044 /len=430	rc_Al176422 ESTZ20006 Rattus norvegicus cDNA, 3 end /clone=ROVBR53 /clone_end=3 /gb=Al176422 /ug=Rn.4044 /len=430
	Cympiasinic	Cytoplasmic .		
:::-	peptidase II (EC 3.4.14.10) (TPP-II) (Tripeptidase) (Cholecystokinin inactivating peptidase).	Tripeptidyl- peptidase II (EC 3.4.14.10) (TPP- II) (Tripeptidylamin opeptidase) (Chotecystokinin inactivating peptidase).		

AI1765 89	A11765 04	A11764 91	A11764 88	Table 2  AI1764  61
7026	7022	7020	7016	7012
P08526	P13264	NP_079 799	BAA252 92	7012  Q62638
7027	7023	7021	7017	7013
BG939205	AF097495	XM_04074 7	U85193	U64791
7028	7024		7018	7014
Q9P2X0	094925	XP_040 747	000712	Q92896
7029	7025		7019	7015
92.45	97.58		96.19	. 98
Ribosomal protein L27	glutaminase	Mus musculus NM_02552 NADH 3 dehydrogenas e (ubiquinone) 1, subcomplex unknown, 1 (Ndufc1), mRNA	NF1-B3	selectin, endothelial cell, ligand (Gig1),
	M65150	NM_02552	AB012232	NM_01721
rc_Al176589 EST220177 Rattus norvegicus cDNA, 3 end /clone=ROVBU24 /clone_end=3 /gb=Al176589 /ug=Rn.1254 /len=536	rc_Al176504 EST220089 Rattus norvegicus   NcDNA, 3 end /clone=ROVBS73 /clone_end=3./gb=Al176504 /ug=Rn.5762 /len=658	rc_Al176491 EST220076 Rattus norvegicus cDNA, 3 end /clone=ROVBS52 /clone_end=3 /gb=Al176491 /ug=Rn.8096 /len=575	rc_Al176488 EST220073 Rattus norvegicus cDNA, 3 end /clone=ROVBS47 /clone_end=3 /gb=Al176488 /ug=Rn.9909 /ien=650	rc_Al176461 EST220046 Rattus norvegicus cDNA, 3 end /clone=ROVBS09 /clone_end=3 /gb=Al176461 /ug=Rn.10507 /len=534
	Mitochondrial			
60S ribosomal protein L27.	Mitochondrial "Giutaminase, kidney isoform, mitochondrial precursor (EC 3.5.1.2)(GLS) (L-glutarnine amidohydrolase ) (K-glutarninase)."			Golgi apparatus protein 1 precursor (Golgi staloglycoprotei n MG-160)(E- selectin ligand 1) (ESL-1).

A11770 Table 2. AI1768 56 A11766 89 AJ1765 89 AI1765 89 AI1765 89 7030 P08526 7050 7046 7042 7038 7034 AAK534 28 P17425 Q64678 P08526 P08526 7051 7035 7031 7047 7043 7039 BG939205 BC000297 U03688 D87905 BG939205 BG939205 7032 7052 7036 7048 7044 7040 Q9P2X0 Q01581 Q16678 P52564 Q9P2X0 Q9P2X0 7053 24 7037 7033 7049 **7045** 90.24 92.45 92.45 92.45 84.64 90.26 Mitogen-activated protein kinase kinase 6 Ribosomal protein L27 Cytochrome P450 1b1 Ribosomal protein L27 Coenzyme A synthase 1 Ribosomai protein L27 3-hydroxy-3methylglutaryl AF369384 rc\_Al176589 ESTZ20177 Rattus norvegicus cDNA, 3 end /clone=ROVBU24 /clone\_end=3 cDNA, 3 end /clone=ROVBZ64 /clone\_end=3 /gb=Al176856 /ug=Rn.10125 /len=666 rc\_Al176689 EST220282 Rattus norvegicus cDNA, 3 end /clone=ROVBV56 /clone\_end=3 cDNA, 3 end /clone=ROVBU24 /clone\_end=3 /gb=A1176589 /ug=Rn.1254 /len=536 cDNA, 3 end /clone=ROVBU24 /clone\_end=3 /gb=A1176589 /ug=Rn.1254 /len=536 /gb=A1177004 /ug=Rn.5106 /len=332 rc\_Al176856 EST220459 Rattus norvegicus cDNA, 3 end /clone=ROVBX74 /clone\_end=3 /gb=Al176689 /ug=Rn.17256 /len=597 /gb=AI176589 /ug=Rn.1254 /len=536 rc\_Al176589 EST220177 Rattus norvegicus rc\_Al177004 EST220611 Rattus norvegicus rc\_Al176589 EST220177 Rattus norvegicus Cytoplasmic. bound. Endoplasmic Membranereticulum. synthase, cytoplasmic (EC 4.1.3.5) (HMG-(3-hydroxy-3-methylglutaryl 60S ribosomal protein L27. "Hydroxymethyl (1.14.14.1) CoAsynthase) (P450RAP). (CYPIB1) P450 1B1 (EC synthase)." glutaryl-CoA Cytochrome 60S ribosomal coenzyme A protein L27. protein L27. 60S ribosomal

AI1771 61	A11771 61	Table 2.  A1770    04
7062	7058	7054
O54968	054968	7054   P17425
7063	7059	7055
S74017	\$74017	BC000297
7084	7060	7056
Q16236	Q16236	Q01581
7065	7061	7057
85	8	90.24
NF-E2-related factor 2	NF-E2-related factor 2	3-hydroxy-3- methylglutaryl- Coenzyme A synthase 1
rc_Al177161 EST220768 Rattus norvegicus   ncDNA, 3 end /clone=ROVCB60 /clone_end=3 /gb=Al177161 /ug=Rn.10867 /len=616	rc_Al177161 EST220768 Rattus norvegicus NcDNA, 3 end /clone=ROVCB60 /clone_end=3 /gb=Al177161 /ug=Rn.10867 /len=616	rc_Al177004 EST220611 Rattus norvegicus   CcDNA, 3 end /cione=ROVBZ64 /cione_end=3 /gb=Al177004 /ug=Rn.5106 /len=332
Nuclear .	Nuclear .	Cytoplasmic.
"Nuclear factor erythrold 2 related factor 2 (NF-E2 related factor 2) (NFE2-related factor 2) (Nuclear factor, erythrold derived 2, like 2)."	"Nuclear factor erythrold 2 related factor 2 (NF-E2 related factor 2) (NFE2-related factor 2) (Nuclear factor, erythrold derived 2, like 2)."	Cytopiasmic. "Hydroxymethyi giutaryi-CoA giutaryi-CoA synthase, cytopiasmic (EC 4.1.3.5) (HMG-CoAsynthase) (3-hydroxy-3-methyigiutaryi coenzyme A synthase)."

AI1782 04	A11781 35	AI1779 86	A11777 51	AI1776 83	A11774 04	A11774 04
7087	7083	7079	7078	7074	7070	7066
No Rat Protein Found.	035798	Q07205	No Rat Protein Found.	CAA76 339	AAF739 53	AAF739 53
	7084	7080		7075	7071	7067
No human homolog found.	XM_01267 6	NM_0019	No human homolog found.	AW38340	AK001595	AK001595
<del></del> .	7085	7081		7076	7072	7088
No Human Protein Found.	XP_012 676	P55010	No Human Protein Found.	P51991	CAC432 28	CAC432 28
	7086	7082		7077	7073	7069
	78	8	<del>.</del>	100	95.65	95.65
EST (not recognized)	complement component 1	eukaryotic N Initiation factor 5 5 (eIF-5)	Mus musculus 10 days embryo cDNA, RIKEN	hnRNP	Mus musculus AF237622 aceiyitransfera se Tubedown- 1 mRNA	Mus musculus AF237622 acetyltransfera se Tubedown- 1 mRNA
	NM_01925 9	NM_02007		Y16641	AF237622	AF237622
rc_Al178204 EST221869 Rattus norvegicus cDNA, 3 end /clone=RPLCN48 /clone_end=3 /gb=Al178204 /ug=Rn.221 /len=520	rc_Al178135 EST221798 Rattus norvegicus   Mitochondrial   "Complement cDNA, 3 end /clone=RPLCM57 /clone_end=3   matrix .   subcomponen   binding proteir   ecursor (Giycoprotein   GC1Q-R   protein)."	rc_Al177986 EST221642 Rattus norvegicus cDNA, 3 end /clone=RPLCJ54 /clone_end=3 /gb=Al177986 /ug=Rn.3506 /len=536	rc_Al177751 EST221393 Rattus norvegicus cDNA, 3 end /clone=RPLCF64 /clone_end=3 /gb=Al177751 /ug=Rn.5996 /len=696	rc_Al177683 EST221324 Rattus norvegicus cDNA, 3 end /clone=RPLCE51 /clone_end=3 /gb=Al177683 /ug=Rn.3924 /len=434	rc_Al177404 EST221024 Rattus norvegicus cDNA, 3 end /clone=RPLBY70 /clone_end=3 /gb=Al177404 /ug=Rn.12587 /len=684	rc_Al177404 EST221024 Rattus norvegicus cDNA, 3 end /clone=RPLBY70 /clone_end=3 /gb=Al177404 /ug=Rn.12587 /len=684
	"Complement 1, Component 1, Component 1, Component 1, Cosubcomponent binding protein, mitochondrialprecursor (Glycoprotein GC1QBP) (GC1Q-R protein)."	Eukaryotic translation initiation factor (eIF-5).				

IS\$

	AJ1801 08	AI1799 16	Al1794 45	Al1794 45	AJ1793 99	AI1790 12	Ali782   08   08   08   08   08   08   08
	7107	7103	7101	7099	7095	7091	7088
	7107 AF1399 87	BAB231 56	No Rat Protein Found.	No Rat Protein Found.	CAA12 180	7091 NP_112 406	7088   P52591
	7108	7104			7096	7092	7088
	D26068	R77959	A1003832	A1003932	AA348035	BE732178	AC006014
	7109	7105	7102	7100	7097	7093	7090
	Q15056	XP_018 277	No Human Protein Found.	No Human Protein Found.	NP_000 384	P17008	g469996 4
	7110	7106			7098	7094	
	95.33	97.56	<b>2</b> 4.	94.4	90.6	95.36	70
	Mus musculus AF139987 LIM-kinase1	Homo sapiens AK004076 similar to HSPC038 protein	EST (not recognized)	EST (not recognized)	collagen alpha AJ224880 2 type V,	cytoplasmic beta-actin (Actx)	R.norvegicus integral membrane giycoprotein cDNA
	AF139987	AK004076	-		AJ224880	NM_03114	
d	rc_Al180108 EST223845 Rattus notvegicus cDNA, 3 end /clone=RSPCQ22 /clone_end=3 /ch=Al180108 /uc=Rn 288/ /len=504	rc_Al179916 EST223647 Rattus norvegicus cDNA, 3 end /clone=RSPCN66 /clone_end=3 /gb=Al179916 /ug=Rn.221 /len=520	rc_Al178445 EST223155 Rattus norvegicus cDNA, 3 end /clone=RSPCH43 /clone_end=3; /gb=Al179445 /ug=Rn.221 /len=438	rc_Al179445 EST223155 Rattus norvegicus cDNA, 3 end /clone=RSPCH43 /clone_end=3 /gb=Al179445 /ug=Rn.221 /len=438	rc_Al179399 EST223101 Rattus norvegicus cDNA, 3 end /clone=RSPCG71 /clone_end=3 /gb=Al179399 /ug=Rn.2875 /len=589	NM_03114 rc_Al178012 ESTZ22694 Rattus norvegicus cDNA, 3 end /clone=RSPCA41 /clone_end=3 /gb=Al179012 /ug=Rn.69 /len=388	rc_Al178208 EST221873 Rattus norvegicus TYPE II cDNA, 3 end /clone=RPLCN52 /clone_end=3 MEMBRANE /gb=Al178208 /ug=Rn.10474 /len=619 PROTEIN. NUCLEAR PORE MEMBRANE.
			-				TYPE II Nuclear MEMBRANE envelope pore PROTEIN. membrane PORE 121 (Pore MEMBRANE. membrane proteinof 121 kDa) (P145).

AI1803 96	88 88	Ai1802   88
7119	7115	7111
7119 055081	P02761	7111  P02761
7120	7116	7112
АК023320	D90452	D90452
7121	7117	7113
CAA536 61	Q05682	Q05682
7122	7118	7114
90.43	90.15	90.15
retinoblastom N a-like 2 (p130) 4	Caldesmon 1	Caldesmon 1
NM_03109	NM_01314 6	NM_01314
retinoblastom NM_03109 rc_Al180396 EST224140 Rattus norvegicus a-like 2 (p130) 4 cDNA, 3 end /clone=RSPCX16 /clone_end=3 /gb=Al180396 /ug=Rn.11020 /len=554	rc_Al180288 ESTZ24031 Rattus norvegicus cDNA, 3 end /clone=RSPCS84 /clone_end=3 /gb=Al180288 /ug=Rn.10621 /len=417	Caldesmon 1 NM_01314 rc_Al180288 EST224031 Rattus norvegicus dcDNA, 3 end /clone=RSPCS84 /clone_end=3 FABP IS //gb=Al180288 /ug=Rn.10821 /len=417 CYTOSC IT IS PROBAE TAKEN UFROM TI STAKEN UFROM TI URINAR!  LUMINAR LUMINAR SIS.
Nuclear.		일 <sup>보</sup> 고 보고 있
Retinoblastoma- like protein 2 (130 kDa retinoblastoma- associatedprotei n) (PRB2) (P130) (RBR-2).	Major urinary protein precursor (MUP) (Alpha-2u-globulin) (15.5 kDafatty acid binding protein) (15.5 kDa FABP) (Alpha(2)-euglobulin)(Aller gen Rat n 1).	Major urinary protein precursor precursor (MUP) (Alpha- 2u-globulin) (15.5 kDafatty acid binding protein) (15.5 kDa FABP) (Alpha(2)- euglobulin)(Aller gen Rat n 1). (Rat n i).

AI1804 42 Al1804 7123 P35215 7127 P05369 7124 7128 AW67411 J05262 7125 7129 NP\_006 752 P14324 7126 7130 96.68 œ tyrosine 3-monocxygena se/tryptophan monooxygena se activation protein, zeta polypeptide famesyl e synthetase pyrophosphat Testis-specific NM\_01301 rc\_Al180424 EST224170 Rattus norvegicus Cytoplasmic. 14-3-3 protein cDNA, 3 end /ctone=RSPCX52 /ctone\_end=3 /gb=Al180424 /ug=Rn.1292 /len=681 /protein kinase rc\_Al180442 EST224188 Rattus norvegicus cDNA, 3 end /clone=RSPCX75 /clone\_end=3 /gb=Al180442 /ug=Rn.2622 /len=646 Cytoplasmic. Farmesyl pyrophosphate synthetase (Farnesyldiphos phate synthetase) (Cholesterol-regulated 39 kDa protein) sferase (EC 2.5.1.1);Geranyl synthetase) (FPS) import stimulation factor S1 subunit). <del>S</del> (FPP C inhibitor Dimethylallyttra 39)[Includes: (Mitochondrial protein-1)(KCIP-

AI2279 36	AI2277 15	A11804 42
7138	7135	7131
7139 AAB530 41	7135 055081	7131 P05369
7140	7136	7132
U35246	AK023320	J05262
7141	7137	7133
NP_009	CAA536 61	P14324
7142	7138	7134
98.75	90.43	8
Homo sapiens U81160 vacuolar protein sorting 45A	Retinoblastom N a-like 2 (p130) 4	Testls-specific famesyl pyrophosphat e synthetase
U81160	NM_03109	
rc_Al227936 EST224631 Rattus norvegicus cDNA, 3 end /clone=RBRCN80 /clone_end=3 /gb=Al227936 /ug=Rn.9316 /len=605	Retinoblastom NM_03109 rc_Al227715 EST224410 Rattus norvegicus N cDNA, 3 end /clone=RBRCK56 /clone_end=3 /gb=Al227715 /ug=Rn.11020 /len=523	cDNA, 3 and /clone=RSPCX75 /clone_end=3 /gb=Al180442 /ug=Rn.2622 /len=646 (FPP) synthetas (Cholesty Phate synthetas (Cholesty Phate Synthetas (Cholesty Phate Synthetas (CR) (FR) (FR) (FR) (CR) (CR) (CR) (CR) (Strasse (2.5.1.1); (Transtra
	Nuclear.	Cytoplasmic.
	Retinoblastoma- like protein 2 (130 kDa retinoblastoma- associatedprotei n) (PRB2) (P130) (RBR-2).	Farnesyl pyrophosphate synthetase (FPP) synthetase) (FPS) (Farnesyldiphos phate synthetase) (Cholesterol- regulated 39 kDa protein) (CR 39)[Includes: Dimethylallyltran sferase (EC 2.5.1.1);Geranyl transtra

A12286 75 AI2285 99 AI2284 7143 P13589 Table 2. 7151 7147 070436 P41516 7152 7148 7144 AI039838 U68018 AK024080 7145 7153 7149 Q15786 Q99653 P11388 7154 7146 7150 91.46 94.12 91.3 pituitary
adenylate
cyclase
activating
polypeptide 1 topoisomeras e (DNA) II MAD homolog NM\_01919 2 (Drosophila) alpha (Top2a) NM\_02218 cDNA, 3 end /clone=RBRCX95 /clone\_end=3 /gb=Al228675 /ug=Rn.2755 /len=545 rc\_Al228407 EST225102 Rattus norvegicus cDNA, 3 end /clone≃RBRCU35 /clone\_end≃3 /gb≃Al228407 /ug≃Rn.3399 /ien≃496 rc\_Al228675 EST225370 Rattus norvegicus /clone\_end=3 /gb=Al228599 /ug=Rn.3877 /len=572 rc\_AI228599 EST225294 Rattus norvegicus cDNA, 3 end /clone=RBRCW95 M IN THE
ABSENCE
OF LIGAND;
MIGRATION
TO THE NUCLEUS WHEN COMPLEXE SMAD4 HLIMO N H H Nuclear. (Mothers againstDPP homolog 2) adenylate cyclaseactivatin g polypeptide-27 (PACAP-27) Isozyme (EC 5.99.1.3)." related peptide (PRP-48); precursor (PACAP)[Contal ns: PACAPhomolog 2 (SMAD 2) Pituitary adenylate cyclase activating polypeptide ZNO. Pitultary protein 2). (Mad-related decapentaplegic (PACAP27); Mothers against II, alpha topoisomerase Pituitary aden

AI2294 97	AI2294 97	AI2296 37	A12299 24
7159	7162	7165	7167
No Rat Protein Found.	No Rat Protein Found.	NP_113 856	NP_080 263
		7166	7168
NM_0045 48	NM_0045 48	XM_02780 9	5 5
7160	7163		
096000	096000	XP_027 809	XM_010 025
7161	7164		
		57	
ESTs, Moderately similar to NADH dehydrogenas e [H.saplens]	ESTs, Moderately similar to NADH dehydrogenas e [H.sapiens]	MYB binding protein	ESTS, Moderately similar to NB4M_HUMA N NADH- UBIQUINONE OXIDOREDU CTASE B14 SUBUNIT [H.saplens]
		NM_03166 8	
rc_Al229497 EST226192 Rettus norvegicus cDNA, 3 end /clone=REMCH27 /clone_end=3 /gb=Al229497 /ug=Rn.2867 /len=444	rc_Al229497 ESTZ26192 Rattus norvegicus cDNA, 3 end /clone=REMCH27 /clone_end=3 /gb=Al229497 /ug=Rn.2867 /len=444	rc_Al229637 EST226332 Rattus norvegicus cDNA, 3 end /clone=REMCJ75 /clone_end=3 /gb=Al229637 /ug=Rn.6881 /len=546	rc_Al229924 EST226619 Rattus norvegicus cDNA, 3 end /clone=REMCO41 /clone_end=3 /gb=Al229924 /ug=Rn.4013 /len=489
	7159 No Rat	2294 7159 No Ret Protein 48 7160 086000 7161 ESTs, Moderately similar to NADH dehydrogenas e [H.saplens] Found.	2294   7159   No Rat

LSt

AI2305 72 AI2303 54 AI2302 7169 AAA804 7177 P27817 7173 BAA123 35 7178 7170 7174 AB040902 AI915610 D29641 7171 7179 7175 139382 Q9NZU0 P42285 7172 7176 96.48 98.37 91.88 Rattus norvegicus voltage-gated K+ channel Y box protein acid Phosphatidic phosphatase L48619 D84376 rc\_Al230354 EST227049 Rattus norvegicus cDNA, 3 end /clone=REMCV50 /clone\_end=3 /gb=Al230354 /ug=Rn.1944 /len=520 rc\_Al230211 EST226906 Rattus norvegicus cDNA, 3 end /clone=REMCT69 /clone\_end=3 /gb=Al230211 /ug=Rn.10540 /len=573 rc\_Al230572 EST227267 Rattus norvegicus cDNA, 3 end /clone=REMCY30 /clone\_end=3 /gb=Al230572 /ug=Rn.3181 /len=317 Nuclear. transcription factor) (YB-1) (CCAAT-binding transcriptionfact or I subunit A) (CBF-A) (Enhancer factor I subunit A) (EFI-A)( Nuclease sensitive element binding protein 1 (Y box binding protein-1)(Y-box

. משטש א	AI2305 72	A12307 48	AJ2310 07	AI2312
•	7180	7183		7191
	P27817	P14701	BAA229 32	070352
	7181	7184	7188	7192
	7180 P27817 7181 AI915610	NM_0032 95	AK026246	NM_0022
	7182	7185	7189	7193
	139382	P13693	NP_061 137	P27701
		7186	7190	7194
	98.37	ထွ	89.2	62
	98.37 Y box protein 1	lens epithelial protein	CCA1 protein AB000215	kangai 1 (suppression of turnorigenicity 6), prostate (Kai1)
		U20525	AB000215	NM_03179 7
	rc_Al230572 EST227267 Rattus norvegicus cDNA, 3 end /cione=REMCY30 /cione_end=3 /gb=Al230572 /ug=Rn.3181 /len=317	rc_Al230748 EST227443 Rattus norvegicus cDNA, 3 end /clone=REMDA73 /clone_end=3 /gb=Al230748 /ug=Rn.2132 /len=643	rc_Al231007 EST227695 Rattus norvegicus cDNA, 3 end /clone=REMDE15 /clone_end=3 /gb=Al231007 /ug=Rn.10838 /len=527	rc_Al231213 EST227901 Rattus norvegicus cDNA, 3 end /clone=REMDH23 /clone_end=3 /gb=Al231213 /ug=Rn.3022 /len=582
	Nuclear.	Cytoplasmic.		Integral membrane protein.
	Nuclease sensitive element binding protein 1 (Y box binding protein-1)(Y-box transcription factor) (YB-1) (CCAAT-binding transcriptionfact or I subunit A) (CBF-A) (Enhancer factor I subunit A) (EFI-A)(	Translationally controlled turnor protein (TCTP) (p23) (21 kDapolypeptide) (p21) (Lens epithellal protein).		CD82 antigen (Metastasis suppressor homolog).

lable 2.							•	•	
A12312   7185  OT	70352	7185  O70362  7186  NM_0022   7187  F	7197	27701	7198   62	8	kangai 1	NM_03179   rc_Al23121:	ਰ ਲ
13		<u>ω</u>					noissendans)	7	CDNA. 3 en

A12313 54	Al2313 54	Al2312 92	AI2312 92	ADIO 2  AI2312  13
7211	7207	7203	7199	7195
7211 P49186	P49186	P14841	P14841	7185 070362
7212	7208	7204	7200	7196
L31951	L31951	99 99 NM_0000	99 99 NM_0000	NM_0022
7213	7209	7205	7201	7197
P45984	P45984	P01034	P01034	7197 P27701
7214	7210	7206	7202	7198
93.85	93.85	72	72	62
Stress activated protein kinase alpha II	Stress activated protein kinase alpha II	Cysteine proteinase inhibitor cystatin C	Cysteine proteinase inhibitor cystatin C	kangal 1 (suppression of tumorigenicity 6), prostate (Kai1)
		X16957	X16957	NM_03178
rc_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /clone=REMDJ02 /clone_end=3 /gb=Al231354 /ug=Rn.9910 /len=521	rc_Al231354 ESTZ28042 Rattus norvegicus cDNA, 3 end /cione=REMDJ02 /cione_end=3 /gb=Al231354 /ug=Rn.8910 /len=521	m_Al231292 EST227980 Rattus norvegicus cDNA, 3 end /clone=REMDl26 /clone_end=3 /gb=Al231292 /ug=Rn.956 /len=659	rc_Al231292 EST227980 Rattus norvegicus cDNA, 3 end /clone=REMDI26 /clone_end=3 /gb=Al231292 /ug=Rn.956 /len=659	NM_03178   rc_Al231213 EST227901 Rattus norvegicus   li 7   cDNA, 3 end /clone=REMDH23   n /clone_end=3 /gb=Al231213 /ug=Rn.3022   p //len=582
				Integral membrane protein.
Mitogen- activated protein kinase 9 (EC 2.7.1) (Stress- activated protein kinase JNK2) (c- Jun N-terminal kinase 2) (SAPK-aipha) (p54-aipha).	Mitogen- activated protein kinase 9 (EC 27.1) (Strass- activated protein kinase JNK2) (c- Jun N-terminal kinase 2) (SAPK-alpha) (p54-alpha).	Cystatin C precursor (Fragment).	Cystatin C procursor (Fragment).	CD82 antigen (Metastasis suppressor homolog).

Al2313 54	Al2313 54	AI2313 54
7223	7218	7215
7223 P49186	P49186	7215 P49186
7224	7220	
L31951	L31951	7216   L31951
7225	7221	7217
P45984	P45984	7217  P45984
7226	7222	7218
93.85	93.85	93.85
Stress activated protein kinase aipha II	Stress activated protein kinase alpha ii	Stress activated protein kinase alpha II
		,
rc_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /clone=REMDJ02 /clone_end=3 /gb=Al231354 /ug=Rn.9910 /len=521	rc_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /cione=REMDJ02 /cione_end=3 /gb=Al231354 /ug=Rn.9910 /len=521	rc_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /clone=REMDJ02 /clone_end=3 /gb=Al231354 /ug=Rn.9910 /len=521
Mitogenactivated protein kinase 9 (EC 2.7.1) (Stressactivated protein kinase JNK2) (cJun N-terminal kinase 2) (SAPK-alpha) (p54-alpha).	Mitogen- activated protein kinase 9 (EC 2.7.1) (Stress- activated protein kinase JNK2) (c- Jun N-terminal kinase 2) (SAPK-alpha) (p54-alpha).	Mitogen- activated protein kinase 9 (EC 2.7.1) (Stress- activatedprotein kinase JNK2) (c- Jun N-terminal kinase 2) (SAPK-alpha) (p54-alpha).

A12313 AI2313 54 AI2313 7227 P49186 54 7235 7231 P49186 P49186 7236 7232 7228 |L31951 L31951 L31951 7237 7233 7229 P45984 P45984 P45984 7230 7238 7234 93.85 93.85 93.85 activated protein kinase alpha II Stress activated protein kinase alpha II activated protein kinase alpha il Stress Stress rc\_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /clone=REMDJ02 /clone\_end=3 /gb=Al231354 /ug=Rn.9910 /len=521 rc\_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /cione=REMDJ02 /cione\_end=3 /gb=Al231354 /ug=Rn.9910 /len=521 rc\_Al231354 EST228042 Rattus norvegicus cDNA, 3 end /cione=REMDJ02 /clone\_end=3 /gb=Al231354 /ug=Rn.9910 /len=521 kinase 9 (EC 2.7.1.-) (Stress-Jun N-terminal kinase 2) (SAPK-alpha) (p54-alpha). (SAPK-aipha) (p54-aipha). activatedprotein kinase JNK2) (c-Mitogen-(SAPK-alpha) (p54-alpha). 2.7.1.-) (Stress-activatedprotein kinase JNK2) (c-Mitogen-activated protein kinase 9 (EC kinase JNK2) (o kinase 2) Jun N-terminal activatedprotein activated protein 2.7.1.-) (Stresskinase 9 (EC activated protei Jun N-terminal kinase 2) Mitogen

791

AI2313 75 AJ2314 45 AI2314 45 Table 2. AI2320 7239 P15978 7240 7245 7241 7249 BAB223 22 P18395 P18395 7242 7246 7250 AY049788 homolog found. No human BC001016 AY049788 7243 7251 7247 No Human Protein Found. P51970 075534 075534 7252 7248 7244 89.57 94.37 94.37 R.norvegicus mRNA for RT1\_A3(O) alpha chain e (ubiquinone) 1 alpha Homo saplens NADH for unr protein with unknown Rat unr mRN Rat unr mRNA dehydrogenas with unknown for unr protein function function subcomplex, 8 X90374 rc\_Al231445 EST228133 Rattus norvegicus cDNA, 3 end /clone=REMDK26 /clone\_end=3 /gb=Al231445 /ug=Rn.3562 rc\_Al232012 ESTZ28700 Rattus norvegicus cDNA, 3 end /clone=RHECR46 /clone\_end=3 rc\_Al231445 EST228133 Rattus norvegicus cDNA, 3 end /clone=REMDK26 /clone\_end=3 /gb=Al231445 /ug=Rn.3562 c\_Al231375 EST228063 Rettus norvegicus cDNA, 3 end /clone=REMDJ29 /clone\_end=3 /gb=Al231375 /ug=Rn.7199 /len=592 /gb=Al232012 /ug=Rn.1128 /len=586 /len=528 /len=528 Cytoplasmic. UNR protein. Cytoplasmic. histocompatibilit y antigen, Non-RT1.A alpha-1 UNR protein. chain precursor." "Class I

AI2323 74	AI2323 74	AI2323 21	AI2320 96	AI2320  76
7266	7262	7261	7257	7253
P43278	P43278	No Rat Protein Found.	Q63424	7253   Q00918
7267	7263		7258	7254
NM_0053 18	NIM_0053 18	No human homolog found.	NM_0210 82	AF039843
7268	7264		7259	7255
P07305	P07305	No Human Protein Found.	Q16348	043597
7269	7265		7260	7256
85	85		76	94.31
histone H1-0	histone H1-0	Mus musculus 13 days embryo liver cDNA, RIKEN	Solute carrier family 15 (H+/peptide transporter), member 2	Transforming growth factorbeta (TGF-beta) masking protein large subunit
NM_01257	NM_01257		NM_03167	NM_02158
rc_Al232374 ESTZ28062 Rattus norvegicus I cDNA, 3 end /clone=RKICA88 /clone_end=3 /gb=Al232374 /ug=Rn.3129 /len=609	rc_Al232374 EST229062 Rattus norvegicus cDNA, 3 end /clone=RKICA88 /clone_end=3 /gb=Al232374 /ug=Rn.3129 /len=609	rc_Al232321 ESTZ29009 Rattus norvegicus cDNA, 3 end /clone=RKICA22 /clone_end=3 /gb=Al232321 /ug=Rn.24630 /len=590	rc_Al232096 ESTZ28784 Rattus norvegicus cDNA, 3 end /clone=RKIBW79 /clone_end=3 /gb=Al232096 /ug=Rn.2593 /len=594	rc_Al232078 EST228766 Rattus norvegicus cDNA, 3 end /cione=RKIBW60 /cione_end=3 /gb=Al232078 /ug=Rn.11340 /len=597
Nuclear.	Nuclear.		Integral membrane protein.	
Histone H1.0 (H1(0)) (Histone H1').	Histone H1.0 (H1(0)) (Histone H17).		"Oligopeptide transporter, kidney isoform (Peptide transporter 2)(Kidney H+/peptide cotransporter)."	"Latent transforming growth factor beta binding protein 1 precursor(Trans forming growth factor beta-1 binding protein 1) (TGF-beta1-BP-1) (Transforming growth factor beta-1 masking protein, large subun"

	61 61	A12332 61	AI2349 50	AI2353 58
- • !	7270	7274	7278	7282
_	7270 P48508	7274 P48508	7278 P20611	No Rat Protein Found.
	27	7275	7279	
	13 35 46	L35546	BC003160	J04973
	7272	7276	7280	7283
_	F48507	P48507	P11117	P22695
<u> </u>	7273	7277	7281	7284
! •	<u>8</u>	<b>9</b>	86	88.05
	Guluarmate- Cysteine ligase (gamma- glutarnylcystel ne synthetase), regulatory	Glutamate- cysteine ligase (gamma- glutamylcystei ne synthetase), regulatory	Acid phosphatase 2, lysozymal	Cytochrome bo-1 complex core P
_			NM_01698	574321
	C_M233.01 E3 1.22999 Returns inovegicus CDNA, 3 end /clone=RKIDC84 /clone_end=3 /gb=Al233261 /ug=Rn.2460 /len=628	rc_Al233281 EST229949 Rattus norvegicus cDNA, 3 end /clone=RKIDC84 /clone_end=3 /gb=Al233261 /ug=Rn.2460 /len=629	rc_Al234950 EST231512 Rattus norvegicus cDNA, 3 end /cione=ROVCJ96 /cione_end=3 /gb=Al234950 /ug=Rn.9816 /len=501	rc_Al235358 EST231920 Rattus norvegicus cDNA, 3 end /done=ROVCQ84 /clone_end=3 /gb=Al235358 /ug=Rn.2334 /len=554
_			Lysosomal.	
!	cysteine ligase regulatory subunit (EC 6.3.2.2) (Gamma-glutamylcystein e synthetase) (GCS light chain)(Glutamat e—cysteine ligase modifier subunit).	Glutamate- cysteine ligase regulatory subunit (EC 6.3.2.2) (Gamma- glutamylcystein e synthetase) (Gamma-ECS) (GCS light chain)(Glutamat e-cysteine ligase modifier subunit).	Lysosomal acid phosphatase precursor (EC 3.1.3.2) (LAP).	

AI2372 58	A12357 47	AI2357 07	AI2357 07	Al2357 07	Al2357 07
7305	7301	7297	7293	7289	7285
NP_113 856	P04904	7297 P35565	P35565	P35565	7285   P35565
7306	7302	<b>7298</b>	7294	7280	7286
XM_02780	NM_0008	L10284	L10284	L10284	L10284
	7303	7299	7295	7291	7287
XP_027 809	Q16772	P27624	P27824	P27824	P27824
	7304	7300	7296	7282	7288
. 57	89.73	2	84	84	2
MYB binding N protein (P160) 8	Glutathione S- transferase Ya subunit	ESTs, Highly similar to CALX RAT CALNEXIN PRECURSOR [R.norvegicus]	ESTs, Highly similar to CALX RAT CALNEXIN PRECURSOR [R.norvegicus]	ESTs, Highly similar to CALX RAT CALNEXIN PRECURSOR [R.norvegicus]	ESTs, Highly similar to CALX RAT CALNEXIN PRECURSOR [R.norvegicus]
NM_03166	M26874		· · · · · · · · · · · · · · · · · · ·		
cDNA, 3 end /clone=RPLCV74 /clone_end=3 /gb=AI237258 /ug=Rn.6881 /len=434	rc_Al235747 ESTZ32309 Rattus norvegicus (cDNA, 3 end /clone=ROVCW57 /clone_end=3 /gb=Al235747 /ug=Rn.1024 /len=533	rc_Al235707 EST232269 Rattus norvegicus cDNA, 3 end /cione=ROVCW10 /cione_end=3 /gb=Al235707 /ug=Rn.1762 /len=471	rc_Al235707 EST232269 Rattus norvegicus cDNA, 3 end /clone=ROVCW10 /clone_end=3 /gb=Al235707 /ug=Rn.1762 /len=471	rc_Al235707 EST232269 Rattus norvegicus cDNA, 3 end /cione=ROVCW10 /clone_end=3 /gb=Al235707/ug=Rn.1762 /len=471	rc_Al235707 EST232269 Rattus norvegicus cDNA, 3 end /clone=ROVCW10 /clone_end=3, /gb=Al235707 /ug=Rn.1762 //en=471
	Cytoplasmic.	<del>-</del>			
	Giutathione S- transferase Yo-1 (EC 2.5.1.18) (Chain 2) (GST Yc1)(GST class- alpha).		·		

AI2376 Table 2. A16389 55 A16389 39 A16389 60 A16389 60 A16389 58 A16389 55 AI6389 74 A16389 65 7307 7310 7322 7315 7311 7325 7324 7320 7319 No Rat Protein Found. AAK642 87 No Rat Protein Found. No Rat AAK642 87 No Rat Protein Found. Protein Found. No Rat No Rat Protein Found. NP\_034 Protein Found. 7312 7316 7326 AW60196 AL009266 found. NM\_0020 19 found. homolog found. AL009266 homolog No human AK027250 AK027250 homolog No human No humar 7308 7313 7321 7317 7327 7323 XP\_002 Protein Found. No Found. Protein Z Found. Protein 8 Found. Protein 043251 043251 Q15942 Protein ĕ Found. Human Human Human 7309 7318 7314 7328 90.78 96.88 96.88 90.18 90.18 78 Rattus tyrosine kinase 1 (Fit1) EST (not recognized) RNA binding saplens, clone MGC:16797 norvegicus cione N27 mRNA EST (not recognized) RNA binding EST (not (RBM9), (RBM9), FMS-like EST(not Homo recognized) motif protein 9 motif protein 9 IMAGE:38579 Mus musculus recognised) U30789 BC002124 NM\_01022 BC002124 cDNA clone rz00769 3, mRNA sequence rc\_Al237654 EST234216 Rattus norvegicus cDNA, 3 end /clone=RPLDB93 /clone\_end=3 Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus cDNA cione rx03289 3 , mRNA sequence [Rattus norvegicus] /gb=Al237654 /ug=Rn.2758 /len=689 [Rattus norvegicus] cDNA clone rx00909 3 , mRNA sequence cDNA clone rx03289 3 , mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone rx02348 3 , mRNA sequence cDNA clone rx04769 3, mRNA sequence [Rattus norvegicus] cDNA clone xx00909 3, mRNA sequence [Rattus norvegicus] [Rattus norvegicus] cDNA clone rx00189 3, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus

AI6389 89 Table 2. A16390 01 A16390 01 A18389 97 A16390 34 A16390 23 AJ6390 19 A16390 02 7329 7338 7334 7336 7335 7331 7341 7337 329 AAC60 679 No Rat Protein Found. No Ret Protein Found. No Rat Protein Found. No Ret Protein Found. No Rat Protein Found. No Rat Protein Found. 7330 7339 XM\_03173 homolog found. homolog found. hamolog found. homolog found. homolog found. AI346263 No human No human XM\_04608 No humar No humar No human 7332 7346 F 48 XP\_031 736 Human XP\_046 Protein Found. Human Protein Found. No Human Protein Found. Human Protein Found. Found. Protein Human 8 8 7333 89.32 Homo saplens hypothetical protein FLJ20086 C57BL/6 zinc finger protein 106 EST (not EST (not recognized) EST(not EST (not Mus musculus AF060246 Rat mixed-tissue library Rattus norvegicus strain cDNA clone nx01268 3 , mRNA sequence Kv3.3b=Shaw recognized) chromosome (mouse) spliced) {alternatively channel potassium recognised) recognized) Mus musculus S69381 cDNA clone rx05048 3 , mRNA sequence [Rattus norvegicus] [Rattus norvegicus] [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone rx03287 3, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone rx02427 3 , mRNA sequence Rat mixed-tissue library Rattus norvegicus cDNA cione rx02427 3 , mRNA sequence cDNA clone rx02766 3 , mRNA sequence [Rattus norvegicus] [Rattus norvegicus] [Rattus norvegicus] [Rattus norvegicus] cDNA clone x01887 3, mRNA sequence Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus cDNA clone cx01107 3, mRNA sequence Rat mbed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus

7242   No Fast   No human   No monolog   Human   Found.   Protein   Found.	A16391 18	A16391 18	Al6391 14	A16391 02	AI6390 97	A16390 88	A16390 79	AI8390 76	
No Rat Protein homolog Found. Human Found. F	7352	7349	7347		7345	7344		7342	:
Human Found.  No human homolog Protein Found.  No human homolog Human Found.  No human homolog Human Found.  No human Human Found.  AK000768 7350 BAB134 7351 90.37 ESTs, Moderately similar to leach-binding protein - rat dependent actin-binding protein - rat dependent actin-binding protein - rat	184505	184505	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	
Human Found. No Found. Sest (not recognized) Found. No Found. No Found. No Found. No Found. No Found. No Found. BAB134 7351 90.37 ESTs, Moderately similar to 184505 calcium- dependent actin-binding protein - rat  Recognized)  III III III III III III III III III		AK000768	Al192090	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	
EST (not recognized)  EST (not recognized)  EST (not recognized)  EST (not recognized)  EST(not recognized)  EST(not recognised)  EST(not recognised)  INTERPOLATION CONTROL C	7353	7350	7348						
EST (not recognized)  EST (not recognized)  EST (not recognized)  EST (not recognized)  EST(not recognized)  EST(not recognised)  EST(not recognised)  EST(s, Moderately similar to 184505  Calcium-dependent actin-binding protein - rat dependent actin-binding protein - rat dependent actin-binding protein - rat dependent actin-binding protein - rat	BAB134 17	BAB134 17	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	
EST (not recognized)  EST (not recognized)  EST (not recognized)  EST (not recognized)  EST(not recognized)  EST(not recognised)  ESTs,  Moderately similar to 184505  calcium-dependent actin-binding protein - rat  ESTs,  Moderately similar to 184505  calcium-dependent actin-binding protein - rat  ESTs,  Moderately similar to 184505  calcium-dependent actin-binding protein - rat  ESTs,  Moderately similar to 184505  calcium-dependent actin-binding protein - rat	7354	7351							
ad) sd) sd) sd) sd) sd) sd) sd) sd) sd) s	90.37	90.37	86.3	,					
Rat mixed-tissue library Rattus norvegicus cDNA clone rx04025 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx04045 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01264 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01264 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx05044 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx05044 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx02683 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx02683 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx02683 3 , mRNA sequence [Rattus norvegicus]	ESTs, Moderately similar to 184505 calcium- dependent actin-binding protein - rat	ESTs, Moderately similar to 184505 calcium- dependent actin-binding protein - rat	EST(not recognised)	EST(not recognised)	EST (not recognized)	EST (not recognized)	EST (not recognized)	EST (not recognized)	
	ယ ဋ	Rat mixed-tissue library Rattus norvegicus cDNA clone rx02683 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx05044 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01844 3 , mRNA sequence [Rattus norvegicus]	Rat mbæd-tissue library Rattus norvegicus cDNA cione rx01264 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx00364 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx04945 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx04025 3 , mRNA sequence [Rattus norvegicus]	

able 2.

Al6391 51	A16391 39	Al6391 39	AI6391 39	Al6391 39	Al6391 32	A16391 30	Al6391 25	Al6391 23	20
7369	7368	7367	7366	7365	7363	7361	7360	7356	
NP_032 917	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	BAB298 98	No Rat Protein Found.	AAC40 148	Protein Found.
7370						7362		7357	
AF195139	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	BG722716	No human homolog found.	No human homolog found.	AB044807	found.
7371					7364		·	7358	
AAG338 41	Human Protein Found.	Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	BAB196 83	Protein Found.
7372		,						7359	
				-	94.5				
Pinin	recognised)	EST(not recognised)	EST(not recognised)	recognised)	EST(not recognised)	Rat EST; mouse hypothetical protein from a Riken	EST (not recognized)	Channel Interacting PDZ domain protein	(pezingwai
NM_00889								AF060539	
Rat mixed-tissue library Rattus norvegicus cDNA cione rx02802 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue libr cDNA clone rx04483 [Rattus norvegicus]		Rat mixed-tissue library Rattus norvegicus cDNA clone rx04483 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone nx04483 3 , mRNA sequence [Rattus norvegicus]	Rat mbsd-tissue library Rattus norvegicus cDNA cione rx01263 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx00643 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx03063 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx02943 3 , mRNA sequence [Rattus norvegicus]	[Rattus norvegicus]

Table 2. AJ6391 51 A16391 69 AI6391 65 A16391 62 AI6391 57 AI6391 A16391 53 A16391 76 A16391 72 AJ6391 69 7373 7390 7388 7387 7386 7382 7381 7377 7396 7392 NP\_032 917 P41123 NP\_031 417 No Ret Protein Found. No Rat Protein Found. AAC53 530 Protein Found. No Rat No Rat Protein Found. No Rat Protein Found. No Rat Protein Found. 7374 7383 7378 7393 AF195139 homolog found. AK026501 M82967 found. found. Z71188 BM01590 BM01590 XM\_0171 No human homolog No human homolog No human 7375 7384 7379 7394 7389 7391 AAG339 41 XP\_017 152 Found. No Human Protein Q14493 Found. P26436 Found. Human Protein Human Protein Found. Human Protein Protein Human P26373 Z Found. 8 R S 7376 7380 7395 7385 91.35 84.17 94.64 90.84 90.84 **18**.08 embryo cDNA, RIKEN Pinin Histone stem-loop binding Homo saplens hypothetical Mus musculus NM\_00739 protein FLJ11753 18 days Deoxyribonuci EST (not acrosomal EST (not EST (not EST (not recognized) vesicle protein recognized) recognized) Mus musculus (DNasel) 9888 recognized) uegod NM\_00889 Rat mixed-tissue library Rattus norvegicus
cDNA clone rx02802 3, mRNA sequence
[Rattus norvegicus] U75680 Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus cDNA clone rx04422 3 , mRNA sequence cDNA cione rx01122 3, mRNA sequence Rat mixed-tissue library Rattus norvegicus cDNA clone rx00882 3 , mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone rx00342 3 , mRNA sequence [Rattus norvegicus] cDNA clone rx03802 3, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA cione rx04422 3, mRNA sequence [Rattus norvegicus] cDNA clone x01762 3 , mRNA sequence [Rattus norvegicus] [Rattus norvegicus] cDNA clone x05062 3, mRNA sequence [Rattus norvegicus] [Rattus norvegicus] cDNA clone rx02641 3 , mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus Rat mbæd-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus 60S ribosomal protein L13.

Table 2. A16391 87 A16392 36 AJ6391 88 A16392 55 A16392 45 A16392 15 A16392 09 A16391 96 7397 7410 7401 7399 7409 7407 7406 7405 AAH05 702 AAC05 725 AAF694 79 No Rat Protein Found. NP\_076 447 No Rat Protein Found. No Rat Protein Found. No Rat Protein Found. 7398 7402 7400 7408 XM\_01055 No human homolog found. Bolowou found. homolog found. homolog found. found. AB007884 found. homolog No human No human hornolog No humar No human 7403 NP\_056 XP\_010 No Human Protein Found. Human Protein Human Protein Human Protein Found. Human Protein Found. Human Protein S Found. ö Found. ĕ 7404 93.49 Mus musculus RNA helicase hypothetical protein from a Rat EST; musculus clone BAC126c8 Rsp29-like EST (not norvegicus collybistin I Riken EST (Mus Rattus mouse EST (not genes) EST (not recognized) A (Ddx9) recognized) variant 2 (Als) Als splice recognized) recognised) (Rsp29) and protein EST(not NM\_02395 U91922 AF220294 Rat mixed-tissue library Rattus norvegicus cDNA clone rx00961 3, mRNA sequence cDNA clone rx00680 3, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone rx05001 3, mRNA sequence Rat mixed-tissue library Rattus norvegicus cDNA clone nx016213, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone xx01039 3 , mRNA sequence [Rattus norvegicus] [Rattus norvegicus] cDNA clone rx02839 3, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus cDNA clone rz00757 3, mRNA sequence [Rattus norvegicus] cDNA clone nx01040 3, mRNA sequence [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus [Rattus norvegicus] Rat mixed-tissue library Rattus norvegicus Rat mixed-tissue library Rattus norvegicus

•	Al6393 17	Al6393 15	A16392 85	A16392 82	A)6392 64	AI6392 56	A16392 56	A16392 55	A16392 55	A16392   55
	7421	7420	7419	7417	7416	7416	7414	7413	7412	7411 No Rat Proteir Found
•	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_112 625	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
				7418						
	No human homolog found.	No human homolog found.	No human homolog found.	XM_03923 8	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.
	צבסת	71 70 71 22	Hu Pa	88	T P I N	TO I NO	For	TI PIL NO	T P H N	F P H N
	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	XP_039 238	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
				· 						·
				98						
	EST(not recognised)	recognised)	Mus musculus 18 days embryo cDNA, RIKEN	Rattus norvegicus polymerase II	EST (not recognized)	EST (not recognized)	REST (not recognized)	EST(not recognised)	EST (not recognized)	recognized)
		· · · · · · · · · · · · · · · · · · ·		NM_03133 5						
	Rat mbed-tissue library Rattus norvegicus oDNA cione rx04857 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione n04457 3 , mRNA sequence [Rattus norvegicus]			Rat mbsd-tissue library Rattus norvegicus cDNA clone rx04879 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01019 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx01019 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01039 3 , mRNA sequence [Rattus norvegicus]	Rat mbæd-tissue library Rattus norvegicus cDNA clone rx01039 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01039 3 , mRNA sequence [Rattus norvegicus]
				_,						<del></del>

_
_
9
=-
•
₽ .
_
N

A16393 47	A16393 43	A16393 42	A16393 36	A16393 29	Al6393 24	Al6393 24	A16393 20	AI6393   7422   CAC10 18   568
7439	7438	7437	7434	7433	7430	7427	7426	7422
No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	NP_061 229	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	CAC10 568
-			7435					7423
No human homolog found.	No human homolog found.	No human homolog found.	BG190460	No human homolog found.	AF177339	AF177339	No human homolog found.	NM_0206
			7436		7431	7428		7424
No Human Protein Found.	Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	P07949
					7432	7429		7425
			88.46		92.59	92.59		94.61
recognized)	recognized)	Mus musculus 10 days embryo cDNA, RIKEN	Mus musculus NM_01875 zinc finger 9 protein 326 (Zfp326)	EST (not recognized)	Homo sapiens clone SP329 unknown mRNA	Homo sapiens clone SP329 unknown mRNA	EST (not recognized)	receptor tyrosine kinase:RET
		<u> </u>	9 NM_01875		· · · · · · · · · · · · · · · · · · ·			AJ299016
Rat mixed-tissue library Rattus norvegicus cDNA clone rx04498 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx04036 3 , mRNA sequence [Rattus norvegicus]		Rat mixed-tissue library Rattus norvegicus cDNA clone rx01356 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione xx00376 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx02556 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx02556 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx02316 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx04977 3 , mRNA sequence [Rattus norvegicus]

No Reat   No human   No human   Found.   Found	Al6394 71	A16394 65	AI6394 65	A16394 61	A16394 43	AI8394 38	A16394 34	AI6394 27	A16394 27
No Rat Protein Found.  AAKB42 7457 AY033141 7458 Q969F9 7459 Mouse Feognized)  No Rat Protein Found.  No Rat No human Found.  No Rat Protein Found.  No Rat Protein Found.  No Rat Protein Found.  No Rat Protein Found.  No Rat No human Found.  No Rat Protein Found.  No Rat Pro									
No human found. Human Found. AY033141 7455 No human found. Found. AF361946 7456 Q869C1 7466 91.32 EST (not recognized) Found. AF361946 7458 Q869C1 7466 91.32 EST (not recognized) Found. Found							No Rat Protein Found.	No Rat Protein Found.	
man No Found.  No Protein Found.  No Protein Found.  No Protein Found.  141 7458 Q969F9 7459 EST (not recognized) Protein Found.  15141 7458 Q969F9 7459 Mouse Hermansky-Pudlak syndrome type 3 protein guidance guidance guidance guidance guidance guidance protein Found.  15124 7461 XP_031 7462 Roundabout recognized) Protein Found.  1546 7468 Q969Q1 7469 91.32 EST (not recognized) Protein Found.  1546 7468 Q969Q1 7469 91.32 EST (not recognized) Found.  1557 (not recognized) Found.  1567 (not recognized) Found.  1578 EST (not recognized) Found.  1587 (not recognized) Found.  1588 EST (not recognized) Found.  15946 7468 Q969Q1 7469 91.32 EST (not recognized) Found.  15946 Found.									
Human Found.  No Protein Found.  No Protein Found.  No Protein Found.  Q869F9 7459	No human homolog found.	AF361946	AF361948	No human homolog found.	XM_03124 6	AY033141	AW60352	No human homolog found.	No human homolog found.
man recognized) tein und.  EST (not recognized) tein und.  95.52 EST (not recognized) tein und.  95.52 EST (not recognized)  Mouse Hermansky-Pudlak syndrome type 3 protein (Hps3)  7462 Roundabout (axon guidance recognized) tein und.  95.52 EST (not recognized)		7488	7466		7461	7458	7455		
EST (not recognized)  EST (not recognized)  EST (not recognized)  Mouse  Mouse Hermansky- Pudlak syndrome type 3 protein (Hps3)  Roundabout (axon guidance recognized)  PST (not recognized)  91.32  EST (not recognized)	No Human Protein Found.	Q969Q1	Q969Q1	No Human Protein Found.	XP_031 246	Q969F9	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
EST (not recognized)  EST (not recognized)  EST (not recognized)  EST (not recognized)  Mouse AF396703 Interpolation (Pips 3)  Roundabout (axon guidance recognized)  EST (not recognized)		7469	7466		7462	7459			
nsky- shout in type in tzed)  AF396703 In type in tzed)  In type in tzed		91.32	91.32				95.52		
AF396703	EST (not recognized)	recognized)	EST (not recognized)	EST (not recognized)	Roundabout (axon guidance receptor, Drosophila) homolog 2	Mouse Hermansky- Pudlak syndrome type 3 protein (Hps3)	EST (not recognized)	EST (not recognized)	EST (not recognized)
Rat mixed-tissue library Rattus norvegicus cDNA clone rx00133 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx04173 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx04173 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx04493 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx05153 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01272 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]  Rat mixed-tissue library Rattus norvegicus cDNA clone rx01612 3 , mRNA sequence [Rattus norvegicus]									
	Rat mbed-tissue library Rattus norvegicus cDNA cione rx04752 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01612 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01612 3 , mRNA sequence [Rattus norvegicus]	Rat mbed-tissue library Rattus norvegicus cDNA clone rx01272 3 , mRNA sequence [Rattus norvegicus]	3 3	Rat mixed-tissue library Rattus norvegicus cDNA clone rx04493 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx04173 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx00133 3 , mRNA sequence [Rattus norvegicus]	Rat mbed-tissue library Rattus norvegicus cDNA clone rx00133 3 , mRNA sequence [Rattus norvegicus]

A16395 01	A16394 99	A16394 94	A16394 90	A16394 88	AI6394 84	A16394 84	AI6394 74	A16394 71
				<del>-</del>				
7489	7488	7484	7483	7479	7476	7473	7472	7471
No Rat Protein Found.	No Rat Protein Found.	7484 P11345	No Rat Protein Found.	AAA911 67	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.	No Rat Protein Found.
		7485		7480				
NM_0314 42	No human homolog found.	X06409	XM_03142 3	NM_0023 92	AK000592	AK000592	No human homolog found.	No human homolog found.
7490		7486		7481 <sub>.</sub>	7477	7474		
NP_113 630	No Human Protein Found.	P04049	XP_031 423	Q9UMT 8	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.
7491		7487		7482	7478	7475		
		95,42		9	96.12	96.12		
Hypothetical protein DKFZp761J17 121 [Homo sapiens].	EST (not recognized)	Mus musculus AF277171 Makorin RING zinc-finger protein 2	Homo sapiens PHD zinc finger transcription factor (PF1)	Mdm2 (mouse U40145 double minute 2)	EST (not recognized)	EST (not recognized)	Mus musculus 10 days embryo cDNA, RIKEN	EST (not recognized)
-		AF277171		U40145				
Ret mbsed-tissue library Rattus norvegicus cDNA clone rx01371 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx00871 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx03981 3 , mRNA sequence [Rattus norvegicus]	Rat mbœd-tissue library Rattus norvegicus cDNA clone rx02831 3 , mRNA sequence [Rattus norvegicus]	Rat mbxed-tissue library Rattus norvegicus cDNA clone rx02811 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone nd02471 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx02471 3 , mRNA sequence [Rattus norvegicus]	Rat mbæd-tissue library Rattus norvegicus cDNA clone rx04832 3 , mRNA sequence [Rattus norvegicus]	Rat mbed-tissue library Rattus norvegicus cDNA cione x04752 3 , mRNA sequence [Rattus norvegicus]
	·	RAF proto- oncogene serine/threonine- protein kinase (EC 2.7.1 )(RAF-1) (C- RAF).		<u> </u>				

Table 2.

	(i) >	<u> </u>	(3.5			N 5			<u> </u>
H31217	A16395 34	A16395 34	AI6395 34	A16395 34	A16395 25	A16395 20	A16395 18	AI6395 16	AI6395 04
7520	7616	7512	7508	7504	7502	7500	7498	7495	7492
No Rat Protein Found.	CAA31 389	CAA31 389	CAA31 389	CAA31 389	AAK686 36	No Rat Protein Found.	908	No Rat Protein Found.	No Rat Protein Found.
	7517	7513	7509	7505	7503		7497	•	
No human homolog found.	X57748	X57748	X57748	X57748	XM_04361	AI919101	Z49199	No human homolog found.	BI517972
	7518	7514	7510	7506	-	7501	7498		7493
No Human Protein Found.	P27918	P27918	P27918	P27918	XP_043 612	No Human Protein Found.	P52434	No Human Protein Found.	Q9BR76
	7519	7515	7511	7507	•		7499		7494
	87.04	87.04	87.04	87.04	67	88.69	91 io		84.21
EST (not recognized)	Properdin	Mouse mRNA for properdin	Properdin	Mouse mRNA for properdin	adiponutrin	EST(not recognised)	ESTs, Highly similar to RPB8_HUMA N DNA-DIRECTED RNA POLYMERAS ES I, II, AND III 17.1 KD POLYPEPTID E	EST (not recognized)	recognized)
-	X12905	X12905	X12905	X12905	AY037763		AF105004		
rc_H31217 EST105044 Rattus norvegicus cDNA, 3 end /clone=RPCAF34 /clone_end=3 /gb=H31217 /gi=976634 /ug=Rn.7213 /len=373	Ret mixed-tissue library Rattus norvegicus cDNA cione rx02081 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx020813, mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx02081 3, mRNA sequence [Rattus norvegicus]	Rat mbæd-tissue library Rattus norvegicus cDNA cione rx02081 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx01430 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA clone rx01210 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx00570 3 , mRNA sequence [Rattus norvegicus]	Ret mixed-tissue library Rattus norvegicus cDNA cione rx00390 3 , mRNA sequence [Rattus norvegicus]	Rat mixed-tissue library Rattus norvegicus cDNA cione rx04791 3, mRNA sequence [Rattus norvegicus]

H3142  7821   Ho Rat   Hornan   Horna	7521 No Rat   No human   Protein							<del></del>		<del></del>
No Rat   Protein   Found.   No human   Protein   Found.   Protein   Found.   No Rat   Protein   Protein   Found.   No Rat   AA947174   7533   No Rat   Protein   Protein   Found.   No Rat   Protein   Protein   Found.   No Rat   Protein	No Rat   Protein   Found.   No human   Protein   Found.   Protein   Found.   No Rat   Protein	H31695	H31665	131590	131588	131550	131479		131418	31342
No human   Human   Protein   Found.   No human   Human   Protein   Human   Protein   Human   Protein   Human   Protein   Human   Hum	No human   Human   Protein   Human   Protein   Human   Protein   Human   Protein   Human   Protein   Human	7636	7535	7534	7532					
No	No	No Rat Protein Found.								
No	No	No human homolog found.	No human homolog found.	No human homolog found.	AA847174	AK023265	AL080181	AL080181	No human homolog found.	No human homolog found.
EST(not rec_H31342 EST10525   Inc_H31342 [ST10525   Inc_H31342 []=97687   Inc_H31418 []=97687   Inc_H31418 []=97687   Inc_H31418 []=97687   Inc_H31418 []=97687   Inc_H31479 [	EST(not recognised)						7527	7524		
EST(not recognised)  Recognised)  Recognised)  Recognised)  Righ=H31342 [8]=97678  Righ=H31342 [9]=97678  Righ=H31342 [9]=97678  Righ=H31418 EST10543  All Nectin-like gb=H31418 [g]=97683  Riken  Riken  Riken  Riken  Riken  Riken  Recognised)	EST(not recognised)  Recognised)  Recognised)  Recognised)  Righ=H31342 [8]=97678  Righ=H31342 [9]=97678  Righ=H31342 [9]=97678  Righ=H31418 [9]=97683  Righ=H31418 [9]=97683  Righ=H31418 [9]=97683  Righ=H31418 [9]=97683  Righ=H31418 [9]=97683  Righ=H31418 [9]=97683  Righ=H31479 [9]=97683  Righ=H31590 [9]=97683  Righ=H31580 [9]=9770  Righ=H31580 [9]=9770  Righ=H31685 [9]=97683  Righ=H31685 [9]=9770  Righ=H31479 [9]=97683  Righ=H31479 [9]=97683  Righ=H31479 [9]=97683  Righ=H31479 [9]=97683  Righ=H31479 [9]=97683  Righ=H31479 [9]=97683  Righ=H31479 [9]=97	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	AAF690 29	AAF690 29	No Human Protein Found.	No Human Protein Found.
EST(not rec_H31342 EST10528 recognised)  Recognised)  Recognised)  Recognised)  Rus musculus adult male (pb=H31342 /gl=97678 /len=362  Mus musculus (pb=H31418 /gl=97688 /len=375  Nectin-like (pb=H31479 /gl=97688 /len=3768)  Nectin-like (pb=H31479 /gl=97688 /len=3768)  Nectin-like (pb=H31479 /gl=97688 /len=348 /len=348)  Nectin-like (pb=H31479 /gl=97688 /len=348)  Nectin-like (pb=H31479 /len=348)  Nectin-like (pb=H31478 /len=348)  Nectin-like (pb=H	EST(not recognised)  recognised)  recognised)  rech31342 EST10528  rech3342 /gi=97678  //gb=H31342 /gi=97678  //gb=H31418 EST10543  cDNA, 3 end /clone=F /gb=H31479 /gi=97688  //gb=H31479 /gi=97688  //gb=H31550 /gi=9768  //gb=H31588 EST1057  cDNA, RIKEN  EST(not recognised)  //gb=H31586 EST1059  //gb=H31685 /gi=9770  //en=349  //gb=H31685 EST1060  rech31685 /gi=9770  //en=349  //gb=H31685 /gi=9770  //en=349					7531	7528	7525		
rc_H31342 EST10528 cDNA, 3 end /clone=F //sp=H31342 /gi=97678 //sn=362 rc_H31418 EST10543 cDNA, 3 end /clone=F //gb=H31479 EST10543 cDNA, 3 end /clone=F //gb=H31479 EST10554 cDNA, 3 end /clone=F //gb=H31479 /gi=97688 //sn=375 rc_H31479 EST1055- cDNA, 3 end /clone=F //gb=H31479 /gi=97688 //sn=375 rc_H31550 EST1056 cDNA, 3 end /clone=F //gb=H31560 /gi=9768 //sn=360 //sn=340 //sn=343 //sn=349 //sn=3	rc_H31342 EST10528 cDNA, 3 end /clone=F //sp=H31342 /gi=97672 //sn=362 rc_H31418 EST10543 cDNA, 3 end /clone=F //gb=H31419 EST10543 cDNA, 3 end /clone=F //gb=H31479 EST1055- cDNA, 3 end /clone=F //gb=H31479 EST1055- cDNA, 3 end /clone=F //gb=H31479 /gi=97688 //en=375 rc_H31479 EST1055- cDNA, 3 end /clone=F //gb=H31550 /gi=97689 //en=380 //en=3		·		92.74	88.77	96.41	96.41		
rc_H31342 EST10528 cDNA, 3 end /clone=F/gb=H31342 /gb=97672 /len=362 rc_H31418 EST10543 cDNA, 3 end /clone=F/gb=H31418 /gl=97683 /len=341 rc_H31479 EST1055- cDNA, 3 end /clone=F/gb=H31479 /gl=97688 /len=375 rc_H31479 /gl=97688 /len=375 rc_H31550 EST1056-F/gb=H31550 /gl=97688 /len=375 rc_H31550 /gl=97689 /len=360 rc_H31588 /gl=9770 /len=343 rc_H31588 EST1057 cDNA, 3 end /clone=I/gb=H31580 /gl=9770 /len=343 rc_H31580 EST1057 cDNA, 3 end /clone=I/gb=H31565 /gl=9770 /len=349 rc_H31665 EST1059 rc_H31685 EST1060	rc_H31342 EST10528 cDNA, 3 end /clone=F/gb=H31342 /gb=97672 /len=362 rc_H31418 EST10543 cDNA, 3 end /clone=F/gb=H31479 EST10543 /len=375 rc_H31479 EST1055- cDNA, 3 end /clone=F/gb=H31479 /gl=97683 /len=375 rc_H31479 /gl=97683 /len=375 rc_H31550 EST1056i cDNA, 3 end /clone=F/gb=H31550 /gl=97683 /len=360 /len=360 /len=360 /len=360 /len=360 /len=360 /len=360 /len=343 rc_H31588 EST1057 cDNA, 3 end /clone=F/gb=H31590 EST1057 cDNA, 3 end /clone=F/gb=H31590 /gl=9770 /len=343 rc_H31665 /gl=9770 /len=349 rc_H31665 /gl=9770 /len=349 rc_H31665 EST1060 cDNA, 3 end /clone=F/gb=H31665 /gl=9770 /len=349 rc_H31665 EST1060 cDNA, 3 end /clone=F/gb=H31665 /gl=9770 /len=349 rc_H31665 EST1060 cDNA, 3 end /clone=F/gb=H31665 /gl=9770 /len=349	EST (not recognized)	Mus musculus adult male stomach cDNA, RIKEN	EST(not recognised)	Mus musculus adult male stomach cDNA, RIKEN	Homo sapiens BAC clone RP11-152F13 from 15	Nectin-like protein 2	Nectin-like protein 2	Mus musculus adult male testis cDNA, RIKEN	recognised)
rc_H31342 EST105294 Rattus norvegicus cDNA, 3 end /clone=RPCAH74 /clone_end=3 /gb=H31342 /gj=976759 /ug=Rn.14563 /len=362 rc_H31418 EST105434 Rattus norvegicus cDNA, 3 end /clone=RPCAL31 /clone_end=3 /gb=H31418 /gj=976835 /ug=Rn.21416 /len=341 rc_H31479 EST105544 Rattus norvegicus cDNA, 3 end /clone=RPCAL22 /clone_end=3 /gb=H31479 /gj=976896 /ug=Rn.14570 /len=375 rc_H31479 /gj=976896 /ug=Rn.14570 /len=375 /gb=H31479 /gj=976896 /ug=Rn.14570 /len=375 /gb=H31550 /gj=976897 /ug=Rn.14570 /len=360 /gj=976897 /ug=Rn.14572 /len=360 /gj=976967 /ug=Rn.14572 /len=360 /gj=977007 /ug=Rn.14572 /len=360 /gj=977007 /ug=Rn.14574 /len=343 /gb=H31590 /gj=977007 /ug=Rn.14574 /len=498 /rc_H31686 EST105952 Rattus norvegicus cDNA, 3 end /clone=RPCAR52 /clone_end=3 /gb=H31590 /gj=977007 /ug=Rn.14574 /len=349 /rc_H31685 EST105952 Rattus norvegicus cDNA, 3 end /clone=RPCAR52 /clone_end=3 /gb=H31685 /gj=977082 /ug=Rn.23735 /len=349 /len=340 /l	rc_H31342 EST105294 Rattus norvegicus cDNA, 3 end /clone=RPCAH74 /clone_end=3 /gb=H31342 /gb=976759 /ug=Rn.14563 /lp=H31418 EST105434 Rattus norvegicus cDNA, 3 end /clone=RPCAL31 /clone_end=3 /gb=H31479 EST105544 Rattus norvegicus cDNA, 3 end /clone=RPCAL31 /clone_end=3 /lp=H31479 /gl=976896 /ug=Rn.14570 /lp=H31550 /gl=976896 /ug=Rn.14570 /lp=H31550 /gl=976896 /ug=Rn.14570 /lp=H31550 /gl=976967 /ug=Rn.14570 /lp=H31550 /gl=976967 /ug=Rn.14572 /lp=H31550 /gl=976967 /ug=Rn.14572 /lp=H31590 /gl=976967 /ug=Rn.14572 /lp=H31590 /gl=977005 /ug=Rn.25545 /lp=H31590 /gl=977007 /ug=Rn.14574 /lp=H31590 /gl=977007 /ug=Rn.14574 /lp=H31696 EST105952 Rattus norvegicus cDNA, 3 end /clone=RPCAR52 /clone_end=3 /lp=H31696 /gl=977082 /ug=Rn.23735 /lp=H31696 EST105952 Rattus norvegicus cDNA, 3 end /clone=RPCAV66 /clone_end=3 /lp=H31696 /gl=977082 /ug=Rn.23735 /lp=H31696 /gl=977085 /gl=977112 /lu=Rn.14883 /lp=H31696 /gl=P77112 /lu=Rn.14880 /gl=P77112 /lu=Rn.14880 /lu=Rn.14880 /lu=Rn.14880 /lu=Rn.14880 /lu				AK008856					
		rc_H31695 EST106010 Rattus norvegicus cDNA, 3 end /clone=RPCAW36 /clone_end=3 /gb=H31695 /gi=977112 /ug=Rn.14583 /len=340	rc_H31665 EST105952 Rattus norvegicus cDNA, 3 end /clone=RPCAV66 /clone_end=3 /gb=H31665 /gi=977082 /ug=Rn.23735 /len=349	rc_H31590 EST105767 Rattus norvegicus cDNA, 3 end /cione=RPCAR52 /cione_end=3 /gb=H31590 /gi=977007 /ug=Rn.14574 /len=498	rc_H31588 EST105764 Rattus norvegicus cDNA, 3 end /clone≖RPCAR49 /clone_end=3 /gb=H31588 /gl=977005 /ug=Rn.25545 /len=343	rc_H31550 EST105682 Rattus norvegicus cDNA, 3 end /clone=RPCAP82 /clone_end=3 /gb=H31550 /gl=976967 /ug=Rn.14572 /len=360	rc_H31479 EST105544 Rattus norvegicus cDNA, 3 end /cione=RPCAL22 /cione_end=3 /gb=H31479 /gi=976896 /ug=Rn.14570 /len=375	rc_H31479 EST105544 Rattus norvegicus cDNA, 3 end /clone=RPCAL22 /clone_end=3 /gb=H31479 /gi=976896 /ug=Rn.14570 /len=375	rc_H31418 EST105434 Rattus norvegicus cDNA, 3 end /clone=RPCAJ31 /clone_end=3 /gb=H31418 /gi=976835 /ug=Rn.21416 //en=341	rc_H31342 EST105294 Rattus norvegicus cDNA, 3 end /clone=RPCAH74 /clone_end=3 /gb=H31342 /gl=976759 /ug=Rn.14563 /len=362

Table 2. H33426 H33101 H33086 7555 H33459 H33426 H33219 7566 7562 7558 7657 7556 No Rat Protein Found. No Rat Protein Found. No Rat Protein Found. NP\_031 824 NP\_031 824 No Rat Protein Found. 7563 7559 homolog found. NM\_0019 No human homolog found. 8 NM\_0019 found. XM\_00265 homolog No human No human 7564 7560 No Human Protein Found. XP\_002 Found. Human Protein P07858 P07858 Human Protein Found. 7565 7561 Mus muscutus l protein FLJ20080 dependent regulatory, type I beta, musculus, Similar to CAMP small intestine cDNA, RIKEN HOMOLOGY) MOJ Hypothetical recognised) MGC:18526 Clone protein kinase cathepsin B (Human) HOMOLOGY) Mus musculus MAGE:36747 adult male Mus musculus NM\_00779 NM\_00779 cDNA, 3 end /clone=RPNAG73 /clone\_end=3 /gb=H33086 /gl=978503 /ug=Rn.14623 rc\_H33101 EST108789 Rattus norvegicus cDNA, 3 end /clone=RPNAH27 /clone\_end=3 /gb=H33101 /gl=978518 /ug=Rn.9269 | rc\_H33426 EST109414 Rattus norvegicus rc\_H33219 EST109005 Rattus norvegicus cDNA, 3 end /clone=RPNAJ82 /clone\_end=3 /gb=H33219 /gl=978636 /ug=Rn.8101 /len=351 cDNA, 3 end /clone=RPNAR42 /clone\_end=3 /gb=H33426 /gi=978843 /ug=Rn.21071 /len=422 rc\_H33426 EST109414 Rattus norvegicus cDNA, 3 end /clone=RPNAR42 /clone\_end=3 rc\_H33086 EST108750 Rattus norvegicus /gb=H33459 /gi=978876 /ug=Rn.2568 cDNA, 3 end /clone=RPNAS05 /clone\_end=3 /gb=H33426 /gl=978843 /ug=Rn.21071 /len=419 rc\_H33459 EST109477 Rattus norvegicus

H33614	H33491	H33467	H33461	H33459 7567 No Rat Protein Found.
7576	7672	7571	7568	7567
No Rat Protein Found.	Q9JJ46	No Rat Protein Found.	AAK294 01	No Rat Protein Found.
	7573		7569	
No human homolog found.	Z37986	No human homolog found.	BG718301	No human homolog found.
	7574		7570	
No Human Protein Found.	Q15125	No Human Protein Found.	XP_018 286	No Human Protein Found
	7575			
	83.33		92.54	
EST(not recognised)	steroi delta 8- Isomerase	EST(not recognised)	Rattus norvegicus nucieolar protein C7C mRNA, complete cds	Mus musculus adult male small intestine cDNA, RIKEN
	AF071501		AF333986	
rc_H33614 EST109780 Rattus norvegicus cDNA, 3 end /clone=ATCC-2004087 /clone_end=3 /gb=H33614 /gl=979031 /ug=Rn.14863 /len=224	rc_H33491 EST109547 Rattus norvegicus Integral cDNA, 3 end /clone=RPNAS68 /clone_end=3 membrane /gb=H33491 /gi=978908 /ug=Rn.19436 Protein. /len=569 Februium .	rc_H33467 EST109500 Rattus norvegicus cDNA, 3 end /clone=RPNAS30 /clone_end=3 /gb=H33467 /gi=978884 /ug=Rn.14641 /len=352	rc_H33461 EST109481 Rattus norvegicus cDNA, 3 end /cione=RPNAS13 /cione_end=3 /gb=H33461 /gi=978878 /ug=Rn.4252 /len=551	rc_H33459 EST109477 Rattus norvegicus cDNA, 3 end /clone=RPNAS05 /clone_end=3 /gb=H33459 /gi=978876 /ug=Rn.2568 /len=419
<del>-</del>	·			
	"3-beta-hydroxysteroid-delta(8),delta(7)-delta(8),delta(7)-delta(8),delta(7)-delta(8),delta(8			

Table 2. H33651 H33836 7577 S45392 H33660 S46785 \$45812 H33656 7586 7581 7589 7596 7593 7582 AAB349 38 No Rat AAA751 74 No Rat Protein Found. Protein Found. P35859 69 AAB233 8 190315 7578 7597 7583 7590 NM\_0036 NM\_0073 homolog found. M86826 AK058044 36 NM\_0036 No human M68840 7579 7587 7584 7598 7594 7591 Q92569 Q13303 Protein No Human Protein Found. P21397 Found. Human 8 P08238 P35858 7580 7585 7599 7595 7592 7588 88 9 జ ස 7 Mouse p55PIK=phos phatidylinositol 3-kinase EST109846 PC-12 cells, heat shock protein 90 Potassium channel beta regulatory subunit (9 days) binding proteil Rattus monoamine ESTs, Highly recognised) EST (not subunit NGF-treated complete cds gene, complex acidgrowth factor insulin-like [R.norvegicus] oxidase A 1803159A similar to norvegicus labile subunit U31908 S79169 A1008074 rc\_H33636 EST109819 Rattus norvegicus cDNA, 3 end /clone=RPNAV07 /clone\_end=3 /gb≔H33636 /gl≔979053 /ug≔Rn.14653 /len≔411 cDNA, 3 end /clone=RPNAV67 /clone\_end=3 protein complex acid-labile subunit (rats, liver, mRNA, 2190 nt) mRNA Partial, 2104 nt) S45392 heat shock protein 90 [rats, brain, cDNA, 3 end /clone=RPNAW03 /gb=H33656 /gl=979073 /ug=Rn.14656 rc\_H33656 EST109855 Rattus norvegicus cDNA, 3 end /clone=RPNAV94 /clone\_end=3 /gb=H33651 /gl=979068 /ug=Rn.14654 S45812 monoamine oxidase A [rats, liver mRNA, 2524 ntj /ug=Rn.3331 /len=389 /clone\_end=3 /gb=H33660 /gi=979077 rc\_H33660 EST109859 Rattus norvegicus fen=360 flen=447 rc\_H33651 EST109846 Rattus norvegicus S46785 insulin-like growth factor binding

S56508	S56141	S55427	S54008	S50879	S50879	S50879	S50879	S47609
7630	7628	7624	7620	7616	7612	7608	7604	7600
AAB198 09	AAA417 29	AAB253 74	Q04589	AAB245 86	AAB245 86	AAB245 86	AAB245 86	7600 AAA118
7631	7629	7625	7621	7617	7613	7609	7605	7601
XM_02911	XM_05259 6	S61788	M37722	NM_0006	NM_0008	NM_0006	NM_0006	7601   \$46950
		7626	7622	7618	7614	7610	7606	7602
XP_029	XP_052 596	201453	P11362	P22303	P22303	P22303	P22303	7602   P29274
-		7627	7623	7619	7615	7611	7607	7603
92	8	78	97	82	82	82	82	74
Phosphatidylin ositol 4-kinase	orphan transporter v7- 3.	Myelin protein SR13=growth- arrest-specific Gas-3 homolog	FGF receptor-1	Acetylcholines terase T subunit	Acetylcholines terase T subunit	Acetylcholines terase T subunit	Acetylcholines terase T subunit	A2 adenosine receptor
	122022							
S56508 phosphatidylinositol 4-kinase [rats, brain, mRNA, 2573 nt]	S56141 sodium-dependent neurotransmitter transporter (clone vta 1732) [rats, Sprague Dawley, ventral midbrain, mRNA, 3208 nt]	S55427 myelin protein SR13=growth-errest- specific Gas-3 homolog [rats, sclatic nerve, mRNA, 1736 nt]	S54008 fibroblast growth factor receptor 1 beta-tsoform [Rattus norvegicus=Norway rat, 1 Sprague-Dawley, kidneys, mRNA, 2520 nt) /cds=(300,2489) /gb=S54008 /gi=264804 /ug=Rn.9797 /len=2520		S50879 acetylcholinesterase T subunit [rats, mRNA Partial, 2066 nt]	S50879 acetylcholinesterase T subunit [rats, mRNA Partial, 2066 กปุ๋	S50879 acetylcholinesterase T subunit [rats, mRNA Partial, 2066 nt]	S47609 A2 adenosine receptor (rats, striatum, mRNA, 2141 nt)
-	,		Type I membrane protein.					
			Basic fibroblast growth factor receptor 1 precursor (EC 2.7.1.112)(FGF R-1) (bFGF-R) (MFR).					
	7630 AAB198 7631 XM_02911 XP_029 92 Phosphatidylin ositol 4-kinase	7628 AAA417 7629 XM_05259 XP_052 83 orphan L22022 transporter v7- 1	7624 AAB253 7625 S61788 7626 Q01453 7627 78 Myelin protein SR13=growth-arrest-specific Gas-3 homolog 7628 AAA417 7629 XM_05259 XP_052 83 orphan L22022 transporter v7-30 AAB198 7631 XM_02911 XP_029 92 Phosphatidylin ositol 4-kinase	7620 Q04589 7621 M37722 7622 P11362 7623 97 FGF receptor- beta-soform [Rattus norvegicus=Norway rat, membrane sprague-Dawley, ktdneys, mRNA, 2520 nt] protein.  7624 AAB253 7625 S61788 7626 Q01453 7627 78 Myelin protein protein S6427 myelin protein S74 specific Gae-3 homolog [rats, sclatic nerve, mRNA, 1736 nt] protein S83 orphan [22022 S5614 sodium-dependent neurotransmitter transporter v7- 28 AAA417 7629 XM_05259 596 596 596 596 596 596 111 XP_029 1111 92 Phosphatidylin S6508 phosphatidylinositol 4-kinase [rats, grather]  7620 AAB198 7631 XM_02811 XP_028 1111	7616   AAB245   7617   NM_0006   7618   P22303   7619   82   Acetylcholines   Taubunit [ratis, terrase T subunit [ratis, subunit [ratis, subunit subunit [ratis, subunit subunit [ratis, subunit [ratis, subunit subunit [ratis, subunit subunit [ratis, subunit [ratis, subunit subunit [ratis, subunit [ratio, subunit [ratis, subunit [ratis, subunit [ratis, subunit [ratio,	7812   AAB246   7613   NM_0006   7614   P22303   7615   82   Acceytcholines   S50879 acceytcholinesterase T subunit [rats, subunit   S50879 acceytcholinesterase T subunit   S50879 acceytcholinesterase T subunit [rats, subunit   S50879 acceytcholinesterase T subunit   S60879 acceytcholinesterase T subunit   S50879 acceytcholinesteras	7606 AAB245 7609 NM_0006 7610 PZ2303 7611 82 Acetycholines Imae T mRNA Partial, 2066 nt)	7804   AAB245   7805   NM_0006   7806   P22203   7807   82   Acetylcholines   Terms   Terms

S65355	S63521	S63521	S62097	S62096	S59525	S58644
7652	7651	7650	7646	7642	7638	7636
AAB281 72	No Rat Protein Found.	No Rat Protein Found.	AAB270 18	AAB270 18	AAB264 20	S58644 7636 AAB262 78
7653			7647	7643	7639	7637
NM_0001	XM_04420	XM_04420	X98001	NM_0045 81	NM_0004	No human homolog found.
7654			7648	7644	7640	
P24530	XP_044 201	XP_044 201	P53611	Q92696	P30968	No Human Protein Found.
7655			7649	7845	7641	
86			89	87	81	
nonselective- type endothelin receptor	Glucose- regulated protein GRP78	Glucose- regulated protein GRP78	Rab geranyigeranyi transferase component B beta subunit; Rab GG transferase component B beta subunit	Rab geranyigeranyi transferase component B alpha subunit	Gonadotropin- releasing hormone receptor	integrin beta 5 subunit
S65355 nonselective-type endothelin receptor [rats, brain, mRNA, 2018 nt]	S63521 glucose-regulated protein GRP78 [rats, thyroid gland, mRNA, 1343 nt]	S63521 glucose-regulated protein GRP78 [rats, thyroid gland, mRNA, 1343 nt]	S62097 Rab geranyigeranyi transferase component B beta subunit [rats, brain, mRNA, 1344 nt]	S62096 Rab geranyigeranyi transferase component B aipha subunit [rats, brain, mRNA, 2672 nt]	S59525 gonadotropin-releasing hormone receptor (rats, pitultary gland, mRNA, 2256 nt)	S58644 Integrin beta 5 subunit [rats, NRK cells, mRNA Partial, 603 nt]

S68809	S66184	S66024	S66024	S65555	S65555	S85555	S65555	S65355
7688	7684	7680	7676	7672	7668	7684	7660	7656
AAB205 39	NP_058 757	AAB282 73	AAB282 73	AAB282 25	AAB282 25	AAB282 25	AAB282 25	ААВ281 72
7689	7685	7681	7677	7673	7669	7665	7661	7657
NM_0082	NM_0023 17	U44836	U44836	NM_0020	NM_0020	NM_0020	NM_0020 61	NM_0001
7690	7686	7682	7678	7674	7670	7666	7662	7658
P23297	P28300	AAB037 51	ААВ037 51	P48507	P48507	P48507	P48507	P24530
7691	7687	7683	7679	7675	7671	7667	7663	7659
80	72	85	œ	82	92	92	92	8
Rattus sp. S100 alpha mRNA, partial	Rattus norvegicus Lysyl oxidase (Lox), mRNA	transcriptional repressor CREM	transcriptional repressor CREM	Gamma- glutamylcystei ne synthetase light chain	Gamma- glutarnylcystel ne synthetase light chain	Gamma- glutamylcystel ne synthetase light chain	Gamma- glutamylcystel ne synthetase light chain	nonselective- type endothelin receptor
	NM_01706							
S68809 S100 alpha [rats, kidney, mRNA  Partial, 433 nt]	S66184 lysyl oxidase (3 region) [rats, fibroblasts, mRNA Partial, 253 nt]		S66024 transcriptional repressor CREM [rats, pineal gland, mRNA, 436 nt]	S65555 gamma-glutamylcysteine synthetase light chain [rats, kidney, mRNA, 1380 nt]	S65555 gamme-glutamylcysteine synthetase light chain [rats, kidney, mRNA, 1380 nt]	S65555 gamma-glutamylcystelne synthetase light chain [rats, kidney, mRNA, 1380 nt]	S65555 gamma-glutamylcystelne synthetase light chain [rats, kidney, mRNA, 1380 nt]	S65355 nonselective-type endothelin receptor [rats, brain, mRNA, 2018 nt]

	S71570	S70803	S70803	S70803	S70803	S70011	S70011	S69329	S69329	S69316 7692 AAH10
	7714	7712	7710	7708	7706	7702	7698	7698	7694	7692
	AAB306 70	AAB308 88	AAB308 88	AAB308 88	AAB308 88	AAB302 58	AAB302 58	AAB301 28	AAB301 28	AAH10 445
<u></u>	7715	7713	7711	7709	7707	7703	7699	7697	7695	7693
	XM_04434 8	No human homolog found.	No human homolog found.	No human homolog found.	No human homolog found.	NM_0309 71	NM_0309 71	XM_03434 2	XM_03434 2	XM_04913
						7704	7700			
	XP_044 348	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	No Human Protein Found.	Q9BWM 7	Q98WM 7	XP_034 342	ХР_034 342	XP_049 131
						7705	7701			
	97					68	68	Ŕ	ē	
gamma-b	Ca2+/calmodu lin-dependent protein kinase ii Isoform	Clone p10.15 product	Clone p10.15 product	Clone p10.15 product	Clone p10.15 product	Tricarboxylate carrier mRNA, partial cds	Tricarboxylate carrier mRNA, partial cds	isl- 1=homeobox {LIM domain}	isi- 1=homeobox {LIM domain}	Tumor rejection antigen
	<u></u>									BC010445
	S71570 Ca2+/calmodulin-dependent protein kinase II Isoform gamma-b [rats, sorta smooth muscle, mRNA Partial, 1764 nt]	S70803 clone p10.15 product [rats, osteosercome ROS1772.8, mRNA, 737 nt]	S70803 clone p10.15 product [rats, osteosarcoma ROS17/Z.8, mRNA, 737 nt]	S70803 clone p10.15 product [rats, ostsosarcoma ROS17/2.8, mRNA, 737 nt]	S70803 clone p10.15 product [rats, osteosarcoma ROS17/2.8, mRNA, 737 nt]	S70011 tricarboxylate carrier [rats, liver, mRNA Partial, 2986 nt]	S70011 tricarboxylate carrier [rate, liver, mRNA Partial, 2986 nt]	S69329 isi-1=homeobox [rats, keratinocytes, islet cell line RIN1056A, mRNA, 1060 nt]	S69329 Isi-1=homeobox [rats, keratinocytes, Islet cell line RIN1056A, mRNA, 1060 nt]	
								-		

S74572	S74572	S74572	\$74572	\$73007 \$73424	S72407	\$71570
						7
7736	7734	7732	7730	7728   8	7718	716
AAB334 30	AAB334 30	AAB334 30	AAB334 30	AAB206 88 AAB323 92	AAC52 185	S71570 7716 AAB306
7737	7735	7733	7731	7723	7719	7717
XM_03087	XM_03087 8	XM_03087	XM_03087 8	NM_0003 45 NM_0024 15	XM_01138 7	7717 XM_04434
				7728		
XP_030 878	XP_030 878	XP_030 878	XP_030 878	P37840	XP_011 387	XP_044 348
				7729	7721	
94	22	9	2	8 2	<b>,</b>	97
Mg2+ dependent protein phosphatase beta isoform	Mg2+ dependent protein phosphatase beta isoform (alternatively spliced)	Mg2+ dependent protein phosphatase beta Isoform	Mg2+ dependent protein phosphatase beta isoform (alternatively spliced)	SYN1 SYN1 MIF=macroph age migration inhibitory factor	laminin-2 alpha2 chain	Ca2+/calmodu lin-dependent protein kinase Il isoform gamma-b
					U12147	
S74572 Mg2+ dependent protein phosphatase beta isoform (alternatively spilced) [rats, brain, mRNA, 1503 nt]	S74572 Mg2+ dependent protein phosphatase beta isoform (alternatively spilced) [rats, brain, mRNA, 1503 nt]	S74572 Mg2+ dependent protein phosphatase beta isoform {alternatively spliced} [rats, brain, mRNA, 1503 nt]	S74572 Mg2+ dependent protein phosphatase beta isoform {alternatively spilced} [rats, brain, mRNA, 1503 nt]	spliced) [rats, mRNA, 695 nt] S73424 MIF=macrophage migration inhibitory factor [rats, liver, mRNA, 525 nt]		S71570 Ca2+/calmodulin-dependent protein kinase il isoform gamma-b [rats, aorta smooth muscle, mRNA Partial, 1764 nt]

Table 2. S74907 7738 S76758 S75435 S75435 **S76742** S75997 S75359 S75359 7766 7782 7758 7754 7750 7746 7742 AAB327 31 AAB338 65 No Rat Protein Found. AAB325 20 AAB325 20 AAB338 65 AAB328 06 AAB333 84 7739 7763 7759 7755 7751 7747 7743 NM\_0043 29 NM\_0202 08 M16768 XM\_00657 X72500 53 NM\_0165 NM\_0043 29 AB038670 7767 7756 7752 7748 7740 7764 7760 7744 XP\_006 578 BAB555 45 CAA511 65 P37198 AAA611 10 NP\_064 P36894 P36894 7761 7757 7753 7741 7768 7765 7748 7745 2 7 8 8 95 8 జ M110=protein phosphatase er transporter rB21a morphogeneti c protein type TCR gamma C4L=T-œll c protein type Bone PP1M spliced) gamma chain Bone factor derived p62 homolog Nucleoporin IA receptor morphogenet subunit 1M 110 kda neurotrophic BDNF=brain-Q1=T-08|| receptor A receptor regulatory (alternatively neurotransmitt yamma chain receptor TCR gamma AI176307 gamma chain (clone RG4) [rats, thymic lymphoma cell line cFTL53, mRNA, 1483 nt] S75435 TCR gamma C4L=T-cell receptor gamma chain (clone RG4) [rats, thymic lymphoma cell line cFTL53, mRNA, 1483 nt] S75359 bone morphogenetic protein type IA receptor [rats, mRNA, 3167 nt] S74907 PP1M M110=protein phosphatase 1M 110 kda regulatory subunit [rats, aorta, mRNA, 3300 nt] factor (alternatively spliced) [rats, brain, mRNA Partial, 711 nt] [rats, brain, mRNA, 1950 nt] repeats) [rats, Sprague-Dawley, testis, mRNA Partial, 1134 nt] receptor [rats, mRNA, 3167 nt] S75997 nucleoporin p62 homolog (Inverted S75359 bone morphogenetic protein type IA S76758 BDNF=brain-derived neurotrophic S76742 neurotransmitter transporter rB21a S75435 TCR gamma C4L=T-cell receptor

ilight light light se 1	\$77900 \$78217 \$78218 \$78218	S77900	Table 2.  S77532
AAB341 7774 M22919 7775 AAA598 7776 99 Non-muscle AA894200 93 Non-muscle AA894200 93 Non-muscle AA894200 95 myosin alkali aAB341 7778 XM_00950 7779 XP_009 7780 96 myosin regulatory light chain isoform C; myosin RLC isoform C C isoform C C isoform RLC isoform C C isoform C C isoform RLC isoform C C isoform RLC isoform C C isoform	7781 7785 7789	7777	7769
M22919 7775 AAA598 7776 99 Non-muscle AA994200 93 Non-muscle AA994200 myosin alkall light chain myosin alkall light chain soform C; myosin RLC Isoform C; myosin Protein phosphatase 1	AAB341 27 AAB343 34 AAB343 35 AAB343	26 AAB341	Table 2.  S77532 7769 AAB211
7775 AAA598 7776 99 Non-muscle AA894200 myosin alkali light chain soform C; myosin RLC Isoform C; myosin Protein phosphatase 1 beta phosphatase 1 bet	7782 7786 7794	7778	7770
AAA598 7776 99 Non-muscle AA894200 myosin alkali light chain xP_009 7780 96 myosin alkali light chain isoform C; myosin chain isoform C; myosin RLC isoform C myosin Protein phosphatase 1 isoform phosphatase 1	XM_00950 1 NM_0027 10 NM_0027 09 NM_0027 09 09	XM_00950	7770 M31222
7776 98 Non-muscle AA894200 myosin alkall light chalin myosin alkall myosin alkall light chalin soform C; myosin RLC isoform C myosin Protein phosphatase 1 phosphatase 1 isota protein phosphatase 1 isota phosph	7783 7781 7795	7779	# #
homolog Non-muscle Myosin alkali light chain myosin regulatory light chain isoform C; myosin RLC isoform C; myosin RLC isoform C; myosin RLC isoform C; myosin RLC isoform C myosin RLC isoform C protein phosphatase 1 beta 100 Protein phosphatase 1	XP_009 501 P36873 P37140 P37140	33 XP_009	P15923
homolog Non-muscle myosin alkali light chain myosin regulatory light chain isoform C; myosin RLC Isoform C; myosin RLC Isoform C; myosin RLC Isoform C; myosin RLC Isoform C myosin RLC Isoform C hain isoform C hosphatase 1 protein phosphatase 1 beta Protein phosphatase 1	7784 7788 7792 7800	7780	7772
g siscle AA894200 alkall alkall arbory light oform sin form sin form at asse 1 at asse 1 at asse 1 at asse 1		8 8	8 7
AA894200	chain isoform C; myosin RLC isoform C myosin regulatory light chain isoform C; myosin RLC isoform C; myosin RLC isoform C protein phosphatase 1 protein phosphatase 1 beta Protein phosphatase 1 beta Protein phosphatase 1	myosin aikall light chain myosin	rE12=helix- loop-helix transcription factor E12 homolog
S77858 non-muscle myosin alk [rats, Sprague-Dawley, new-bon ventricle, mRNA, 613 nt] S77900 myosin regulatory light C [rats, Sprague-Dawley, new-bventricle, mRNA, 1008 nt] S77900 myosin regulatory light C [rats, Sprague-Dawley, new-bventricle, mRNA, 1008 nt] S78217 protein phosphatase 1 striatum, mRNA, 2668 nt] S78218 protein phosphatase 1 striatum, mRNA, 2668 nt]			
myosin alkali light chain y, new-born, heart nt] latory light chain isoform ley, new-born, heart 8 nt] latory light chain isoform ley, new-born, heart 8 nt] phatase 1 gamma 1 Neartial, 1508 nt] phatase 1 beta [rats, 8 nt]	ventricle, mRNA, 1008 nt]  S77900 myosin regulatory light chain isoform C [rats, Sprague-Dawley, new-born, heart ventricle, mRNA, 1008 nt]  S78217 protein phosphatase 1 gamma 1 [rats, striatum, mRNA Partial, 1508 nt]  S78218 protein phosphatase 1 beta [rats, striatum, mRNA, 2668 nt]  S78218 protein phosphatase 1 beta [rats, striatum, mRNA, 2668 nt]  S78218 protein phosphatase 1 beta [rats, striatum, mRNA, 2668 nt]  S78218 protein phosphatase 1 beta [rats, striatum, mRNA, 2668 nt]	[rats, Sprague-Dawley, new-born, heart ventricle, mRNA, 613 nt] S77900 myosin regulatory light chain Isoform C frets Sprague Dawley new-born heart	S77532 rE12=helix-loop-helix transcription factor E12 homolog (rats, mRNA Partial, 960 nt)

	S79304	S78556	S78556	S78556	S78556	S78556
	7829	7825	7821	7817	7813	7809
	AAB212 98	AAB349 82	AAB349 82	AAB349 82	AAB349 82	7809 AAB349 82
	7830	7826	7822	7818	7814	7810
	No human homolog found.	NM_0041 34	NM_0041	NM_0041	NM_0041	NM_0041
		7827	7823	7819	7815	7811
Found	No Human Protein	P38646	P38646	P38646	P38646	P38646
		7828	7824	7820	7816	7812
		93	83	93	93	93
subunit I mRNA, partial cds; and tRNA Ser gene, complete sequence; mitochondrial genes for mitochondrial products	Rattus sp. cytochrome oxidase	75 kda glucose regulated protein	75 kda glucose regulated protein	75 kda glucose regulated protein	75 kda glucose regulated protein	75 kda glucose regulated protein
	\$79304 cytochrome oxidase subunit I, SertRNA (rats, Sertoll cells, mRNA Mitochondrial, 987 nt)		S78556 grp75=75 kda glucose regulated protein [rats, Sprague-Dawley, brain, mRNA, 3001 nt]	S78556 grp75=75 kda glucose regulated protein [rats, Sprague-Dawley, brain, mRNA, 3001 nt]	S78566 grp75=75 kda glucose regulated protein [rats, Sprague-Dawley, brain, mRNA, 3001 nt]	S78556 grp75=75 kda glucose regulated protein [rats, Sprague-Dawley, brain, mRNA, 3001 nt]
			i <del> </del>			

S81497	S81497	S81497	S80376	S79523
7845	7841	7837	7833	7831
AAB360 43	AAB360 43	AAB360 43	P38406	Table 2. \$79523   7831   P30836
7846	7842	7838	7834	7832
U08464	U08464	U08464	L10865	7832 XM_04444
7847	7843	7839	7835	
P38571	P38571	P38571	P38405	XP_044 441
7848	7844	7840	7836	·
72	72	72		75
Lysosomal acid lipase	Lysosomal acid lipase≔intracel lular hydrolase	Lysosomal acid lipase	G alpha olf=GTP- binding protein Golf alpha subunit {atternatively spilced, clone 23}	Lymphocyte membrane protein A.11
AA874784		AA874784		
S81497 lysosomal acid lipase=intracellular hydrolase [rats, Wolman, liver, mRNA, 3144 nt]	S81497 lysosomal acid lipase=intracellular hydrolase [rats, Wolman, liver, mRNA, 3144 nt]	S81497 lysosomal acid lipase=intracellular hydrotase [rats, Wolman, liver, mRNA, 3144 nt]	S80376 G alpha oif=GTP-binding protein Golf alpha subunit (alternatively spliced, clone 23) [rats, brain, Sprague-Dawley, mRNA Partial, 1924 nt]	S79523 lymphocyte membrane protein A.11 {clone RS-2} [rats, Sprague-Dawley, thoracic in duct lymphocytes (TDL), mRNA, 1580 nt]
				Type I membrane protein.
				L-selectin precursor (Lymph node homing receptor) (Leukocyte adhesionmolecu ie-1) (LAM-1) (LY-22) (Lymphocyte surface MEL-14 antigen)(Leukoc yte-endothelial cell adhesion molecule 1) (LECAM1) (CD62L).